

COMMUNICATION
Port: 1
Bps: 2400
Parity: None
Data bits: 8
Stop Bits: 1
DSR: No

Free TSR: Total Serial Port and Video Control—SETMODE Delivers!

Don't Settle For Less


PC Labs Tests
9 New Boards

- Scientific
 Word Processors:
 Formulas for Success
- Plus:
 - 21 Programmable Comm Packages
 - 9 Budget ATs



 First Looks: Toshiba T5100 Packs 386 Power For the Road New from Borland,

Introducing Sprint, the fast track to performance word processing



You're on the fast track because Sprint races through your work much faster than other word processors. And you're on the fast track because you can learn Sprint in a hurry—whether you've ever used a word processor or never used a word processor.

Sprint: The Professional Word Processor!



You turn professional when you Sprint!

Ease into the future with Sprint today

Sprint works with today's hardware and will work with tomorrow's. Anywhere from an 8088 PC through a 386.

It's already a major success story in Europe; it's the #1 selling word processor in France (and everyone knows, 50 million Frenchmen can't be wrong!) Sprint is proof that the world *did* need another word processor.

Sprint is so sophisticated, it's simple. It won't terrify a beginner; it's a familiar face to many experienced word processor.

users who can now get much better, faster results without having to learn a new program.

It's so flexible, businesses can standardize on Sprint without losing a thing or having to re-train.

It's so powerful that "power users" will never be hungry for power again because they can customize to their hearts' content.

And it's a remarkable value at \$199.95 instead of the \$400, \$500, \$600 some companies

want—and for a limited time only, we throw in Alternative User Interfaces compatible with the command procedures of Word-Star, MultiMate, Microsoft Word, WordPerfect, SideKick and EMACS. All this for an introductory price of only \$199.95 suggested retail.

Sprint. It's the word processor you'd expect from Borland and the value you'd expect from Borland. It's time to *Sprint* on the fast track.

many experienced word processor Section 5 Chapter Heading SALES AND MARKETING PLAN Scalable Font During the last few years our market share has increased despite increased competition. To maintain our widening lead, the will soon be amounting Oceanic Missics Video 2' which is visually and technically superior to all other market estries and priced below all but the chapset entries. The new product will be announced in New York's World Trade Center (see page 14). Box Drawing New Pricing for Video 2 Section Heading Video 2 will be priced competitively. Its price will be 10% below the top selling competition, Super Video, but slightly more than two other similar products. Video 2 is clearly a better product than all of its competition. The following charts compaces competitive prices: Marketing Tools re with Video 2, we need to arrange the fol-Automatic Bulleted List PostScript* Graphics Automatic Numbered List We took a random sampling of one hundred consumers in each of our four sales regions. We then averaged the numbers to get the maximum price point (see Table 5.1). The suggested price for Video 2 is below all max-Automatic Table-Referencing Footnote Capability National Oceanic Music Corporation Report Page Footing





New.

now incorporates a rear or bottom feed. Real handy if you're printing labels, forms, cards or stationery.

As for convenience, you'll also appreciate the front panel controls, the outstanding compatibility and the wide selection of typestyles via available font cards. There's even color capability on the deluxe MSP-50 and 55.

All in all, the MSP series, with an 18-month warranty, represents an excellent value in precision-built printers. Which, considering Citizen's tradition, isn't all that new.

For the dealer nearest you, call 1-800-556-1234, Ext. 34.

In California, call 1-800-441-2345, Ext. 34.

1988 Citizen America Corporation. Citizen and the Citizen logo are trademarks of Citizen Watch Co., Ltd.



The Experts' Choice



"The best disk optimizer I've seen, it quickly unfragments your hard disk and keeps it as fast as it is supposed to be."

Bernie Zilbergeld **Computer Currents**

"Vopt is fast, safe, effective, and even fun to use. What more could you want?"

Glenn Hart PC Magazine

"There are several disk management programs available, but the one I use is Golden Bow's Vopt."

Jerry Pournelle Byte

"In three years of rating software, I've never given a product a 10-until now."

Vincent Flanders Access 88

"Vopt is very, very FAST. Golden Bow Systems has a winner here. No choice. In stand-alone disk optimizers, Vopt is Vbest."

John G. Scherb **Tokyo PC Newsletter**

Vopt is the fast, safe, disk organizer that unfragments your disk files to improve the performance of your hard and floppy disks.

Vopt is loaded with additional programs that test and report on the efficiency of your system.

Call toll free and receive a free demo disk that will show just how fast Vopt will work for you!

\$59.95 \$3 shipping/handling CA add 6.5% sales tax

GOLDEN BOW SYSTEMS



2870 Fifth Avenue Sulte 201 San Diego, CA 92103 800/284-3269

Vopt is a trademark of Golden Bow Systems.

VHAT'S INSIDE

In this issue, PC Magazine makes good on a promise Bill Machrone made back in February. A reader had written to suggest that we include more remarks about the concerns of scientists in our regular stories, and Machrone responded that reporting on the advanced features that serve scientists will help all readers make more-informed purchasing decisions. So we thought: Why not conclude our roundup of word processors

with a look at new and better ways of working with scientific and technical material?

The 12 programs we review in "Scientific Word Processors: Formulas for Success" simplify the writing and editing of equations both mathematical and chemical-the elements that are vital to technical publishing. Anyone who has worked with the predecessors of these packages will appreciate the gains in usability and functionality within this product category. And anyone who has ever been frustrated trying to use a general-purpose WP to format an occasional equation or two may find the right secondary package among this group.

MAKING WAY FOR VGA Just as scientific word processors are achieving maturity and moving into the mainstream of desktop computing, VGA display adapters are developing the potential of making any office a room with a colorful view. In our cover story, contributing editor Winn L. Rosch reviews nine low-cost register-compatible VGA boards that take the next step

Two great communicators: PC Labs project leader Frank Mitard and contributing editor M. David Stone.

in bringing the VGA standard to PCs, XTs, and ATs. Says Rosch, "Now the glass doesn't have to be greener on the other side of the office where that other guy has a new PS/2 and VGA technologyand you don't." Rosch's point: VGA is a standard PC users no longer can afford to

Finally, we look at 21 communications programs that feature powerful script languages. One of the challenges of working on this story, according to contributing editor M. David Stone and PC Labs project leader Frank Mitard, was settling on definitions for Xmodem and Ymodem protocols and their variants, which are given different names by two camps of communications experts. Says Stone, "If we simply used the protocol labels the vendors use, it would be like comparing apples and oranges and calling them peaches." After long conversations with Chuck Forsberg—the creator of Ymodem—and with software vendors. Stone and Mitard decided to adopt conventions that side with neither school. Will that end the debate or just fuel it anew? We'll let you know.

to IBM-Sandard Personal Computing ISSN (#0888-8507) is published bi-weekly except in July and August for \$59.97 for one year (22 issues), to year. Additional postage \$1.00 per copy or \$22.00 per year for Canada and all other foreign countries, Ziff-Davis Publishing Co., a division of Ziff few York. NY 1006.5 Second-Class postage paid at New York, NY 1006 and at additional matting offices. POSTMASTER, Sorters changes to PC.



© 1987 Laser Connection

A QMS' Company
CIRCLE 259 ON READER SERVICE CARD

The following are trademarks of their respective companies: HP, Hewlett-Packard. LaserJet Series II. HP Vectra of Hewlett-Packard. QMS, JetScript, ASAP, Laser Connection of QMS, Inc. PostScript of Adobe Systems. IBM PC-XT, IBM PC-AT and IBM PS/2 of International Business Machines Corp.




COVER STORY


Nearing Perfection: VGA Boards Enter the Mainstream

Winn L. Rosch/ Transform your PC's screen from dull to dazzling. This second wave of VGA-compatible display adapters from Everex Systems. Intelligent Data Systems, Orchid Technology, Paradise Systems, Sigma Designs, Tatung Co. of America, Taxan USA, Tecmar, and Video Seven will make your PC's color and resolution rival a PS/2's93


Features Table95 Performance Tests 102



ATLANTIC BOOSTS MARKET



FEATURES



Scientific WPs blend technical symbols and text, page 251.

COMMUNICATIONS **PC Communications** Comes of Age

M. David Stone/ Automate your communications or build new features into your system with the new generation of communications software. Our reviewers examine 21 script language programs that offer the kind of versatility you'd expect to see only in a programming language 127 Features Table...... 140 Performance Tests 151

COMPUTERS The Niche Factor: Nine ATs Compete for Market Share Donald P. Willmott/ Some slash prices and others add features, but all nine of these

competitive AT

AT compatibles are looking for

ways to capture a piece of the

marketplace 207 Features Table......208 Performance Tests 238

WORD PROCESSING Scientific Word Processors: Formulas for Success

Jim Seymour/ Simplify the integration of text and technical character sets with one of the 12 scientific WPs reviewed here. Contributing editor Jim Seymour traces the evolution of these word processors from Donald Knuth's complicated TEX to the more-sophisticated products available

today	 251
Features Table	
Performance Tests	

EDITORIAL PRODUCT INDEX

The complete listing of products reviewed in this issue, plus a quick reference to utilities, programs, and tips in the Productivity section ... 513

Cover Photograph: Roberto Brosan

FIRST LOOKS

Hands On:

- The Toshiba T5100 squeezes
 386 performance and 2MB

 PAN interpolation of the property of the property
- RAM into a laptop chassis

 IZE, from Persoft, adds new
- twist to managing free-form information
- Emerald Bay's Data Base Administrator and Eagle
- An inexpensive 20-MHz tower from Northgate
- Ashton-Tate's *Draw*Applause enters the presentation graphics arena
- The Image Printing Utilities teach 9-pin dot matrix printers new tricks
- Tree86 hard disk organizer, excellent mouse support
- Super Cartridge I replaces 23 HP cartridges
- Dan Bricklin's Demo II Program
- CuRAM 80-8: memory for the Model 8033

AFTER HOURS

- Campaign Promises lets you make a run for the presidency
- Three genealogy programs for tracing your family tree

PRODUCTIVITY

PC LAB NOTES

Instant Speedup for Your PC

UTILITIES

Communications and Video Setup with SETMODE PROGRAM

PC MAGAZINE HELP FILE 337

ENVIRONMENTS

Introducing the OS/2 Presentation Manager

Charles Petzold/ A first look at OS/2 1.1, whose graphics-based interface will make software easier to use 379

POWER PROGRAMMING Keeping Filenames Fully Oualified

Ray Duncan/ Storing incomplete filenames in full drive-and-path form 397

SPREADSHEET CLINIC

Ary Elnora Richardson ANAME: Villian Varman Mack OCCUPATION: BIRTH: 26 Jan 1738 PLACE: Lyne, New London Co CT MARRIED: 12 Jun 1759 PLACE: Lyne, New London Co CT DIED: 25 Apr 1888 PLACE: East Lyne, New London Co CT BURIAL: PLACE: Old Stone Ch C, New London Co CT

Genealogy programs track your past, in After Hours, page 524.

USER-TO-USER

POWER USER

LANGUAGES

Robert L. Hummel/ A simple program to merge C code with the compiler's assembler output; creating custom character fonts in BASIC... 435

PC TUTOR

Robert L. Hummel/ Understanding the bad sectors on your hard disk; running monochrome and color monitors simultaneously .. 447

CONNECTIVITY CLINIC

Frank J. Derfler, Jr./ Finding an ARCnet station address with BASIC and an Ethernet address using C; terminating printer spooling in commercial programs automatically ... 453

VIEWPOINTS

LETTERS TO PC MAGAZINE......15

PC ADVISOR

Mitt Jones/ Separating keyboard and monitor from system unit; QMS JetScript adds PostScript capability to your HP LaserJet Series II; an AT&T-sponsored bulletin board for AT&T 6300

users......27

BILL MACHRONE

In Your (Inter)Face65

JOHN C. DVORAK Confessions of a Power



JIM SEYMOUR

386 PCs: Redefining the Workstation77

STEPHEN MANES

Extension Course: Filenames for the Future85

Index to Advertisers...523



Editor-in-Chief and Publisher Bill Machrone

Associate Publisher J. Samuel Huey

Executive Editors Bill Howard, Luisa Simone, Gus Venditto

Workgroup Systems Editor Frank J. Derfler, Jr.

West Coast Editor Jared Taylor

Senior Editor Nora Georgas

Senior Technical Editor Robert L. Hummel Senior Editor, Technical Columns Craig L. Stark

Assistant Managing Editors Greg Pastrick, Paul B. Ross

Manager, Copy Edit Linda Louk

Technical Editor Salvatore P. Ricciardi

Associate Editors Carol Ellison, Robbin Juris, Catherine D. Miller, Trudy Neuhaus,

Donald P. Willmott

Production Editor Diane D'Angelo

Assistant Production Editor Karen A. Carter

Staff Editors Mitt Jones, Jonathan Matzkin, Edward L. Perratore

Assistant Editors Robert Barnett, Glen Becker, Michael Cohn, Carole Goldstein, Stephanie K. Losee, Lonnie Lum, Paul V. Olowacz, Ann Ovodow, M. Stephanie Ricks, David Rosen, Jennifer Zaino

Editorial Assistants Fredric Burke, Stephanie Izarek, Michael W. Muchmore, Ilona Price, Paula Seefeldt

Proofreaders Meakin David Armstrong, P. J. Springer

Editorial Secretary Donna Alfred Business Manager Tom McGrade

Assistant to the Publisher David Baker

Administrative Assistants Christina Okang, Frieda T. Smallwood

Database Assistant Dolores Williams

Contributing Editors Frank Bican, Douglas Cobb, Steven Cobb, Ray Duncan, John C. Dvorak, Glenn A. Hart, Stephen Manes, Michael J. Mefford, Edward Mendelson, Barry Owen, Charles Petzold, Jeff Prosise, Winn L. Rosch, Neil J. Rubenking, Jim Seymour, M. David Stone, Ethan Winer

Manager, PC MagNet Christopher Barr

PC MagNet Assistant Manager Wendy W. Huang

Director, Art and Design Mary Zisk

Associate Art Director Denise Platkin

Art Editor Mariano Nicieza

Assistant Art Director Natalie Chu

Layout Artists Leigh Margerison, Amy B. Williamson

Director, Graphics and Electronic Publishing Gerard Kunkel

Senior Graphic Designer Laurie Wance

Graphic Designer Charles Conover

Graphic Artist Gerard Sarrantonio

Director, PC Labs John Dickinson Manager, PC Labs Bruce Freeman

Project Leaders Pamela J. Milland, Francis P. Mitard, Bill O'Brien, Philip F.H. Rose

System Support Specialists Robert W. Kane, Charles Rodriguez

Inventory Control Manager John R. Delaney

Inventory Control Technicians Peter Bastide, Leon Newman

Receptionist Karen Williams

Marketing Director Jeff Ballowe

Marketing Manager Ellen Atkinson

Public Relations Director Jessica Kersey

Public Relations Coordinator Stacy O'Connell

Single Copy Sales Director Bob Woltersdorf

Retail Sales & Marketing Manager Carol Benedetto

Circulation Manager Charles Mast

Circulation Coordinator Robert Smahl

Editorial Production Supervisor Dorothy Chiffriller

Advertising Production Supervisor Susan DePierro

Advertising Production Managers Susan Livoti, Vicki Egan Root

Advertising Production Assistants Michael Genzale, Christine Rottmund

Editorial Production Coordinator Dennis Fitzgerald

Production Systems Supervisor Linda Harms

Production Systems Staff Melvin Foster-Poetsch, Sharon Terdeman

Group Vice President William Lohse

Advertising Office One Park Ave., New York, NY 10016, (212) 503-5100

ZIFF-DAVIS PUBLISHING COMPANY

President Kenneth H. Koppel

Group Vice Presidents William Lohse, J. Scott Briggs Senior Vice President, Marketing Paul H. Chook

Vice President, Operations Baird Davis

Vice President, Controller John Vlachos

Vice President, Creative Services Herbert Stern

Vice President, Research Marian O. White

Vice President, Circulation Bert Lacy

Vice President, Circulation Services James Ramaley

Vice President, Marketing Services Ann Pollak Adelman

Vice President, Classified Advertising Alicia Marie Ivans

Vice President, Development Seth Alpert Director of Planning Gary A. Gustafson

Production Director Walter J. Terlecki

ZIFF COMMUNICATIONS COMPANY

Chairman Philip B. Korsant

President Kenneth H. Koppel

Executive Vice President Stephen C. Kahler

Senior Vice Presidents Philip Sine, Hugh Tietjen

Vice Presidents William Phillips, J. Malcolm Morris, Steven C. Feinman

Secretary Bertram A. Abrams

HOW TO CONTACT THE EDITORS

The editors of PC Magazine want to hear from you. Complaints, questions, and, of course, compliments should be sent by letter to One Park Ave., New York, NY 10016-it's probably the best way to reach us. You can also reach us electronically via MCI Mail (our account number is 157-9301) or by leaving a note on our Interactive Reader Service when you've finished downloading the latest utility. If nothing but a human voice will satisfy you, call us at (212) 503-5255.

We are unable to look up stories from past issues, recommend products, or diagnose problems with your PC by phone. If you bought a product advertised in PC Magazine, are dissatisfied, and can't resolve the problem, write (do not call) Jennifer Carratu, Advertising Department, at One Park Ave. In-

clude copies of correspondence. PC Magazine is under no obligation to review unsolicited products. All submissions accepted for publication become the

property of PC Magazine.

PC MAGNET

PC MagNet, an on-line service, is a source for PC Magazine's utilities (both programs and source code), the PC Labs Benchmark Test programs, and an index of articles printed in the magazine. Callers can upload submissions to PC Magazine's Productivity section and join forums to discuss articles printed in PC Magazine with the authors and other readers. PC Mag-Net provides electronic mail and a gateway to CompuServe. For more information see the Productivity section or call (212) 503-5221.

PERMISSIONS, REPRINTS

Material in this publication may not be reproduced in any form without permission. If you want to quote from an article, use PC Magazine's logo in conjunction with an Editor's Choice designation, or reprint an article, call or write Jean Lamensdorf, Reprints Manager, One Park Ave., New York, NY 10016, (212) 503-5448.

SUBSCRIPTION QUESTIONS

If you want to subscribe to PC Magazine, if you have a question about your subscription, or if you're moving, call or write: PC Magazine, P.O. Box 54093, Boulder, CO 80322; (303) 447-9330. A 1-year subscription (22 issues) costs \$39.97; 2 years, \$65.97. Canada and foreign: add \$1 per issue or \$22.00 per year. New subscriptions and address changes take 6 to 8 weeks to process. For back issues, write Kim Armstrong, Back Issues Department, PC Magazine, One Park Ave., New York, NY 10016. Send \$8 per issue (check or money order, \$9 outside the U.S.).

Editorial and Business Office: One Park Ave., New York, NY 10016. Editorial (212) 503-5255, Advertising (212) 503-5100. PC Magazine is an independent journal, not affiliated in any way with International Business Machines Corporation. IBM is a registered trademark of International Business Machines Corp. Entire contents Copyright © 1988 Ziff-Davis Publishing Co., a division of Ziff Communications Co. All rights reserved; reproduction in whole or in part without permission is prohibited. The following are trademarks of Ziff Communications Co., PC, PC: The Independent Guide to IBM-Standard Personal Computing, PC Magazine, PC Mart, PC Labs, PC-Communiqués, PC Tutor, User-to-User, Power

User, Power Programming, Spreadsheet Clinic, The PC Utilities, PC Lab Notes, PC Advisor, First Looks, PC Pipeline, PC MagNet.



Beautifully Simple

Simply Beautiful

Consider this: How many Pixie menu selections does it take to create a complete bar chart – with annotation, axes, title, and

legend? Just one.

How many menu selections are needed to change the bar values? Add to the title? Change the axis scaling? Add more bars? Would you believe... none.

Zenographics introduces Pixie, a new charting and drawing program with the simplest, most obvious user interface yet devised for presentation graphics.

In technical terms, it's called direct manipulation. To you, it means instant learning – and because it's so visual,

Pixie is one program you'll never forget how to use.

Based on Microsoff® Windows, we think Pixie is the best example yet, in any software category, of the power of the graphical user interface.

Deep down, you know why you invest in graphics: you want to look good. You want to impress, to entertain, to inform, to *sell*.

Pixie can make you look good. Just because it's simple doesn't mean it isn't beautiful – great color, shaded backgrounds, clean typefaces, drop shadows, 3-D effects, and more.

Take a look at the slide on the left. Does it look like it could be created by a graphics amateur? In 10 minutes? With a \$195 graphics package? Thousands of Pixie users are making this very image: it's Lesson 3 (just six pages) in the Pixie manual!

Pixie is Zenographics' newest winner. It connects

beautifully with our flagship product Mirage – the PCbased tool of choice for graphics professionals. Through Mirage, Pixie gains access to the best and most complete output device drivers, and to the artistic expertise of thousands of Mirage power-users worldwide.

	Pixie	Harvard Graphics	Freelance Plus
Graphical user interface?	Yes (MS Windows)	No	No
User interface technique	Direct manipulation	Fill-in forms	Fill-in forms
Editing preserved if chart changes?	Yes	No	No
Screen Fonts	Windows, Bitstream, Mirage	Helv, 1 hardware font	Stick
Maximum colors per image	16 million (Windows limit)	16	12
Compatible with	Yes	No	No

(Mirage)

\$495

\$495

\$195



IPUTER GRAPHICS MARKET

COMPUTER GRAPHICS MARKET

Commercial/Indpagrial by application

Our form

to the second	In the	Dans as Shedra Pattern	Ed ab Both	Reco
	2			
200	We s All	Selven	Marine	
	P=() 5 6	No. 11	Bearies	•
	Prop - pr 2 I m - me fr	Button Contar Doll	Soft Limit	0198







For dealer locations or product information, call (800) FON-PIXIE (800) 366-7494

For credit card orders, call (800) 222-9409



professional

systems?

CIRCLE 325 ON READER SERVICE CARD

'The Breakthru 286 performed flavolessly with every application we hunded it, including copy-protected programs and nine memory-resident utilities at once."

Stephen Manes, PC Magazine

"...the Breakthru 286 was the card of choice."
PC BusinesSoftwareview (Rated #1)

"...Breakhru 286 is a good value and a quality product backed by effective support."

Dan A. Griffin
The Newsletter of the AutoCAD User's Group

"The PCSG Breakthru 286 achieved the best performance results of the caching bounds tested." Ted Mirecki, PC Tech Journal (Rated #1) 'The 12-MHz Breakthru 286-12 speedup board is the fastest of those tested, but not the most expensive. On a dollar per-horsepower basis, it could be called the cheapest boost available for an XT.'

Mark Welch, inkWorld (Rated #1)

Think You Need an AT?

Make Your IBM PC Faster Than an AT in Just 5 Minutes!



Breakthru 286-8MHz-\$395 Breakthru 286-12MHz-\$595 LIGHTNING™—FREE with Breakthru speedup hardware—\$89.95 purchased separately

We are excited about our three speedup products. You probably know about our Lightning disk access speedup software that was awarded PC Magazine's Best of 1986 award (see box). After the smashing success of Lightning, in late '86, we

guaranteed the Breakthru 286 board to be literally the most advanced, fastest, most feature-rich board available. The runaway success it has enjoyed truly proved that assertion. Now we go ourselves one better with the Breakthru 286-12. This new board has the clock speed cranked up from 8 to 12 MHz for speeds up to 10.2 times faster than an IBM PC. It is 50% faster than an 8MHz IBM AT, and up to a whopping 1,000% faster than a regular PC.

But, no speedup board cuts disk access time in half

LIGHTNING

nothware can - \$89.95 or FREE m/Breakthru

"Lightning is almost mandatory...." -Steve Manes, PC Magazine Best of 86 review

Loads with the DOS - atways ready as a background program to accelerate disk access. You do nothing - everything is automatic. Programs that frequently access the disk (hard or floppy) are made instantly up to 2 to 4 times faster. Uses a principle greatly enhanced from mainframe technology called caching. Fully exploits Above Board memory.

LIGHTNING is the standard against which all our competition measures itself because we achieve universal compatibility with other software. Data is never lost. Order **LIGHTNING** separately or get it free with your Breakthru 286 board.

HERE'S WHY THESE TWO BOARDS ARE SO SPECIAL.

First, they install so easily. A half-slot card means you don't even have to give up

a full slot. What's more, unlike competing

products it works in the Compaq Portable and most clones. Easy diagrams show how you just place the card in an open slot, remove the original processor and connect a single cable. There is no software required. From that moment you are running faster than an AT.

Second, they are advanced. The BREAKTHRU 286 replaces the CPU of the PC or XT with an 80286 microprocessor that is faster than the one found in the AT. Has a 80287 math coprocessor slot for numeric intensive applications. A 16K cache memory provides zero-wait-access to the most recently used code and data. Speed switching software allows you to drop back to a lower speed on the fly for timing sensitive applications.

Third, you have full compatibility. All existing system RAM, hardware, and peripheral cards can be used without software modification. Our boards operate with LAN and mainframe communication products and conform to the Expanded Memory Specification (EMS). Software compatibility is virtually universal.

Faster and smarter than an AT - PCSG guarantees it.

Fourth, these are the best. There are several other boards on the speedup market. We at PCSG have compared them all, but there simply is no comparison. Many cards offer only a marginal speedup in spite of their claims and others are just poorly engineered.

We are really excited about these products. PCSG makes the unabashed statement that the BREAKTHRU 286 card represents more advanced technology than boards by Orchid, Quadram, P.C.

Technologies, Phoenix...we could go on. Breakthru 286 is undisputedly the turbo board with the biggest bang for the buck. And we include FREE the \$89.95 acclaimed Lightning software. Call today with your credit card or COD instructions and we will ship your card the very next day.

Think Again

DON'T TAKE OUR WORD FOR IT. USE EITHER BREAKTHRU 286 SPEEDUP BOARD FOR 60 DAYS. IF YOU ARE NOT TOTALLY SATISFIED SIMPLY RETURN IT FOR A FULL REFUND.



PERSONAL COMPUTER SUPPORTORIORIE

11035 Harry Hines Blvd. • Suite 206 • Dallas, Texas 75229 • (214) 351-0564

CIRCLE 489 ON READER SERVICE CARD

Lucid 3-D[™] is a runaway success

Don't take our word for it. Use Lucid 3-D for 60 days. Return it for a full refund if not completely satisfied. Plus, instead of the \$199 list price, an introductory spread-the-word price of \$149.

Lucid 3-D is priced to sell at \$199, but we want thousands of people using Lucid everyday, all over the world. We invite you to be a part of that group. The reason we are offering Lucid for only \$149, on a sixty day return for a full refund, is simple. Preliminary user testing of the product produces the same results over and over. People tell us they would never work without Lucid 3-D again. Even folks continuing to work with 1-2-3.

Memory Resident

12 04am Jan 1, 1988

That's because the idea of a memory resident spreadsheet makes sense, one that you can pop-up instantly while working in your word

Alberticka

F1 for help or F10 for menu

way we dreamed a spreadsheet would function. Everyone who has seen it says things like, "Lucid 3-D is how software of the 1990's will look and perform", or even more to the point "This is the

way!
thought a
computer
should work'.
You'll
see. Lucid
is exciting.

way. Users say "It is so intuitive that I really don't need a manual." That's because we use something we call a visual command menu. Jim Seymour, the noted PC columnist, talking about Lucid in a recent article said that, "If there ever was an interface idea so good it ought to be stolen and widely used, this is it."

What he was talking about is a new menu approach that follows a simple design concept: it is easier to recog-




FIG. 1 Let's get the detail on those ad costs. Just move the widebar to that cell and press one key (grey +).

What Makes it so Special


In the screen examples you can see Lucid is really

multi-dimensional. Any cell of the spreadsheet can contain a complete other spreadsheet that you can access with a single keystroke. It is as simple as the pictures show. And you don't have to write formulas to do that. All you do is go look at the other file, navigating through easy, point and shoot directories. When you come back up (with one key) the link

Everything about Lucid works that

is made automatically for you.

nize than it is to remember. As choices are made on a menu that take you to lower levels you always can see exactly where you came from and where you are going. The complete menu path is always visible. You cannot get lost several levels down. This means you never have to remember a command, you just flow right to it.



processor or any other program. Lucid lets you cut anything on the screen and paste it right into Lucid, or cut anything from a Lucid worksheet and paste into the application below. You can even run Lucid on top of 1-2-3 if you like, and cut and paste information from one to the other, including formulas.

FIG. 2 Here we are, instantly. Notice the lower

down or up. (See next page)

left corner showing we are on level 2. You can go

Lucid 3-D was developed over the past two years with countless, exhaustive hours of planning and programming to produce something spectacular. This is a product that works the

1-800-544-4699

Any cell can contain a complete other spreadsheet that you can access with a single key.

Plus, no matter where you are on a menu or what you are doing, just press function key F1, and you will get a help screen specific to that command or action. Or if you want to know about any subject you can pop up an index of over 400 topics and select the one you want.

Notepad Behind Every Cell

Another 3-D feature is that any cell can also contain a multiple page note that you instantly access with a single keystroke. You can write



FIG. 4. Now, instantly we are on level 3. Each level is a different spreadsheet. You could now move to the New York Times and see the detail on that figure. There is no limit to the levels you can go. Move right down to transaction level if you like.

notes, memos or letters that relate to your work, save them as individual files and even print them separately or with your spreadsheet

Speed

Lucid 3-D is truly revolutionary. It is fast, fast! It is incredibly quick in performing calculations because it doesn't recalculate every cell every time you insert an entry. Instead, it only recalculates the specific cells that are affected by your change. This is called minimal recalc. Lucid also has a remarkable innovation called background recalc in which you are given control of the cursor the moment calculations affecting your viewing screen are completed. Other calculations you don't see continue on in the background during the next commands. The end result of this powerful combination is you rarely wait for a recalculation with Lucid. You find out what instantaneous is all about.

Lucid Learns

Lucid 3-D also lets you teach it any

combinations of keystrokes so that involved sequences can be

done with single keys. Plus more than just remembering keystrokes. Lucid allows you to create Macros with loops, procedures and conditional branching amazingly all done automatically with simple menus. You can create your own menus that show the new features you have taught it. Another great feature is you can make your custom menus work like Lucid where one choice can take you down a level to a whole new set of choices. What's nice is that they will work from one spreadsheet to another.



Fig. 5. Of course, Lucid does multiple windows. Notice,

you can simultaneously open windows in different directories, different drives, even down as many as 3-D levels as you like. No one else cando that.

Mouseability

Lucid 3-D was designed for both keyboard enthusiasts and mouse lovers alike. You can take your pick. Designed around the mouse from the ground up, the interface is smooth and natural. You select files to load from directory lists. Everything is point and click. What's more, any Lucid 3-D menu selection can be "moused" and the response time is "right now" instead of the sluggish "a little bit behind you" feel of add-on mouse menu systems like those you've seen with 1-2-3.

OCOPYRIGHT 1967 PERSONAL COMPUTER SUPPORT GROUP INC




FIG. 6 We need those budget figures in the Word Perfect letter we are writing. Clipboard Dump does it right now.

A window pops up with a library of function names you can page through with the mouse. Select, click and it's in the formula with no typing required. You even have a label window that you can fill (from the keyboard) with favorite labels and names so that you can insert them later with the mouse. There's even a pop-up calculator to insert numbers so you don't have to go to the keyboard very often.

It really permits that feeling of becoming one with your work. Lucid 3-D has windows of user defined range names as well as the macros named by the user that can be selected just by pointing and clicking. Icons that are easy to grab with the mouse let you resize and move the spreadsheet window with the ease you would expect. Plus you can go anywhere on the sheet by moving the mouse and clicking on the spreadsheet borders. And remember Lucid is designed so that any of those features are done with or without the mouse easily and quickly.

Audit

When you are staking a big decision on information gained from a spread-sheet you need to be certain that you have made no mistakes. Lucid offers five audit displays and printouts.

Masterwork

We could go on at great length about all the features and innovations in Lucid, but Lucid is more than a bag of features. What is most important is the pride and craftsmanship that went into its creation. It is a master-



Makers of LIGHTNING**
disk speed up software, and
EREAKLISTE 265 Accelerator Board.

THE RESERVE THE PARTY OF THE PA

FIG. 7 Here it is right in Word Perfect (or any word processor) just like you typed it. You can go the other way just as easily.

work. The overall feel is tight and polished. In fact, Paul Somerson, executive editor of PC Magazine, used one word to describe it, "Slick".

GAMBOTA SAMBOLAR

PCSG has built a reputation as a development laboratory producing products that you know are excellent. In 1983 PCSG dominated the Model 100 laptop market with ROM based software that every reviewer rated as excellent. In 1985 we produced **LIGHTNEYS** the pioneer and award winning Disk speed up software. In 1986 we developed the INFARCETY 255 accelerator board that blew everything else out of the water, and later we topped ourselves with the Breakthru 12. Now in 1987 those who have worked with Lucid 3-D tell us "you have done it again. This is software everyone should

Inclosed are my estimates for the Jane 1900 Bulest, use take a look at them, and see if they agree with your nest.

Engence Subject Jane 1900

Aboutising \$70,385
Sankingstration \$74,567
Derections \$15,507
Derections \$15,507
Est Bank fo my as soon as prestible.

Tabul. 4,594,507

Cet Bank fo my as soon as prestible.

Spread-The-News Offer

§149 Introductory Offer (List §199)

Full Refund within 60 days.

if you aren't ecstatic

Call 1-800-544-4699

Co-winner of the 1987 PC Magazine Award for Technical

The other winner: Microsoft's Excel

Excellence

tat Robert Snith

Even if you don't plan to abandon 1-2-3. Lucid makes sense. Files are converted between them with ease so there's not an interoffice compatibility problem. This means you can have the power and fun of Lucid 3-D without having to upset your present systems.

Doc 1 By 1 Ln 1

Tips of

We are excited about Lucid 3-D. But don't take our word for it, take us up on our 60 day offer. Call us on our order line number and we will ship your order the very next day. This \$149 offer will end as soon as our dealer network is fully stocked. But in the mean time we invite you to try Lucid as part of our "spread the news" campaign. Just pick up the phone and call us. We accept all major credit cards or you can order COD.

Exceptional spreadsheet for the IBM PC, PS and Compatibles.



11035 Harry Hines Blvd. Building 206 Dallas, TX 75229 Ask your dealer or Call

1-800-544-4699

(214) 351-0564

CIRCLE 483 ON READER SERVICE CARD







The error correcting modern that ensures safe passage for your data-no matter where it's traveling.

The Ven-Tel 2400-33 lets you choose between the two standard error correction protocols (X.PC and MNP) at

Visas

the touch of a key. So you'll have error free connections with over 350,000 MNP modems and with major public data networks using X.PC-like Tymnet, MCI, Western Union and GE Geisco.

And the 2400-33 not only protects your data, it's faster than any nonerror corrected modem. MNP Level 5 data compression can double your throughput up to 4800 bps—and higher speeds mean reduced phone

charges and less time spent transmitting.

So whether you're sending files, downloading expensive data from an information service or managing your personal portfolio, you'll know that your critical data is 100% correct.

NA" TE Yen-Tel 2400-33

MODEM 2400 bps Recor Correcting

INTRY OF ORIGIN HADE IN USA

FEATURES

The Ven-Tel 2400-33. The only modern that guarantees your data a flawless trip...no matter where it's traveling.



Our free booklet, "How To Select The Correct Modern," contains specific information about the 2400-33 and our full line of moderns. To request your copy, call 800-538-5121.

LETTERS TO PC MAGAZINE



OFF-KEY AND OUT OF TUNE

Your article on relational databases ("Relational Databases: Taking the Middle Ground," *PC Magazine*, April 26, 1988) has left me aghast. Your Editor's Choice,

PowerBase, gets the nod with no sort facility?

Everything we do at the Virginia Living Museum (keeping track of donors, members, and so on) is sorted by ZIP code, last name, or



other criteria. I fail to understand how you could have been so unattuned to what most of us do with the files in our databases.

James R. Rollings III Director of Development Virginia Living Museum Newport News, Virginia

Mr. Rollings is apparently unattuned to the risks of sorting. Programs that accomplish sorts by physically swapping records can compromise data integrity if your system goes down during the sort. The more elegant approach to reordering your records—the one that PowerBase takes—is indexing. Using this feature, PowerBase completed the PC Labs sort tests with no trouble at all (see the April 26, 1988, issue, page 174).—Ed.

NUTS OVER NUTSHELL

Mike Falkner's favorable review of *Nut-shell Plus* ("Relational Databases: Taking the Middle Ground," *PC Magazine*, April 26, 1988) nicely summarized the program's features, but the reviewer missed an important point. *Nutshell Plus* places no limits on text field size. For those of us

who store, sort, and retrieve lengthy descriptive or historical notes and similar text-laden records, that feature is indispensable. As a satisfied user of the program, I was disappointed you had not pointed out *Nutshell Plus*'s unusual, almost unique talents in this regard.

Marvin Brienes Woodland, California

UTILITY TO THE RESCUE!

I just want to thank you for the software on your utilities disk. I have put several of these programs to good use. In fact, LPTPORT.COM solved a major problem for me when I could not get one of my programs to print properly.

Although I had a second parallel printer port available on my Intel AboveBoard card, I could not figure out how to address it as LPT1, which is the only port this program can use. LPTPORT to the rescue! I switched my printer cable to the AboveBoard parallel outlet and loaded LPTPORT.COM in the AUTOEXEC .BAT file, and everything worked! Your program saved me many dollars and hours of headaches.

James E. Reid Haverhill, Massachusetts

SIFTING THROUGH SEXISM

With all the documented evidence concerning the destructive effects of sexist language, it is hard to believe that a publication as evolved as yours still indulges in its use. Yet every month, blended in with your well-researched articles, priceless reviews, and sharp commentary are countless sexist terms and pronouns—almost all of which could be easily rectified.

A new editorial policy in this area could help the finest Independent Guide to IBM- Standard Personal Computing stop contributing to this pervasive form of sexism!

William Detjen Winooski, Vermont

IBM: ITS OWN WORST ENEMY

I agree 100 percent with Robert L. Hummel's definition in his PC Tutor column on OS/2 (*PC Magazine*, April 12, 1988). The number-one problem that plagues the IBM PC world is—IBM!

Sadly, IBM doesn't see it that way and will likely ignore your suggestions.

Derek Hamilton Toronto, Ontario Canada

SPEED LIMITS

I was pleased with the open-mindedness Winn L. Rosch exhibited in his review "IBM's PS/2 Model 80-111: A Dream

Deferred," PC Magazine, April 26, 1988). It was refreshing to see that speed, power, and speed were not his only considerations. I cannot think of any one computer that is better in every way



than another. When any two computers are compared head-to-head, there will always be some little area where even a heavy underdog will excel.

Jack E. McCoy Deep Run, North Carolina

It was with great interest that I read your article "IBM's PS/2 Model 80-111: A Dream Deferred." I wasn't surprised to once again see unfair criticism of IBM for not blazing the trail in speed.

OUTSTANDING SOFTWARE For IBM PC's and Compatibles **Small Quantities** For Ten or More SHIPPED WITHIN 24 HOURS! Satisfaction Guaranteed or Money Back! BUSINESS 1—EZ-FORMS business form tion, completion and printing program CAD 3—The PC-Flow 1.0 computer aided flow-chart generation program. Color graphics required. COMM 4a,b,c,d,e—(5 disks) Join the world of sysops with RBBS Bulletin Board System 14.1D. DATABASE 1a,b-(2 disks) File Express 3.8 neral purpose database manager. EDUCATION 1—Interactive DOS tutorial for new PC users. Makes learning DOS painless. FINANCE 1a,b—(2 disks) PC Accountant 2.0 personal bookkeeping and finance management GAMES 1—3-D Pacman, Kong, Spacewar, Janit-Joe, futuristic Flightmare and more. Color required. GAMES 2—Qubert, Pango, Centipede, dun-geons and dragons style Zoarre, etc. Color req. GAMES 3—Blackjack with customizable rules, Armchair Quarterback (you call plays), and more. GAMES 4—Star Trek, the Castle adventure game, and the original Colossal Caves Adventure. GAMES 5—The Hack adventure game from the universities. Like Rogue, only much richer. GAMES 6—Pinball, Othello, Dragons, Sopwith (fly a Sopwith Camel) and more. Color required. 2 INFO 1a,b—(2 disks) Cooking recipes database with keyword/ingredient retrieval. Add your own. MUSIĆ 2a,b—(2 disks) PlanoMan 3.0 polyphonic music recording and playback program. ORGANIZER 1—DeskTeam, a Sidekick clone, and the Judy personal calendar program. PRINTER 1-Resident print control and font utility, intelligent spooler, banner maker, and more. SIMULATION 1—Maze making program, MiTs & Life simulation, starfields, etc. Color graphics req. UTILITIES 1—A collection of invaluable general purpose DOS utilities. An absolute must for all. UTILITIES 2—More invaluable DOS utilities including screen burnout, ram disk, and more. UTILITIES 3—A comprehensive set of debugging and diagnostic utilities for monitoring your computer. NEW RELEASES/UPDATES BUSINESS 2—Expressgraph business graphics. Chart your data and find trends. Color graphics req. 2 CAD 1s,b—(2 disks) Fingerpaint 1.2 advanced painting and Altamira object oriented design. Color. CAD 2a,b—(2 disks) DanCad3d, an advanced 2D/3D drafting program w/animation. 640K, color. 2 COMM 2a,b—(2 disks) Procomm 2.42, an excel-lent modern program with terminal emulation. ■ EDUCATION 3—PC-Fastype 1.20 typing tutor. ginners and advanced students alike. 2 FINANCES 3a,b—(2 disks) Express Calc 3.12, a powerful and user friendly spreadsheet program. GAMES 8—Striker helicopter attack and Risk, the game of world domination. Color required. GAMES 12—Backgammon (play the computer) and Wheel of Fortune based on the gameshow. **GRAPHICS 1**—Record and play back screen images! Excellent for demo, etc. Color required. GRAPHICS 2a,b,c—(3 disks) An excellent 3-D surface modelling and shading program. Color. 2 INFO 2a,b—(2 disks) Zip-Phone, national areacode/prefix to zip-code cross reference 2 LANGUAGE 3a,b—(2 disks) The A86 3.09 macro assembler and debugger for 8088/86/286s. 2 SHELL 4a,b—(2 disks) Automenu and HDM II 4.04 hard disk prog. for custom full-screen menus. UTILITIES 5-Hard disk utilities for verifying, foratting, parking and optimizing your disk drives. UTILITIES 6—Advanced utilities including Mark/Release (remove resident progs w/o reboot!) UTILITIES 7—More advanced utilities including Masterkey (undeletes files from hard disks). 2 WORD 1a,b—(2 disks) PC Write 2.71, a powerful word processing system w/spell checker, laser supt. Most software listed is shareware or user-supported. 3.5" format add \$1 disk - 125 page directory, add \$2 MicroCom Systems Cost of items 3673 Enochs Street Shipping \$3.00 Santa Clara, CA CA res tax 95051 Total enci

■ LETTERS

IBM has never tried to "push the envelope" of computing power by running processors at speeds greater than they were designed for, or by using hard disks with access times faster than drives that had 2 to 3 years of reliability data under their belt, or by implementing major changes that enhanced speed while jeopardizing future compatibility.

I have to wonder what you're going to tell your readers if future developments should prove IBM's decision to be ingenious. The majority will have purchased Compaq 386 computers for their downward compatibility instead of the IBM 386 for its future potential.

> James B. Stack Whitefish, Montana

DEAD LOBSTER REINCARNATION

In Bill Machrone's column "Tough Times at the Market" (*PC Magazine*, April 26, 1988), he wonders, "What do you do with those dead lobsters at the bottom of the tank, the 8088-based machines?"

A possible solution would be to donate those "lobsters" to a charitable organization. I'm sure that either the organization itself or the people it supports could use a spare computer or two (even if it is quasiobsolete).

Or you could try giving the computers to community schools. Of course, the donation should be tax deductible. In any case, it's a win-win solution.

David A. Lessnau Fairfax, Virginia

A SIMPLE CHOICE

It was great to see *Q-Pro 4* get a fair review by someone who recognized it for what it is: a powerful programmers' programming language ("Programmable Databases: dBASE and Its Challengers," *PC Maga*zine, May 17, 1988).

However, it seems unfair to compare *Q-Pro 4* with *dBASE III* or *R:base*, because like COBOL, BASIC, and C, *Q-Pro 4* is a programmers' language. Q-N-E International used to be known as Quick and Easy, and *Q-Pro 4* users referred to the language as Quick and Easy. Why anyone would want to write and develop in C when they can work in *Q-Pro 4*, translate the programs directly into C, and then compile them is inconceivable. Next time

you review programming languages, try stacking them up against *Q-Pro 4* coupled with QE and Q2C, and think about which offers software developers the real choices.

Thomas T. Keating President Solutions Software Cherry Hill, New Jersey

VIDEO VENGEANCE

The What's Inside column in the April 26, 1988, issue told of the heroic efforts of your author Mike Falkner, who used his camcorder to capture a momentous screen event on *film*. I would like to point out to you that camcorders, like all video cameras, record their images on *videotape*. Anyone who has ever tried loading his film into a camcorder could probably explain this to you.

Oh well, maybe some video magazine has a Communiqués column I can send that article to.

J. C. Turner Cedar Falls, Iowa

THE TORTOISE AND THE HARE

As Jim Seymour alluded in the sidebar "The Quest for the Least Computer"

("Planes, Trains, and Automobiles: 12 Portables for the Road," PC Magazine, March 29, 1988), the Toshiba T1000 may be a little slower than some, but it offers mouth-watering




practicality and functionality, especially when combined with Framework II in hard RAM. I have found the resultant 6½ pounds of computing power simply and truly unbeatable! And I've been looking for a long time

Lt. Col. K. D. Bremer Austin, Texas

TURBO TURMOIL

Your review of 386 turbo boards ("The Transformers: 386-based Turbo Boards for XTs," *PC Magazine*, April 12, 1988) was more a compilation of observed features than a thoughtful and comparative analysis of performance from a user's

(408) 737-9000



See More Rows and Columns

Now you can zoom out to see more on the screen — without exiting your worksheet and without investing in special hardware!

With SeeMORE[™], a remarkable add-in program for 1-2-3[®] and Symphony[®], you can instantly double, triple or quadruple your view with the push of a key.

The second secon

Pack more into every Symptony window:

SeeMORE lets you build a twelve month forecast without stopping to scroll left and right. All twelve months appear on the screen. SeeMORE gives you the big picture.

SeeMORE manages the screen without interfering with the normal operation of 1-2-3 or Symphony. You can zoom in and out as you build and manipulate a

worksheet. You don't need to exit and switch to a new driver set!

Works with 1-2-3 Rel 2 and 2.01 or Symphony Rel 1.1, 1.2 and 2.0 on the IBM PC, XT, AT, PS/2 and compatibles. All you need is a simple graphics adapter: CGA, EGA, VGA, MCGA or Hercules. Also looks great on Compaq and Toshiba gas plasma. Not copy protected. 1-2-3 version \$79.95. Symphony version \$99.95. Get SeeMORE and expand your horizons.



Compaq® Portable III plasma display.

	CGA	EGA	VGA	Herc	Plasma
Normal	80x25	80x25	80x25	80x25	80x25
Medium	91 x 28	106x43	91x37	90x43	106x40
Small	106x33	128x43	106x48	120x43	128x50
Very Small	128x25	150x51	128x53	144x43	N/A
Tiny	128x33	160x58	160x60	180x58	160x66
Presentation	40x25	40x25	40x34	45x25	40x28

Available from Egghead Software, Corporate Software and other fine resellers. Distributed through Ingram, Kenfil, Micro D. Softsel and Software Resource.

"SeeMORE is brimming with innovations."

- Lotus Magazine


"I use SeeMORE almost constantly."

– Jim Seymour, PC Magazine

"Recommended."

- InfoWorld

See our ad on page 406.



Concord, MA 01742 617-897-1575





Where We Stand On Accounting.

Eight years into it and firmly planted.

With our experience and knowledge we have created a new foundation for over 70,000 businesses worldwide.

And now, you might say we wear a bigger pair of shoes. Because we write accounting software that's more than just a tool for accountants. Our Database Accounting Library is designed from the ground up to run an *entire* business.

A system that everyone in a business can use, on just about every computer or network. It's written in dBASE: The most accepted business programming language in the industry. Providing the power and flexibility that enables your information to achieve its maximum potential.

A financial system should grow as your business grows and be able to fit the specific needs of that business. No matter what type of business you're in. The Database Accounting Library includes the source code that allows you to do just that. And we back it up with an unprecedented five-year warranty.

It's all designed to put your company on a much firmer footing.

You see at SBT, we stand for more than accounting.

We stand for better business.

800-277-7193. In CA 800-331-8998.

Every Major Hardware and Software Manufacturer That Offers Remote Support, Uses Close-Up!

Join the Leaders

oftware and Hardware manufacturers such as Ashton-Tate, Borland, IBM, and Lotus use Close-Up to provide support to their corporate accounts.

For example, our agreement with IBM covers over 100,000 copies of Close-Up to be used by their Support Centers. Close-Up lets IBM support personnel use a PC to dial a customer's PC which can be connected to their mini or mainframe. Once connected, screens and keyboards are linked as one. The customer and IBM can diagnose problems in a "real-time" environment. Instantly, and without travelling.

MIS managers in Fortune 500 corporations like Merrill Lynch use Close-Up to support the entire company from one location. Kwik Kopy and PIP use Close-Up to support and train franchises. Computerland and Entre' chose Close-Up for its ease-of-use in supporting their customers.

Close-Up lets you work with your customers, access their DOS, run their programs and work on their files, all remotely!

Close-Up does More . . . Remote Order Entry

ovell's entire North American order entry system is based on Close-Up. Their netware centers and regional offices call into any one of the central office's 45 workstations running Close-Up. The remote offices become part of Novell's order entry network as though they were actually there. They have file server access at full network speeds, 24-hours a day. And using Close-Up's remote print feature, reports are printed remotely at the regional sites.

Point of Sale

oftsel, the largest worldwide software distributor, uses Close-Up exclusively in their new Dial-Up SalesNet order entry/inventory sytem. Close-Up's error corrected keystrokes and screens ensure that orders are entered accurately. Dealers throughout the country check current inventory levels, review product/price descriptions and enter orders, all remotely!

Close-Up Lets Your Computer Do Two Things at Once

ith Close-Up you connect and exchange information PC to PC, or PC to mainframe.
Close-Up automatically dials, redials and logs on to information services such as Dow Jones, CompuServe, The Source, and Lexis. Or sends and retrieves telexes. And even picks up your electronic mail from services like MCl or Telenet's Telemail.

And if that's not enough, Close-Up will do all of that in the background, while you continue working on your word processor, spreadsheet or applications program in the foreground.

Close-Up Works at Night, So You Don't Have To!

lose-Up automates your routine jobs. Any time, day or night. This includes sending and fetching files. Entering keystrokes into a remote computer. As well as running and interacting with programs remotely. All this, without

anyone being at either end. Imagine you have 25 offices around the country. At night, from the home office, Close-Up will call all 25 remote offices. Fetching the daily inventory or sales information.


Back at the home office, Close-Up runs the inventory spreadsheet with a macro that consolidates the information.

Then Close-Up sends the consolidated inventory to all 25 offices. Even printing it out at the remote locations, so the office managers have consolidated reports on their desks when they arrive in the morning.

And, of course, Close-Up keeps a detailed log of all it accomplished while you slept!


Close-Up: The complete communications system chosen by the leaders:

- ► Remote Support.
- Remote Order Entry.
- ➤ Home to Office Communications.
- ▶ PC to PC Communications.
- ▶ PC to Mini or Mainframe.
- PC to Information, Telex, & Electronic Mail Services.
- ► Automated Communications.
- ► Gateway to LANs.



Close-Up meets all your communications needs. When you want communications, say Close-Up.

Call now! 805/964-6767




Norton-Lambert Corp., Post Office Box 9085, Santa Barbara, CA 93140 USA 805-964-6767 Telex: 709170 Copyright © Norton-Lambert Corp., 1988 For IBM PC:XT AT, PB:2 and Competibles

CIRCLE 217 ON READER SERVICE CARD

LETTERS

point of view. Winn L. Rosch seemed unaware of (or uninterested in) the accompanying benchmark-test comparisons, leaving me somewhat confused about the exact meaning of the results.

The benchmark tests compared the three PC turbo boards with an IBM PC AT rather than with a PC-XT. which was the computer being upgraded. The benchmark tests and discussion



also overlooked the existence of highspeed 286 turbo boards, which might have favorable ratios of cost per additional megahertz of speed (and which also run OS/2 now).

The statement that the Inboard 386/PC is limited to "about 80 percent of the calculating throughput" of the 16-MHz Compaq is confusing. Does this mean an effective rating of 12.5 MHz?

The rather important issue of EMS support was only briefly mentioned because of a quirk in the Quad386XT. Lastly, the fact files and review were not sufficiently specific regarding the potentially expensive details such as how much memory is supplied, whether unpopulated boards are available, and the cost of additional cables or any of the other accessories that may be needed.

> Al Field San Diego, California

Actually, features, not performance, distinguish 80386 turbo boards from 80286 products in unenhanced computers. As noted in the story, the additional operating modes and improved memory handling of the 80386 make it the best choice for multitasking.

Throughput and not megahertz is the major issue with the turbos because they are limited in I/O performance by the slow PC bus. Benchmark-test numbers alone will not reveal this shortcoming, a point addressed in the story proper.

---Winn L. Rosch

In Winn L. Rosch's article "The Transformers: 386-based Turbo Boards for XTs." he states that "the Inboard is incompatible with early model PCs with 64K system board RAM."

I own an Intel Inboard 386/PC, and it is functioning properly in my IBM 64K PC. What may have been overlooked is that the successful installation of the Inboard in the older PCs may require the upgraded ROM BIOS that was offered by IBM several years ago.

Overall, I am impressed with how well the Inboard 386 works and how easily it was installed in my PC.

> Peter M. Hayes Durham, Connecticut

Mr. Hayes is correct that the 80386 turbos may work in early PCs, providing that the computers have been upgraded with a new BIOS ROM. Because the upgrade ROM is no longer available from IBM, the turbo manufacturers themselves classify their products as incompatible with early PCs. In other words, when these products are combined, bugs and other problems may appear for which the manufacturer assumes no responsibility.-Winn L. Rosch

CORRECTIONS/AMPLIFICATIONS

God Speed (After Hours, PC Magazine, March 29, 1988) is distributed by Paraclete Software, 1000 E. 14th St., #425, Plano, TX 75074. We incorrectly stated that it was distributed by Kingdom Age Software.

Archive-Link and VsCom (PC Advisor, PC Magazine, February 29, 1988) are developed, produced, and marketed by M/H Group, 222 W. Adams St., Chicago, IL 60606, not by General Information Systems, as we reported.

In our review of Congressional Toolkit from BJ Toolkit (After Hours, PC Magazine, May 31, 1988), we incorrectly reported the company's telephone number. The correct number is (914) 271-8271.

HOW TO WRITE TO PC MAGAZINE

Send your letters to *PC Magazine*, One Park Avenue, New York, NY 10016, or through PC MagNet (see page 4 for access information). All letters become the property of PC Magazine and are subject to editing.



Resellers, Consultants,

Imagine being able to offer one business management software system ideal for every client. A system so flexible and powerful that it allows your clients the opportunity to design their system the way they currently do business. A system so simple for them to use that you will be freed from those never ending support calls. A completely integrated system and all for under \$1000*. If only there was such a system. There is. We call is ISYS.

Become a member of the ISYS Dealer network and begin receiving increased business, special pricing, solution-oriented support, innovative marketing, and more. Don't miss out on this opportunity, give us a call today! *Single user

MODULES AND FEATURES:

GENERAL LEDGER

- Multi-company/multi-level accounts
- 255 user defined financial reports

ACCOUNTS RECEIVABLE

- Unlimited # of customers
- Open invoice and/or invoice balance fwd
- Unapplied pmts/multi-company A/R
- Multiple profit centers
- Credit limits, collection status and payment discounts
- Supports partial payments and finance charges.

ORDER ENTRY

- Produces shipping labels for invoices
- Service and product-oriented businesses non-inv codes handles shipping and labor taxable/non-taxable items on same invoice
- Multiple User-defined sales tax tables
- Prints packing slips & sales journals Customized text on user-designed invoices

- · LIFO, FIFO, weighted average, and standard cost supported
- Allows up to 4 places for units, cost, and price

ACCOUNTS PAYABLE

- Unlimited # of accounts
- Post to 200 G/L expense accts per invoice Automatically updates Inv & G/L
- Supports pre-paid expenses & future liabilities

- Automatically posts to G/L, &/or A/P
- Benefits and deductions are calculated on fixed amounts, hourly amounts, percentage of gross, or variable amounts
- Allows additions to gross: taxable, non-taxable, or partially taxed - 401k plan
- Handles sick leave & vacations
 Tax tables easily updated by user

ACCOUNT NET (Multi-User)

- Upgrades system to network environment
- Network supported: Noveil, 3Com, 10Net, LanLink, and others supporting NetBios

LINCS (DATA INTERFACE)

 Allows transfer of data from the accounting system to an ASCII file which can then be imported by other software such as spreadsheets or database systems. This module can also import data into the accounting system from ASCII files generated by any other

CURRENT VERSIONS:

English, Spanish

SYSTEM FEATURES:

Cannot post out of balance, 15 periods/fiscal year, post to any period at any time. Impossible to double-post even if interruped. All modules run either stand-alone or integrated. 15 alpha-numeric characters for G/L accounts, vendors, customers, stock & employees.

> CALL: 1-800-255-4048 or APSA (Mexico) 589-7753

INTEGRATED INFORMATION

SYSTEMS 9800 East Grand River,

Brighton, MI 48116 (313) 229-1808

Guaranteed Compatibility

Shop PC Brand quality. Save time.

Save trouble. Save money.




PC AT-286/12

\$949

12 MHz, Zero Wait State, SI 15.3 LANDMARK™ Speed 16 MHz.

512K, 1.2MB Drive w/combo Controller, 101-keyboard:

- 512K RAM Standard. Accommodates up to 4MB of RAM on Motherboard using 100NS, 1MB DRAM's
- 1.2 MB Floppy Drive.
- Combination Hard Drive/Floppy Controller
- 180 Watt Power Supply
- Enhanced 101-Key AT-Style Keyboard
- OS/2* compatible today
- 100% IBM, MS/DOS, OS/2, XENIX, Novell, 3COM, and PCNET LAN compatible
- Memory above 640K can be configured either EMS/ Expanded, or Extended, by motherboard switch setting
- · 8 Slots (six are 16 bit). Clock/Calendar on board.
- AT-Style Case with Keylock, Turbo, Power and Hard Drive LEDs. Small footprint case can accommodate up to four halfheight mass storage devices.



YOU GET THE MOST ADVANCED 286 MOTHERBOARD EVER DESIGNED

Your advanced PC AT-286 /12 Motherboard uses just 6 VLSI chips to replace the functionality of over 120 chips. First 286 designed from scratch for stable and reliable 12 MHz performance.

Have it your way...PC Brand delivers what you *really* want. Superior quality. Exceptional savings. Custom configurations built to your exact specifications. Responsive toll-free service and support. Free freight. The best 5-Year Warranty in the business. And



PC V20 AD-II

\$575

15 MHz, in an XT machine. Complete with Monographics Card & Monitor. 512K, One Drive, Mono Card & Monitor, 84 keyboard:

- 512K RAM Standard, NEC V-20 CPU
- One 360K Floppy Drive
- 84-Key AT-Style keyboard
- 4-layer Motherboard expandable to 1 MB
- 8 Slots. Built-in Serial, Parallel, Game Ports, Clock
- Hercules Compatible Graphics Card
- 12" Monochrome Monitor
- Accommodates up to 4 HH Mass Storage devices
- AT-Style Case with Keylock, Turbo, Power and Hard Drive LEDs. Photo-illustrated Set-Up & Operating Instructions.

HARD DRIVE - Seagate ST225 20 MB Drive & Controller\$269
HARD DRIVE - Seagate ST238 30 MB Drive & Controller295
MS/DOS, GW Basic55

Color and EGA Models available...please call.

ADD A HARD DRIVE:

Enhance any 286 or 386 system with a hard drive:

□ 40 MB 40MS Seagate ST251 HH\$393
 □ 40 MB 28MS Seagate ST251 HH\$469
 □ 80 MB 28MS Seagate ST4096 FH\$742
 □ 110 MB 28MS RLL Miniscribe 6128\$989

We offer a full line of standard drives from Maxtor, Microscience, Priam, Miniscribe, and ESDI Drives & Controllers. Please call.

CIRCLE 310 ON READER SERVICE CARD

Risk-Free 5-Year Warranty



INTEL-SBC386/16

\$1749

16 MHz, genuine Intel-manufactured system...the max in 386 performance. 512K, 1.2MB Drive w/ combo Controller, 101-keyboard:

- 512K RAM Standard. Certified 32 Bit 386 CPU.
- · Expandable to 16 MB of 32 Bit Memory
- 1.2 MB Floppy Disk Drive
- Combination Hard Drive/Floppy Controller
- 220 Watt Power Supply
- · Enhanced 101-Key AT-Style Keyboard
- . 0S/2 compatible today
- 100% IBM, MS/DOS, OS/2, XENIX, Novell, 3COM, and PCNET LAN's compatible
- · Socketed for optional 80387 co-processor
- · Serial, parallel ports, clock/calendar standard
- Two 32-Bit Slots
- AT-Style Case with Keylock, Turbo, Power, and Hard Drive LEDs. Full size case accommodates up to 5 HH Mass Storage devices.

2 MB 32 Bit Memory Card\$155
MONO - System above with 12" Mono Monitor & Hercules
compatible Graphics Card w/ Printer Port\$1865
EGA - Advanced Autoswitch EGA and Enhanced
Graphics Display\$2185

The Best Warranty in the Business.

PC Brand customers expect the best...and they get it. You'll enjoy our exclusive 5-Year Warranty on all systems hardware and peripheral cards. Other companies ask you to settle for 1-year. We give you five long years of protection...automatically!

A Word to the Wise About Buying PC Clones:

Be careful. Know what you're getting before you buy. You'll find ads offering you "base configurations" without RAM. Without drives or controllers. Some without a keyboard for heavensakes! Why? Because they are trying to attract you with artificially low prices. Don't be a victim. Be wise and shop with confidence with PC Brand.



All PC Brand configurations come to you fully-functional. In top working condition. We burn-in every board for 48 hours. Every system for 72 hrs. We do not inflate freight charges and we do not charge you credit card surcharges (as others do). We simply treat you right...with honesty, integrity, and service you can depend on. It's worked for our customers. It's worked for us (for over five years now). And we'd be delighted to make it work for you. Call PC Brand today!

We'll Custom Design To Your Specifications. Have particular needs? Call us and we'll customize a system to your specifications. If you're not sure what you need, call us and we'll be glad to help.

SAVE ON HARD DRIVES, MODEMS, MONITORS, VIDEO CARDS, CHIPS, ACCESSORIES AND MORE SEE NEXT PAGE



(Call 1-800-722-7263...In Illinois, Call 312-226-5200)





PC Brand, Inc. 954 West Washington Street, Chicago, Illinois 60607 1-800-722-7263 Hours: Monday thru Friday 8 a.m. to 6 p.m. Central More Ordering Info on next page. VISA, MasterCard, Personal or Company Checks, and Approved P.O.s Accepted. Prices subject to change.

Toll-Free Service

MONITORS

- NEC Multisync II 14" Enhanced Graphics Color Monitor\$589
- NEC Multisync Plus 15" Enhanced Graphics 960 X 720 res......\$897
- NEC Multisync XL 20" Enhanced Graphics 1024 X 768 res.....\$1975



Amdek 12" 410 Series Flat Screen TTL Monochrome\$149
Amdek 12" 600T Series Flat Screen RGB Color350
Magnavox 12" Amber Mono High Resolution79
Magnavox 14" Standard Color
Magnavox 14" Color Enhanced Graphics Display339
Mitsubishi 14" Diamondscancall
NEC Multisync GS 14" Monochrome "Grey Scale" 199
Princeton Ultra-Sync 14" Multi-Mode Enhanced
Graphics Color Monitor520
Princeton 15" LM 300/LM 301 Desktop Publishing
Display (requires special video card)

MODEMS





All	PC Brand modems are 100% Hayes and IBM compatible.
	1200 Baud Internal with free software\$55
	1200 Baud External75
	2400 Baud Internal with free software
	2400 Baud External
	Hayes 1200 External279
	Hayes 2400 External420
	Migent 1200 Pocket Modem with cables & software 60
	U.S. Robotics 9600 HST660

PRINTERS

Diconix 150P Ideal for Laptops!\$309
Diconix 300P 15" wide version of abovecall
NEC P2200 The most popular 24-pin printer340
NEC P7 High capacity, high performance600
NEC P9XL Top of the line matrix1030
NEC LC890 Postscript Page Printerscall
Panansonic 1080I Ideal entry level printer
Panansonic 1091IM2 Best selling nine pin!
Panansonic 1592 High performance, wide carriage415
Toshiba Printers, Full linecall!

CHIPS & CO-PROCESSORS

Due to current market volatility in RAM chips, we are unable to list our selection and prices in this ad. Call for price and availability.

MATH CO-PROCESSORS:

INTEL 80287-10	Call
INTEL 80387-16	
INTEL 80387-20	

DISK & TAPE DRIVES



000000	d Drives: 20 MB 65MS Seagate 225 w/XT controller
	d Drive Cards: 20 MB Seagate ST 125 High perform. w/controller 299 40 MB Seagate ST 138 High perform. w/controller 380
Call Pria	for high performance Miniscribe, Microscience, Maxtor, m, as well as ESDI, SCSI, WORM Drives & Controllers.
	ppy Drives: 360K 5 1/4"
	2 Drives: CMS 5 1/4" external drive for PS/2239
	e Back-up Subsystems: 20MB Irwin with cartridge included
	ega Bernoullis: \$1630 A220H Dual 20MB External 1195 A120H Single 20MB External 1394 B20M Single 20MB Internal 1195

INPUT/OUTPUT CARDS



XT-IO +II Card\$40
Parallel Port, 2 Serial Ports (One Stnd., One Optional),
Game, & Clock for XT Systems.
XT-2MB EMS Card95
Up to 2 MB Lotus/Intel/Microsoft Expanded Memory.
AT-IO +II Card40
For 286 & 386. Same as XT but without clock.
AT-2MB Memory Expansion100
2 MB Memory Expansion Card, can be configured as
either as Extended, or Lotus/INTEL/Microsoft (LIMS)
Expanded Memory. 12 MHz, 0 wait compatible.
AT Multifunction Memory Card115
Serial Port, Parallel Port, Game, up to 1.5 MB RAM.

Toll-Free Support

LAPTOP COMPUTERS



Toshiba 1000; 512K, 80C88 CPU\$760
Toshiba 1100; 640K, 80C86 CPU1450
Toshiba 1200; 640K, 80C86 CPU, 20MBcall
Toshiba 3100/20; 640K, 80286 CPU, 20MBcall
Toshiba 3200; 1MB RAM, 80286 CPU, EGA, 20 MB call
Toshiba 5100; 2MB RAM, 80386 CPU, EGA, 40 MB call
Toshiba Add-on 5 1/4" External Drive382
NEC Multispeed Linecall

Call for info and prices on laptop peripherals and accessories!

VIDEO CARDS

Monographics w/ printer Card, Hercules con	npatible\$40
Color Graphics Card w/Printer Port	40
ATI EGA Wonder	
ATI VIP VGA Card	260
Hercules "In" Color	299
NEC MVA 1024	855
Paradise Autoswitch 480 Card	
Paradise VGA+	
Princeton Laserpage for LM300	505
Princeton Laserview for LM301	505
NEC GB-1 Multisync Card	
STB Autoswitch ÉGA	130
Video 7 Vega	173
Video 7 Vega VGA	

Custom Designs to Your Specifications:

We'll be glad to customize your configuration to your particular needs and specifications. And if you don't know exactly what you want, call us. We'll be glad to help.

Volume Discounts Available!

Additional volume discounts available to major corporations, academic institutions and computer clubs. Call now and save!

Wide Selection, Name Brand - Low Cost

We offer a wide selection of name brand drives, monitors, I/O Cards, Printers, Laptop computers, and other devices too numerous to list here. Call and ask your PC Brand Consultant for details.

Your PC Brand Guarantees

Free UPS Ground Shipping

All prices include UPS Ground Shipping or equivalent. Or, we'll ship by the method of your choice. Federal Express, UPS Blue, UPS Red, at an additional charge.

Easy Payment Options

Charge your purchase to your VISA or MasterCard.
There's no surcharge for using your card. Or pay by check
or COD. Please allow one week for personal or company
checks to clear. Purchase Orders accepted from major
corporations with prior credit approval.

30-Day Money-Back Guarantee

We aim to please. If, for any reason, you are dissatisfied with your purchase, simply return it within 30-days (in original packaging and as good as new) for a full refund.

5-Year Limited Warranty Protection

The best coverage in the industry...yours automatically. Warranty covers all PC Brand system motherboards, power supplies, RAM, keyboards and all expansion cards. 100% parts & labor are covered your first year. 80% parts year-2. 60% parts year-3. 40% parts year-4. 20% parts year-5. Additional extended-coverage contracts available for a fee. Floppy, hard disks and tape drives are covered for one year only. Complete warranty information available upon request. Manufacturer's warranty applies to all non-PC Brand products.

Toll-Free Customer Service and Support

As a PC Brand customer, you'll be assigned your own personal PC Brand Consultant...a highly-skilled, technical expert who can help you solve a problem. Or prevent one from happening. Hours: Monday thru Friday, 8 a.m. to 6 p.m., Central Time.

YOURS FREE!

A \$35 value...Free with any PC Brand system order of \$500 or more.

Call today!

Take your choice. A Serial or Bus Mouse. Offer good until August 31, 1988. If you do not qualify for our Free Mouse Offer, you may of course, purchase your mouse for \$35.



(Call 1-800-722-7263...In Illinois, Call 312-226-5200)





PC Brand, Inc. 954 West Washington Street, Chicago, Illinois 60607 1-800-722-7263 Hours: Monday thru Friday 8 a.m. to 6 p.m. Central VISA, MasterCard, Personal or Company Checks, and Approved P.O.s Accepted. All prices subject to change.



ACCOUNTS PAYABLE

uses open invoice method to keep track of full or partial payments against. any supplier invoice

BEDFORD INTEGRATED ACCOUNTING SYSTEM is simply the best

- fully paid invoices may be purged or retained
- automatically updates inventory records, project records and ledger accounts

ACCOUNTS PAYABLE

ALL FOR \$249

- user can define aging periods
- produces immediate vendor reports on screen or printer including mailing labels, aged summary and details, and payables journal
- automatically displays vendor names and numbers on screen when required for program input
- prints computerized checks or supports entry of manual checks

- suitable for manufacturers and wholesalers
- handles state sales taxes
- updates from receivables and payables uses weighted average cost method
- handles adjustments and transfers
- automatically flags reorder levels
- reports can be displayed, printed or exported
 expresses selling and cost price to three decimals

JOB COST

- any revenue or expense transaction can be allocated to profit centers, divisions or projects
- paycheck expenses include the company's FICA, FUTA, SUTA and State Disability insurance expenses
- handles up to 999 active projects at any one time
- produces reports on screen or printer including summary and detail reports on revenue and expenses for any project or departments

BEDFORD'S INTEGRATED ACCOUNTING SYSTEM NOT COPY PROTECTED

\$249 IBM Version (5¼" and 3½" diskettes come inside each package) ... Works with floppy or hard disk drives. \$349 Macintosh Version

CIRCLE 301 ON READER SERVICE CARD

30 DAY MONEY BACK GUARANTEE

GENERAL LEDGER

- user can define chart of accounts
- entries can be applied to prior periods within the current fiscal year
- immediate reports for any date or period produced on screen or printer including balance sheet, income statement, trial balance, chart of accounts and all journals
- automatically posts from receivables, payables, inventory and payroll so all statements are always current
- automatically displays account descriptions and numbers on screen
 distribute journal entries into multiple revenue or expense accounts, projects, profit centers or departments
- produces full audit trails
- zero balance accounts can be suppressed in reports

- supports manual or computer produced checks
 automatically calculates all federal and state taxes, unemployment and disability insurance
- supports local taxes
- automatically posts payroll expenses to General Ledger and Jobcost
- allows seven income fields including pay advance and tip fields
- deducts for taxable benefits
- automatically retains QTD and YTD employee earnings, deductions and associated payroll expenses
- accumulates 940, 941, W-2 and state tax information
- produces immediate employee reports on screen or printer including W-2 forms, employee mailing labels, payroll journals, QTD and YTD reports of earnings & deductions, and employee record reports.

ACCOUNTS RECEIVABLE

- uses open invoice method to keep track of full or partial payments against any customer invoices
- I fully paid invoice may be purged or retained
- automatically updates inventory and ledger accounts, and project records
- user can define aging periods
- reports produced on screen or printer including mailing labels, aged summary, aged detail and receivables journal

 automatically displays customer names and numbers on screen when
- required for program input
- prints computerized invoices or supports manual invoicing
- prints computerized customer statements with remittance stubs

PC EXPF Division of PC BRAND






FAX: 212-627-1171 TELEX: 667962 (SOFT COMM NYK) All prices subject to change. Delivery subject to availability.



MITT JONES

PC ADVISOR



A low-cost way to liberate your monitor and keyboard from your system unit, and two products that reeducate the HP LaserJet Series II.

FROM A DISTANCE

I could make much better use of my limited workspace if I could move my system chassis to a cabinet top behind my desk and keep my keyboard and monitor on my desk. This would require that I route the monitor and keyboard cables some 20 feet, however. Any ideas?

Mauro Maschio West Orange, New Jersey

As you've no doubt learned, moving your keyboard and monitor away from your system unit calls for a bit more than picking up a couple of extension cables. Signal degradation makes simple extension cables impracticable.

The Extender (Cybex Corp., 2800-H Bob Wallace Ave., Huntsville, AL 35805; (205) 534-0011) gets around the problem by boosting the TTL signals before they pass through the cable. Small metal boxes at each end of a 3/s-inch-diameter cable condition the signal and provide the hookups to your system, monitor, and keyboard.

The price of the Cybex kits varies, depending on the length of cable you need and the type of display you use. The Extender 1, which works only with monochrome systems, ranges from \$120 for a 25-foot kit to \$340 for a 250-foot kit. The Extender 2 works with monochrome, CGA, or EGA signals; it lists at \$135 for a 25-foot kit and \$245 for a 150-foot kit.

Cybex recently began shipping the Companion, a similar product that adds extra keyboard and monitor connectors at the system end. This allows you to hook two keyboards and monitors to your system—one close to the system chassis and one at a remote location. Prices start at \$219 for an MDA/CGA/EGA-compatible 25-foot kit.

SERIES II POSTSCRIPT

I am in the market for a PostScript laser printer. I've heard that there is a product that gives the HP LaserJet Series II Post-Script capability. Does such a product really exist? If so, how would such a combination compare with a straight Post-Script printer?

> Joan Brainard St. Paul, Minnesota

The product is the QMS JetScript (\$2,495; The Laser Connection, P.O. Box 850296, Mobile, AL 36685). JetScript is a full-length adapter you install in your system and a small board that installs in the option slot of the LaserJet Series II.

■ The Companion allows you to hook two keyboards and monitors to your system—one close to the system chassis and one at a remote location.

The adapter board furnishes the Adobe Systems PostScript interpreter, 3MB RAM, and a Motorola 68000 processor running at a speedy 16 MHz. The duo—JetScript plus the Series II—actually outperforms most standalone PostScript printers, thanks to the fast processing and the high-speed data transfer the adapter allows.

You also retain ability to use your LaserJet Series II in its native mode. The Jet-Script system provides a new hookup between your PC and printer, but it also allows you to maintain the standard parallel port connection. If you send output through that standard connection, your Series II functions as itself. Route output through the JetScript connection and the Series II functions as a PostScript printer.

By the time you add the \$2,595 list price of the Series II to the cost of JetScript, you're in the price range you'd expect for a standalone PostScript printer. But the high-performance PostScript ability and the versatility of having two printers in one makes JetScript a smart buy.

Imagen Corp. (2650 San Thomas Expwy., Santa Clara, CA 95051; (408) 986-9400) recently announced a similar product—PC Publisher Kit—which should be shipping by the time this issue hits the newsstands. This \$1,995 kit installs in the same way as JetScript. JetScript and PC Publisher Kit differ in other regards, however. Whereas JetScript includes a licensed Adobe PostScript interpreter, Imagen ships its own version of a PostScript-compatible interpreter with the PC Publisher Kit.

PC ADVISOR

The PC Publisher Kit also allows the Series II to handle another page description language, Imagen's Document Description Language (DDL), and emulate a wide range of printers. Printer emulations are provided for the Epson FX and MX-80; the Diablo 630; the IBM Graphics Printer; the NEC 3550, 5510, and 7710; and the Qume Sprint 5.

We had not yet received a PC Publisher Kit for evaluation when this issue went to press. Keep your eyes on First Looks for a hands-on review.

COMPAQ KEYBOARD

I recently bought a Compaq Deskpro/286 and I am very happy with the machine except for the mushy keyboard. Does any manufacturer produce an adapter that allows the IBM Enhanced keyboard to work on a Deskpro?

Dave House Linden, New Jersey The IBM Enhanced keyboard should work fine with your Deskpro, without an adapter. Your real problem will be finding a spare IBM keyboard. IBM doesn't sell its keyboards separately. Unless you manage to talk someone into swapping an IBM keyboard for a Compaq, your best bet is to find a third-party keyboard you can live with.

Personal preference rules when you are shopping for a keyboard. People seldom agree on which keyboard feels the best. Try to test as many keyboards as possible for yourself before you spend your hard-earned money.

Many IBM keyboard lovers have settled on Northgate Computer Systems' C/T 101 keyboard (2905 Northwest Blvd., #250, Plymouth, MN 55441; (612) 553-0631) as having the closest thing to a true IBM feel. At \$99, the C/T 101 provides an IBM-like, clicky feel. The key resistance is noticeably lower than with an IBM, however.

DIALING UP AT&T

AT&T has long offered a toll-free technical support line ((800) 922-0354). Now AT&T's National Systems Support Center has started a bulletin board—a boon for you AT&T 6300 users who are grappling with AT&T-specific problems. The bulletin board includes informative notices that you can either scan on-line or download to read at your leisure. You can also leave messages.

The two access numbers are (201) 769-6397 and (201) 769-5616. Have your AT&T 6300 CPU serial number close at hand when you call: you'll need it for a membership questionnaire you must complete before you're granted access to the conferences.

ASK THE ADVISOR

Send your questions to PC Advisor, PC Magazine, One Park Avenue, New York, NY 10016.

E'VE BUILTA BETTER BROOKLYN BRIDGE WITH VERSION 2.0!

Why Is Our Bridge Better? Because The Brooklyn Bridge' that John Dvorak, PC Magazine, chose as "The Best of the Best Utilities," o now gives you more choices!

The Brooklyn Bridge Version 2.0 is more flexible than ever! We've always been the leading file transfer and access utility between IBM compatible microcomputers with any size floppy or hard disks. Now we give your customers a choice between our file manager for the novice user or DOS commands for the more experienced user.

Our new file manager lets you view both local and remote files at one time using a full-screen, dual-directory display with 1-2-3' style menus. Or, you can still transfer files and access peripherals using DOS commands at the command line, within an application, or within your current menu system.

One Printer Can Now Work For Two People!

In addition to our menu system, The Brooklyn Bridge lets you share printers and gives them access to other peripheral devices like tape back-up systems. Don't Tie Up Your Computer Sorting A Database! RUN Gives You Twice The Power!

Our exclusive Brooklyn Bridge feature, RUN, provides for dual independent

processing which lets you use both the remote and slave computers at one time.

Editors

Our DOS Utilities Guarantee Easier DOS Processing!

BACKUP, MOVE, REMOVE and COPY save time by allowing you to work with multiple files at one time.

BACKUP saves time by updating your disks quickly and backing up only files that have been changed or created since the last time your disk was backed up.

MOVE lets you work twice as fast by automatically deleting the original once a file has been moved. If confidentiality is crucial,

If confidentiality is crucial, REMOVE has a security option to insure that deleted files are unrecoverable.

Now you know we have built a better Brooklyn Bridge, while still using the fastest attainable serial transfer rate at 115,200 baud, and still saving your customers money by eliminating the expense of an additional external drive.

The Brooklyn Bridge is available through your local dealer or directly from White Crane Systems, Inc. For more information please contact White Crane at (404) 394-3119.

Just \$139.95!

TECRANE SYSTEM S Suite 151 6860 Peachtree Industrial Boulevard Noncross. Georgia 30092



THE BROUKLYN BRIDGE, the Whote Cross Systems. Inc. Ings. and WHITE CRANE SYSTEMS are trademarks of White Least Systems, Inc. Nations, Georgia U.S.A. IBM is a registered trademark of Lana Development Corp. Represed trademark of Lana Development Corp. Represed trademarks of IBM Congression. 1.2.3 is a registered trademark of Lana Development Corp. Represed trademarks of IBM Congression. 1.2.3 is a registered trademark of Lana Development Corp. Represed trademarks of IBM Congression. 1.2.3 is a registered trademark of Lana Development Corp. Represed trademarks of IBM Congression. 1.2.3 is a registered trademark of IBM Congression.

BROOKLYN

WHAT THE EXPERTS SAY ABOUT Page Perfect

"PagePerfect integrates file management, word processing and page layout in an exciting way. Its file management operating shell is spectacular . . . The best I've seen. The page-layout and word-processing functions are superb too."

John Dvorak, San Francisco Examiner.

"If it is true . . . that what people want to do is use their desktop publishing program to both create and format their documents, then PagePerfect is just about their only choice . . .

On a feature list, the difference between PagePerfect and either PageMaker or Ventura wouldn't appear to be great. But when you sit in front of the program, what you get is an experience that starts with word processing and then gives you access to page composition features."

Stuart Alsop, P.C. Letter.

"PagePerfect offers a combination of word processing and desktop publishing that's hard to beat.

Few programs that harbor such power are as easy to use. WordStar and MultiMate commands are supported . . .Includes a spelling checker, thesarus, scanning, 88 Bitstream fonts and a graphics editor—all for \$495."

Marvin Bryan, PC Week.

"The best program I've ever seen on a microcomputer."

Steve Wagh, Brown - Wagh Publishing.



PagePerfect let's you create professional

memos . . . in minutes, not hours! At a

price of \$495, you can't go wrong by

listening to the experts. Call IMSI

looking letters, proposals, newsletters and



1299 Fourth Street • San Rafael • CA 94901 CIRCLE 499 ON READER SERVICE CARD

PC EXPRESS" PROGRAMMER'S WORKBENCH

dbase at the speed of c

dBx Translates dBASE Applications to C

You dBASETM programmers know what an expressive and readable language dBASE is. It's a very comfortable development environment. But the price is debased performance. Even compiled dBASE doesn't offer the speed that some users require these days. The kind of speed offered by software written in the C language. The answer is dBxTM.

dBx translates dBASE to C. It offers you a major competitive advantage over the next dBASE programmer: Keep writing in dBASE. Take every application all the way to completion. Then use dBx to translate them top to bottom to C!

Other advantages. C is portable, even to other operating systems like UNIX/ XenixTM To the Macintosh or Amiga. dBx gives your applications a passport to places dBASE cannot go

Has its own file manager for single user, but links to major Cfile managersc-tree and dBC-for compatibility with dBASE files or multi-user support. We have everything you'll need, including good advice.

dDu	9550	8410
dBx		\$419
with Labrary Source	3550	\$125
Call for Full Source Procong		

allows the programmer to build a database application using any language. It takes complete charge of all file creation, indexing, reading, writing, insertion, deletion, forward and backward searching. Its balanced tree indexing scheme finds any key in a million in less than 4 accesses. .That's fast!

Sophisticated Tools Essential

For Fast Database Handling

Birneve is a library of subroutines that

NOVELL: BTRIEVE, XQL, XTRIEVE

Btneve is multi-lingual also, it includes more than 20 language interfaces (including C, BASIC, PASCAL, FORTRAN). However if it turns out that you are using something a little unusual, worry not. The manual includes a chapter on how to write a language interface to Birneve.

Btneve's vital statistics are equally impressive. Files may have up to 24 indexes; fixed record length to 4090 characters; variable length to 64K, indexes to 256 characters; files of 4 billion bytes. Network support includes Novell, 3-COM, IBM PC NET, Software Link's Multilink and many others.

XQL is a relational database management system designed especially for programmers. Imagine being able to access your database with the ease of SOL (Structured Query Language) statements and still having the power to process that data right down to the byte level.

Think about your applications. A large part of your software development effort is probably devoted to managing data stored in files on disk. Hours spent writing lines of code to search and store data records could have been used to program more important parts of your apphcation. Why not let XQL do it for you. XQL will increase your programming productivity and let you focus on building better applications.

The XQL system works in tandem with Btneve and has an equally powerful chassis. No limit on the number of records per file. Max. file size is 4 gigabytes, Max. record size equals 4K, Max. indexes per file is 24. The one version works for single or multiuser systems, DOS Ver 3.0 or greater. All languages are supported.

Xtneve is the final ingredient in the Novell programming recipe. It is a menu driven, data retneval system, that allows you to quickly find information and display reports. System developers can easily customize Xtneve to display command menus, help files, and error messages in the English spoken by the customer. Xtneve screens then gives menu choices that users can quickly recognize, making Xtneve an easy product to use and understand

Report Option for printing customized reports, form letters, mailing labels & statements.

	LAST:	Quis
Btrieve	\$245	\$175
Btrieve/N	\$595	1445
XQL	\$795	\$505
Xtneve	\$245	\$220
Xtneve/N	\$596	\$459
Report Option	\$145	\$128
Report Option/N	\$345	\$266

BRIEF/dBRIEF

The Power Environment for dBASE Programming

Many worthy utility products supply needs that dBASE is programming language doesn't—dUTILTM, dFLOWTM and a host of others. Trouble is, you have to use them separately, then combine their output into your dBASE program

No longer, dBRIEFTM, written in BRIEF's macro language, grabs hold of BRIEF and turns it into a complete dBASE III and III Plus programming domain Using BRIEF's underlying shell capabilities and its own interfaces, dBRIEF can run external utility libraries, plus dBASE itself, and link to the Clipper ITM, Foxbase + TM and Quicksilver compilers, all with dBRIEF still loaded and running the show. It can do what BRIEF already does plus:

 Convert a screen layout into dBASE code for interactive data entry

 Display dBASE file structures m windows, a great convenience alongside your program files

 Expand keystrokes into full dBASE statements

Indent automatically for clegic

 Create databases; index files; invoke Ashton-Tate's dFORMATTM and dCONVERTIM, draw lines and boxes.

'Simply marvelous programming environment for writing and editing dBASE programs.", PC Magazine, 7/86. Source code included!

Requires BRIEF 1.32 or later and 384k; 512k to run dBASE within dBRIEF; 640k and harddisk recommended. BRIEF / dBRIEF . List \$275, Ours: call

APPLICATIONS PLUS For dBASE

The Complete dBASE Companion

Who says you can't have it all? APPLICATIONS PLUS has everything you need to get the most out of dBASE An application generator (QUICKCODE PLUS), relational report writer (QUICK-REPORT), and graphics system

QUICKCODE PLUS offers dozens of features you've never seen before in a dBASE code generator. Relational applications that read, display, and update a dozen or more databases simultaneously. "Real-time" calculations, performed on screen as the user enters each field. Forms up to 11 screens long, with the ability to pass data between screens. Computational formulas that automatically combine data from different databases 9 Data types. 16 field types.

QUICKREPORT is a full-featured relational report writer, which combines up to 6 databases in one report, handles manyto-one relations, fancy printer features (like bold and italics), computed fields, and up to 16 levels of totalling and sorting

dGRAPH is a graphics system that produces bar, pie, line, and piebar charts directly from dBASE data. Dozens of options let you tailor graphs to your needs.

APPLICATIONS PLUS is 100% compatible with Clipper and FoxBASE+.

ADDITION ONE	1,450	Ours
APPLICATIONS PLUS	\$290	Call
QUICKCODE PLUS	\$295	\$170
QUICKREPORT	\$296	\$170
OHICKENTRY	Call	CAR

Leave the Device Driving to GSS For serious applications stick to the tools

that suck to the standards. Not the least of reasons why GSSTM has emerged as the pre-eminent graphics toolmaker is that it has always conformed to ANSI standards.

GSS GRAPHICS SYSTEM

At the heart of the system is the CGI standard Development Tooligt, it has all language interfaces and device drivers for keyboards, mice, joysticks, tablets, printers, plotters, cameras. The drivers completely insulate your application from concern for device idiosyncracy

GSS Kernel TM conforms to ANSI's GKS

2b and has all its drivers and language bindings Macro level tools to draw, color, segment, transform, store and recreate an object. The Metafile Interpreter reads ANSI CGM files with full CGI capability for recreation on various devices.

Quality software? IBM thinks so. They

sell GSS under their own	n label	Royalties
Needs 256k.	List:	Ōurs:
CGI Dylpment Toolkat	\$495	\$375
Kernel System	\$495	\$375
Kernel for IBM RT	\$795	\$845
Metafile Interpreter	1295	\$235
•		4

CLIPPER

RELATIONAL REPORT WRITER

MORE PROGRAMMING TOOLS FOR...

dbase, C, Fortran, Basic, COBOL, PASCAL

dbc ISAM, FoxBASE, Greenleaf, Halo '88, Logitech MODULA, MicroFocus COBOL, Norton Utilities, Panel Plus, Periscope, Phoenix, Polytron, RM/COBOL, Sprindrift, Tom Rettig's Library, Windows for Data...and many more.

Call or write for prices and information.

MICROSOFT LANGUAGES

Powerful Implementations Of The Most Popular Programming Languages

Microsoft C 5.0: The flagship of the Microsoft line runs up to 30 percent faster than its predecessor. Its new optimization features deliver untouchable execution speeds, 100 new additional library

Microsoft MacroASSEMBLER 5.0: If you ever wanted to take on the challenge of assembly, here's your opportunity. "MASM" 5.0 is a lot easier to use, has completely revised documentation, and a new "Mixed Language" programming guide that gives you step by step instructions for linking your assembly code with other Microsoft languages.
Microsoft QuickBASIC 40: is a revolu-

tionary concept in BASIC programming. It allows you to run, edit, debug, and run again Our friends at Microsoft have elimmated the dreaded compile step. Whenever you edit your code OB4 automatically incorporates your changes, so that it can run a program of 150,000 lines in less than a minute

Each member of this language family includes the renowned debugger CODEVIEW.

	Last:	Ours
Microsoft C	3450	\$295
Microsoft Macro-	•	•
ASSEMBLER	\$150	\$100
Microsoft QuickBASIC	\$ 99	\$ 66
Microsoft FORTRAN	\$490	2705

PC EXPR





OVERNIGHT SOFTWARE DELIVERY

CIRCLE 303 ON READER SERVICE CARD

150 FIFTH AVE:: NEW YORK, NY 10011-4311. PHONE: 212-242-3600 FAX: 212-627-1171 TELEX: 667962 (SOFT COMM NYK) All prices subject to change. Delivery subject to availability.





disk drive with controller, FCC Approved, Clock/Calendar, Parallel Printer Port, Serial Port, 8 expansion slots, 16 MHz speed and throughput, Hercules compatible graphics card, Samsung or Magnavox monitor included...\$3495 or \$129/month (3 years).

Call for prices for other configurations and other hardware products. EPSON and Okidata printers, Toshiba Laptops, Novell, 3COM and other networks are available for purchase or lease.

PC EXPRESS SOFTWARE SPECIALS - WE BEAT THE COMPETITION!

Dac Easy Accounting 2 0	\$ 59
Peachtree Complete Accounting	\$144
In House Accountant	\$ 55
Managing Your Money	5117
LandLord (Property Management	
System	\$545
Timeslips HI (Time and Billing)	\$114
Retail Store Computer	
Cash Register Software	\$ 145
Bar Unde Reader for above	\$545
Cash Drawer for Above	5495
Video Liquor Store Management	\$74
Beauty Salon Accounting	\$795
The Auto Repair Shop Controller	\$795

Publisher's PicturePak for	
WordPerfect (3 Paks available)	\$ 99
Publisher's PicturePak Collection for	
WordPerfect (all 3 Paks)	5144
Microsoft Word 4 0	\$199
Multimate Advantage II	\$245
WordStar 2000 Plus	\$199
RightWriter (Grammar Checker)	\$ 89
Grammatik II	\$ 144
Byline	\$165
Pagemaker	\$443
Ventura	\$ \$ 855
PFS First Publisher	\$ 58
SPREADSHEET	
Lotus I 2 3	\$294
Lotus Ready to Run Accounting	
(U. L. A.R.A.P.Payroll Inventory)	. \$19

Individual Lotus Accounting Modules as above A.R. A.P.	5 14
General Ledger, Payroll, Inventors	5 66
Qualtro	\$128
PROBUCTIVITY TOOLS	
Harvard Total Graphics	\$247
Q & A	\$200
Q & A Write	\$117
Sidekick	\$ 55
Sidekick Plus	5127
Microsoft Mouse with Paintbrush	\$109
Easy Mouse (as above, non-branded)	\$ 79
PFS First Choice	5 85
FormTool	\$ 5/

TITION:	
*. Tools Deluxe	\$ 59
lipper	\$375
norton Advanced Utilities	\$ 79
Bx Translator (translates dRASE	
code into C)	5419
Brief dBrief (the perfect program	
editor for real dBase programmers)	\$219
Brieve (Novell)	\$175
QL	\$545
Urieve	\$220
applications Plus (Fox & Geller).	\$229
ficrosoft C 5 1	\$295
ficrosoft QuickBasic 4.0	\$ 66
Acrosoft Basic Compiler 6-0	\$249
35 Graphics Systems CGI	\$375
face Utilities .	\$ 58

EXPRESS EXCLUSIVE HOT LINE

READY TO RUN ACCOUNTING WITH LOTUS 1-2-3 (Manusott)

A completely integrated full featured easy to run accounting system that works under full control of Lotus 1 2 3. Purchase individual modules or the complete system.

General Ledger \$89.95 Pavroll \$69.95

Accounts Reservable \$44.95

Inventory Control Order Entry ... \$69.95

Complete System (all five modules) ... \$199.95

NEW WordPerfect 5.0

The LANDLORD is a complete property management system that prints tenant statements, generales lease expiration lists, identifies late payers, produces vacancy reports, prints checks and performs oil functions required for landlords and attoone who manages apartments condominums shopping centers or any commercial properties. \$595

The LANDMASTER contains all the features of the LANDLORD plus adds a complete double entry accounting system to the package for general ledger accounts payable and accounts receivable. \$1250

PARAGON TURBO PARAGON (THE ACCOUNTING SPECIALISTS)

You've true Peachtree Bedford or DAC accounting systems and have found that you need more! PC EXPRESS is an official dealer for the highly rated PARAGON ACCOUNTING SYS TEM PARAGON was designed with the business owner and manager in mind. Because of its intuitive design, win can operate PARAGON wing your own business knowledge—nel accounting expertise. Pop-up your customers, inventory items, an employee—all instantly PARAGON delivers unparalleled fleathlifty and performance. PARAGON is a completely integrated accounting system that includes General Ledger. Accounts Meceivable. Accounts Payable, Payroll. Inventory, Invision and Sales Analysis—all for \$695.

RETAIL CASH REGISTER CONTROL (Microbiz Corporation)

dBASE III Plus .

The MICROBIZ RETAIL STORE SYSTEM is an extraordinary system for managing all retail store sales, customers and inventory. Quickly bill your customers, keep track of your inventory, commissions, look up prices, print cash register receipts for complete insorcess and perform all the day to day functions required to keep you on top of your business and its cash flow. It's time to computerize...all for \$395

Optional add ons to your Retail Store Software System...a complete cash drawer that plugs into your IBM PC or compatible, a receipt printer and bar code reader.

Systems are also available for Video Stores, Beauty Salons, Liquor Stores, Auto Repair Shops and other vertical markets

\$375

101 MACROS FOR LOTUS 1-2-3 (Micropali)

Please call or write for our FREE 48 page full color catalog containing more than 100 000 hardware and software items ready to be shipped. All prices and specifications are subject to change. Delivery subject to availability. Add \$6 for shipping of the first item (\$3 for each additional item).

CIRCLE 304 ON READER SERVICE CARD

(That's 1-800-342-5729)

150 FIFTH AVE., NEW YORK, NY 10011-4311 PHONE: 212-242-3600



OVERNIGHT SOFTWARE DELIVERY All prices subject to change. Delivery subject to availability.

FAX: 212-627-1171 TELEX: 667962 (SOFT COMM NYK)



LIBRARY SUPPORT.

ANOTHER CAREER OPPORTUNITY FOR PCs WITHOUT OUR 386 MOTHERBOARD.

With Our MotherBoard, Your PC, XT or AT Can Run New OS/2 Releases! If you'd rather keep your computer on your desk than under foot, get our 386 MotherBoard Our Board will give your spreadsheet, complex CAD and graphics, and multitasking applications a boost to boast about. In fact, our line of MotherBoards accelerate your PC, PC/XT, PC/AT or clone to speeds equal to the IBM PS2 Model 80. And faster Because we've built in 1 Megabyte of high speed RAM and a 387 math coprocessor socket.

Accelerator Cards Have No Future. An accelerator card can only turn an obsolete computer into a faster obsolete computer. Our MotherBoards advance your computer into a new 386 system! They run OS/2, Windows/386, UNIX V and PC-MOS/386. For more power, you'll find 16-bit expansion slots that accommodate the latest I/O expansion cards. Only our 386 MotherBoards give your PCs an unlimited future!

The Critics Applaude! *PC Magazine* awarded our Board "The Editor's Choice" for 386 Replacement Boards. *PC World* called it "the Upgrade Product of the Year."

Technical Features • 16 MHz 80386 • 1 Megabyte of 100 nsec 4-way interleaved RAM • PC/AT compatible 1/O and BIOS for support of OS/2 • Six 8-bit expansion slots • two 16-bit expansion slots; four on 386 MotherBoard/AT • One 32-bit expansion slot for up to 12 Megabytes of high speed memory • Battery-powered clock calendar.

386	MotherBoard PC or MotherBoard/XT	\$1495
386	MotherBoard, AT	\$1595
32	bit RAM Board (2 Mbyte installed; up to 4 Mbytes)	\$495
16	MHz 80387 math coprocessor	\$695
16-	bit combination hard disk/floppy disk controller	\$245

Step up your PCs with our easy-to-install 386 MotherBoards. For more information, call: **1 (800) 443-6284**. In NewYork: **(516) 434-1600**. All our products are available at your local computer dealer!

Hauppauge Computer Works, Inc. 175 Commerce Drive, Hauppauge, New York 11788





HTRST LOOKS

Toshiba 386-Based T5100: Heavy on Performance, Light on Convenience



HANDS ON

BY JOHN DICKINSON


Given Toshiba's outstanding performance in the laptop arena, the company's new 386based T5100 offers what at first seems like an ideal configuration for taking high performance on the road. Though not as speed-conscious as a few lunchbox-type portables, the T5100 is easily the fastest and most powerful laptop on the market.

However, using the T5100 for a while may convince you that this 15-pound laptop is not the ideal traveling companion.

The screen is the biggest

source of bad news about the T5100. It's of the gasplasma variety, all right-undoubtedly the most glamorous laptopscreen technology available. But, like the new generation of Compag portables, it has low-contrast EGA compatibility with only three gray scales to

The Toshiba T5100 delivers powerhouse performance for a laptop machine, but, nevertheless, it has its shortcomings.



simulate different colors.

In addition, Toshiba designers decided to try to take advantage of the 400 vertical dots on this screen by defining a character set that is one dot higher than the standard EGA character set. I found the resulting extra-tall characters rather annoying. whether using the normal single-dot or bold double-dot dis-

My complaints to Toshiba about the low-contrast screen were answered with a new unit that admittedly sported a somewhat better screen. But even the better version couldn't compare to the GRiDCase 1350's highcontrast gas-plasma screen (see

(continues on page 35)

IZE: Links to Applications Add New Twist to Managing Free-form Text



HANDS ON-

BY NEIL J. RUBENKING

At its worst, Persoft's IZE rates as an excellent free-form information manager. At its best, it constitutes an entirely new way of integrating the applications and information you use.

IZE achieves this integration by coupling an exceptional search engine with the ability to link to external files and their applications. In other words, when a search yields a link to a non-IZE file, following that link automatically invokes the appropriate application for editing the file.

There's no need to reenter

volumes of existing data into IZE. IZE's Import facility can bring in even large files containing many items and can split the files into separate "texts"-the basic unit of IZE.

You tie keywords to texts either manually or by using an automatic filter, known as a keychanger in Persoft parlance. If imported texts include lists of keywords, you can tell IZE where to find them by pinpointing their location within the document. IZE also sports its own editor, so you can create new texts within the package it-

Once you've imported or created your texts, you're ready to begin searching-and appreciating the real power of IZE.

IZE provides all the keyword-searching abilities you'd expect from a free-form information manager, including the use of logical operators to combine keywords. You can also make use of fuzzy keyword searches-searches that return approximate matches as well as exact hits. A search of the fuzzy keyword "exit," for instance, might include a reference to a keyword "exist."

Macros allow you to specify common sets of keywords as one word. You can also search for words that are not keywords; IZE will search every text for the word at blinding speed.

(continues on page 34)

HANDS-ON INDEX

EMERALD BAY/EAGLE

Distributed database engine

SUPER CARTRIDGE I

Replaces 23 HP font cartridges

DAN BRICKLIN'S DEMO II

Adds frame grabber43

CURAM 80-8

32-bit RAM for the PS/2 Model 8043

GEM SCAN

GEM-based scanning

DRAW APPLAUSE

Presentation graphics 48

NORTHGATE POWER 386

Static-RAM cache and highperformance disk in a \$4,295

IZE

(continued from page 33)

The *IZE* outline view—one of its most powerful features-helps you narrow your search and follow links once you've specified your keywords.

The outline lists each text targeted by your keyword search and totals up the frequencies of all the additional keywords in each selected text. Each entry in the outline is either a link to a text or a link to another outline. IZE ensures that the outline always fits on one screen.

You can expand sections of the outline, browse through all the chosen texts, or use the information the outline contains to build a new query.

To reach a file belonging to another application, you simply move the cursor to the corresponding "hot link" and press Enter. As long as IZE has a driver for the application that created the file, it will invoke the application and automatically load the correct file.

If you need to link to a program that's not one of the 25 or so already supported, you can create your own driver easily enough. Persoft documents the necessary information—such as

Agenda: Lotus's Answer to Information Management

Cross a pad of Post-its with a database, toss in a dash of hypertext, murmur the letters "AI," and you've got a rough approximation of Lotus Agenda. We got our hands on an early preview copy of this \$395 "personal information manager," and, if reaction here is any indication, this program promises to be a hit.

While Agenda, IZE, Symantec's Grandview, and others share common ground as information managers, they're more different than any three word processors or databases.

Agenda is an organizer for thoughts, staffing plans, sales contacts, and ideas generated by blurbs in Forbes. Big deal: an outliner or a word processor outfitted with text retrieval software can hold that information. too. Agenda, however, doesn't restrict you to one or two static views of your information. It's a natural for anyone whose job involves managing ideas.

The Agenda metaphor comprises three building blocks: items, categories, and views. Items are how you enter information, categories are how you file information, and views are how you look at the information.

For example, I've been using a prerelease version of Agenda to manage PC Magazine's feature story assignments. The elements are the year's 22 issues, editors managing the issues, topics, writers, and deadlines. Separate Agenda views might show the story lineup for a single issue, all the LAN reviews throughout the year, or stories written by individual authors. Agenda's predecessor was a 10-foot-wide bulletin board covered with 3 by 5 cards.

Other bells and whistles:

- "Conditions" and "actions" help automate the organization of your thoughts. You might, for example, specify that any item containing the phrase "Quimby contract" be automatically routed to Phil, unless "Jennifer" is also in the item, in which case it's routed to her.
- Notes. You can add notes (10K) to your items, import, or simply reference external files. The external file could be an email message or the text of a newspaper article on grain futures. Agenda can categorize or assign based on the content of the notes.
- Smart date arithmetic. Agenda understands "last Friday," "end of July," and "every Friday" as dates. It even understands "fortnight." You can restrict, or filter, your view to items falling between two dates.

The DOS version of Agenda is slated for shipping in a few weeks and the OS/2 1.0 version. about 3 months later.

-Bill Howard

est but complete text editor is best suited to shorter texts. The editor features easy mnemonic commands and simple formatting features, such as headers,

of standard form letters.

You can insert hypertextlike links between texts within the editor. Just tack down one end of the link, then find the other end and connect it. Thereafter, by simply hitting the Enter key with the cursor on the link symbol, you can jump back and forth between the linked texts.

Searching, linking, generating outlines—these are IZE's specialties, and they're very fast. Other functions are not so fast, however. Allow hours rather than seconds for importing large files into the program.

Persoft may yet have a few loose bolts to tighten within IZE. Something in my true-blue antique IBM PC interacted nastily with it, disabling the application links. On an up-to-date 80386 machine, it worked beautifully but occasionally seized up on full text searches.

There's no handy physical metaphor for the way IZE links items in a textbase. It doesn't just offer a faster way to search free-form data. Rather, it offers a whole new way of working with your computer. You may find that the way you naturally work makes more sense than other applications have led you to believe.




17E Persoft Inc. 465 Science Dr. Madison, WI 53711 (608) 273-6000 List Price: \$445 Requires: 512K RAM; hard

disk plus one floppy disk drive; or two high-density floppy disk drives; IBM PC, XT, AT, PS/2, or compatible; DOS 2.0 or

In Short: An excellent freeform information manager that goes beyond the ordinary. Startlingly fast keyword searches and the ability to invoke other applications put it in a class by itself.

CIRCLE 446 ON READER SERVICE CARD



The IZE outline screen represents links to texts with a solid arrow and links to other outlines with a number in braces. The number is a count of texts in the indicated outline

directory path and program name—and the installation program includes an option to create a new driver.

The IZE editor definitely isn't for writing books. Its modfooters, and margins.

The editor supports all major printers, however, and is completely satisfactory for office letter writing. In fact, one sample textbase contains hundreds

Toshiba T5100

(continued from page 33)

PC Magazine, March 29, 1988).

As a consolation, the T5100 will accommodate an EGA monitor via a 9-pin D-connector on the system's rear panel. However, a separate EGA monitor is not exactly a luggable solution to the T5100's screen problem.

The T5100's overall performance leaves little to be desired. Indeed, Toshiba deserves credit for packaging so much power in such a small machine.

Its power comes from a 16-

optional 80387 numeric coprocessor.


The hard disk was the biggest surprise, earning an impressive 38-ms. access time on PC Labs Benchmark Tests. More importantly, it keeps up with most full-size machines when it comes to DOS file access times, where disk performance really counts. If Toshiba supplied a disk-caching program, the T5100's hard disk performance would rate even better

The microprocessor and memory perform right up there with Compaq's Deskpro 386 (the company's 16-MHz matops for too long to fool with anything that won't run the full gamut of DOS software. The T5100 ships with MS-DOS, Version 3.2, which is adequate but does not support Windows/386. Toshiba reports that DOS 3.3 is being prepared for distribution "at a later time," along with a laptop version of OS/2.

Toshiba makes one of the best portable keyboards around. It's got a predictably rattly feel that makes me feel at home, possibly because I'm so used to typing on a T1000. The keys are in a nicely compact arrangement that gives you all the keys on an 83-key keyboard, albeit in modified locations, and complies with most users' needs. Unless, that is, you're looking for a 10-key numeric keypad-which Toshiba will be happy to supply you with as an additional option.

It's hard to find this much computing power in a 15-pound package anywhere else. But one must wonder exactly what niche the T5100 will fill.

At 15 pounds, it's too heavy for my tastes in a laptop machine, and a laptop that requires a power cord seems like a silly



Toshiba T5100

Toshiba America Inc. Information Systems Division 2441 Michelle Dr. Tustin, CA 92680 (714) 730-5000

List Price: With 2MB RAM, gas-plasma screen, 1.44MB floppy disk drive, 40MB hard disk, \$7,499

In Short: Exceptional performance for a laptop. But the machine's lackluster display, 15-pound weight, and power-outlet requirement cast doubts on its desirability.

A - 445 TAREATER HENVICE ARD

idea to begin with. At \$7,499, the T5100 is also expensive. If high-powered portability is your quest, a portable lunch-box-style computer like the Compaq or Dolch-Pack might serve your needs as well. After all, 20 MHz in Compaq's pail is only \$500 away.

60

It's hard to find this much computing power in a 15-pound package anywhere else. But one must wonder exactly what niche the T5100 laptop will fill.

MHz 80386 Intel microprocessor, 2 MB RAM (which is upgradable to 4MB), and a 29-millisecond, 40MB hard disk drive. The standard configuration also packs a 1.44MB floppy disk drive and a socket for an

chine) and, for that matter, any 16-MHz 386 you could name.

You're also not likely to come up with any compatibility problems running the T5100. Toshiba has been too successful at making PC-compatible lap-

Benchmark Tests: Toshiba T5100 vs. Compaq Portable 386

Toshiba's 16-MHz 386-based portable pumps instructions at a slightly slower rate than Compaq's 20-MHz 386 portable, but the Toshiba's hard disk fetches data at speeds comparable to those of the Compaq portable.

Performance Times (Times given in seconds)	NOP	80386 Instruction Mix	File Access (small record)	File Access (large record)
Toshiba T5100	2.08	4.45	62.87	14.35
Compaq Portable 386	1.71	3.24	64.89	13.93

The NOP benchmark test is designed to measure raw clock speed and memory access time while m pind and differences in microprocessors and the effect of memory caching. This test executes almost nothing but NOP ("No Operation") machine code instruction in a big 128K loop.

The 80386 Instruction Mix benchmark test measures the time it takes to execute a selected series of processor-intensive tasks. The test program uses 80386 instruction code. These instructions are a subset of the

total processor instruction set. The 80386 Instruction Mix implements a number of 32-bit operations. In the 80386 processor these become single instructions, whereas in the 8086 and 80286 versions of the benchmark test they remain multiple instructions.

The File Access benchmark test measures the time it takes to perform a series of disk operations, a sequential create and write of a 256K data file, a sequential read of the same file, a random write, and a

100
80
60
40
20
Relative Times
(Compaq Portable 386 = 100)

random read. The first set of results reports the time required to perform the test using record lengths of 512 bytes and 4K. The second set of results is the time required to perform the same test using 16K and 32K records. The larger record sizes show how a disk will perform in loading large programs and loading and saving large data files. Higher-throughput systems such as RLL drives will show better performance in the large record test.

Emerald Bay and Eagle: The New Breed of Database Manager, Almost



HANDS ON-

BY GENE SMILGIEWICZ

Migent's new distributed-processing duo—Emerald Bay and Eagle—represent the shape of database management systems to come. Emerald Bay comprises the database engine, while Eagle serves as a separate front end. The products are the brainchild of Migent founder Wayne Ratliff, who was instrumental in developing Ashton-Tate's dBASE II.

Though the Emerald Bay Database Server—the multiuser Emerald Bay engine—won't ship until the end of June, Eagle incorporates a single-user Emerald Bay engine that offers the same data-storage features without the multiuser capabilities.

Eagle, including its engine, is bug-laden and lacking in some features—a result of Migent's rushing the product to market. Migent has vowed to support purchasers of early releases "like kings," however, with a steady stream of free bug fixes, upgrades, and hot-line support, not to mention an ISV program for developers.

The single-user engine bundled with Eagle mirrors the coming Emerald Bay Database Server in its data storage abilities. The Database Server will add transaction processing and a powerful array of multiuser features.

The single-user engine comprises the database engine program and several core component utilities. The engine performs as a TSR program or a co-resident process occupying 130K RAM.

Emerald Bay databases are composed of up to 1,000 data tables contained in a single disk file, supported by a like number of indexes in a related index file. A database table record can contain up to 800 fields and 10,000 bytes, using the nine finite field data types that are available.

A variable-length "binary" field type, which did not function properly in the review copy, allows up to 2 billion bytes of storage per field and can contain any type of data.

The largest character field may be 512 bytes, while a special "packed" field can contain up to 1,024 numeric and punctuating characters. The four numeric data types offer similarly scaled precision. I particularly appreciated the field replication factor, which allows any field to be treated as a unidimensional array of up to 100 elements.

A data table can contain up to 2 billion records, and seven databases may be open at one time. In other words, up to 7,000 tables plus 7,000 indexes can be active at any time.

Using the database administrator is a straightforward process, though inexperienced users may be nonplussed by the impressive security provisions.

The data form generator and entry components are nothing to write home about, but the report writer, oriented to programmers, is well implemented and looks quite powerful.

The import/export module supports ASCII, dBASE, and Lotus 1-2-3 formats, as well as creation of control files to facilitate repetitive operations.

Eagle

Once you've defined the tables and indexes for your databases, you can invoke Eagle and operate in command mode, á la dBASE, or develop and run application programs. As a nice touch, Eagle includes its own fine text editor.

This initial version does not supply the promised compiler or its ultimate feature set. It's also flawed by more than a few bugs. Nevertheless, I found it exciting to use.

Ratliff obviously reworked some of the basic functions botched in dBASE, implementing the Eagle features more effectively as a result. With Eagle, when you delete a record it is gone forever. No more annoying PACKing.

Gone, too, is the need to constantly index data. Once defined, indexes are maintained automatically, whether used to control a table sequence during updates or left "idle" during the process.

In general, Eagle is very ele-

gant in the way it manages data storage and in the tools afforded to manage memory requirements. Modules of code and binary routines may be swapped in and out of memory at will. Memory-variable usage is limited only by available memory and may include 13-dimension arrays of up to 10,000 elements. The only price you pay for all this is more-stringent data typing requirements.

Eagle provides most of the commands and functions necessary to create complex application programs, as well as the means to create user-defined functions and to call external binary routines.

How well all these features work together under the stress of real-world loads will be open to debate until a stabilized version is available.

All in all, the intrinsic merits of the initial release of Eagle, with its single-user Emerald Bay engine, far outweigh its deficiencies.

The inherent superiority of Migent's distributed approach, coupled with the inspired coding of an older and wiser Wayne Ratliff, make *Emerald Bay* and *Eagle* worth wrestling with.



Distributed Database Processing

Distributed database processing separates the front-end user interface from the engine that performs the actual, nitty-gritty data storage and retrieval.

In a nondistributed DBMS, when a user indicates that he wishes to index a data file, for instance, the front end forwards the instruction to the integrated engine. The integrated engine in turn passes a request to the network file server to send the contents of the database over the network back to the workstation running it.

After the data records are indexed, the index file is saved

back to the network server. Sending large files not only ties up the network but also increases the risk of data corruption due to transmission errors.

In a distributed DBMS, the engine runs on the server itself. The front end's workstation simply forwards a terse indexing instruction over the network to the database server. The database engine then performs the index operation on the file, located on one of the server's disks, and sends only a completion code back to the originating workstation when done.

—Gene Smilgiewicz

Emerald Bay

Eagle

Migent Inc. 865 Tahoe Blvd.

P.O. Box 6062

Incline Village, NV 89450

(702) 832-3700

List Price: Emerald Bay Database Server, \$695; Eagle (incorporates single-user Emerald Bay engine), \$495; Developer's

Toolkit for C, \$495. Requires: 640K RAM, DOS 3.1 or later. Hard disk recom-

mended

In Short: A bug-laden but worthwhile initial release of a ground-breaking product.
Comprises a separate database engine and front-end user interface for distributed processing. Not copy protected.

CIRCLE 450 ON READER SERVICE CARD

YOUR WORD PROCESSOR GIVES YOU THE POWER.

RIGHTWRITER° GIVES YOU THE CLARITY.

Right Writer Checks The Grammar, Style, Usage, And Punctuation In All Your Business Writing.

RightWriter helps you produce clear, powerful business writing. Not a spelling checker...RightWriter is a sophisticated expert system for checking errors in grammar, style, usage, and punctuation. Right Writer is aimed at producing better writing, not more writing. RightWriter helps you write like a pro.

•RightWriter Is Extremely Easy To Use

You create your document as you normally would. You then run RightWriter on it, using a simple one word command. Your word processor does the rest.

•RightWriter Inserts Messages Directly In Your Text

RightWriter creates a marked up copy of your original document with comments pointing out errors in grammar, style, usage, and punctuation.

•A Readability Index And A Strength Index

The Readability Index shows the educational level a reader requires to understand your writing. The Strength Index measures your writing's strength of delivery. Other indexes measure your use of adverbs and adjectives, and the use of jargon in your writing.

•Works On IBM PC, Compatibles And PS/2 With Most Word Processors Right Writer supports most word processors including WordStar,® WordPerfect,® Microsoft Word,® MultiMate® and others.

Here's what the experts are saying about RightWriter

"I rarely recommend software as a must buy, but in the case of RightWriter - four stars throughout

-Family Computing

"...a must buy for the businessman who writes memos all day. Highly recommended." John Dvorak

- San Francisco Examiner




It's Only \$95 With our 30-day money back guarantee.

Ask for RightWriter at your dealer or order now by calling (800) 992-0244 CIRCLE 479 ON READER SERVICE CARD

RightSoft, Inc.

4545 Samuel Street, Sarasota, FL 34233 Phone (813) 923-0233 In Florida Visa, Master Card, and AMEX accepted. Add \$4.50 for shipping and handling. FL residents add 6% sales tax. Right Writer is available on 31/2" or 51/4" diskettes. Overseas price (U.S.) \$130 plus (U.S.) \$15 shapping. Copyright 1988, RightSoft, Inc. RightWriter is a registered trademark of RightSoft, Inc.



\$699 Super Cartridge Squeezes 23 HP Font Cartridges into One



HANDS ON-

BY EDWARD MENDELSON

The folks who designed Dick Tracy's ultraminiature wrist TV seem to have gone into the fontcartridge business.

IO Engineering's \$699 Super Cartridge I (\$599 until September 1) shoehorns fonts from 23 Hewlett-Packard LaserJet cartridges into a single cartridge. The Super Cartridge is no bigger than the units it replaces; it's merely smarter.

The fonts look as good as Hewlett-Packard's best and, with most applications, you can plug in the Super Cartridge and start printing without fussing over printer drivers or escape codes

The Super Cartridge I contains 55 fonts in ten different styles. In portrait mode you get Helvetica in sizes ranging from 6 to 14 point and Times Roman from 8 to 14 point. Letter Gothic ranges from 4 to 14 point. The Presentation font comes in 14and 16-point sizes, OCR-A and Courier in 12 point, Prestige Elite (including math versions) in 7 and 10 point. Line Printer in 5 and 8.5 point, and Line Draw fonts in 12 and 14 point.

All the bold and italic variants that come in the Hewlett-Packard A through Z cartridges are included. Most of these styles are also included in landscape mode.

IO Engineering couldn't find a way around the laws of physics or the hardware limitations of the LaserJet, so the Super Cartridge doesn't contain absolutely everything that comes in HP's cartridges. A few rarely-used landscape fonts are omitted. The crudely designed fonts in the obsolete B and F cartridges are ignored in favor of the superior versions in the "Microsoft" Z cartridge.

With most fonts you get only the standard ASCII character set, which means that you can print any character that appears on the keyboard but not the foreign-language characters that come in Hewlett-Packard's Roman-8 character set. But HP's

FACT

Super Cartridge I

1Q Engineering P.O. Box 60955

Sunnyvale, CA 94086 (408) 733-1161

List Price: \$699 (\$599 until

September 1).

Requires: HP LaserJet or compatible.

In Short: One font cartridge with the equivalent of 23 standard font cartridges.

CIRCLE 433 ON READER SERVICE CARD

math, legal, and line-drawing characters are fully present and accounted for.

With some effort, you can construct foreign characters using the accents and symbols that come in a special font. But for extensive foreign-language work, you're better off with the Courier font that comes with the LaserJet II or with one of HP's cartridges.

Before you join the circusposter-and-ransom-note school of typography, keep in mind that the LaserJet lets you use only 16 fonts on a page-and two or three are plenty for good

Helvetica 8 point Line Printer 8.5 point Times Roman 10 point Courier Bold 10 point Helvetica Italic 10 point Times Roman Bold 10 point Prestige Elite 10 point Helvetica 12 point Letter Gothic Italic 12 point Times Roman Italic 12 point Letter Gothic 14 point Times Roman Bold 14 point Helvetica Bold 14 point PRESENTATION BOLD 16 POINT

A Tutorial Approach to Mastering DOS



BOOK REVIEW

BY GUS VENDITTO

If you're a regular reader of this magazine's Productivity columns, Taming MS-DOS is probably too tame for you. But it may be the book you should be recommending to less-fortunate

Old DOS hands who give this book and 10 minutes of their time to a rank novice can sit back and enjoy the rewards of having brought another new user into DOS adulthoodwithout answering questions every 20 minutes.

On the whole, the tutorials

are well done and clearly explained. The book quickly moves into lessons on writing batch files that should prove rewarding to anyone willing to take the time to learn. Simple explanations of the boot sector and disk interleaves are short and to the point, and tricky concepts like ERRORLEVEL test statements are introduced and explained as they're needed.

This is far from a classic, however. It includes a hodgepodge of utilities Thom Hogan has written over the years. All of them are useful, but some, like a WordStar file stripper, seem to have been tossed in to fill pages. Hogan recommends that you upgrade to DOS 3.2, but includes utilities that provide functions added in DOS 3.2. He also rather glibly points his fledgling DOS users in the direction of MASM for creating DOS utilities.

If you want to turn your own system into a derivative of Hogan's, you can order a \$25 disk with 21 utilities, plus the BA-SIC or assembler source code and a handful of batch files. All are common utilities, available more economically on public bulletin boards and PC MagNet.

Taming MS-DOS gives the effect of taking the reader on a tour of one man's approach to building a customized system.



FACT

Taming MS-DOS, 2nd edition

By Thom Hogan M&T Books

501 Galveston Dr. Redwood City, CA 94063 (800) 533-3271

(800) 356-2002 (in Calif.) ISBN: 0-934375-87-9

List Price: \$19.95; companion

disk, \$25.

In Short: A novice's guide to DOS functions and batch files.

CIRCLE 449 ON READER SERVICE CARD

It works as a tutorial, but forget about the overpriced companion

New Disk Optimizer gives you the courage to say yes!

Introducing Disk Optimizer 4.0. Now with Data Guardian™ and Undelete.

It's the moment of truth.

You've decided to erase an entire directory, and your computer asks, "Are you sure?"

Well? Are you? Is it the right directory? Will you ever want these files again?

Enter new Disk Optimizer 4.0 with Data Guardian. The only disk utility software that lets you blithely say "yes" now, and if you want, change your mind later. Because only Data Guardian ensures that anyone can Undelete files, directories, even entire disks. And do it hours, days, up to weeks later, no matter what else you've written to your disk in the meantime.

Best of all, Data Guardian makes file recovery quick, easy and totally foolproof. Without the complexity of other data recovery software. And without the uncertainty. Thanks to Data Guardian, Disk Optimizer comes through for you every time.

You formatted what drive?

That's fine for erased files, you say. But what happens if you accidentally format your hard disk? No problem. Disk Optimizer comes through again with UnFormat that can instantly restore all

the data on your disk to exactly where it was before that little slip of the finger on the keyboard.

And to make sure your data is really safe, the TrackSaver program protects the surface of your disk from excessive wear by periodically repositioning the head on your drive when it's idle. And the Refresh program prevents the bad spots that develop on disks due to fading magnetic charges.

Still the safest buy in performance optimizers.

As always, Disk Optimizer also gives you the safest, most advanced performance optimization. availableproven by over a quarter of a million users.

The Optimize program speeds up disk reading and writing times by up to 300 percent by undoing the file fragmentation that takes place naturally over time. The DOConfig program lets you arrange the layout of your disk for best overall performance.

(603-627-9900 in NH)

And the Analyze program gives you a graphical look at the condition of vour disk, so vou'll always

know when it's time to optimize

A total of 17 different programs.

Disk Optimizer includes Findfile for locating files by name or wildcard anywhere on your disk. Sorts for re-arranging files and directories in the way that makes sense to you. Lock and Unlock for password-protected file security. Killfile for erasing sensitive data

permanently. And lots more. In all, there are 17 different programs in the new Disk Optimizer. Each one designed

to improve performance, guard your data, and make disk management easier and simpler for

everyone.

So get new Disk Optimizer 4.0, and get more than the courage to say yes.

Get the peace of mind and total confidence that your disk is running better and safer all the time. CIRCLE 334 ON READER SERVICE CARD


ptimizer \$6995 Available at software dealers everywhere Or order direct by calling toll-free. SoftLogic Solutions, Inc. One Perimeter Road, Call 800-272-9900 Manchester, NH 03103.



PIPELINE

TOP TEN SELLERS

(A 5-week history)



any products that play a daily role in personal computing never get reviewed in PC Magazine. My fingers twinge as I write that, but it's a fact. We review every kind of software and hardware product that's available to help you

get through your work, but some hardware

Dac Easy Accounting

Dac Software Inc.

Software Publishing Corp.

can't be used alone and can be reviewed only within the context of a full system.

We don't review memory chips, because total system design determines how quickly vour RAM can store and retrieve data.

We don't review the Phoenix and Award BIOS firmware—even though they are a crucial element in system performance-because you can't buy them for your own PC. The manufacturer of your computer had to select the best BIOS for you, and

IN PERSPECTIVE

The Top Ten Sellers list ranks PC business programs according to their sales performance in the last week of a 5week period. It also tracks programs' rankings (reading left to right) from April 4 through May 7. A 5-week history is charted to give a sense of a program's sales strength over time. Dramatic shifts in a particular program's ranking may be the result of sales promotions conducted by individual retailers. Seasonal factors. such as end-of-year-budget purchase decisions, can also play a large role in the performance of a particular program in any period. More than 12,000 individual locations contribute to the list.

Samna Corp. Carbon Copy Plus Meridian Technology Inc. Peter Norton Computing

Samna Word IV

The Norton Utilities **Advanced Edition**

> Quattro Borland International Inc.

even if the

company

Rankings are based on net sales by unit; returns are subtracted from gross sales.

Sales information compiled by Ingram Software Inc.

SURVEY

The gurus who told us that people would be using computers to shop from home were among the experts proven wrong in our most recent survey.

This survey was conducted on-line, so it polls only those who are already connected to on-line services, and it was conducted before the introduction of PC MagNet (see First Looks, page 46, May 31, 1988), which has attracted thousands of new users since it began on May 1.

The single most popular activity—special-interest groups-mirrors the popularity of Compu-Serve, home to several hundred such groups.

Which on-line services do vou use? 30 20 10 CompuServe Delphi Other **GEnia** The Source None **Dow Jones News/Retrieval**

didn't make the right choice, there's nothing you can do about it (unless you're in the habit of burning code into ROM chips on a regular basis). Matching the right BIOS with the right PC design is a crucial decision for PC makers, but it's the finished system that has to be rated, not the BIOS.

Motherboard Choices

And we don't review motherboards (unless one was designed as an upgrade), although we'll often refer to them in reviews of systems. The performance of a particular motherboard is often the determining factor in whether one PC brand is a better buy than another. Many manufacturers rely heavily on commercially available motherboards; others, like Compaq, Tandy, and Zenith, put a lot of research into designing custom components that give their machines a competitive edge.

The most popular motherboards are sold by Intel to manufacturers. Companies like Kaypro, PC Discount, and Corvus Systems have built 386 PCs around Intel's motherboards, taking advantage of the extensive research Intel pours into these systems to ensure that they'll be compatible with the widest possible range of plug-in cards. Intel first built motherboards to test processors under development. It soon realized it had learned so much about system design and they've broken the latest clock speed limit. What many of them have done is built a machine around Intel's SYP 302, which has these standard features: a 386 running at 25 MHz; 2MB of system RAM (expandable to

If you want to know about the immediate future of desktop computing, you need to take a look at this behind-the-scenes product from Intel.

compatibility testing that a motherboard line was a natural complement to its existing businesses.

We won't be reviewing Intel's latest 25-MHz 386 motherboard in the magazine, but we've taken a close look at it and are already starting to review the machines it powers. In the June 14, 1988, issue (First Looks, page 46), we reviewed the CAE/SAR 386II. If you want to know about the immediate future of desktop computing, you need to take a look at this type of behind-the-scenes product.

The market is already becoming crowded with hardware makers advertising that 8MB); a 64K memory cache; a 220-watt power supply; two serial ports; one parallel port; seven 16-bit slots; two 32-bit memory slots; and FCC Class B certification. The I/O bus runs at 8 MHz, ensuring compatibility with the moderns, network cards, and graphics adapters on the market.

Purchase the right disks and controllers, place them inside a box, plug in the keyboard, and you have got a system that is at the forefront of PC technology.

If you wanted to make a system that was a couple of million instructions per second behind today's speed leaders but \$3,000 less expensive than the \$6,450 SYP 302, you'd use

either Intel's SYP 301 or its SYP 301Z. Both are 16-MHz 386s; the 301 executes at one wait state, and the 301Z performs at zero wait states. Of course, you can't do this on your own, unless you're willing to order several hundred boards from Intel. But you could do worse than to purchase an 80386 PC based on an Intel motherboard.


Boards That Run OS/2

Intel's compatibility testing will benefit consumers most when they're ready to boot OS/2. These boards are now running Microsoft's standard edition of OS/2. Using a nonstandard disk controller or video card could stop OS/2 before you've even completed its long-winded installation procedure, but since a majority of manufacturers use components that conform with current standards, this won't be a problem for most.


On the other hand, no OS/2 device drivers exist for some fairly popular storage devices (like lomega's Bernoulli Box), so the OS/2-minded consumer can expect a few more gray hairs no matter which PC he decides to buy.


-Gus Venditto

How many hours per month do you use on-line services, on average?



What kinds of services do you use?





NOW THE #1 PROJECT MANAGER* PUTS EVEN MORE POWER AT YOUR FINGERTIPS.

Hold on to your personal computer. Hold on tight. Because without sacrificing Time Line's almost legendary

EASY, FLEXIBLE, POWERFUL PERFORMANCE:

- illimited level Outline Structure integrated throughout, open or close at any level Interactive PERT shows hierarchy (outline) as nested boxes; open only what you
 need to see. Toggle between two PERT layouts to see the overall project or zoom.
- mion specific.

 Customizable Gantt with user-definable screen layouts. Add columns to show dates, resources, durations, costs, etc. Overlay Gantt with histograms for up to 5 resources
- Undo a Redoup to 999 steps for "what if" scenario analysis
 Multi-Project Management with no linking required. Outline organizes multiple ojects in a single schedule
- 'roject Journal acts as outline-based scratch pad and Notes attaches reminders directly to tasks or resources
- Baseline tracking produces Actual vs. Plan Gantt. Cost tracking records "actuals" and percent complete. Supports government reporting requirements (C/SSR). Calculates earned value
- and supports WBS and OBS numbers.

 Virtual Memory supports 1000 tasks with 640K RAM (1600 tasks with EMS extended memory).
- Customizable report generator is form driven to make it even easier.

ease of use, Time Line 3.0 just raised the standard of micro-based project management. By macro proportions. Imagine. An advanced outline structure from the company that invented outlining. † Interactive on-screen PERT. Multi-project scheduling and resource allocation without manual linking. And a customizable environment including Gantt, PERT, and reports. All this plus plenty of power features like the ones in the box. Seamlessly integrated. Easy. And only \$595.

Hundreds of enhancements, easy to navigate outlining... technology so advanced there are patents pending. Call (800) 888-0886 Ext. 190P for a FREE demo disk (a \$9.95 value) or FREE corporate evaluation. Time Line 3.0: the power will blow you away.

The #1 Project Manager



SYMANTEC

"Time Line 20 PC Magazine Editors Chero 1986 & 1987 rated #Lby Software Engest 1985. Line Line 20 S PC visithe best choice for laptops or PC widdowl hard atsks execute 1646 KAM. Line Line 20 owners all 41 (984-1440 to low ostapgrade. Training and on utting, 60 tees available call (11) 1898-1919. Thinh Fank, the original outline processor from the Living Videolext Division. C. 1988 Symanter, 10201 Torre Ave. Cupertino, CA, (408), 254-9600.

Dan Bricklin's Demo II Adds Image Capture, More Programming Power



HANDS-ON-

BY JENNIFER ZAINO

Software Garden laid in a good crop with the original Dan Bricklin's Demo Program. Not content to let the fields lie fallow, the company has come up with a new version: Dan Bricklin's Demo II Program.

Like its predecessor, Demo II lets you construct working program prototypes, demonstrations, and tutorials from a series of static screens, or slides. A programming language links the slides together.

Unlike the original, Demo II provides image capture and import features. You can now use Demo II's CAPTURE utility to grab nearly any text or bitmapped graphics screens.


With Demo II, you can also import text files or PC Paintbrush .PCX files. Demo II recognizes only certain types of .PCX formats, however, A handy utility helps you deter-

You can also create your own screens or manipulate existing ones within Demo II itself. Screen-building features include a nice range of wordprocessor-like commands, including block operations.

Some new Slides commands let you modify the slide switch speed and palette settings and change the switch type so that the screens move onto the display from top to bottom or vice

Demo II adds about 100 new Run actions—the commands that link the slides. You can now instruct Demo II to flip through slides at a specified interval or to wait for user input before moving to a new slide. Run actions can apply only to specific slides or to all slides.

Both string and numeric





Dan Bricklin's Demo II Program, Version 2

Software Garden Inc P.O. Box 373

Newton Highlands, MA 02161 (617) 332-2240

List Price: \$195; upgrade. \$51.45

Requires: 512K RAM (256K for RDEMO2), one disk drive,

DOS 2.0 or later In Short: A solid program that

produces program prototypes, demonstrations, and tutorials. Not copy protected.

CIRCLE 431 ON READER SERVICE CARD

variables are available in this version, as are several new overlay types.

Those familiar with the original Demo program will find the new version's manual much improved, although additional examples for the more-complex features would be a help.

A runtime-only version of Demo II, RDEMO2, is included at no extra cost.

CuRAM 80-8: 32-Bit Memory for PS/2 Model 80 with Modem and Port Options



HANDS ON

BY WINN L. ROSCH

Doing anything useful under OS/2 takes 4MB of memory. Yet the IBM PS/2 Model 80-IBM's premier engine for OS/2—ships with only 1MB, and IBM's own 32-bit memory enhancement board for the Model 80 is as hard to find as the moons of Pluto.

Enter Cumulus Corp.'s CuRAM 80-8-one of the first 32-bit memory boards for the Model 80.

The CuRAM 80-8 board avoids the use of DIP switches and jumpers by matching to SIMM type and memory capacity. It supports memory error detection and remapping, per IBM's MCA standards.

The CuRAM 80-8 also adds versatility via two optional daughtercards. You can choose a Haves-compatible, 2,400-bitper-second modem or a serial/parallel port combination.

The chip sockets of the CuRAM accommodate virtually anything, providing you match the byte size of the SIMMs within each bank. One bank of four 256K SIMMs gives the board its minimal 1MB endowment: two banks of four 1MB SIMMs stretches it to its maximum of 8MB

Unbeknownst to most folks, all SIMMs are not interchangeable. Different products have different pinouts, which means they can't be plugged into most computers and expansion cards indiscriminately. But the CuRAM 80-8 automatically accommodates any standard SIMM on the market.

Cumulus also includes the necessary MCA setup software, an EMS 4.0 driver, and a printspooling program.

The unit functioned perfectly in the 16- and 20-MHz versions of the Model 80, which have a maximum bus speed of 10 MHz. Cumulus claims the 80-8 will run at even faster rates, thanks to its ability to insert wait states automatically as a function of bus speed.

PC Labs benchmark test results put CuRAM performance on a par with that of Model 80 base memory.



FACT FILE

CuRAM 80-8

Cumulus Corp. 23500 Mercantile Rd. Cleveland, OH 44122 (216) 464-2211

List Price: With IMB, \$1,095; with 2MB, \$1,495; with 4MB, \$3,495; with 8MB, \$5,495

Requires: PS 2 Model 80 (16) or 20 MHz)

In Short: A full 32-bit memory expansion board for the Micro Channel. Modem or serial/parallel port can be added.

CIRCLE 430 ON READER SERVICE CARD

telemari

Doing Business Since 1980 A Division of CW Marketing, Inc.

Purchase Orders Accepted - Ask for National Accounts

Low Prices are **BORN** Here, **RAISED** Elsewhere!



SOFTWARE

SPECIAL - LO	GITECH MICE
LogiMouse	LogiMouse with Logi Cadd
LogiMouse with Paint Show	Logi Buss Mouse with Logi Cadd \$110
Logi Buss Mouse with Paint Show	LogiMouse with Publisher
Logi Buss Mouse with Publisher	

Fox Base Plus

SPECIAL

Microsoft Word 4.0

WORD PROCESSORS	UTILITIES	TRAINING	CHAPPINGS
Easy Extra	1 DIR Plus \$ 46	Chuck Yeager Adv Flight Simulator \$ 25	Energraphics
Word (Microsoft)	Bookmark	Lets C	Free'ance Plus
Multimate Advantage II	Brooklyn Bndge 69	Mastertype 23	Generic CAD w Dot Plot 3.0
PFS Professional Write	Carouse! 2 0		Harvard Graphics 2 1
	Copy II PC		In-A-V sign
Volkswriter 3	Copywrite	MS Fight Simulator 29	Microsoft Chart 3.0
	Corelast	PC Logo 79	News Room
	Cruise Control	Turbo Tutor 40	News Room Professional
Webster Spell Checker	Cubit Call	Typing Instructor II 27	Printmaster Pus
***************************************	Disk Optimizer 2.0 Cati	Typing Tutor IV	PrintShop
Word Perlect Call	Disk Technician	Typing town it it is a series of the	Turbo Graphix Too Box
Word Perfect Executive Call	Double DOS 4 0 Call	DATA BASE MANAGEMENT	10.00
Word Perfect Library Call	DS Back-Up Plus		VP Graphix
Wordstar Pro Pack 5 0 Call Wordstar 2000 Plus Personal 205	Fastback	Clipper	
Wordstar 2000 Plus Personal 203	Fastback Plus	dBase III Plus	MICE
	Homebase 2.5	dBase III LAN	PC Mouse w Paint
PROJECT MANAGEMENT	Keyworks	DB-XL Diamond	(Buss or Senal)
Harvard Total Project Manager II \$ 309	Mace Utilities 47	Eureka	PC Mouse
Microsoft Project 40 287	Microsoft Windows 2 03 57	Genifer	w Autosketch (Buss or Senal) 99
Timeline 2 0	Norton Commander	Nutsher	Microsoft Buss Mouse 1 0 92
Timesine 20,	Norton Edilor	Paradox 2.0	Microsoft Senal Mouse 1.0 92
	Norton Utilities 4.0		MS Buss Mouse w CADD 107
HONEY MANAGEMENT	Note It Plus		MS Senal Mouse w CADD 107
Dollars & Sense w Forcast	PC Tools Deluxe	Quickcode Plus	MS Buss Mouse w Windows 122
Tobias Managing Your Money 4 0 114	Printworks for Lasers 67	Rapid File	MS Serial Mouse w Windows 124
Tooles managing Tool Money 40 111 114	Referee		Optimouse
	Sidekick Plus	neveration bunip bisk	(PC Mouse) w Dr. Halo III 82
	Sideways	IN DESC CIOUL (NEW YEL) 1/3	SPREADSHEETS
DESKTOP PUBLISHING	Smart Notes	R Base Ext. Report Writer (New Ver.) . 175	Cambridge Analyst \$ 79
Newsmaster II	SQZ Plus	R Base For DOS 425	4 Word
Pagemaker	Superkey	Delica	HAL
PFS First Publisher	Take Two MGR 66	VP Expert	Lolus 1-2-3 Ver 2 01
Ventura Publishing 489	Turbo Editor Tool Box 58	4F (m)	Lotus Manuscript
	Unlock A. or B Plus	Entermory vyvane	Lotus Report Writer 67
LANGUAGE	Uniock D Plus	Carbon Copy Plus \$ 105	MS Exce
Basic Compiler (Microsoft) \$ 175	XTree Professional 61	CompuServe Subscription Kit 19	Multiplan 3 0 (Microsoft) 113
C Complier (Microsoft) 259		Crosstalk XVI	PFS Professional Plan
Cobol Compiler (Microsoft) 415	4000000000		Quattro
Fortran Compiler (Microsoft) 4 0 259	ACCESSORIES		Supercalc 4
Lattice C Compiler	Copy II Option Board Deluxe \$ 99		Twin Classic
Macro Assembler (Microsoft) 86	Masterpiece	Remote	VP Planner
Pascal Compiler (Microsoft) 175	Masterpiece Plus 92	Smartcom III	VP Planner Plus 82
Quick Basic 4 0 57	Masterpiece Remote 107 MousePad by Mousetrac		
Quick C	MousePad by Mousetrac 9 Summasketch 12x12 Plus 359	INTEGRATIVE SOFTWARE	ACCOUNTING COUNTING
Ryan McFarlan Fortran 379	Summasketum tzkiz rius		ACCPAC Calf
Rýan McFarlan Cobol 609		Ability Plus	Computer Associates
Turbo Basic	DISKETTES	Enable 2 0	DAC Easy Accounting
Turbo C	Maxell MD-2 Qty 100 \$ 75	MS Works	In-House Accountant
Turbo Pascal 4 0	Maxel MD-2HD Qty 100 149	PFS 1st Choice	One Write Plus 2 0
Turbo Prolog 58	Sony 5 4 Oty 100	Smart Software System Best Price	One Write A.R. A.P. Pavroll
Turke Declar Tealbox		SITIAL BUILWARE SYSTEM DEST PTICE	OTHER WITHER M. R. P. P. MYTON

1-800-426-6659



Turbo PC XT w 640K & 2 Drives	\$ 62	20
Turbo PC XT w 640K 1 Drive & 20 MG	\$ 82	9
Turbo PC XT w 640K, 1 Drive & 30 MG	\$ 85	5
PC 286 12 MHz Zero Wait State w 1024K,		
1 2 Floopy Drive	\$115	9
PC 286 12 MHz Zero Wart State w 1024K,		
1.2 Floppy, 40 MG	\$197	19
PC 386 16 MHz, 1 MG RAM, 1 Drive, 40 MG w EGA Card		9
MonGraphics Card with Parallel Printer Port	\$ 5	5
Color Card w Parallel Printer Port	\$ 5	55
Amber Monitor w Swivel Tilt (TTL)	5 5)5
AT Multi I O Card	\$ 6	55
XT Multi I O Card	\$ 6	35
Color Monitor (RGB)	\$ 25	5
Autoswitch EGA Card		9
FO Card (Senal/Parallel)	\$ 3	18
1:O Card (Senal/Clock Calendar)		19
Enhanced Keyboard	\$ 6	5
1200B Modem (INT) W SW	\$ 6	9
1200B Modem (EXT) W'SW	\$ 9	15
24008 Modem (INT) W SW	\$ 15	5
2400B Modem (EXT) W'SW	\$ 17	5

HARDWARE

PRINTERS	DISK DRIVES	BOARDS	COMPUTERS
Alps All models Call	Bernoulli Box	AST	AST
AST Turbo Lazer \$4310	10 Meg	Hot Shot	Model 80 \$1715
C.ITOH New Call	20 Meg	Six Pack Plus	Model 140 2815
Citizen Printers	40 Meg	Xformer	Model 340
120D 145	Beta Ext	Other Models Call	Mode 390 5839
1800	Beta Int 909	36	Other Models
MSP 40	Seagate	00	One woders
MSP 45	20 MG w WD Controller 275	ATI	NEC
MSP 50		EGA Wonder 175	Multispeed EL II 1495
MSP 55		VIP Plus	Powermate
Premier 35	Other Moders Call	VII 1 03 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FUWERHALE
Diconix 150 309	Teac	Hercules	Toshiba
300	1 2 MEG AT	Color Card	
Epson Printers Call	Fioppy F55 BR 79		T-1000
Hewlett-Packard	Toshiba		
	35 Dr 720K 95	Incolor New 209	T-3120
Disk Jet	3.5 Dr 1.4MB 125	texal	T-3200
Lazer Jet Series II 1775		intel	T-5100 4899
NEC	MODEMS	Inboard 386 PC	***
P2200	Hayes	Inboard 386 Fl w cable 979	Wyse
850 Silent Writer 1539	1200 \$ 280	4020	386
P-6 418	1200B 245	80287-6 New 175	MONITORS
Other Models Call	2400B		Amdek Monitors Cali
Okidata Call	Incomm 1200 EXT 89	Orchid	Patrician imprinistra 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Panasonic	12008 w soft	Designer EGA 265	NEC
1080 I M2 165	4800 w EC 289		Multisync II \$ 599
10911M2 199	Prometheus	Paradise	Monographic System 1259
1092	1200B w Software	Autoswitch 350 130	Other Models Call
1524	2400B w Software	VGA · New 239	Office models a year and a second
1592 415	Other Models Call	VGA Professional New 355	Princeton Ultresync 485
1595 429	US Robotics		Samsung
3131	Password 1200 149	Video-7	Sony Multiscan
3151	Courier 2400 299	VGA 269	Mitsubishi Diamond Scan 509
Lazer 4450 1635	Courier 2400E	Vega Deluxe 180	Zenith 1490 609 l
Star Micronics		-3.	25(11) 1450
Toshiba		KEYBOARDS	TERRIBIAL C
321 St	HARD CARDS	Keytronics	Wyse
341 SL 665		KB5151	30
351 SX 979	Plus 20 MG	KB5153	50
Page Lazer	Plus 40 MG 659	KB101	44
rugo callett s s s s s s s s s s s s s s s s s s		70701 7	85
	No Charge for VISA and Mestercard We Do Not Charge Your Card Until Your Order is Bhipped	No APO EPO or international orders please	 To Place an Order 1-800-426-6659
	We Do Not Charge Your Card Until Your Order is Shipped You Pay the Ground Shipping \$6.00	Call before submitting P O s Ask for National Accourt	vts • To Follow Up on an Order (602) 944-2552







Address 8804 N 23rd Ave Phoenis AZ 85021

10 hollow Up on an Order (602) 944-2552 Order Line Houses Mon-En 7 00 a.m.-6 00 p.m. Saturday 9 00 a.m. 1 00 p.m. Order Processing (602) 944-1037 10 00 a.m. 3 00 p.m. Mon. En

\$95 GEM Scan: Photograph to Halftone, Includes Pixel Editing



HANDS ON

BY MIKE FALKNER

Nestled among the flood of new products from Digital Research is *GEM Scan*, an image-scanning program. *GEM Scan* includes both the scanning software and *GEM/3*, DRI's desktop interface.

GEM Scan installs as a standalone application or a GEM/3 desktop program. The package supports the HP Scan-Jet, the Canon IX-12 Image Scanner, Princeton's The Laser Scanner Model LS-300, the AST TurboScan, and the Microtek MS-300A.

To scan an image, you simply load the picture into the scanner and click on a start-button icon. To fine tune the image, use the tool-kit to select either line art or halftones and to control the brightness. With the scaling tool you can reduce or enlarge the image.


The Options menu lets you redefine the page for smaller images and select the halftone pattern when your image is scanned. You can define two

resolutions, a low one for a quick scan and a higher one to match your printer's resolution. There is also a contrast option, much like the brightness knob. With the Global option, you select the default drive, data directory, and one of two file formats, GEM's .IMG or TIFF.

To edit a scanned image, you select Edit from the Mode menu and GEM Scan displays a new set of tools. Using the frame in the work area, you can

surround a portion of the image and rotate it left or right, flip it vertically or horizontally, or switch the dots from black to white or vice versa. With the microscope tool, you click on a small area and *GEM Scan* will blow up the image so you can edit one pixel at a time.

GEM Scan does have a few rough spots. For instance, your scanner must be hooked up to your system and turned on before you can run the pro-



The GEM Scan image-editing tools, the icons that are at the left of the screen, include the microscope tool used for pixel-level editing.



GEM Scan, Version 1.1 Digital Research Inc.

60 Garden Ct.

Box DRI Monterey, CA 93942

(408) 649-3896 List Price: \$95

Requires: 512K RAM (640K recommended), two disk drives (hard disk recommended), one of five supported scanners, DOS 2.1 or later.

In Short: A GEM-based scanning package with a host of editing tools, image control features, and a few quirks. Not copy protected.

CIRCLE 442 ON READER SERVICE CARD

gram—a limitation you'll curse the first time you try to edit a scanned image on a system without a scanner. The program occasionally has problems saving TIFF files, though DRI reports that this problem is being solved.

Despite its shortcomings, GEM Scan is a nice addition to the GEM family of products. It scans and edits quickly and easily and produces formats usable by most popular desktop publishing packages.

SolveIT Challenges MathCAD



HANDS ON

BY BARRY SIMON

Scientists and engineers often have to deal with problems that are too complex for desktop utility calculators but not demanding enough for specialized, number-crunching packages. Structured Scientific Software's SolvelT, like Math-Soft's MathCAD, purports to be a scientific calculator for just such problems.

SolveIT is closely patterned after an RPN (Reverse Polish Notation) calculator but adds a host of built-in functions and some programmability.

The package's handling of complex numbers and root finding are particularly well done. It will also analyze data that you enter from the system keyboard or from an ASCII file, solve single differential equations, and handle differentiation and integration. Because you can define functions using other functions, you can also set up multiple integrals over nonrectangular regions.

There is much that SolveIT cannot do, however. There is no support of matrices, for example, and graphing—limited to a single function of a single variable—is displayed in CGA resolution even on an EGA or VGA

system. You can print graphs only by using the PrtSc key, and then only if you have your own program that will send graphics dumps to your printer. And you can solve equations only in one variable.

In addition, the package's poor user interface makes it difficult to recommend. While some programs are faulted for making insufficient use of function keys, SolveIT seems to be unique in making virtually no use of the alphabet keys.

I found some of SolveIT's underlying concepts especially appealing. But with its present user interface, the package is awkward to use.



FACT

SolveIT, Version 3.3

Structured Scientific Software 1509 Queen Ave., SW Albany, OR 97321 (503) 926-8599

List Price: \$129, plus \$4.50 shipping and handling; with Logitech Mouse, \$219.

Requires: 512K RAM, mouse; Hercules- or CGA-compatible adapter required for graph dis-

In Short: A powerful scientific calculator marred by a flawed user interface. Not copy protected.

CHULE 432 CARBEADER SERVICE CARD

ORACLE turns Lotus 1-2-3 into a full function database

RACLE, the world's best selling relational database, now works from inside your Lotus 1-2-3 spreadsheet program. Familiar 1-2-3 menus guide you through creating, modifying and retrieving data in your database. You can even perform ORACLE database functions automatically using standard Lotus macros and formulas. The point is...



Store unlimited amounts of data in your ORACLE database

Use all the features of Lotus 1-2-3 to analyze, report, and graph data in your ORACLE

Act now, get a 30-day moneyback guarantee and we'll pay sales tax and shipping. So fill out and mail the attached coupon, or call today. You can also purchase ORACLE for 1-2-3 at your favorite computer

... If you already know how to use Lotus 1-2-3, then you already know how to use ORACLE, the world's most powerful database.

By putting data into a database, Lotus 1-2-3 spreadsheet's performance is improved, long re-calcs are eliminated and your worksheets are smaller and more manageable.

- Have ORACLE for 1-2-3 build the query automatically for you and retrieve just the data you need.
- A single command automatically creates new database tables from data in any existing worksheet.
- In update mode, changes in your worksheet become changes in your database.

- And if you make a mistake, vou can...
- Undo changes. Or save your changes permanently in your database and worksheet.
- Share the same data in multiple worksheets, or even across a network of different computers with many users.

PATIBALITY - POINTABILITY - COMMICTABILITY

Call 1-800-ORACLE1, ext. 144 today. nai pricing call (415) 588-8290 store. Yes, this includes the full function ORACLE database.

For a price that's

almost unbelievable,

this add-in brings the full functionality of

a powerful Structured

Query Language (SQL) relational databasemanagement system (DBMS) to the PC industry's most popular

spreadsbeet: Lotus 1-2-3...

the best news is that Oracle for 1-2-3 is very easy to learn and use. Anyone already familiar with 1-2-3 already knows bow to use Oracle for 1-2-3.

PC Week, April 5, 1988

... But perbaps

Yes, I have an 180286/803861 I also have 1640KB of RAM, plus IMB of my expanded memory as ext database I already know how to use	— the ORACLÉ database add-in for Lotus 1-2-3, losed is my: check, or VISA MasterCard
PRINT NAME	DATE
COMPANY	TITLE
STREET (No PG boars, please)	
στν	STATE and ZIP
PHONE	
CREDIT CARD NO WIBER	
CARD EXPERATION DATE	

Draw Applause: Dazzling Special Effects, Meager Import/Export and Output Support



HANDS ON

BY MIKE DRIPS

Draw Applause-Ashton-Tate's new presentation graphics package-seems to have been designed with one task in mind: creating slick, professional-quality 35mm slide shows. This \$495 package offers a combination of ease of use and dazzling special effects that other products only dream of.

The package is divided into three sections: the Chart Window, the WordChart Window, and the Picture Window.

The Chart Window provides the tools you'll need to create a bar, pie, line, or area chart. You enter the data to be graphed at the keyboard or import .DIF or .WK1 files. You can mix chart styles and use special enhancements, such as 3-D shading.

The WordChart Window provides seven templates for creating text slides. You can also create your own templates. The package offers several bullet types and a few variations of two type styles, Varitimes and Aristocrat.

After you create your graphs or text slides, you'll want to bring them into the Picture Window-the real core of Draw Applause and where this package really shines.

In addition to providing freehand-drawing features, the Picture Window allows you to create impressive special effects.

For instance, you can create shading and color fades using the color gradation feature. You pick a base color for the background and a second color, and the background will gradually change from the base color at the top of the screen, for instance, to the second color at the bottom. You can also create a glowing halo effect around objects or text. Other effects include spiraling text or distributed text for a coming-at-you effect.

If you'd rather tap someone else's artistic genius, you can load a choice of predesigned backdrops from the Gallery, which also includes a moderate collection of borders, symbols, and clip art. The backdrops in-

age supports only one film recorder, the Matrix Instruments PCR, and two color printers, the Edit view write rrint Library thank words will incoras the

Draw Applause also gives

you few options for producing

your exotic color images once

you've created them. The pack-

This EGA screen from Draw Applause couples spiraled text and color gradation. You will need a PGA system to display the effects as they would appear on a slide.

clude such effects as a line grid that appears to stretch back to a far-off horizon.

These features, and the package as a whole, prove easy and even fun to use. Unfortunately, Draw Applause suffers from serious shortcomings that may make prospective buyers

First, the package requires 640K RAM but supports neither extended nor expanded memory. In fact, just having the LIM 4.0 EMS driver in memory prevented Draw Applause from

My most serious complaints with Draw Applause center around its island-unto-itself approach, however. The package supports .DIF and .WK1 formats for data import but leaves out ASCII support. Only .CGM format is supported for graphics file import and export. At a time when most graphics packages bend over backwards to support as many formats as possible, Draw Applause's sparse support is difficult to understand.

IBM 5182 and the Tektronix 4696. If you use a plotter, you may be in luck-the package supports a nice range of HP and IBM plotters. You'll also find a nice list of black-and-white printer support.

Perhaps even more annoying than the meager color-image output-device support is the package's seeming dependence on Ashton-Tate's own slideproduction service, the Ashton-Tate Graphics Service.

You can create images on vour screen that only the Ashton-Tate Graphics Service can reproduce, as indicated by the following quote from the Draw Applause manual: "If you select rounded corners and draw a line with more than 32 points or a free-form with more than 30 points, the shape is not displayed with rounded corners on the screen, or in plotter, printer, or film recorder output. If you send the image to Ashton-Tate Graphics Service, however, rounded corners do appear in the finished slide." Similar notices are scattered throughout the manual.

In addition, only a PGCstandard adapter and display will give you on-screen results anywhere close to the slide output. An EGA system will give you a rough idea of what to expect from a slide.

Assuming you don't mind sending your files to the Ashton-Tate service, you'll undoubtedly get excellent results. Draw Applause even contains communications features that let you transmit an image to the service via modem. Standard next-day service will cost you \$5 per 35mm slide. The service also offers full-color transparencies, color prints, and blackand-white prints.

The bottom line? If you're looking for a package to produce quick-and-dirty graphics for in-house use, go with a product that offers more choices for importing, exporting, and producing graphs. If only the highest-quality output will do, however, Draw Applause may be just what you need.



Draw Applause, Version 1.0

Ashton-Tate Corp. 25 Sylvan Rd South Westport, CT 06880 (203) 222-1974

List Price: \$495

Requires: 640K RAM; hard disk drive; EGA, PGC, or VGA display; DOS 2.1 or later.

In Short: An easy-to-use presentation graphics package capable of generating stunning color slides for professionalquality presentations. Meager import/export and output-device support may make it impractical for general use, however. Not copy protected.

CIRCLE 448 UN READER SERVICE CARD



How's this for easy. Type a paper business form (or scratched out directions for one) into Q&A.

Then, press a single function key and voilà. You've created a database from scratch. Copy it onto your local area network* and now everyone can search, sort, and simultaneously share it. Instantly. Easily. And safely (with up to five levels of password protection). Think of the possibilities: using a single customer database, one person is updating while another enters new information, while a third

This multi-user database was created (from the napkin) in under two minutes. More elaborate databases with sophisticated programming and multi-file linking, and reporting can also be created easily.

person runs a report. Or, forty people want to work on the expense database. All at once. Impossible?

No. Easy? Yes. But find out for yourself. Call now for a free demo disk of Q&A, the world's first net-Editor's Choice

worked file manager. On networks or stand-alone, when you can make it from scratch, you can really cook.

FREE Demo Disk, Call (800) 888-0886 Ext. 430P.



The #1 File Manager and #1 Word Processor.

SYMANTEC. *Q&A 3.0 single user \$349 (supports full record locking of databases shared on a LAN). Optional Q&A Network Pack (\$299 when added to Q&A 3.0 on a LAN) allows three additional users to simultaneously operate Q&A. Add additional Q&A Network Packs for more simultaneous users. Q&A, Software Digest's #1 file manager 86,88; infollowed by the pack for more simultaneous users. Q&A, Software Digest's #1 file manager 86,88; infollowed by the pack for more simultaneous users. Q&A, Software Digest's #1 file manager 86,88; infollowed by the pack for more simultaneous users. Q&A, Software Digest's #1 file manager 86,88; infollowed by the pack for more simultaneous users. Q&A, Software Digest's #1 file manager 86,88; infollowed by the pack for more simultaneous users. Q&A, Software Digest's #1 file manager 86,88; infollowed by the pack for more simultaneous users. Q&A, Software Digest's #1 file manager 86,88; infollowed by the pack for more simultaneous users. Q&A, Software Digest's #1 file manager 86,88; infollowed by the pack for more simultaneous users. Q&A, Software Digest's #1 file manager 86,88; infollowed by the pack for more simultaneous users. Q&A, Software Digest's #1 file manager 86,88; infollowed by the pack for more simultaneous users. Q&A, Software Digest's #1 file manager 86,88; infollowed by the pack for more simultaneous users. Q&A, Software Digest's #1 file manager 86,88; infollowed by the pack for more simultaneous users. Q&A, Software Digest's #1 file manager 86,88; infollowed by the pack for more simultaneous users. Q&A, Software Digest's #1 file manager 86,88; infollowed by the pack for more simultaneous users. Q&A, Software Digest's #1 file manager 86,88; infollowed by the pack for more simultaneous users. Q&A, Software Digest's #1 file manager 86,88; infollowed by the pack for more simultaneous users. Q&A, Software Digest's #1 file manager 86,88; infollowed by the pack for more simultaneous users. Q&A, Software Digest's #1 file manager 86,88; infollowed by the pack for more simultaneous users

CIRCLE 745 ON READER SERVICE CARD

Leasing Ask about our corporate overnight replacement policy. NOW Available

If we don't have a Computer to suit your needs, you probably won't find it anywhere.

Model 386-2 16MHz

True 32 bit Memory and Intel 32 bit tested 80386. Compare this with the competition.

. 80386 Running at 16MHz and 0 Wart State 1MB of 32 Bit Ram

- 101 Enhanced Keyboard
 Western Digital 2F-2H

- 1.2MB Floppy Disk Drive.
 AT and OS/2 Compatibility.
 200 Watt Power Supply
- Socket for 80387
- Coprocessor.

 1 32 Bit Slot

386-8 20MHz

One of the lowest priced 20MHz models available.

- 80386 Running at 20MHz and 80386 Running at 20MHz and 0 Wait State
 Speed Selectable for 8/16/20MHz 1MB of 0 Wait State Ram 101 Enhanced Keyboard
 Western Digital 2F-2H Controller 1 2MB Floopy Oiss Drive
 AT and OS-2 Compatibility
 200 Wait Power Supply
 80287 or 80387 Coprocessor
 1 - 32 Bit Slot

Model

Leasing

Now

Available

386-6 20MHz

Truly one of the fastest 386 computers on the market. Even faster than the Compaq 386/20. Includes high speed SCSI Interface on the motherboard.

- 80386 Running at 20MHz and 0 Wait State. 1MB of 32 Bit Ram.
- Up to 16MB of Memory on the Motherboard without using a single Slot.
 Accepts 80387 Running at 20MHz.
 Accepts Wytek 20MHz Chip set.

- 101 Enhanced Keyboard.
- Western Digital Dual Floppy and Dual Hard Disk
- 1.2MB Floppy Disk Drive. AT and OS/2 Compatibility.
- 200 Watt Power Supply.
- Tower Cases Available.

Model

286-1 12MHz

Nearly as fast as many 386 computers

- · 80286 Running at 12MHz and

- 80/286 Running at 12MHz and 0 Wait State
 Speed Selectable for 6/12MHz
 512K of 80NS Ram
 Up to 1MB on the Motherboard
 101 Enhanced Keyboard
 Western Digital 2F-2H Controller
 1.2MB Floppy Disk Drive
 AT and OS/2 Compatibility
 200 Watt Power Supply
 Socket for 80/287 Coprocessor

with Intel 20MHz 80386

20MHz Model 386-5

Hoster

386-4 16MHz

Compag compatible, accepts Compag 32 Bit Cards.

• 80386 Running at 16MHz and O Wait State Speed Selectable for 4 77/6/8/16MHz 1MB Static Column Ram

1MB Static Column Ham
 101 Enhanced Keyboard
 Western Digital 2F 2H Contro
 1 2MB Floppy Disk Drive
 AT and OS/2 Compatibility
 200 Watt Power Supply
 80287 or 80387 Coprocessor
 1 - 32 Bit Slot

Model

386-7 24MHz

\$2,795

- 80386 Running at 20/24MHz and 0 Wart State
 1MB of 0 Wart State Ram
 Up to 16MB available
 101 Enhanced Reyboard
 Western Digital 2F-2H
 Controller
 1 2MB Floppy Disk Drive
 AT and OS/2 Compatibility
 200 Watt Power Supply
 2 32 Bit Slots
 1 Parallel and 2 Serial ports

386 and 286 Portables with Gas Plasma screen in 640 by 400 resolution. Call for pricing on both 386 and 286 models.

DEALERS

Competitive Motherboard Pricing

24MHz-386 20MHz-386 16MHz-386 \$1,395 All prices for quantity 10 and include 1MB of RAM

Hauppauge replacement boards for AT's, XT's, and PC's. Always in stock. Call for pricing.



Custom designs to meet your specific requirements.

All herdware has a 30 day money back guarantee and a 1 year warranty on parts and labor. All computer systems are assembled in the USA, burned in, and fully tested before being shipped.

Master Card. Visa, American Express, and COD's accepted. Leasing available with one dollar or 10°- buy out at the customer's option.

All prices subject to change without notice AT, XT, PS/2, and Micro Channel are trademarks of international Business Machines Corp. OS 2 -s a trademark of Microsoft Corp. Compaq is a trademark of Compaq Corp.

CIRCLE 390 ON READER SERVICE CARD

NEW ON THE MARKET

by Michael W. Muchmore

Everex and ALR Unveil Their Speediest PCs: The 25-MHz 80386s

Rising clock speeds and evermore-sophisticated memory caches have prompted several manufacturers to insist that their 80386 machines are the fastest to be found.

The Step 386/25, a 25-MHz 80386-based PC, has a scalable memory-caching scheme previously found only on mainframes, according to Everex Computer Systems Division. The Advanced Memory Management Architecture wrings a 6-mips performance from the 80386, Everex says.

The Step 386/25 comes with IMB of zero-wait-state memory, which can be increased to 16MB. Also standard is a 1:1 interleave hard-and-floppy disk controller, a 101-key board, five drive bays, math coprocessor support, and MS-DOS 3.3. The machine is Novell, Unix. and Xenix compatible as well.


Meanwhile, ALR (Advanced Logic Research) of Irvine, California, claims its 25-MHz system is the world's

fastest microcomputer. The FlexCache 25386 uses proprietary 64K 82385 cache emulation and zero wait states. ALR says. The standard IMB RAM can be increased to 14MB without resetting switches.

The 25386 uses an ESDI controller with 1:1 interleave and full-track buffering for the 150MB (\$9,499) and 300MB (\$12,499) hard disk versions.

The floor-standing system box accommodates up to two full-height hard disks and three half-height devices.

One 1.2MB 51/4-inch floppy



disk drive, 80387 support, and one serial and one parallel port are standard.

List Price: Everex Step 386-25, call company Everex Computer Systems Division, 48431 Milmont Dr., Fremont, CA 94538; (800) 356-4283

CIRCLE 437 ON READER SERVICE CARD

List Price: ALR FlexCache 25386, with 150MB hard disk, \$9,499. with 300MB hard disk, \$12,499. Advanced Logic Research Inc., 10 Chrysler, Irvine, CA 92718; (714) 581-6770

CIRCLE 438 ON READER SERVICE CARD

MicroDirect Complete

Two Hand-held Scanners Enter the Market: Logitech ScanMan and Mitsubishi MH 216

Hand-held scanners from Logitech and Mitsubishi Electronics America join Saba's entry in an increasingly crowded field.

Logitech, of Fremont, California, has announced the \$299 ScanMan, a hand-held scanner, along with scanning software called ScanWare. WinScan, a utility for scanning images directly into a Microsoft Windows clipboard, is also included with the scanner.

The ScanMan offers 200dot-per-inch resolution along a 4-inch scanning width. It can scan in this width for 11 inches.

Scanned images can go directly to a TIFF file, into a Windows clipboard using WinScan, or into an included graphics edi-

The \$995 Mit-

216 scanner is

subishi MH

8' : inches wide, years

200 dots per

attach to the

inch, and can

MH 01FA, an

automatic pa-

per teeder that

lets it emulate

bed or a sheet

feed scanner

either a flat

tor. The graphics editor can resize, cut and paste, color, rotate, insert, and magnify scanned images.

Mitsubishi's 81/2-inch-wide hand-held scanner can attach to a paper feeder to emulate a flatbed or sheet-feed scanner. The \$995 MH 216 scans 16 gray shades at 200 dpi at a rate of 10 seconds per page.

A contact-type charged-couple device (CCD) speeds scanning, and rotary encoders are used to cope with speed changes in manual scanning, Mitsubishi reports. Two sets of rollers keep hand-scanning motion in a straight direction.

Images from both company's scanners are usable in such



The ScanMan scans 200 dots per inch and comes with ScanWare software and a WinScan utility that allows you to scan directly to Windows

applications as Aldus's Page-Maker, Ventura Publisher, PFS:First Publisher, and Z-Soft's PC Paintbrush. List Price: ScanMan, \$299

Requires: ScanWare: 640K RAM. hard disk, DOS 2.0 or later; mouse recommended. Not copy protected. Logitech Inc., 6505 Kaiser Dr., Fremont, CA 94555; (415) 795-8500.

CIRCLE 439 ON READER SERVICE + ARL)

List Price: Mitsubishi MH 216 \$995; MH 01FA sheet feeder, \$260 Requires: Software: 640K RAM, hard disk, DOS 2.1 or later. Not copy protected. Mitsubishi Electronics America, Computer Peripherals Division, 991 Knox St., Torrance, CA 90502; (213) 515-3993.

CIRCLE 440 ON READER SERVICE CARD

Portable Office Joins Laptop, Cellular Phone If you need to communicate

with your office PC from a location with no power source and no telephone line, you can use the Complete Portable Office (CPO), from MicroDirect, of Everett, Massachusetts.

The CPO is based on Micro-Direct's Turbo Laptop computer and a Panasonic cellular phone. A modem, a modem/cellular interface, and the 3-pound Diconix laptop printer round out the \$4,995 system. For \$5,500 you get a 20MB hard disk drive in the laptop.

The Far East-built Turbo Laptop has an 80C88 microprocessor and 1 MB RAM (640K for DOS and 384K of EMS memory). An 80-column, 640 by 200 backlit supertwist blue/green liquid crystal display is standard.

(continues on page 52)



NEW ON THE MARKET

Mitsubishi Challenges Toshiba T3100 with Big-Screen MP286L

Posing a challenge to Toshiba and other laptop producers, Mitsubishi Electronics America claims that its MP286L laptops have the largest, most readable displays of any portable computer.


The 11-inch cold cathoderay tube (CCT) screens show black characters or graphics on a white background. Screen colors can be reversed with the flip of a switch. Neutral twisted nematic (NTN) technology makes the display readable in all light conditions, according to Mitsubishi.

A built-in CGA controller can support an external monitor as well as the page-white display. Mitsubishi says that EGA will be available in the fourth quarter of 1988.

Though Mitsubishi labels the 15.9-pound machines as laptops, the systems require an AC plug or a third-party external battery pack. The sleek black chassis measures 12.3 by 14.2 by 3.5 inches.

The laptops run an Intel 80286 microprocessor at either 8 or 12 MHz, and an 80287-8

Mitsubishi says its \$3,195 MP286L portable computer has the largest, most readable screen in its class. The computer has an 80286 microprocessor running at 12 MHz.



coprocessor is optional. The MP286L comes with 640K RAM, expandable to 2.64MB.

There are four proprietary expansion slots, one parallel and two serial ports, and a clock calendar.

A dual 3½-inch disk drive configuration (\$3,195) and a 20MB hard disk configuration (\$3,995) are available.

The U.S.-assembled lunchbox computer has standard a 78key keyboard, with twelve function keys across the top and cursor keys at the top right.

Hardware options include a 2,400-bit-per-second modem, an external 3½-inch floppy disk drive, and a 17-key numeric keypad.

Both DOS 3.3 and GW-BA-SIC 3.2 are standard; OS/2 is optional.

List Price: Mitsubishi MP286L, with two floppy disk drives, \$3,195; with 20MB hard disk, \$3,995. Mitsubishi Electronics America, Computer Peripherals Division, 991 Knox St., Torrance, CA 90502; (213) 515-3993.

CIRCLE 436 ON READER SERVICE CARD

MicroDirect's \$4,995to-\$5,500 CPO (Complete Portable Office) comprises a laptop computer, modem. cellular phone. adapter, and printer.

MicroDirect

(continued from page 51)

The built-in Hayes-compatible modem transmits at 1,200 bits per second using Bell or CCITT standards. A telcon connector on the side of the laptop connects the PC to a cellular phone adapter, or a telset connector can be used with a regular phone.

List Price: MicroDirect Complete Portable Office, \$4,995; with 20MB hard disk, \$5,500. Turbo Laptop alone, \$1,895; with 20MB hard disk, \$2,795. MicroDirect Inc., 2010 Revere Beach Pkwy., P.O. Box 835, Everett, MA 02149; (617) 387-2200.

CIRCLE 441 ON READER SERVICE CARD

Keyboard Doubles as Diskless LAN Station


It looks like an obese 101-key keyboard, but **PC Office**'s NT-10 is actually a 16-bit computer, complete with an 80C86 processor. The diskless NT-10 is compatible with NetBIOS LANs, Novell's *NetWare*, and twistedpair LANs.

PC Office says the company was able to fit a networking system unit in a keyboard by putting all network hardware on a single custom integrated circuit that combines the functions of 35 ICs. The result is circuitry that generates very little heat, obviating the need for a fan.

The \$995 workstation can be purchased with 0K, 512K, or 1MB RAM (with support for LIM 4.0 expanded memory) installed, and it accepts standard SIMMs. On the back of the unit are CGA, monochrome, and Hercules connectors (selectable by switch); LAN connections; parallel and serial ports; and a 10-watt power input for use with an included transformer. List Price: PC Office NT-10, with 512K, \$995. PC Office, 4631 Viewridge Ave., San Diego, CA 92123; (619) 268-3235.



STMICRO ORDER LINE: 1-800-441-FAST



COMPUTERS

Avantage286

10 Mhz-0 Wait Norton SI = 11.5

\$969 Complete

Base System Includes 512K, 1.2MB Floppy Drive, Dual Speed (6 & 10Mhz) 80286, 8 Expansion Slots, Monochrome Graphics Adaptor, TTL High-Res Tilt & Swivel Amber Monitor, Parallel Printer Port, 200W Power Supply, Clock/Calendar, Enhanced AT-Style Keyboard and Learning Software.

Base System With 20MB 28ms Seagate Hard Disk

\$1399 Base System With 40MB 40ms Seagate Hard Disk

\$1249

All Systems Come With A One-Year Warranty

Color System Add: \$200

Avantage88

8 Mhz 8088 Our Prices Include Monitor!

\$599 Complete



Base System Includes 640K, 360K Floppy Drive, Dual Speed (4.77 & 8 Mhz) 8088, Monochrome Graphics Adaptor, TTL High-Res Amber Monitor, 150W Power Supply, Parallel Printer Port, AT-Style Keyboard and Learning Software.

CALL FOR UP TO THE MINUTE PRICING

Base System With 20MB \$849

Seagate Hard Disk Base System With 30MB \$899

Seagate Hard Disk

EGA System Add: \$400

Special! Quattro 5119

	PRINTERS			$\perp \Lambda$		WALABE			DISK DR		
Brother	LIST	FAST		1/i		WARE			Fujitau	LIST	FAST
M1709	599	429							360K Floppy	119	77
Citizen			BOARDS	LIST	FAST	Prometheus	LIST	FAST	Miniscribe		
1200	229	145	AST		Call	Promodem 1200B	119	75	40MB AT #3650	499	299
180D	259	165	ATI			Promodem 2400B	199	119	40MB XT #3650	599	379
MSP40-55	200	Call	VIP VGA	449	259	Promodem 2400G	249	159	Mitsubishi		
Tribute 124	699	449	Chicony Keyboards			Quadram		Call	360K Floppy	149	79
Tribute 224	949	599	5060 84 Key	79	49	Std. Microsystems			1.2MB Floppy	199	99
Diconix	949	393	5161 Tactile	99	65	PC110	295	149	720K 3.5" Floppy	199	99
150P	499	307	Everex			PC210	335	199	Priam	,	Call
Epson	****	Call	1200B Int Modern	149	73	PS110	695	499	Sescrete		G-Mill
Fulitsu		Can	2400B Int Modern	249	149	Video 7	000	400	20MB XT Kit #225	599	267
DL3400	995	549	Genoa	E-4-3	140	Vega Deluxe	379	179	30MB XT Kit #238	699	297
NEC	333	549	Super EGA Hi-Res+	399	179	Vega VGA	499	269	30MB AT #138	599	339
P2200	499	329	Super VGA Hi-Res	000	Call	LAPTOPS		200	40MB AT #251	899	449
P5XL		Call	Hercules		Otto	NEC	•		MONITO		440
	1295		Graphic Card +	299	173	Multispeed	1995	1199	Amdek	10	
P5200	699	Call	VGA	399	249	Multispeed EL II	2295	1449	1280	999	669
P5300	995	Call	Intel	398	243	Multispeed HD	3695	2295	310A	230	99
LC890	4799	Call	8087-2	250	149		3093	Call	732 VGA	625	399
Okidata		Call		410	249	Sharp		Can		023	
Panasonic			80287-8	480	287	Toshiba	4400	740	Magnavox		Call
KXP1080i-2	299	169	80287-10			T1000	1199	749	Mistubishi	200	050
KXP10911-2	329	195	Above Board 286	645	349	T1200F	2399	1495	1409 RGB	399	259
KXP1595	749	Call	Inboard 386 1mb	995	749	T1200H	3499	2195	1410 EGA	599	399
KXP1524	949	Call	Orchid			T3100/20	4699	Call	Diamond Scan	799	485
Star			Designer VGA	445	269	Zenith	_	Call	NEC		
NX1000	289	179	Tiny Turbo 286	445	269	FACSIMI			Multisync II	899	569
NX15	499	299	Twin Turbo 12mhz	645	379	Bell Office 71001	2099	1399	Multisync GS	279	189
NB2410	699	449	Paradise			Toshiba			Princeton		
Foshiba			Basic EGA	199	119	30100	1795	1249	Utitrasync	849	525
P321SL	749	497	Autoswitch 480	349	149	3700	2495	1699	Thompson		Call
P341SL	999	655	VGA Plus	399	235	Panasonic FXBM89	999	659	Zenith 1490	999	595
P351SX	1499	899	5 Pack 0K	129	59	Sharp UX-140	1499	999	Call On Non-L	inted t	

Database	LIST	FAST	Special!	~		WARE			Word Pro	cessors	
Clipper	699	359	Quattro	-		W/AUL			4Word	100	55
dBase III+	699	359	5119 Graphics	LIST	FAST	Programn	ning		Easy Extra	99	55
dBXL	199	109	Boeing Graph	395	199	Macro Assembler	150	89	GEM First Word Plus	199	117
Foxbase Plus	395	189	Deluxe Paint II	105	67	Norton Guides	100	58	Manuscript		Call
Paradox	725	419		495	269	Turbo Basic	99	58	Multimate Adv. II	565	247
Quartz	795	449	Draw Applause	495	299	Turbo C	99	58	Professional Write	199	105
RapidFile	295	169	Freelance Plus GEM Draw Plus	299	165	Turbo Pascal	99	58	Sprint	195	139
Rbase for DOS	700	429		99	57	Quick Basic	99 99 99	59	Q & A Write	199	119
Reflex	150	84	Generic CADD Harvard Graphics	495	Call	Quick C	99	59	Volkswriter	295	Call
Q&A	349	179		60	30	Spreadal		28	Webster's Writer	100	54
Desktop P	ublishin	9	PrintMaster Plus		30	Excel	495	Call	Word	450	Cal
Byline	295	175	Ability Plus	259	149	Lotus	495	Call	Word Perfect	495	189
GEM Desktop Pub.	299	169	First Choice	149	77	PFS: Pro Plan	99	51	Word Perfect Library	129	54
Pagemaker		Call		895	427	Plan Perfect	395	167	WordStar	350	Cal
PFS:First Publisher	99	55	Smart System Works	199	117	Quattro	248	119	Call On Non-Li	sted Ite	ems.
Publisher's Paintbrush	285	149	Windows	99	59	Worksheet Utilties	100	59	TERMS: No Charge for Visite		
Ventura	895	459	Windows 386	195	117	Utilities	100		Charge We (Mire S4) Product		
Financial			WordPerfect Exec.	249	117	CoreFast	149	87	handled by manufacturer. All re-		
Computer Associates		Call	Mice/Acci		117	Desklink	170	05	restocking fee call for RA CO		
DAC 2.0	99	59	Logitech C7 Serial/Bu		67	Formtool	95	54	apply Personal company chec		
DAC P/R	69	59 39 99	Logitech HiRes	150	87	Lapink	130		patibility not guaranteed (excep		
Dollars & Sense	179	99	Microsoft Serial/Bus	150	97	Norton Advanced	149	700.4	availablity subject to change		
In-House Accountant	99	59	PC Mouse	149	89	PC Tools Deluxe	80	36	Mailing Address:	tor motest cred	ar cards.
Managing Your Money	199	117	Datasheild 85	90	50	Sidekick Plus	195	119	3415 S. McClintock Dr., Temp		
Peachtree Complete	199	149	Datasheild 100	99	57	XTree	70	34	Order Processing Technical	Q'42 MID 437	8074

Northgate Power 386: Premium Performance at a Bargain Price



HANDS ON


BY BILL O'BRIEN

Field-leading 386 performance just got cheaper. Northgate Computer Systems' Power 386 rivals the power of the Compaq Deskpro 386/20 at a fraction of

The Power 386 is an upright, 20-MHz floor model with a base price of \$4,295-including a high-performance 65MB hard disk.

A 64K static RAM memory cache deserves much of the credit for the Power 386's performance. Like the Deskpro 386/20, the Power 386 maintains a high-speed, 32-bit path to memory, separate from the LO bus

Whereas the 386/20 makes use of Intel's sophisticated cache controller chip, however, the Power 386 falls back on a direct-map static RAM system composed of discrete logic components. Compaq's solution no doubt earns it memory Northgate's Power 386 sports power and reset switches at the top, along with a disk activity light. Inside are eight slots,



mance, rates as spectacular when hard disk caching is enabled. But even without caching, the largesmall-record times for the benchmark tests rank the Power 386 ma-

perfor-

of

chine right up there with the Compaq Deskpro 386, 20.

The standard configuration includes a 14-inch monochrome monitor, one 51/4-inch 1.2MB floppy disk drive, and one 31/2inch 1.44MB floppy drive. That leaves you with one empty halfheight bay.



Northgate Power 386

Northgate Computer Systems 13895 Industrial Park Blvd.,

Plymouth, MN 55441 (612) 553-0111

List Price: With IMB DRAM. 64K SRAM cache, one 51/4-inch 1.2MB floppy disk drive, one 31/2-inch 1.44MB floppy disk drive, 65MB hard disk, monochrome monitor, \$4,295.

In Short: The Power 386 delivers top performance and intelligent design at an excellent

CIRCLE 447 ON READER SERVICE CARD

this 386-based machine for its price tag or for its performance, the chances are that you won't be disappointed. Watch Microsoft Windows load quickly for a change, or observe a pull-down menu snap up like a runaway window shade, and you will finally get an honest feel of what speed is all about.

Benchmark Tests: Northgate Power 386 vs. Compaq Deskpro 386/20 and IBM PS/2 Model 80-111

access performance gains in

some cases, but the Power 386

have an overly spectacular

track-to-track access time-28

milliseconds-but that is a mechanical measurement of disk

capability. Data throughput, the

The hard disk drive does not

won't be far behind.

he Northgate Power 386 holds its own against even the Compaq Deskpro 386/20 in every performance category. Despite a mediocre 27-millisecond random access speed for the hard disk, the hard disk throughput was especially impressive—with or without the disk cache invoked.


Performance Times (Times given in seconds)	NOP	80386 Instruction Mix	Access (small record with cache)	Access (large record with cache)	
IBM PS/2 Model 80-111	1.65	3.20	36.79	6.20	
Compaq Deskpro 386/20	1.65	2.90	34.14	9.34	
Northgate Power 386	1.65	2.96	7.41	5.59	

The NOP benchmark test is designed to measure raw clock speed and memory access time while minimizing differences in microprocessors and the effect of memory caching. This test executes almost nothing but NOF ("No Operation") machine code instruction in a big 128K

The 80386 Instruction Mix benchmark test measures the time it takes to execute a selected series of processor-intensive tasks. The test program uses 80386 instruction code. These instructions are a subset of the

total processor instruction set. The 80386 Instruction Mix. implements a number of 32-bit operations. In the 80386 processor these become single instructions, whereas in the 8086 and 80286 versions of the benchmark test they

The File Access benchmark test measures the time it takes to perform a series of disk operations, a sequential create and write of a 256K data file, a sequential read of the same file, a random write, and a random read. The first set of results reports the time required to perform the test using record lengths of 512 bytes and 4K. The second set of results is the time required to perform the same test using 16K and 32K records. The larger record sizes show how a disk w perform in loading large programs and loading and saving large data files. Higher-throughput systems such as RLL drives will show better performance in the large



Relative Times (Compaq Deskpro 386.20 = 100)

"Within a few days, SideKick *Plus* became even more indispensable than SideKick"

Dick Pountain, Personal Computer World

Here's what Personal Computer World had to say about SideKick® Plus:

"When the news of SideKick Plus arrived. I made up a shopping list of the improvements I would like to see ... Borland has provided all these things and much, much more."

Intelligence and elegance of design

"I discovered that the same intelligence and elegance of design that initially attracted me are still there, and certain new features like the customizable menu system represent a real breakthrough in user interface design."

Sophisticated memory management

"Memory management in SideKick Plus is so sophisticated that it almost amounts to an alternative operating system ... The amount of memory tied up is tiny (less in fact than old SideKick!) ...

The Phonebook: Fully-featured communications

"The Phonebook has come a long way . . . For one thing, it has acquired a fully featured communications package which can work in the background; you can upload and download files while continuing to work on your PC ... The Script language is one of the best I have seen.'

The Notepad: Power for serious writing

"The Notepad is as powerful as many word processors ... I would happily use it for serious writing." "Up to nine notepads can be opened simultaneously with SideKick Plus."

Outlook: The best outline processor

"Outlook is ... the best outline processor I've tried, comfortably beating ThinkTank, PC-Outline, and Ready! in elegance and ease of use."

31/2" and 51/4" disks included. Hard disk required.



"The File Manager ... performs a similar function to standalone utilities like Xtree, Ouick DOS, or the Norton Commander, and shares features with all of them."

The Time Planner: Hugely enhanced

"The Time Planner has advanced even further than the Phonebook ... it has been designed with networking in mind."

Plus a lot more

"The enhanced cut-and-paste functions are perhaps the most attractive feature of SideKick Plus ... [it] has a powerful, consistent ability to cut-and-paste from any application to any other.'

The calculator is no longer one, but four calculators: you can switch the type to Business, Scientific, Programmer, or Formula.'

Positively addicting!

"In my view, the individual applications in SideKick Plus are of such a standard that I would be hard put to better them with a collection of standalone applications ... I remain an addict.

> Excerpts from Dick Pountain's review of SideKick Plus in Personal Computer World, March 1988.

If you have the Intel® Above Board you can load the SideKick Plus desk accessories into expanded or extended memory and leave most of your conventional memory to run your other applications.

Ask your dealer about Borland's special offer for SideKick owners.

60-Day Money-Back Guarantee*



CIRCLE 137 ON READER SERVICE CARD



For the dealer nearest you or a brochure, call (800) 543-7543

Tree86: Mouse-Minded Hard Disk Organizer



HANDS ON


BY EDWARD L. PERRATORE

It isn't easy to top X-Tree Pro for a good, sleek hard disk manager. But if you want to cut costs, give your mouse some exercise, and pick up a few more features, Tree86, Version 2.0, is worth the climb.

At \$89, The Aldridge Co.'s Tree86 first shows a graphictree display of subdirectories. Pull-down menus offer DOS commands plus a few additions.

You drag the mouse to undrape various menus and then click options. A mouse isn't mandatory, but mouse support is one of Tree86's best selling

Tree86 helps you find files using up to four parameters. You can sort files by several criteria and then reverse the order. While pointing and shooting to copy, tag, and move files, you



Along with routine DOS functions, Tree86's Xcopy copies whole directories.

can also view chained files by using VIEW-86.EXE.

The Xcopy option copies files, directory structure and all, between drives. Hitting " / " toggles you into TreeDOS, a DOS-like environment with command-line editing and retrieval of previous commands.

There's more. The 140K

RAM required to boot drops to as low as 80K when you run TreeDOS or a different program from Tree86. A configuration program enables you to set which drives to log upon entry into Tree86. Tree structures for each drive remain in RAM until you quit the program and can be stored on-disk for quicker logging the next day.

Tree86 rates as a good buy. For \$40 less than the market leader, you get all the leader's features and more.



FACT FILE

Tree86, Version 2.0

The Aldridge Co.

2500 City West Blvd., # 575

Houston, TX 77042 (713) 953-1940

List Price: \$89

Requires: 140K RAM for booting, one disk drive (hard disk recommended). DOS 2.0 or later (3.0 recommended).

In Short: Multiple drive logging and directory copying are among the attractive features of this mouse-driven hard disk manager. Not copy protected.

CIRCLE 434 UNIREADER SERVICE CARD

\$90 Utility Dresses Up 9-Pin Print



HANDS ON

BY JONATHAN MATZKIN

There is nothing so enticing as software that tweaks extra performance out of your hardware. The Image Printing Utilities, from Image Computer Systems, give your 9-pin printer capabilities more characteristic of highend dot matrix machines. The software also teaches your 9-pin a few tricks that even high-end printers can't muster.

For openers, the package lets you load up to eight highquality fonts at once, from a selection of 16, and freely mix them within documents. The fonts can be printed with all the formatting and character attributes your word processor and printer normally provide.

The utilities package consists of two programs-Metatext and ImagePrint.

Metatext is memory resident and installs from either the command line or your AUTOEX-EC.BAT file. With one or two fonts selected, the program occupies about 60K RAM. 120K RAM is required for the maximum of eight simultaneously available fonts.

A command-line switch specifies print quality for each chosen font. To achieve the highest quality, Metatext causes six passes of the printhead. The results rival output from some 24-pin dot matrix machines.

To switch among selected fonts, you simply insert a backslash, followed by a number corresponding to the appropriate font, into your word processor file. Underlining, boldfacing, and other character

The Image Printing Utilities add multiple fonts to your 9-pin printer and convert your keyboard and printer into a versatile typewriter.

attributes are invoked as usual.

ImagePrint offers the same choice of fonts, print qualities, and attributes as Metatext but takes a previously created AS-CII text file as input. You tell ImagePrint what to do with the file by embedding commands that correspond to desired fonts and attributes.

In its "typewriter mode," ImagePrint converts your keyboard and printer into a supercharged typewriter that would make mere mortal office machines slink away in shame.

The program opens a oneline buffer that is printed immediately when you tap Enter. Your text is displayed on-screen as you type. All of ImagePrint's

FONT1: Cubic font FONT2: Elite font FONT3: Italic font FONT4: Orator font FONT5: Typewriter font



FACT FILE

The Image Printing Utilities

Image Computer Systems P.O. Box 647

Avon, CT 06001 (203) 678-8771

List Price: \$89.95

Requires: 128K RAM, DOS 2.0 or later, printer compatible with IBM graphics printer or Epson dot matrix printer.

In Short: Inexpensive utilities that coax startling performance out of your 9-pin dot matrix printer.

CIRCLE 435 ON READER SERVICE CARD

fonts and features are available.

The Image Printing Utilities won't magically transform your 9-pin printer into a LaserJet. and the additional head passes mean a decrease in speed and an increase in wear and tear. But the boost in print quality and versatility far outweighs these drawbacks.

Why Paradox 2.0 makes your network run like clockwork



Paradox* runs smoothly, intelligently and so transparently that multiple users can access the same data at the same time-without being aware of each other or getting in each other's way.

With Paradox news travels fast and it's always accurate

Paradox automatically updates itself with a screen-refresh that ensures that all the data is up to date and accurate all the time. Record-locking, Paradoxstyle, safeguards data integrity by preventing for example, two different users from making changes to the same record at the same time.

How to make your multiwar network work. To run Paradox 2.0 or the Paradox Network Pack on a network, you need:

- Novell with Novell Advanced Netware version 2.0A or higher
 3Com 3Plus with 3Com 3+ operating system version 1.0, 1.1
- or higher

 I BM Token Ring or PC Network with IBM PC Local Area Network Program version 1.12 or higher
- Torus Tapestry version 1.45 or higher AT&T Starian version 1.1 or higher
- Banyan VINES version 2 10
- Other network configurations that are 100% compatible with DOS 3.1 and one of the listed networks

System Requirements for the Network Workstatic

- DOS 3.1 or higher
- 640K RAM
- Any combination of hard, floppy, or no disk drives
- patible monochrome, color, or EGA monitor with adapte

es not perform in accordance with our claims, call our 5 we will arrange a rolund.

66 When I saw the record-locking and autorefresh in action. I couldn't believe it. Here was a true network application, a program that can actually take advantage of a network to provide more features and functions, things that can't be done with a standalone PC.

Aaron Brenner, LAN Magazine

With Version 2.0, Paradox becomes a sophisticated multiuser product that boasts an impressive selection of dataproduction features and passwordsecurity levels.

Rusel DeMaria, PC Week 99

Paradox responds instantly to "Query-by-Example"

The method you use to ask questions is called Query-by-Example. Instead of spending time figuring out how to do the query, you simply give Paradox an example of the results you're looking for. Paradox picks up the example and automatically seeks the fastest way of getting the answer.

Oueries are flexible and interactive. And in Paradox, unlike in other databases, it's just as simple to query more than one table as it is to query one.

66 The program elegantly handles all the chores of a multiuser database system with little or no effort by network users.

> Mark Cook and Steve King. Data Based Advisor 99

66 Paradox . . . has quickly become the state-of-the-art product among PC database managers . . . Paradox still reigns supreme as the thinking user's DBMS.

Jim Seymour, PC Magazine 99

You don't have to be a genius to use Paradox

Even if you're a beginner. Paradox is the only relational database manager that you can take out of the box and begin using right away.

Because Paradox is driven by the very latest in artificial intelligence technology, it does almost everything for you-except take itself out of the box. (If you've ever used 1-2-3° or dBASE,* you already know how to use Paradox. It has Lotus-like menus. and Paradox documentation includes 'A Ouick Guide to Paradox for Lotus Users" and "A Quick Guide to Paradox for dBASE users.") Paradox, it makes your network work.

60-Day Money-back Guarantee*

For a brochure or the dealer nearest you Call (800) 543-7543 CIRCLE 377 ON READER SERVICE CARD



THE BEST EXECUTIV

ANNOUNCING A STEAL **FOR PFS: WRITE AND** PROFESSIONAL WRITE OWNERS, AND A BARGAIN FOR EVERYONE ELSE.

*"A lot of factors make Q&A Write (\$199) the best in this group." Executive Word Processor Comparisons, John Lombardi,

InfoWorld Magazine, 10/12/87, Pg. 59. Surprised? Unfortunately, some people are. Because even though Q&A Write was rated the best executive (easy-to-use, yet powerful) word processor by both InfoWorld and PC Magazine, PFS: Professional Write continues to sell. So we've cooked up an upgrade and promotion to get the word out. And hopefully when it's finished, thoughts of PFS: Write will be too.

The first 5000 PFS: Write or PFS: Professional Write owners to rip the title page out of their manual and send

it along with the coupon from this ad and a check for \$29.95 get a complete Q&A Write package.

> "Superpowerful, superfast, Q&A Write is superessential if you need a professional word processor that doesn't require hiring a personal trainer.

> > Carol Olsen Day, PC Magazine, Editor's Choice February 29, 1988

Resture:	Write	FILE
Number of fonts per document	9	1
Supports HP LaserJet cartridge and soft fonts	Yes	No
Prints Lotus graphs in documents	Yes	No
Hot-links documents to Lotus spreadsheets	Yes	No
Imports Lotus spreadsheets into documents for editing with fonts and enhancements	Yes	No
Number of columns per document	18	1
Runs Lotus and up to 7 programs or macros from its main menu	Yes	No
Supports Postscript	Yes	No
Date/time-stamp documents	Yes	No

The same, complete package InfoWorld rated #1 and PC Magazine named Editor's Choice. That's our PFS upgrade. And if you don't own PFS, 5000 of you can get a fully functional trial-size Q&A Write package (normally \$9.95) absolutely free just by calling the toll-free number below. Upgrade or call today. But hurry.

When the word gets out, 5000 will go fast. Q&A Write instead of PFS. For easy yet powerful word processing, it's the best in the World.

For your \$29.95 upgrade or FREE trial-size call:

(800) 888-0886 Ex. 175P

SYMANTEC

 Please send my PFS upgrade. I enclose the title page from PFS: Write or PFS: Professional Write and \$29.95. ☐ I don't own PFS, but I'd like to check out the best executive word processor with your FREE Q&A Write trial-size diskette. Total Enclosed/Authorized\$ _____ □ Check □ VISA □ MC □ AMEX Exp. Date . Card # Name Company . Address City/State/Zip

Send to: Q&A Write Offer, Symantic, 10201 Torre Ave., Cupertino, CA 95014. (408) 253-9600.

ther to Q&A Write Upgrade Offer, 10201 Torre Ann., Cupertimo, CA 95014. (408) 253-9600. Q&A Write evi-mixed mailings using addresses entered into the Card-File, or imported from dBase, 1-2-3, or other program see large type and fronts (including Soft Forts and Postscript) as easily as underlining. #Optional DCA or may not be used in conjunction with any other Q&A Write or Symantic offer Offer out where prohibited. m. Other transla and products are trademarks of their respective holders. © 1988 Symantic

CIRCLE 250 ON READER SERVICE CARD



ist Prices

ROTIPE ATT


by Paula Seefelot

Peachtree
Data Query II
Enhanced
Uses
Date Fields
and Subset
Databases

Peachtree Software's Peachtree Data Query II Enhanced is the latest report writer for use with the Peachtree Complete II accounting system. New features include the ability to perform arithmetic on date fields and to create subset databases. The enhanced PDQ also accepts "wildcard" matches in report selection criteria. Retail price is \$199. Peachtree Software, Norcross, Ga.; (404) 564-5700.

System ABC, Version 3.2, Gains Graphic Capabilities

ABC Systems is shipping Version 3.2 of System ABC, a financial management package for farms and family businesses. The new release consists of two products, the ABC Money Manager and the ABC Net Worth Micro-Scope. The Money Manager now replaces IRS F-schedule line numbers with user-assignable



Version 3-2 of System ABC allows a farm to record its entire history of profits and losses

equivalents. The Net Worth programs have been expanded to include graphics and can store a farm's complete net worth history. Version 3.1 owners may purchase both products as updates for a single fee of \$35. The Money Manager retails for \$250 and the Net Worth MicroScope is \$40. ABC Systems Inc., Western, Nebr.; (402) 433-4801.

Micro Logic Designs Entry-Level Tornado

Micro Logic Corp. has added a *Mini-Tornado* software package to its product line. The scaled-down version of *Tornado* is an entry-level program that organizes bits of random information. *Mini-Tornado* stores up to 600 windows and 60,000 characters and retails for \$49.95. Micro Logic Corp., Bellevue, Wash.; (206) 451-9788.

ZyINDEX Creates AutoIndexing

ZyLAB Corp. has updated its text search and retrieval program, *ZyINDEX*. Version 3.0 adds AutoIndexing, with binary file detection and LAN capability. Updates are free to users who purchased *ZyINDEX* in 1988 and \$45 for those who purchased prior to 1988, until July 15. After that date, all updates are \$55. New orders are \$95. ZyLAB, Arlington Heights, Ill.; (312) 632-1100.

Boston Access, Version 3.4, Uses Multiple Interfaces Version 3.4 of *Boston Access*, from Boston Software Systems, allows direct control of application interfaces by third-party software. Interfaces can now be developed among applications running on microcomputers, minicomputers, and mainframes without reprogramming and at a significantly reduced price. *Boston Access* 3.4 retails for \$550. Boston Software Systems Inc., Sherborn, Mass.; (617) 653-5105.

Dolch Expands P.A.C. Line

Dolch Computer Systems has incorporated RAM cache and a plasma/EGA display into the Dolch P.A.C. portable line. The 64K RAM cache, available on the 386 model, boosts memory performance. The plasma display provides high-quality screen contrast. The RAM caching option retails for \$1,000 and the plasma/EGA display is \$2,500. Dolch Computer Systems, San Jose, Calif.; (408) 435-1881.

Brooklyn Bridge Gains File Manager White Crane Systems' *The Brooklyn Bridge*, Version 2.0, has added a dual directory display manager to the file transfer utility. Other new features include a dual independent processing utility and four DOS utilities. New releases should be available this summer. Upgrades will be free to users who purchased *The Brooklyn Bridge* after May 15 and \$35 for those who purchased before that date. New packages will cost \$139.95. White Crane Systems Inc., Norcross, Ga.; (404) 394-3119.

Laser Fonts, Adds Menu-Driven Interface

SoftCraft is offering a new Laser Fonts package for WordPerfect and Microsoft Word users. Version 3.0 has a menu-driven user interface and comes bundled with Laser Graphics and the Starter Font Pack. Laser Fonts allows the



Laser Fonts hav added a menu driven user interface in its new Version 3.0. user to create fonts and symbols and has a database of over 1,500 mathematical and foreignlanguage symbols. Updates cost \$25 for registered users, with new packages retailing for \$180. SoftCraft Inc., Madison, Wis.; (800) 351-0500.




Here's a radical idea: give people who work together the means to easily share information among PCs—but don't force them to become computer experts to do it.

Here's another one. Make this network so simple to install that you can set up the whole thing in oh, say, a half hour or so.

Presenting TOPS.*

MORE NETWORK. LESS NET WORK.



The result is the very comforting—and productive—feeling of being able to concentrate on the work at hand, instead of on having to learn the network.

On a TOPS Network, every computer can share files directly with any other, thereby sharing the load of the entire network. The result is that you don't have to purchase an expensive central file server. Or shut down the network when you want to add a new computer. Or hire an extra person to manage the whole affair.

And setting up TOPS is just as straightforward. You can install the necessary network card—such as our TOPS FlashCard™—in no more than twenty minutes. Loading the TOPS software? We've unofficially clocked it under five minutes.

As if all that weren't enough, TOPS runs over common twisted-pair cabling, such as regular phone wire. Just add an easy-to-install network connector—such as the TOPS TeleConnector—at each node. And at only \$189 for the software, and \$239 for each TOPS FlashCard, TOPS is the least expensive way to get your workgroup working together.

Of course with TOPS, PC-to-PC communication is just the beginning. Because without sacrificing simplicity, we also offer products that let you share information just as easily with other networks and systems, including Macintoshes[™] and Sun* workstations.


Want more information? Give us a call at 800-445-TOPS (from outside the U.S. and Canada, call 415-769-8700). Or write to us at TOPS, 950 Marina Village Parkway, Alameda, California 94501.

After that, it gets easier.

TOPS. Sun and the Sun lago are registered trademarks of Sun Microsystems. Inc TOPS FlashCard and TOPS. NetPrint are trademarks of Sun Microsystems.

In: PostScript is a registered trademark of Adobe Systems Incorporated. Macintosh and LaserWhiter are trademarks of Apple Computer. Inc.

A Sun Microsystems Company





COMMUNIQUÉS

edited by Bill Howard

You Should Look It Up

"Clone manufacturers can compete with IBM in areas other than price For example . . . IBM uses a Tanden [sic] hyper belt-driven drive to power its machine. The Tanden drive can be noisy. When Five Star builds its clones, it installs a Fujitsu manual direct drive instead. The Fujitsu is much qui-

-Secrets from the Underground Shopper: The Only Book to Tell You What the Retailers Won't, by Sue Goldstein

You Could Look It Up

"DOS: An acronym for disk operating system. It is composed of one or more diskettes on which data can be stored and one or more disk drives to read the information stored on the disks."

-Associated Press glossary of computer terms, Rolling Meadows (III.) Daily Herald. March 11, 1988

Supermini Rivals Jockey for Market Share

ROSTON While supermineomputer vendors may have not reached a stage where they have to circle the wagons to fend off orallaughts from a variety of competing technologies, industry observers feel they will have to at least-rick shotigun to protect their market share. Supermins vendors market share is being challenged at all levels—the high end, mid-cause and loss end—by somer.

But just wait till the Fruit of the Loom 386 ships. (Headline from MIS Week, March 14, 1988)

Child Prodigy

"Chau learned computer programming at Jackson High School as a fourth-grader and is teaching himself a complex computer language called "hexidecimal" at home. He's popular in the Unified Arts class, where he spends a good deal of time answering other students' questions about rudimentary computer functions."

—Jackson (Miss.) Citizen Patriot, March 6, 1988

Dept. of Tautology

"Postscript operates on an infinite grid. This accommodates most page sizes that would be used.

-PC Publishing, January 1988

Borland's Quattro Doubles In Price, but Is Still Half The Cost of Rival 1-2-3

SCOTTS VALLEY, Calif.-Borland International Inc.'s \$199.95 introductory offer for its new Quattro spreadsheet is now over.

After a 90-day promotion, Quattro's price tag has been raised to \$247.50, half the suggested retail price of Lotus 1-2-3, according to Robin Shepherd a Borland spokeswoman.

New math at work? (PC Week, March 22, 1988)

Classified Intelligence

Senior Programmer Analyst . . . The qualified candidate should have at least 3 years experience as a Programmer Analyst on an IBM System 38 with a Computer Size, Math or Business degree . .

-Atlanta Journal & Constitution, February 7, 1988

Computer-PC Compatible with flopping-key board printer etc. \$1350

-McAllen (Tex.) Monitor, February 27, 1988

DEST Workless station Lmodel 34125 OCR, \$4500.

-The Star Tribune (St. Paul, Minn.), February 25, 1988

Free Software-Free IBM software, choose from word processors, data bases, games, education, spread sheets, and more. Call xxxxxxx, leave a mess.

-California Computer News (Sacramento), February 26, 1988

COMPUTER CBM Commander model MDL8032, dual desk with printer, all accounting program, paper clips and work PRO.

-The Ottawa Citizen. March 1, 1988

Dandy 1,000 with hard disc, 10 megabytes, color excellent condition.

-The San Juan Star, February 22, 1988



More new math: The numbers and formula are in column C in this Lucid 3-D advertisement, but the display (upper left) says Column D.

Send your offerings to Communiqués, PC Magazine, One Park Ave., New York, NY 10016 or MCI Mail 157-9301. Please print your name legibly and include your T-shirt size. Contributors receive \$50 and a PC Magazine T-shirt.

Winners this issue: Jay Nusholtz (Supermini rivals Jockey), Thomas Mosteller (Quattro pricing), Mark Warner (Lucid 3-D), Dan Riley (Postscript), Timothy Clore (hexidecimal), Chuck Reiter (computer size), Paul Clarkson (workless station), Michael Sandberg (leave a mess), Edward Cavazos (flopping-key board), Mark Bornais (paper clips), David F. Gleason (Dandy 1,000), Doris Mulott (DOS), Luigino Mascio (hyper belt-driven drive).



Discount

AT LEAST

THOUSANDS OF SOFTWARE TITLES AT BIG DISCOUNTS! CALL US IF IT IS NOT LISTED HERE—WE HAVE IT!

SOFTWARE FOR "IBM"	
Business Builder	104
DAC Easy Actg 2.0	
Dollars and Sense 31	103
Information Management	146
Managing Your Money 4.0	123
Quicken 2.0	34
Smart Money	59
Sylvia Porter Personal Finance	.74
COMMUNICATION	
Carbon Copy Plus	ma
Crosstalk MK	128
Crosses	93
	. 37
ay Gold 2.0	
New York 1.0	112
Talk	
The porter 1.4	221
DATABASE	
@B	118
dBa VII Plus	198
Data Wanager PC	30
Uatan Manager 2	72.1
dBXL 1	149
dBXL Enable 0	108
Microson Works 1.0	146
	68 77
PFS: Find Choice 2.0	108
Q & A 3.	108
Q & A 3 Rapid File 2 RiBase For DOS.	221
Perfect 110	86
rightex 1.14	146
	140
GRAPHICS	
Design CAD	168
	188
Generic CADDIED	58
Graph-in-the-box sel. 2	57
Grasp 3.0	. 74 371
Generic CADÜ: D Graph-in-the-bor Rel. 2 Grasp 30 Harvard Graphid 1.1 In-AVIsion Microsoft Chart 30 Newsroom Pro PFS Graph Print Shop Print Shop Compan	
Microsoft Chart 20	
Microsoft Chart 30	40
PFS Graph	
Print Shoo	39
Print Shop Company	30
Sign Master 6.2	158
LANGES	
	268
Lattice C Compiler 3.2	249
	96
	150
Connet Guide for DOS	22
	60
Turbo C 1.5	60
Turbo Tutor 4.0	
PROJECT MANAGEMENT	
THE PARTY OF THE P	

Gem Desk Top Publisher . Gem Desk Top Harvard Total Project Manage

Word Perfect

SPREADSHEET	
Lotus 1-2-3 2.01 Microsoft Excel 2.0 Multiplan 3.04 PFS: Professional Plan Quatro Surpass Swift & Easy Swiftcalc PC w/Sideways VP Planner UTILITIES	. 118
SQV	78
Fastb. ck 5.14 Genit Keywc is 3.0 Mace thirties 4.1 Memor Mate 3.0 Norton tilities 4.0 PC Tools Detuxs 4 Quick Int. x III Runtime Sideways I.2 SQZ Plus. Turbo Light 10 Windows 2.0	.213 .74 .55 .52 .83 .59 .111 .112 .41 .59
WORD PROCESSING	
Bank St Writer Plus Celebrity Easy Extra 1.5 Microsoft Word 40 Multimate Adv II PFS Prof. Writs O & A Write Samna Word IV Volkswitter Dix Plus Word Perfect 4.2 Word Finder Zyindex (standard) 2.2	\$49 67 74 198 278 118 118 446 74 198 45 108
dBASE MAC	\$298
	30 .108
Draw It Again Sam	.112 .112 .112 75
Draw It Again Sam Easy 3D Fastback 1.01 In Talk 3.0 Lazerstart 2.5	.112 .112 75 .146 71
Draw It Again Sam Easy 3D Fastback 1.01 In Talk 3.0 Lazerstart 2.5 MAC Vision 2.0 Microsoft Chart 1.2 Microsoft Works 1.1 Microsoft Works 1.1 Microsoft Multiplan 1.11 More 1.1c Pixel Paint Power Point 1.0 Printworks for MAC (Laser)	.112 .112 .75 .146 .71 .299 .78 .296 .198 .118 .221 .371 .228 .109
Draw It Again Sam Easy 3D Fastback 1.01 In Talk 3.0 Lazerstart 2.5 MAC Vision 2.0 Microsoft Chart 1.2 Microsoft Excel 1.06 Microsoft Works 1.1 Microsoft Multiplan 1.11 More 1.1c Pixel Paint Power Point 1.0	.112 .112 .75 .146 .71 .299 .78 .296 .198 .118 .221 .371 .228 .109

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. Detective Software will be replaced immediately.

EW! HOT! TITLES SOFTWARE FOR "IBM Te Rescu Grandview 174 Networker P 194 68 Norton Guide Page Perfect 371 Quick Basic 4.0 68 94 VP Planner Plu Software for MACINTOSH Bookmark MAC \$ 75 Lap Link MAC. MAC SQZ 60 34 Quicken (for MAC) Timeslips III MAC 149 .800 - 222IN CT. CALL (203) 359-1660 8:00 am-5:30 pm, Mon. thru Fri. WHY YOU SHOULD ORDER FROM THE BOOK OF DISCOUNT SOFTWARE: 25% or MORE Off List Prices on All Software ✓ NO HIDDEN CHARGES No Shipping Charges on Credit Card or Pre-paid Orders No Handling Charges Ever Credit Card Convenience VISA Your ONE SOURCE for Thousands of Software Titles-All at Discount Prices. No Membership Fee

-- MAIL IN FOR FREE HANDBOOKS --PLEASE RUSH ME MY FREE CO Y OF: ALSO! NEW

tor Books" Cataloging 12,000 Scientific

and Technical Books from 14 leading publishers.

Or Send Busi	ness Card	PC 7/88
City	State	Zip
Address		
Сотралу		
Name		

OMEGA PRESS An OMEGA Tee

Eight Omega Drive, P.O. Box 4182 Stamford, CT 06907 © COPYRIGHT 1986, OMEGA PRESS, INC. ALL RIGHTS RESERVED, PRINTED IN USA

At OMEGA PRESS we strive to offer the very latest software packages, including version changes. At times however discontinued packages may affect our advertised programs.

WE HAVE THEM ALL!

ord Finder 2.0 Write Now 2.0.

ASHTON TATE SimondSchuster

Software



Perfect matches to DEC user needs. Hip. Hip. And Hooray.

One-size-fits-all is an attribute best reserved for inexpensive socks. In the realm of PC-based emulation and communications software for DEC mainframe users, it's important to match specific user needs with specific product attributes. We have.

SmarTerm® 240 features exact four-color emulation of a DEC® VT241 terminal. Along with delivering full-screen ReGIS® and Tektronix® 4010/4014 graphics, SmarTerm 240 offers precise VT220, VT102, VT100, and VT52 text emulation.

For non-graphics applications, SmarTerm® 220 duplicates virtually every SmarTerm 240 text, communication, and ease-of-use feature. Three error-free file transfer protocols, including Kermit and Xmodem, are provided. Downloading minimizes on-line time requirements to boost overall system efficiency. And an optional network package allows direct LAN access to shared modems, printers, as well as host mainframes.

As Smarferm 240 and 220 focus on graphics and text, new SmartMOVE® makes PC-to-the-rest-of-the-World communications sharper than ever. Speed connect, auto redial, and background file transfer features make this VT100 emulator a loud and clear choice for advanced communications requirements.

Graphics, text, and communications. If you're looking for a perfect fit, seek the software sized and priced to match your needs. Persoft has it. Period.



■ BILL MACHRONE

IN YOUR (INTER)FACE



It's no wonder that this industry can't make any progress on user interfaces. All the decision makers are too busy attending one another's press conferences to get any work done.

y faith is shattered. I don't believe anybody anymore. For the price of a press conference, anyone can pull together a spec, call it a standard, and get half a dozen or more industry figures onto a podium to spout some platitudes about how it's The Way of the Future and the surefire cure for everything from the balance of payments to pattern baldness.

The software developers jump on the bandwagon with utter abandon, apparently terrified that one small change in hardware features or end-user tastes will leave them playing second fiddle. Actually, it isn't a bandwagon so much as a juggernaut, irresistibly consuming resources.

There's more at stake here than corporate pride and profitability. We're talking about the hearts and minds of developers. distribution channels, and corporations. The needs of the end user aren't an issue, even though end-user computing is supposedly what this is all about. This weird, interlocking network of "You tout my product and I'll tout yours" is a drain on the essential energy of our industry. The trade press goes galloping off over this hill and that, in pursuit of the latest strategic alliance, while end users just get confused. And when they get confused they tend to do nothing until they get unconfused. Thus, they don't buy into the very technologies being hyped.

Here's a brief rundown of the hoops that software developers have had to jump through of late:

OS/2 Just when everyone was getting happy with DOS, along comes OS/2. The

combatants had finally gotten the EMS spec squared away and the old 32MB volume limit was about to become history. After reading enough *PC Magazine* articles, anybody could write a well-behaved TSR program. Then Microsoft and IBM tell us DOS was never very good anyway. I believed. I still believe. The richness of OS/2's calls and the prospect of multithreading and multitasking are enough to turn me away from the safe, well-known world of DOS. The cost to developers is enormous, but they can pull it off if they're not distracted.

Presentation Manager The Presentation Manager is a different story. While the Macintosh was proving that bitmapped is better, the EGA was proving that color is better. The two merged in *Microsoft Windows*, which was too memory-constrained and processor-bound to make an appreciable dent. At the same time, IBM was shopping for a universal user interface to tie its



disparate and incompatible product lines together. The result was Presentation Manager. Never mind that the beta version of the developer's kit just shipped. Or that all the *Windows* code that developers wrote doesn't port over. They lined up dutifully on the podium.

OS/2 LAN Manager The OS/2 LAN Manager is a multiuser operating system in drag. Microsoft hopes that IBM will adopt some or all of it into its networking scheme, but IBM is playing coy. The guys on the podium were on a first-name basis by this time.

Macintosh Suddenly, to be considered a serious player you've got to support Macintosh, too. The audiences at the Mac II press conferences and shows, however, have their own heroes. The dutiful minions of DOS are shown the respect and attention normally accorded to the family dog.

New Wave New Wave is Hewlett-Packard's answer to the Macintosh. In fact, it out-Macs the Mac. The Apple folks are gnashing their teeth and firing off lawsuits over its look and the way it synchronizes tasks that know nothing about one another. It shows you what you can do with a dream and 300 person-years of programming time. It runs under Windows today, Presentation Manager tomorrow. There's just this one little problem. It's different. New Wave's benefits aren't freethey require substantial reprogramming of Windows applications to harness them. Yet the band played on, praises and promises flew from the podium, and R&D dollars were committed.

Unix Unix is the newest old hoop to



10MHz

Complete System with Single 360K Drive & Monographic Monitor Assembled & Tested IBM® XT Compatible

With MSDOS 3.3

(1) Parallel Port

Clock Calendar

w/Battery Backup

■ 101 Key Enhanced

Style Keyboard

"AT" Touch & Click

(1) Game Port

Standard Features

- 10/4.77 MHz 8088-1CPU
- 640K RAM
- 150W Power Supply
- 8 Expansion Slots (1) Serial Port
- Hercules Compatible
- Video Card (720 x 348)
- Quality Hi-Resolution Amber Monitor w/Tilt & Swivel

Mono System w/20MB Seagate HD \$959.00* Mono System w/30MB Hard Drive\$999.00*

Base Unit w/o Monitor or Video Card\$549.00*
'Single 360K Floppy Drive

Monochrome to Color System, with CGA card and RGB Monitor, Add ... Monochrome to Enhanced Color System with 640 x 480 EGA card (CGA, MDA, HGA modes) and EGA monitor, Add ...

CompleteSystem with 1.2MB Drive & Monographic Monitor Assembled & Tested IBM®AT Compatible

With MSDOS 3.3 Add \$89

\$1495

Standard Features

- 80286 12/6 MHz (Keyboard Switchable) 11.7 Norton S.I.Rating
- 640K of RAM on 1MB Motherboard
- 200W Power Supply
- Ports: (1) Serial , (1) Parallel, (1) Game
- Dual Floppy/Dual Hard Drive Controller
- (8) Expansion Slots
- 101 Enhanced "AT" Touch & Click Style Keyboard
- Clock Calendar w/Battery Backup
- Hercules Compatible Video Card (720 x 348) w/Parallel Port (2nd)
- Quality Hi-Resolution Amber Monitor w/Tilt & Swivel

Mono System w/40MB Seagate HD #251

Mono System w/80MB

Seagate HD #4096 \$1929

Base Unit w/o Monitor or Video Card \$959

\$170 \$399



30 DAY SATISFACTION GUARANTEE Your complete satisfaction is our top priorty. Any

Swan system may be returned within 30 days from the date of shipment for a full refund. *



FOR YOUR PROTECTION WE GO THE

EXTRA YEAR A full 1 year warranty is included, with a 2nd year SEW (Swan Extended Warranty) available. Call or write for details.



FAST DELIVERY ... We ship within 24 hours.

TECHNICAL SUPPORT Our support staff is on call 9-5 Mon-Fri to answer all of your questions and make sure that you get the most from your systems.

YOUR COMPUTER INVESTMENT IS HASSLE FREE!!!

SWAN VIDEO & I/O CARDS

Switchable Video Card MGA/CGA/Composite w/parallel port\$79 Color half card (640 x 200) CGA Compatible Monographics, Hercules Compatible, 2 Floppy Controller, Parallel, Serial, Gameport, Clock & Calender w/Battery Backup........\$119 Same board as above, except with CGA

Items returned must be as-new, without modification or damage. All warranty cards, manuals and packaging must be included. Return shipping must be prepard and insured, bearing a RAC (Return Authorization Code) on the shipping label. † On in stock items. Custom Systems May Take Longer

DON'T

ALDUS	
Papartine (3.0)	- DOME
AMERICAN	
Design CAD 3.0	5189.00
ASHTON-TATE	
Byline	\$195.00
dBase III+	\$389.00
dBase IV	SCALL
Draw Applause	\$295.00
FrameWork II	\$399.00
Multimate Advantage k	\$299.95
Deputitio	P244 00



Quattro\$129.00
Eureka\$104.95
Paradox (2.0)\$409.00
Reflex\$89.95
Reflex Workshop\$44.95
Sidekick(unprotected) \$54.95
Sidekick Plus\$129.95
Superkey\$59.95
Sprint\$CALL
Turbo Basic\$67.00
Turbo C\$75.95
Turbo Developers Libry\$259.95
Turbo Lightning\$59.95
Turbo Pascal\$62.95
Turbo Pascal N. Mthds .\$62.95
Turbo Prolog\$64.95
Turbo Prolog Toolbox\$64.95
Turbo Tutor\$62.95

PRINTERS



Panasonic

108011	************	\$164.95
1091ill	B4001400240B348B	\$199.00
1092i		\$319.00
1592	*********	\$389.00
1524		\$599.00
1595		\$469.00

Laser Pri	inter	\$CALL



ACAD	
120D	
180D	\$CALL
MSP-40	\$319.00
MSP-45	
Premier 35	\$539.00
Tributa 224	\$679.00

Signical

NX-1000	\$169.95
NX-1000 Rainbow	\$229.95
NX-15	\$349.00
ND-15	
NB24-10	
ND24-15	\$630.00



OPEN: 8:00AM-9:00PM Mon-Fri; 10:00AM-6:00PM Sat, 12:00PM-8:00PM Sun EAST COAST TIME



TUSSEY COMPUTER PRODUCTS P.O. BOX 1006 STATE COLLEGE. PA 16804

output instead ...

SETTLE FOR LESS...tcp SHIPS 17

BEDFORD Integrated Accounty 1990.
Boeing Calc\$209.00 Boeing Graph\$189.00
BRODERBUND Graphics Library Disks\$24,95 Print Shop
CENTRAL POINT COPY II PC\$27.00 Deluxe Option Board\$99.00 PC Tools Deluxe\$44.00
DAC SOFTWARE Dac Easy Accounting
FIFTH GENERATION Fastback Plus\$95.00
FUNK Sideways
GENERIC SOFTWARE Gen CADD 3 0
LOTUS 123 \$307.00 Freelance Plus \$339.00 Manuscript \$337.00 Metro \$62.00 Symphony \$439.00
MECA Managing Your Money\$129.95

MERIDIAN TECHNOLOGY
Carbon Copy Plus\$109.00
MICROPRO
Wordstar 2000+\$CALL
Wordstar Prof Rei 4\$229.00
MICROLYTICS
GOIer\$37.00
Word Finder\$32.95
MICROPRO
Wordstar 2000+\$CALL
Wordstar Prof Rei 4\$32.95

Microsoft [*]
PC Excel\$319.00 PC Works\$129.00 Bookshelf w/CD ROM\$CALL
C Compiler
Flight Simulator\$34.95 Fortran\$299.00 Macro Assembler\$99.95
Learning DOS\$34.95 MS-DOS & GW Basic\$CALL
Mouse\$109.00 Pascal\$179.00 Project\$349.00
Quick Basic\$64.95 Quick C\$64.95
Windows 2.03\$69.00 Windows/386\$129.00 Word Version 4.0\$219.00

MICROSTUFF	
Crosstalk XVI	\$94.00
MIGENT	
Abiny Plus	1149.00

NORTON PRODU	CTS
Morion Commander Norton Utilities	
Morton Advanced Utilitie	
PAPERBACK SOF	TWARE

PERSONICS CORP

QUARTERDECK

ACCUSE OF SUCCESSION OF STREET
SOFTWARE PUBLISHING
First Publisher\$59.00
First Publishing Fonts \$CALL
Harvard Total PM II \$369.00
Harvard Graphics\$279.00
PFS First Choice\$85.00
Professional File\$139.00
Professional Plan\$79.00
Professional Witte \$115.00

SPRINGBOARD
Newsroom Pro
Clip Art I or IIISCALL
SYMANTEC
Q & A
Q & A Write
TURNER HALL
Note it Plus\$49.00
SQZ Plus\$57.95
WORD PERFECT
Data PerfectSCALL
Executive\$115.00
Library\$59.00
Plan Perfect\$179.00
Wordperfect (5.0)\$CALL
XEROX
Venues Publisher 8498 00

Software orders over \$100 and Accessories under 6 pounds will be shipped Federal Express

(Even at these prices) You only pay TCP's standard shipping charge of \$4.00 per order. Orders arriving before 3:00 PM our time will be shipped out same day. If part of your order is backordered the remainder will be shipped UPS Ground FREE!



- SECURITY

 Your Credit Card is not charged until your order is shipped.
- We insure your order at no extra cost to you. Tussey is a financially strong and well established company.

CUSTOMER SUPPORT

After sales support.
Knowledgeable staff, all graduates of Tussey's "Computer Boot Camp".

 Our advanced warehouse/materials handling system assures your order is



shipped out accurately & on time.

Our IBM 5360 allows instant order and inventory status.

To order by mail: We accept money order, certified check, personal check. Allow 2 weeks for personal 8 company checks to clear Shipping: \$4.00 for software FOR ALL HARDWARE AND ANY ACCESSORY OVER 6tbs Call our Toll Free Number 1-800 468-9044 for shipping charges Add \$3.00 per box shipped COD Additional shipping required on APO, FPO AK, HI, and/oreign orders. Terms: PRICES REFLECT CASH DISCOUNT, ADD 1.5% FOR MASTERCARD OR VISA.

ALL SALES ARE FINAL

MODEMS

2400B Internal

Zucker

Hayes Smart Modem 1200B Internal

Packard Bell External 300,1200 baud ...

Defective items replaced or repaired at our discretion Pennsylvania residents add 6%





sales tax. Prices and terms subject to change without notice EDUCATIONAL & CORP ACCOUNTS

.\$259.00

from qualified corporations and institutions

Purchase orders accepted CALL 1-800-468-9044 FAX 814-237-4450

DISKS per box of 10 BONUS DS

Sugn Modem · Hayes @ compati Auto answer/stal Includes PC Talk III software - Full 1 year warms 1200 baud Internal\$69 2400 baud Internal\$119

PC HARD DRIVES

8438 30MB w/cont.(65 ms).....\$339.00 3650 40MB (61 ms)\$349.00 3053 40MB (25 ms)\$579.00

6085 71 MB (28 ms)\$779.00

ST-225 w/cont.20MB (65 ms)\$259.00 ST-238 w/cont.30MB (65 ms)\$299.00 ST-251-0 40MB (42 ms)\$379.00 ST-251-1 40MB (28 ms)\$489.00

ST-4096 80MB (28 ms)\$799.00

MiniScribe

Seagate

HARDWARE

MAGNAVOX

TAPE DRIVE BACKUPS 1 YR WARRANTY

40MB XT Tape (Internal).....\$339.00

40MB AT Tape (Internal)\$359.00

40MB AT Tape (External).....\$479.00

Swan Technologies

/613 IL (Green)	\$89.00
7623 TTL (Amber)	\$89.00
8762 RGB/CGA	\$249.00
8515 RGB/CGA	\$289.00
8053 EGA	\$349.00
8873 EGA Multimode	\$479.00
	_

PC ADD ON BOARDS

AST

Advantage Premium (512K) .FOR Rampage 286 (512K) PRICING SixPakPlus (64K)
ATI EGA Wonder\$179.00 Graphic Solution\$169.00 VIP VGA\$299.00
BOCA RESEARCH CALL FOR PRICING ON VIDEO AND BOCA RAM CARDS
EPIC EGA
HERCULES Graphics Plus\$179.00 In-Color Card\$299.00
Other Hercules boards in stock Call for price

Swan RAM CARDS Aboveboard Compatible Memory Cards-Include Sonward Utilities Dital XT RAM CARD W/OK .. AT RAM CARD W/OK\$119 Call For Pricing on: 512K/1MB/2MB Upgrades INTEL.

AboveBoard PS/386 JCAL AboveBoard 286 CAL
PARADISE Autoswitch 350
VIDEO 7

Paradise VGA\$269.00
VIDEO 7
VEGA Deluxe\$199.00
VEGA VGA\$299.00
ZUCKER
CGA\$89.95
Monochrome Graphics\$94.95
Memory Expansion CALL

MONITORS

1 1 L Monochrome	
Amdek 410A Amber,	
Green, or White	\$149.00
Packard Bell Amber w/s	d \$97.00
Samsung TTL	\$89.00
RGB/CGA	
Goldstar 4135	6000 00
Thomson 4160	
Samsung SC452C	\$199.00
EGA	
NEC Multisync II	SEER NO
Packard Bell	
EGA/CGA/TTL Auto .	6440.00
Amdek 722	\$477.00
Magnavox 8873	
Multimode	\$479.00
Thomson 4460	.\$399.00

Thomson 4160 Samsung SC452C	279.00
PCCA NEC Multisync II	419.00 477.00 479.00
IMSI Optical Mouse w/Dr Halo III	109.00



Numeric Coprocessors \$104.00 8087-2 \$147.00 80287-8 \$259.00

\$129 \$ SWAN EGA VIDEO CARD 640 X 480 Resolution

Pocket Modem \$109.00

Call for Pricing on Memory Chips. Prices are too volatile to list!!!

PC 1640

DESK TOP

8MHz Processor/640K

3 Available Slots
Parallel, Serial & Game Port
Microsoft Compatible Mouse
MS-DOS 3.2

GEM Desktop, GEM Basic Supports TTL/CGA/EGA

SMINE Processor 6-50K

Supertwist LCD Display
Single or Dual 3.5" Drives
2422 baud Internal Modem
Parallel & Serial Ports
101 Key AT-Style Keyboard
MS-DOS 3.3

FULL PC Compatibility ** CALL FOR BEST PRICE**

WE CARRY A FULL LINE OF MACINTOSH PRODUCTS! CIRCLE 268 ON READER SERVICE CARD



AST RESEARCH	
Premium Model 80/90 \$166	9/2043
Premium 386 Model 140	\$3999
COMPAG COMPUTER	
COMPAG 286/12 Model 40	\$3099
COMPAD 386/20 Model 60	\$5822
COMPAG Portable III/Mod 20	\$3729
SHARP COMPUTER	
PC 4501/4502/4520	SCALL
TOSHINA PORTABLE	
T1000 Portable	\$799
	0/4999
WYSE Computer All Models	SCALL
ZENITH	
ZF 181 93 2DR 20MB Upgrade	SCALL
ZW 183 93 20MB Portable	\$1979
Super Sport Models	SCALL

IMPACT PRINTE	RS	
BROTHER M1709/M1	509	\$499/389
HR-40/HR-	60	\$629/739
EPSON		V
LX-800 \$199	FX-B6E.	. \$309
FX-288E \$489	LQ -500	3339
LQ-850 . \$539	LQ -1050	\$715
EX-800 . \$420	LQ -2500	
FILITSH		
DX-2300 . \$449 DE-5600C . \$1759	DX-2400	\$559
DE-5800C \$1759	01-3400	\$699
HEWLETT PACKARO	05 0400	. 9900
DESKJET (Budget las	as printer!	6720
Rugged Writer		. 31243
Paint Jet		\$1049
OKIDATA ML 192+ . 8349		0.000
ML 192+ . 3349	ML 193+	3460
PANASONIC		
KXP-1080L \$185	KXP 1001	\$209
LASER PRINTER	2	
MP LASERJET II		81700
HP LASERJET II I MB/2 MB MEN	X OO	6390/670
OKI Laserine 6	e. 00	81420
NEC LC890 Silent Wr	ibaa.	\$1429
OMS PS-800/810/800		SCALL

MMAGUPY /3U/63U		91ZDW/GALL
DEST 1020/2020 Scanner		SCALL
MP Scanjet w/interface .		
MICROTEX MSF-300C.		
MSF-3008/4008 .		\$2679/3149

MONITORS & TERMINALS

AMOEK 310/410	. 313	19/149
GENTUS 402(1 pg)		\$995
DUADE (2 ag)		SCALL
QUARE (2 pg)	4 4.	
MITSUBISHI 1409C/1410	\$21	19/399
DIAMOND SCAN		\$539
NEC MULTISYNC 6S		\$195
MULTISYNC II		
MULTISYNC PLUS/XL		V2229
SAMSUNG SM200 SEMI-FLAT	1	\$99
		9/359
SONY MULTISCAN 1303		
VETICOM H-16 with CD-3		
WYSE 700 Monitor with video	COL	\$149
WY35 30/WYSE 50 TERMINA	1 236	9/439
THE PARTY OF MY LENGTH	- 400	400

THESYS MULTIFUNCTION FOR PC/XT LIM MEMORY	
EXPANDABLE UP TO IMB	NCLUDES
CLK/SER/PAR PORTS	\$39
ATT VIP VGA GRAPHICS	\$259
PARADISE VGA PLUS	\$259
VGA PROFESSIONAL	
INTEL ABOVEBOARD 286	SCALL SCALL
BCA IRMA 2/MCA RAYES V SERIES MODEM	
DATASHIELD S-85/S-100 SURGE SUPPRESSORS	

SUPERIOR ELECTRIC TRUE

NETWORKING

D COM SERVER & SOFTWARE.		SCALL SCALL
MOVELL V 21W SFT LEVEL		SCALL
ARCNET CARD		\$149
PASSIVE HUB		\$ 39
ACTIVE HUB		\$349
ETHERNET CARD .		\$229
TOPS SOFTWARE FOR MAC .		SCALL
FLASH CARD FOR IBM		SCALL

PLOTTERS

CALL
CALL
2995
1450
CALL
/2999
/5349
/4879
3199
/1329

DIGITIZERS

CALCOMP	
23120 (Stylus & 4 Butt, 12 x 12)	\$429
C23240 12X24	\$1850
C25180 12X18	\$915
ATCO DIGITIZERS	•
DP5-2436L	52799
DP5-3648L	\$2999
MP SKETCH PRO	SCALL
KURTA IS/ONE 12X12 W/Cursor.	\$399
IS/ONE 12X17 W/Cursor	\$679
KURTA FOR MACINTOSH	SCALL
SUMMAGRAPHICS	PUNCE
SUMMASKETCH PLUS 12X12.	6490
	8920
MM1812 12X18	9088

HARD OLSKS & TAPES SEAGATE SPECIAL

4038 \$339 (up to 45MB)
5.25" HAND DISK
ST225 (20MB) W/CTR. \$279
ST225 (20MB) W/CTR . \$279 ST238 (30MB) W/CTR . \$319
ST4096 (80MB) W/O CTR \$699
ST4144 (120MB) W/O CTR 5999
NEW 3.5" HARD DISK DRIVE
ST125 (20MB) W/O CTR 5249
ST138 (30MB) W/O CTR \$389
ST157 (40MB) W/O CTR 84W
MINISCRIBE 6085 (72MB)/
5128 (110M8) \$759/899
MICROPOLIS 1935 (70MB) \$869
1355 (140MB) W/ESDI CTR \$1899
CONE 310MB W/ESDI CTR SCALL
STORAGE DIM 310MB SCSI DRIVE SCALL
PLUS 20/40MB HARDCARD SCALL
KENNEDY GOMB TAPE SPECIAL. \$408
MAINSTREAM SOMB TAPE SCALL
ARCHIVE GOMB INT/EXT
INWIN TAPE BACKUP
IRWIN 120/420 20MB \$349/399
145/445 40MB \$499/649
*For PS/2: 165/265 60MB . \$809/609

FOR MAGINTOSH

HARD DISK FOR	M	AC			
40MB EXT HARD					369
DINAH TX3 BANDS	١.				5129
60MB INT HARD					
DUMB INT HARD		,			\$119
SUPER MAC VIDE	0 C	AFIE	F	OA	MACI
SPECTRUM CARD 256	CO	LO			\$122
SPECTRUM/24 768K (COL	OA			\$229

CO PROCESSOR & MEMBEY

\$146
\$218
\$249/289
\$479
\$709

BROTHER FAX

FAX-100							\$899

GENTECH 386 COMPUTERS \$2595 386/20 TOWER 80386/20 cpu, 1MB RAM, 1,2MB Dr. Tower Style case, 6 half height Bays, 1 Par/Ser ports, 101



141100 711
10MHZ \$569
8MHZ \$549
8088, 512K RAM, 360KB dr. four
bay case, 1 Ser/Par/Clk/Game,
Keyboard
GENTECH 286/10
6/10MHZ \$875
6/12MHZ \$925
80286, 512K RAM, 1.2MB dr, 101
Keybd 1 Ser/Clk/Parallel port.
2 bays
ADD

For Monochrome System For Color EGA System. For Color VGA System. . SCALL **GENTECH LCD-286** \$1599 supertwist LCD Screen, 512K RAM, 6 slots, 80287 slot, 1,2MB

GENTECH PORTABLE 286 \$1229 9" Amber screen, Hercules graphics, 7 slots, 512K RAM, 1.2MB dr, 3 bays

CUSTOMER SERVICE

401-732-5556

ORDERS ONLY

dr. 2 bays

800-843-4302

401-732-5518

International Inquiries Welcome 217 Broadway, Suite 615, NY, NY 10007

VISA, MC, COD, CORPORATE PO Accepted Add 2% for CDD. Minimum PD \$500 Prices subject to change. Return authorization required for defective merchandise. All returned non-defective merchandise subject to 20% restocking charge.

BILL MACHRONE

jump through. Ashton-Tate, WordPerfect, and a few others have maintained terminalbased versions of their products so they could have a toehold in the multiuser environment. By and large, however, the products worked and looked far better on their native DOS machines. Yet the usual CEOs could be counted on to trundle out to any introduction of a new Unix machines and speak in glowing generalities about its bright and unlimited future.


Open Look Heyyy, up! March to that podium, boys, and tell 'em how the future depends on this amalgam of AT&T, Sun, and Xerox technology running on \$20,000 workstations under Unix. This user interface is spectacularly good, but it runs on the tail, not the dog. It also lacks the participation of several major workstation vendors. Sun likes to smile and shake its head. saying, "Poor DEC. Poor HP. Poor IBM. They just don't understand." Right.

Needless to say, there are countless others. No hardware manufacturer rolls out a new machine today without a gaggle of software manufacturers on hand to testify to its engineering genius and perspicacity in producing this machine. Of course, much of this is an endless dance to maintain a high level of awareness in the investment community. At the podium, the CEOs become like talk-show guests, famous for a Warholesque 15 minutes, or, like latter-day Rula Lenskas and Zsa Zsas, famous just for being famous.

Worse, they seldom have anything intelligent to say about the product at hand, preferring instead to throw a few wellaimed jabs at their perceived enemies and competitors, who may also be on the podium. Every once in a while, however, they actually commit to producing hardware or software or whatever, something that's actually going to be compatible with the new wonder gadget of the day. Then you have to ask yourself how deep their resources really are.

Face it. The next version of the software you count on most is probably late. A major reason it's late is divided resources, and the rest is deep-seated confusion over standards.

Maybe we could make some progress if all the CEOs stayed home for 6 months and declared a moratorium on endorsements.



DacEasy™ Accounting.

More Than 400,000 Growing
Businesses Worldwide. DacEasy
Accounting leads the industry as the
number one selling, award-winning
program Two-time winner of PC World's
World Class Award and PC Magazine's
Editor's Choice, DacEasy Accounting
recently was named InfoWorld's Product
of the Year. Again and again, DacEasy
proves that it makes a difference.









Since its introduction in 1985, DacEasy Accounting, feature for feature, has won acclaim as the leader in accounting software. Now Version 3.0 features a new interface with transaction-oriented pull-down menus that makes it think like you think as a business person rather than an accountant. Readily installed with five quick questions, your business accounting is operating within 10 minutes! Choose the predefined Chart of Accounts that are tailored for service or inventory-based businesses, or modify. All seven modules (General Ledger, Accounts Receivable, Accounts Payable, Inventory, Billing, Purchase Order and Forecasting) are fully integrated. Data posted once is automatically posted to all other related modules saving you time and ensuring accuracy as well.

DacEasy Accounting's strength is its capability for generating reports that provide you with fast information and ultimately better management decisions.

In fact, it provides you with more than 700 reports and "what if" forecasting scenarios based on three-year historical information — great for projecting expenditures and revenue. And, in addition to the program, you'll find the 460-page documentation is written for ease of understanding with helpful hints, screens and examples.



The DacEasy™ 3.0 Series. A World of Difference in Business Software.

Naturally, out of the best-selling accounting program grew the need for related business programs such as DacEasy Payroll. The 3.0 version also features a new intuitive design, pull-down menus, flexible pay periods, current federal and state tax tables, automatic withholdings, printing of checks, W-2's and 1099 forms, and much more. It's no wonder DacEasy is the world's best-selling payroll and personnel management program!

Also new for 1988 is DacEasy Graph+Mate, a RAM-resident program that interfaces with DacEasy Accounting or Payroll. Its easy graphic reporting features pie charts, line charts, bar charts, stacked-bar charts and perspective bar charts. Plus custom file viewing, macros, pop-up calculator and notepad, and more make it the ideal companion.

CIRCLE 220 ON READER SERVICE CARD

DacEasyTM. The World's Best Ongoing Customer Support and Training!

Disk-based tutorials, FREE Getting Started Support, and a brand new video tutor are just a few of the many products and services Dac offers. Accounting and Payroll Tutors serve as on-screen supplements guiding you through installation to complete set-up with colorful graphics, sounds, primers and examples. And now, you can enjoy at your convenience, DacEasy Accounting Video Tutor, a two-hour VHS tape for a fun way to learn Accounting 3.0. Toll-free Extended Support plans and nationwide DacEasy seminars are also available.

A World of Difference in Price!

DacEasy offers the growing business a world of products excelling in performance and price! Priced at \$99.95 each are DacEasy Accounting (all seven modules), DacEasy Payroll and DacEasy Graph+Mate. And for a significant savings is the DacEasy BonusPack which includes DacEasy Accounting, Accounting Tutor, DacEasy Payroll and Payroll Tutor, for only \$199.95. A great start to computerizing your growing business the

To order DacEasyth
Accounting, Payroll and
Graph+Mate by mail send
599.95 (each), BonusPack
\$199.95 to Dac Software
(address below). (Plus
\$7.50 Shipping/Tx residents
add sales tax/\$17.50
shipping outside U.S.)

DacEasy way.

TM

DacEasy

Call 1-800-992-7779

Dac Software

17950 Preston Road • Suite 800 • Dallas, TX 75252

Insilco

We'll Give You Six Solid Reasons



All New Version 2.0

The Clarion Professional Developer Is A Total Programming Environment That Runs On Any IBM PC, PS/2, Or True Compatible With 384K Of Memory And A Hard Disk. The Retail Price Is Just \$695. NOT Copy Protected.

sional Developer and Clarion Software are tradesourks of Clarion Software. Copyright 1988 Clarion Software.

CIRCLE 134 ON READER SERVICE CARD

Slash Your Total Development Effort... From Prototyping To Completion

You'll get live results fast-even before you write the first line of code. Ideas become running applications in a few hours

Designer, the front-end application generator, allows you to produce major programs with no coding. It eliminates prototyping as a preliminary step because design and source code generation are done concurrently. You can implement a dazzling color screen or a report in minutes. You'll probably never code a screen again!

Automatically Generate Commented Source Code For Your Entire Application

The Professional Developer's Designer is the most powerful application generator in the industry. It creates structured source code that is fully commented. You can easily add to it, modify it, or just admire it.

And The Professional Developer is a complete development environment with all the tools that you need.

Create High-Speed, Bullet-Proof Data Management With Built-In LAN Support

Advanced techniques allow you to tune your data management to fit each application. Use related files, data encryption, memo fields, automatic recovery, and commit and rollback-all without compromising Clarion's high level of performance. And complete LAN features are included so the applications you develop will run on your network without any additional run-time or LAN PACK cost.

Interface To Your Own C or Assembler **Routines For Special Requirements**

The Professional Developer will support special device routines and complex logic written in C and Assembler. You won't have to completely re-write all those existing procedures. You can produce completely open-ended solutions that can grow with your needs or requirements.

Produce Executable Programs That Don't **Need Run-Time Systems**

Compile your application into an .EXE program that will run on a stand-alone computer or workstation so you can distribute your programs without costly run-time systems.

Get Started Immediately. You'll Be Productive The First Day.

Although there's a lot of horsepower "under the hood," you'll be producing programs soon after you open the package. You'll find the whole environment friendly and comfortable. PC Week says: "Clarion is easy to learn and easy to use."

And One More.

We'll Give You A Free Preview!

See Your Dealer Or Call Toll Free

(800) 354-5444

For A Free Copy Of Our Tutorial Diskette And Introductory Material

(Or, simply return this coupon).

Name			
Company			
Company			
Address			
City	State	Zip	
Phone ()			
Phone ()			

Clarion Software

150 East Sample Road, Pompano Beach, FL 33064

CONFESSIONS OF A POWER USER



As part of his therapy, a reformed John C. Dvorak recounts a time in his life when fast was never fast enough, and the search for speed became an overpowering obsession.

It's hard to explain this feeling of illease. It's called Poweruseritis. It can happen to anyone, though some doctors say it's genetic. Indeed, some people do seem predisposed. It wrecks careers. It ruins relationships. And all in all, it turns into a futile exercise in silliness. It struck me last year and I'm still getting over its effects. I may never fully recover.

HOT-ROD REVERIE It began when I decided that a PC AT wasn't good enough. What would it be like, I asked myself, if I had the fastest desktop micro I could piece together? A hot-rod machine. The fastest hard disk, the fastest graphics card, the fastest processor. Michael Dell told me to just use his latest 386: it would be fastest all around. Other vendors said they had this and they had that-all of which were the fastest this and that ever. "You'd better hurry up," said one vendor, "tech writer Steve Satchell is putting together a hot-rod machine too." Not understanding the ill effects of Poweruseritis, which had apparently struck me, I figured he was out to personally embarrass me and my slower machine. There must be others, I surmised. I wrung my hands in a frenzy of paranoia.

Pretty soon it became obvious that no hot-rod machine will be the fastest thing in town for more than a month. Every vendor says it has "something" in the works that will be out next month. As time went by I heard that columnist Jerry Pournelle was trying to piece together a hot-rod machine. Oh no!

I made some calls. Suddenly I was inun-

dated with speed burners. My office was full of them. The Compaq 386, the SIA, the VIP, clones galore. I couldn't ship them back fast enough. At one time I must have had 100 mips (million instructions per second) stacked around the desk. I developed the jitters.

I finally settled on Steve Hui's Everex 20-MHz 386 machine, which just blew all my benchmark tests right off the scale. I equipped it with an OMTI ESDI controller from Scientific Micro Systems, a Control Data Wren drive, a 16-bit Compaq VGA card, and a 9,600-bit-per-second modem. It had to be faster than anything else around, running at close to 5 mips. Hooked up to a Zenith flat-screen monitor, it was a pretty impressive WordStar engine. With three different on-line thesauri and 19 TSR utilities I could compute up a real storm. Let's see anybody beat this, I mumbled. The backs of my hands began to itch incessantly.



Then the irony. My thirst for speed had barely been quenched when Steve Hui at Everex said that he would swap out my 20-MHz 386 for a 25-MHz 386 the minute they got some 25-MHz chips from Intel. It should add at least another mip or two, he said. My mouth twitched as I let out a maniacal laugh that echoed in the hallways. I grabbed Hui by the collar: "Nothing can stop me NOW! Hahahahaha!"

POWER USER DETOX That's all I remember. I woke up in a hospital room in the Don Tarbell Clinic. In something of a daze I was slowly weaned off my addiction. At first they'd let me use the Everex at full speed, then they cut the clock speed down further and further until I could eventually be moved to a 6-MHz AT and finally to an IBM PC-XT with a 10MB hard disk. I was reacquainted with an Apple II, an old Commodore PET, and a couple of handmade machines using chips long forgotten. They are my friends. I even loaded a couple of cassette tapes into them. It took a couple of tries.

I left the clinic a few weeks ago; calm, refreshed, and with a brighter outlook on life. I now see that normal people do get true functionality from an IBM PC-XT or an Apple II.

They aren't "idiots who can't keep up the pace," like I used to think. I just have to remember what I was taught at the clinic and what I say in front of my regular weekly group: "I am a Power User. Forgive me. As a recovering Power User, I now know I can fight this disease." Then I drive home in my Nash Metropolitan.

MNUTERMAN®

UNINTERRUPTIBLE POWER SUPPLIES

- Fully Automatic Operation
- Order Ship Same Day
- Full One Year Warranty
- 250 Watt to 1600 Watt Models

TOTAL POWER PROTECTION

- Blackouts Enables user to operate during complete loss of power.
- Brownouts User is protected from low AC voltage below 102
- Overload Protection Automatic shutdown in overload situation to protect UPS from inverter burnout.
- Overvoltage Protection UPS runs on inverter (117 volts) when AC voltage exceeds 132 volts.
- Surges/Spikes Clamps transients above 200 volts with an energy rating of 100 joules or less.
- EMI/RFI Three stage filtering for clean AC power.
- Syncronized Sinewave* Eliminates voltage reversal to input or your equipment.
- 1 Millisecond Transfer Time* This includes detection and transfer so your machine never notices loss of electrical power.
- Two Audible Atarm Levels Notifies user of battery usage and two (2) minute warning.
- LED Display Informs user of operation mode, power utilized on AC, plus "On Battery" and battery power status.
- Alarm Silencer Enables user to silence alarm for quiet continued operation during battery operation.
- Optional Signal Port Enables UPS to notify computer of loss of AC power to allow computer to backup or shut down.
- *250 watt and 500 watt units offer 4 msec transfer time, PWM wave form



Suggested Retail

34	35csted Retuin	
250 WATT	120 Volt	\$ 359.00
300 WATT	120 Volt	\$ 549.00
500 WATT	120 Volt	\$ 699.00
600 WATT	120 Volt	\$ 899.00
1200 WATT	120 Volt	\$1499.00
1600 WATT	120 Volt	\$1999.00

230 Volt Units Also Available



1455 LeMay Drive Carrollton, Texas 75007 Telephone: (214) 446-7363

1-800-238-7272

FAX: (214) 446-9011

TELEX: 140275 OMEGA

INSIDE TRACK

Action at Lotus abounds as employees sell off stock; Release 3.0 of 1-2-3 delayed. Coincidence?

The industry is abuzz over the sell-off of Lotus stock last February by many of its top executives. If all the facts are correct, there are more than a few interesting observations to be made. First off, who sold what? Jim Manzi, the president, sold nearly 30 percent of his holdings, vice president Palmer True sold 99 percent of his holdings, and Susan Yeomans, another VP, sold 96 percent of her holdings. Edward Belove, VP, sold 100 percent of his holdings and Dan McMillan sold 98 percent of his holdings. I could go on. Over \$15 million worth of Lotus stock was dumped, er, sold. That was all in February. On March 23, the company announced it would delay the release of Version 3.0 of 1-2-3 for at least 6 months. The stock took a dive.

The SEC supposedly is looking into this, but Lotus people say the sell-off and subsequent announcements were a coincidence. According to one report all this was just a lot of previously executed stock options being sold off for one reason or another. Lotus general counsel Tom Lemberg was quoted as saying that the officers who sold the stock in February "had no way of knowing that release 3.0 would be delayed in March." OK, let's give them the benefit of the doubt and believe that assertion.

If that assertion is true, then you have to wonder what the heck is going on at Lotus if the progress of its number-one priority project isn't being monitored by the executives who run the company. What are they doing with their time? You also have to wonder what kind of confidence they have in the future to be selling off their stock so enthusiastically. I'm sure this activity pleases Messrs. William Gates III and Philippe "Genghis" Kahn to no end as sales of Excel and Quattro

boom. Once again, it's starting to look like a new ball game is emerging in the spreadsheet arena. Remember a company called VisiCorp?

Trying to Cheat Reality Dept.: Recently I got hold of an Atari Mega4. It's the newest version of the 68000-based ST series, but with 4MB RAM. I was sent a program called PC-Ditto from Avant-Garde Systems in Jacksonville, Florida. PC-Ditto is a software emulator that tells the 16-MHz 68000 chip inside the Mega4 to emulate the 8086's instruction set. I was shocked to discover that it worked. Once installed I could shove a DOS diskette into the Atari, boot MS-DOS, and run most PC applications. I noticed, though, the applications ran (putting it mildly) sluggishly. So I ran the PC Labs benchmark tests and other test programs on the machine. Most tests saw the emulator as a virtual machine and gave me an accurate indication of its speed as a PC clone. It was terrible. It ran at 1/5 the speed of an already lethargic old 4.77-MHz PC-XT. Man, that's slow! Assuming that the 68000 clicking along at 16 MHz is at least as powerful as an 8-MHz 80286 machine, this means that the emulator saps the power of the chip by a factor of about 20 to 1 depending on how you calculate these things. That means the machine is effectively running at 5 percent of its power.

It's hard to tell if the Avant-Garde 95percent power drain is good or bad. In the past we've not seen emulators for the simple reason that they are so slow that vendors won't release them. For all I know, the Avant-Garde software is a screamer. The only other emulators I've played with emulated 6502 code on a Macintosh. No benchmark tests were available to test their efficiency.

This interests me because emulation is the key to the potential sales of RISCbased microcomputers in our computer marketplace. If some new cure-all RISC chip claims to be a 10-mips chip, it will be sold as having twice the power of a 24-MHz 80386 chip. This may be meaningless if under 8086 emulation it runs at 5percent power or .5 mips—the speed of a turbo XT. This isn't progress, it's marketing. Get those benchmark test disks out and keep them handy.

While on the subject of marketing. Half of 1987 and most of 1988 has been spent discussing two standard bus architectures: the old PC bus and the Micro Channel or MCA bus. The current consensus is that both will live forever and nobody really cares about the MCA bus. The only big-time booster for the MCA bus has been our editor-in-chief and publisher, Bill Machrone, who, because he likes most things that are nifty and new, was largely ignored. I've watched this debate from the sidelines, but I see the same old trend. Nobody shows any interest at first, then it's like the formation of a crystal in a chem lab beaker: once a seed is dropped into the liquid, everything changes instantly. The seed, in this case, is Tandy's announcement of an MCA bus. I figure that by this time next year we'll be talking about the old bus in terms of how long it has to live. "A week? Maybe two?" When the market starts to slide, you watch them bail out of that old bus as fast as they can.

Final Note Dept.: I finally got to play with HP's New Wave graphical interface for the IBM PC. While it may never see the light of day if Apple has its way, let me compliment the programmers at HP for turning the Windows Executive into a work of art. This interface is what it's all about. While the metaphor could have been a little less like a Mac copy, the implementation is **spectacular**. It's worth the effort to find someone who can give you a demonstration.

No Matter How It's Protected, Be Sure You Can Back It Up.

Several products can back up protected software. But only two are tough enough to handle even the trickiest protection schemes.

Copy II PC, for just \$39.95, backs up more protected software than any other program. What's more, it can remove copy protection already on your hard disk. PC Magazine calls it the "easiest of such programs to use." And now, with our menu-driven Noguard, it's a snap. Copy II PC easily handles Lotus 1-2-3 and over 100 other top-selling programs.

For the ultimate solution, try the Copy II PC

Deluxe Option Board. For just \$159, it gives you the same advanced technology used by commercial disk duplication firms.

PC Magazine reported it "could not find a

PC Magazine reported it "could not find a program this board couldn't handle." It's so powerful, in fact, it even lets you read and write Mac data files in a IBM PS/2 Model 25 or 30, or a PC or AT with a 3.5" internal drive.

No matter how it's protected, be sure you can

back it up. For the dealer nearest you, or to order direct, call (503) 690-8090,

M-F, 8 a.m. to 5 p.m. (West Coast time).



15220 N.W. Greenbrier Pkwy. #200 Beaverton, Oregon 97006 (503) 690-8090 Sales/Info (503) 690-8080 Tech Support

Superlok, Everlok and

Copy II PC (West Coast tille). (503) 690-8080 Tech Support Copy II PC Deluxe Option Board

"There's No Reason To Look Beyond "There's No Reason To Look Beyond" "The Reason To Look Beyond Beyo

-PC Magazine, Editor's Choice Award, Two-Time Winner

Data Recovery · Fast Hard Disk Backup · Disk Management

Now we've given you even more reason-PC Tools™ Deluxe.

PC Tools Deluxe gives you all the best features of Fastback, Norton, XTREE, Mace, Sidekick, Lightning and Disk Optimizer—a \$700 value—for just \$79.

Other utilities may claim they "do it all," but only PC Tools Deluxe delivers:

• A DOS shell so complete
80 Micro called it their "overwhelming choice based on
versatility, ease of use, and
cost." • The best UNDELETE
available—instead of merely
"guessing," it recovers all data
even on fragmented files.


• HARD DISK BACKUP
as fast and every bit as reliable
as Fastback. • The leading
UNFORMAT for hard disks
and floppy disks, enabling you to
recover from many disk disasters.

 PCFORMAT for safe formatting of floppy and hard disks.

• A quick, reliable **DISK CACHING** utility for speeding up disk access.

• A fast COMPRESS feature that like Disk Optimizer dramatically improves hard disk performance. • And a better resident mini WORD PROCESSOR than Sidekick, including word wrap, search/replace, formatted page printing and more.


Before you buy any of these other utilities, take a look at PC Tools Deluxe. Like PC Magazine, you'll find there's no reason to look any further. For the dealer nearest you, or to order direct, call (503) 690-8090, M-F, 8 a.m.-5 p.m. (West Coast time).



CIRCLE 120 ON READER SERVICE CARD

Central Point Software

15220 N.W. Greenbrier Pkwy. #200 Beaverton, Oregon 97006 (503) 690-8090 Sales/Info (503) 690-8080 Tech Support



New Hope for Unsociable Computers.

Just a few short minutes with CROSSTALK* Mk. 4 can start your PC communicating with most anyone.

You can open up a world of new possibilities for your PC through our advanced communications software-and you don't have to be a genius to do it.

With a phone line and modem, CROSSTALK Mk. 4 can get your PC into a dial-up information service like CompuServe* with a single command. Our scripts make it as easy as filling in a few blanks on a screen.

Want to exchange words with other PCs? You can create your own command scripts to simplify and automate entire communications sessions.

When you're ready for bigger worlds, you can break down barriers between your PC and minis and mainframes with CROSSTALK Mk. 4. It emulates over 20 popular terminals, supports the most-used protocols, and helps drive IRMA™ or Smart Alec™ interface boards through a single set-up screen.

For advanced communicators, CROSSTALK Mk. 4 handles concurrent sessions with multiple devices. Its high-level programming language, CASL™ helps you create customized, menu-driven user interfaces and other applications programs.

As you see, we make communication as simple or sophisticated as you need to get the most out of your newly compatible PC. See your dealer, or contact us.



CROSSTALK COMMUNICATIONS / 1000 Holcomb Woods Parkway, Roswell, Georgia 30076 / (800) 241-6393

A Division of Digital Communications Associates, Inc.

CROSSTALK is a registered trademark of Digital Communications Associates, Inc. / CASL, RMA and Smert Alec are trademarks of Digital Communications Associates, Inc. / CompuServe is a registered trademark of CompuServe, Inc. an #AR Block Company

386 PCs: REDEFINING THE WORKSTATION



With bigger and better monitors, faster and larger hard disks, and simplified networking capabilities, 80386-based PCs stand a good chance of being the workstations of the future.

Sometimes change sneaks up quietly, gradually taking over and, without our noticing, modifying fundamental aspects of the way we work and the form and function of the tools we use. And sometimes change jumps out of the shadows and bops you on the head, mugging you and altering your life before you realize what's happened.

Both models of change have been at work in the PC business. The rapid work-stationization of personal computers that has been happening with a quiet inevitability is now coming in a sudden rush.

The April release of Sun's new 386i series hybrid PC/workstation underscored the trend. But the movement was under way long before Sun rolled out the BMW soundalikes.

The term "technical workstation" has been as loosely defined as any in computing. But over the past couple of years, a consensus has formed about what a workstation is and how it differs from a PC.


That emerging definition of a workstation includes a large, high-resolution monitor with graphical displays under a windowing system; a fast, powerful 32-bit microprocessor; at least 2 to 4MB of RAM installed (with the potential to add at least 8 to 16MB more), a fast, large-capacity hard disk; the ability to run the Unix operating system; and the capability to make networking easy, probably by including built-in network connections for a widely used standard such as Ethernet.

Does that sound . . . ummm . . . a bit familiar? Like maybe today's 80386-based personal computers?

CHALLENGING THE MYSTIOUE

The workstation mystique has endured, no matter how well 386-equipped PCs measure up. But look for a moment at just how well the current crop of high-end 386s meet that workstation definition:

- There's a clear move toward larger, higher-resolution displays for high-end PCs—though for now we've unfortunately stalled out on the so-so Video Graphics Array standard. IBM's new larger, higher-resolution 8514 display will be the next benchmark in display quality. At \$3,000 for the 8514 display and card, it's too expensive to really become a standard, but it will get a lot of attention and accelerate the trend toward bigger, better monitors.
- A bigger character-only display would be a waste, so a graphical standard for that display is equally important. Windows 2.0 and Windows/386 provide that windowing-display glue. The Presentation Manager in OS/2, Version 1.1, will extend that



standard's franchise, despite the stink bombs dropped by Apple's suit against Microsoft and Hewlett-Packard—and implicitly against IBM—over the look and feel of Windows.

- The Intel 32-bit 80386 chip found in current high-end PCs is giving Motorola's 68000-series microprocessors (the dominant choice for workstations) a run for the money. Vendors are supporting the Intel chip with only 1 or 2MB of RAM in baseprice configurations, but that's largely a function of the artificially skewed DRAM memory-chip prices we're seeing. Most 386 PCs accept several megabytes of RAM on their motherboards, and all accept substantial additional doses of RAM on plug-in memory cards.
- Almost every 386 PC is now offered with a large, fast hard-disk option. The 130–150MB CDC Wrens with their sub-20-millisecond access times, supported by ESDI interfaces, are popular choices, and they outperform the kinds of hard disks previously seen as standard for workstations.
- The Santa Cruz Operation's Xenix, plus Unix products from Interactive Systems, Locus Computing, and others, have become well-respected, widely available operating systems for 386 PCs.
- And while network connectors built into PCs remain rare birds, the proliferation of plug-in network cards that support every possible protocol and wiring scheme makes networking easier and more versatile with PCs than with most workstations.

Does this mean PCs have turned into workstations? And does that matter?

JIM SEYMOUR

It matters a great deal. And not just because, as the cynics will note, workstationlevel PCs run \$10,000 and more, while good, fully equipped AT-based clones have fallen below the \$2,000 level.

Until now, the differences in power and function between PCs and workstations forced us to adopt either a sloppy myth or a sloppy desktop. The sloppy myth was that people who needed and used workstations

did nothing but technical computing all day long and had little need of other functions.

The alternative—the sloppy desktop reflected the reality that people who do technical computing do many kinds of work, much of it better handled by MS-DOS productivity programs . . . and so they plopped a PC down on their desks next to the workstation.

Apple has made much of the discovery

 Apple has made much of the discovery that engineers also write letters and use spreadsheets, hyping the Macintosh II as an all-

purpose workstation.

that engineers write letters and use spreadsheets, hyping the Macintosh II as an allpurpose workstation. In truth, the Mac II's a little underpowered as a Unix-driven technical workstation, though it's a lovely productivity machine. But high-end 20-MHz 386 PCs from IBM, Compaq, Dell, ALR, and others make very good dualpurpose DOS/Unix workstations. The new Sun 386i goes a step further.

A WELCOME CONVERGENCE

There's no longer a need for genuine power users to compromise by cluttering the desk with two machines. And we won't need to give up the richness and breadth of sophisticated DOS applications to get the muscle of Unix technical applications in finance, engineering, or science. We'll be able to have both systems on our machines, running simultaneously, and get the best of both worlds.

Which is why the workstation-PC convergence is as welcome as it is overdue. And why the trend toward workstationization of PCs is going to become a very noisy one indeed.



LINK WORLDWIDE OFFICES ON YOUR PC's ...

Let Mail-Server communications software create a permanent and vital link between your locations all over the US or all over the globe, using any Hayes compatible modem. Link together headquarters, branch offices and outside salespersons through their PCs, with or without human intervention, even when your mail room is closed for the day. Day and night, Mail-Server collects and delivers your messages and files: it's your full time electronic post office.

... with the ELECTRONIC-MAIL FEATURES ...

Mail-Server creates mailing lists and sends files and messages to multiple locations at once.

Mail-Server maintains distribution lists and delivers mail to multiple mailboxes at the same location.

Mail-Server retrieves E-Mail from remote PC's.

... of MAIL-SERVER INTEGRATED COMMUNICATIONS SOFTWARE.

Mail-Server features automated. unattended. background, remote communication; terminal emulation and much more!

Mail-Server's encrypted, multi-level passwords restrict remote access to your data.


Mail-Server, brought to you by 3X, a leading European software manufacturer, has been specially designed to accomodate differences in international phone systems.

AUTOMATICALLY and UNATTENDED

With Mail-Server, All communications tasks can be executed AUTOMATICALLY and UNATTENDED, whatever PC application is running at the time. CALLS can be scheduled to take place, UNATTENDED, at a pre-scheduled date and time, or every day, at the same time, when phone rates are at their lowest.

For \$195, Mail-Server lets your company use its PC's to enter the era of distributed information.

For additional information call 3X USA today to build your company's global network.



3X USA Corp. One Executive Drive, Fort Lee, NJ 07024 Phone: (800)327-9712 (201)592-6874 (N J) Fax: (201)592-0908

CIRCLE 484 ON READER SERVICE CARD

COMPLETE 12 MHz ZERO-WAIT 286 SYSTEM WITH 32MB HARD DRIVE!

Can you believe it? Yes you can!

32 MB hard drive. 12 MHz ZERO Wait State. Fully AT compatible. Our complete '286 system ready to plug in and fly right out of the box! At the amazing price of only \$1,295!

How is it possible? By buying direct from the manufacturer that's how. ZEOS International offers you the finest, best-backed fully AT compatible systems available . . . at factory direct prices.

We think you'll agree, this is the very best value you'll find anywhere.

And every ZEOS® system is fully assembled, burned-in and tested in our own laboratories. We would like to build one for you. Give us a call today!

OTHER ZEOS OPTIONS:

- Basic System Only: Everything except a hard drive. \$995
- Complete 60 + MB hard drive system! Only \$1,595
- EGA Upgrade. 14" EGA color monitor with ZEOS EGA card. Fully tested. Add \$495
- Many other drives and options available. Call Toll Free for details, 800-423-5891.

ZEOS® Customer Assurance Program

Compare not only our features but the ZEOS® Customer Assurance Program as well: 1. Full refund within 30 days of shipment if you are not absolutely satisfied. 2. One full year limited warranty on parts and labor. 3. Federal Express replacement of any failed parts for your first year of ownership.

NEW! ZEOS" '386 Motherboards!

ZEOS® 80386 motherboards, 16 or 20 MHz, Zero-Wait state. Up to 16MB of 32-bit memory on board. Plus on board options include Weitek 1167 Math Co-processor, 80387, 80287, FDC and SCSI HDC. Ideal for upgrades and OEM systems. Only \$1395.00

Heavy Duty 200W Power Supply.

■ Real Time Clock/Calendar with

512K, 80ns Memory expanda-

ble to 1MB on the Mother-

Battery Backup.

board.




- 12" High Resolution Amber Screen TTL Monitor with Tilt & Swivel base. Easy on the eyes!
- 80286 CPU Zero-Wait State Motherboard with 8 I/O slots and socket for 80287 Math Co-processor.
- 6/12 MHz Dual Speed, Keyboard Selectable, Zero Wait-State. Phoenix BIOS!
- Delinie AT-style Case Security Keylock
- Reset Button, LEDs













- 32MB hard drive.
- High Resolution Monochrome Graphic Card.
- FCC approved

And More!

AT is a registered trademark of IBM Corporation.

Due to currency fluctua-tions and other factors beyond our control, prices are subject to change without notice.

Call for complete warranty details

In Minnesota Call: 612-633-4591 FAX Orders Dial: 612-633-2310

Manual Ma







ORDER NOW TOLL FREE 800-423-5891

CIRCLE 723 ON READER SERVICE CARD

530 5th Avenue NW. Suite 1000 St. Paul. MN 55112

SOFTWARE SIDER SOFTWARE SOLUTIONS

COFTWARE	
SOFTWARE	
Pagemaker	499.00
AMERICAN SMALL BUSINESS Design Cad	165.00
Design Cad 30	165.00
Multimate II Dbase III Plus	289.00 409.00
Rapidfile Framework II	219.00 429.00
Chartmaster Master Graphics	239.00 379.00
AUTODESK	
Autosketch Enhanced BANKER BLUE Con Disc.	65.00
Org Plus BLOC DEVELOPMENT	65.00
Formtool W/Greatest Hits BORING COMPUTER SERVICES	65.00
Boeing Graphics (3D Color)	219.00
Turbo Database Toolbox Turbo Graphix	65.00
The Developer's Library Turbo Lightning	235.00 55.00
Rellex Superkey	90.00 65.00
Turbo Prolog	55,00
Turbo Basic Turbo C	65.00 65.00
Sidekick Sidekick Plus	59.00 119.00
Eureka Quattro	99.00 149.00
Paradox V 2 0 BORLAND INTERNATIONAL	405.00
Turbo Pascal 4 0 Turbo Tutor 4 0	65.00 45.00
Der PLUS	55.00
Timeline V 3	CALL
Timeline Graphics	119.00
Print Shop Memory Mate	39.00 45.00
PC File +	45.00
Copy II PC	29.00
Copy II PC Option Brd Dix PC Tools Deluxe	115.90 45.00
COMPUTER ASSOCIATES Supercard IV	299.00
Superproject Expert ACCPAC Easy	459.00 69.00
ACCPAC BPI Silverado	295:00 99.00
CONCENTRIC DATA SYSTEMS R & R Relational Report	115.00
CONSUMER SOFTWARE Duet	75:00
CORE INTERNATIONAL Corelast	99:00
DAC Easy Accounting 2 0	59.00
Easy Payroll 2 0 Bonus Pack	40.00
DELTA TECHNOLOGY Direct Access	59.00
DIGITAL MARKETING Grammatik II	59.00
DIGITAL RESEARCH Gem Desklop	32.00
Gem Draw Plus Gem Collection	179.00 89.00
Gem Word Chart Presentation Team	119.00 295.00
Desktop Publisher	185.00
Smalltalk V	79.00 149.00
Smalltalk V 286	
X Tree Pro	39.00 69.00
FASTDACH	82.00
Fastback P us FOX SOFTWARE	105.00
Foxbase Multi user	215.00
Foxbase Runtime Unlimited	279.00

GENERIC SOFTWARE	70.00
Generic Cad Dot Plot	59.00
Auto Convert	29.00 29.00
Auto Dimension	29.00
3D Solid Modeling/Rendering	179.00
Smartcom III	165.00
Displaywrite IV	299.00
DOS 3 3	95.00
Lattice C Compiler	245.00
LEADING TOGE	240.00
Word Processor W/Spell/Merge Word Processor V1 5	65.00 125.00
LIPETREE	123.00
Volkswriter III LIVING VIDGOTEXT	169.00
Grandview	169.00
LOTUS DEVELOPMENT	400.00
Symphony V 2 Manuscript	489.00 359.00
Lotus 1-2-3	329.00
Hal Freelance Plus	110.00 369.00
Graphwriter	369.00
Metro	75.00
MATHSOFT Mathcad 2 0	239.00
MAXIMINE	240.00
Max Think	49.00
MBCA Managing Your Money 4-0	125.00
MERIDIAN TECHNOLOGY	A Car ou
Carbon Copy Plus	109.00
MICROLOGIC Tornado W/Library	79.00
MICROPRO	200 00
Wordstar Professional 4 0 Wordstar 2000 Plus	259.00 245.00
MICRORIM	
Rhase for Dos Michosoft	509.00
Pageview	39.00
Quick C	69.00
Word Quickbasic	59.00
C Compiler	309.00
Fortran Compiler	309.00
Cobol Compiler Macro Assembler	469.00 105.00
Learning DOS	39.00
Flight Simulator Excel	39.00 329.00
Windows 386	145.00
PC Works	145.00
MICHOSTUF Crosstalk XVI	99.00
Crosstalk Mark 4	129.00
Ability Plus	145.00
HANTUCKET	
Clipper HASHORA	399.00
Nutshell Plus	169.00
NEW ENGLAND SOFTWARE Graph-In-The-Box	55.00
HORTH EDGE SOFTWARE	
Timeslips III PAPERBACE SOFTWARE	119.00
VP Info	69.00
VP Planner	59.00
VP Planner Plus PATTON & PATTON	99.00
Flowcharting II Plus	155.00
PAUL MACE Mace Utilities	59.00
PC SUPPORT GROUP	
Lightning Lucid 3D	59.00 59.00
PEACHTREE	
Complete Accounting II PERSOFT	169.00
Smarterm 240	219.00
Rifficed PETER NORTON COMPUTING	49.00
Norton Utilities	55.00
Norton Utilities Advanced	79.00
Norton Commander POLYTRON	39.00
Polywindows Desk Plus	49.00
Polyboost II	45.00
• Immediate shipment on purchase	
from qualified institutions (school	

PRIME SOLUTIONS Disk Technician	65.00
Disk Technician Plus	95.00
QUAID SOFTWARE	
Copywrite Jerodisk QUARTERDECK	CALL
Desgview 2 01	75.00
RIGHTSOFT	E0 00
Rightwriter SCITOR	59.00
Project Scheduler Network	379.00
ASK SAM SYSTEM ASK Sam	255.00
SIMON & SCHUSTER	233.00
New World Writer	79.00
Typing Tutor IV SOFTCLONE	32.00
Mirror II	39.00
SOFTLOGIC SOLUTIONS	
Disk Opt mizer Cubit	42.00 42.00
Double 005	42.00
@ Liberty	119.00
Magic Mirror SOFTWARE MASTER	50.00
Flash 5 0	49.00
SOFTWARE PUBLISHING	
PFS Professional Publisher PFS Professional Write	65.00 119.00
PFS Professional File	140.00
PFS Professional Plan	N9.00
PFS First Choice Harvard Total Project II	79.00 375.00
Harvard Graphics	339.00
SOFTWARE TOOLS	
Viewgen SYMANTEC	95.00
A & 0	235.00
TRAVELLING SOFTWARE	
Laplink Plus TURNER MALL	90.00
Note-It-Plus	59.00
SOZ Plus	59.00
Cambridge Spreadsheet Analyst	69.00
Printmaster Plus	32.00
Art Gallery I & II (Each)	22.00
Newsmaster WALLSOFT	55.00
The Documentor	189.00
dFlow	89.00
WISEWARE Prime Time	85.00
WORD PERFECT CORPORATIO	
MANUAL MANUAL WINDS	
Word Perfect 5 0	209.00
Word Perfect 5 0 Word Perfect Network Server	209.00 305.00
Word Perfect 5: 0 Word Perfect Network Server Word Perfect Network Add-Dn Plan Perfect	209.00 305.00 75.00 175.00
Word Perfect 5, 0 Word Perfect Network Server Word Perfect Network Add-Dn Plan Perfect Data Perfect	209.00 305.00 75.00 175.00 275.00
Word Perfect 5-0 Word Perfect Network Server Word Perfect Network Add-Dn Plan Perfect Data Perfect Word Perfect Executive Word Perfect Library	209.00 305.00 75.00 175.00
Word Perfect 5 0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Word Perfect Executive Word Perfect Library WORD TECH	209.00 305.00 76.00 175.00 275.00 119.00 59.00
Word Perfect 5-0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Data Perfect Word Perfect Executive Word Perfect Library WORD TECH DBXL Diamond	209.00 305.00 76.00 175.00 275.00 119.00 59.00
Word Perfect 5 0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Word Perfect Executive Word Perfect Library WORD TECH	209.00 305.00 76.00 175.00 275.00 119.00 59.00
Word Perfect 5-0 Word Perfect Network Server Word Perfect Network Add-Dn Plan Perfect Data Perfect Word Perfect Executive Word Perfect Executive Word Perfect Library WORD TECH DBAL Diamond Quicksilver Diamond XENCX Ventura Publisher 1-1	209.00 305.00 76.00 175.00 275.00 119.00 59.00
Word Perfect 5-0 Word Perfect Network Server Word Perfect Network Add-Dn Plan Perfect Data Perfect Word Perfect Executive Word Perfect Executive Word Perfect Library WORD TECH DBAL Diamond Quicksilver Diamond XENCX Ventura Publisher 1-1	209.00 305.00 75.00 175.00 275.00 119.00 59.00
Word Perfect 5 0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Data Perfect Word Perfect Executive Word Perfect Library WORD TECH DBXL Diamond Quicksilver Diamond XEROX Ventura Publisher 1 1 HARDWARE ARRAY TECHNOLOGIES (ATT)	209.00 305.00 75.00 175.00 275.00 119.00 59.00 119.00 345.00
Word Perfect 5 0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Data Perfect Word Perfect Executive Word Perfect Library WORD TICH DBXL Diamond Quicksilver Diamond XEROX Ventura Publisher 1 1 HARDWARE ARRAY TECHNOLOGIES (ATT) Ega Wonder	209.00 305.00 75.00 175.00 275.00 119.00 59.00
Word Perfect 5 0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Word Perfect Executive Word Perfect Executive Word Perfect Library WORD TICH DBXL Diamond Quicksilver Diamond XHROX Ventura Publisher 1 1 HARDWARE ARRAY TECHNOLOGIES (ATT) Ega Wonder Premium 286 Model 140 Computer	209.00 305.00 75.00 175.00 275.00 119.00 59.00 MI.00 345.00 519.00
Word Perfect 5 0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Word Perfect Executive Word Perfect Library WORD TECH DBXL Diamond Quicksilver Diamond XHOX Ventura Publisher 1 1 HARD WARE ARRAY TECHNOLOGIES (ATT) Egg Wonder ATT BESTARCH Premium 286 Model 140 Computer Premium 286 Model 80 Computer	209.00 305.00 75.00 175.00 275.00 119.00 59.00 MI.00 345.00 519.00
Word Perfect 5 0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Word Perfect Executive Word Perfect Executive Word Perfect Library WORD TECH BBXt Diamond Quicksilver Diamond XHOX Ventura Publisher 1 1 HARDWARE ARRAY TECHNOLOGIES (ATT) Egg Wonder ATT BELLARCH Premium 286 Model 140 Computer Premium 286 Model 80 Computer Advantage Premium 512K	209.00 305.00 75.00 175.00 275.00 119.00 59.00 MI.00 345.00 519.00 2749.00 1645.00 335.00
Word Perfect 5 0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Word Perfect Executive Word Perfect Library WORD TECH DBXL Diamond Quicksilver Diamond XEROX Ventura Publisher 1 1 HARDWARE ARRAY TECHNOLOGIES (ATT) Ega Wonder ATT RELACCH Premium 286 Model 140 Computer Premium 286 Model 80 Computer Premium 286 Model 80 Computer Advantage Premium 512K Six Pack Plus 384K Six Pack Premium 256K	209.00 305.00 76.00 175.00 275.00 119.00 59.00 119.00 519.00 2749.00 1645.00 249.00 249.00 219.00
Word Perfect 5 0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Data Perfect Data Perfect Data Perfect Executive Word Perfect Executive Word Perfect Library WORD TECH DBXt Diamond Quicksilver Diamond XEROX Ventura Publisher 1 1 HARD WARE ARRAY TECHNOLOGIES (ATT) Ega Wonder ATT RESEARCH Premium 286 Model 140 Computer Permium 286 Model 80 Computer Advantage Premium 512K Six Pack Plus 384K Six Pack Premium 256K Rampage AT 512K	209.00 305.00 76.00 175.00 275.00 119.00 59.00 119.00 519.00 2749.00 1645.00 249.00 249.00 219.00 365.00
Word Perfect 5 0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Data Perfect Data Perfect Data Perfect Executive Word Perfect Executive Word Perfect Library WORD TECH DBXt Diamond Quicksilver Diamond XINOX Ventura Publisher 1 1 HARDWARE ARRAY TECHNOLOGIES (ATT) Ega Wonder ATT RESEARCH Premium 286 Model 140 Computer Premium 286 Model 80 Computer Advantage Premium 512K Six Pack Plus 384K Six Pack Premium 256K Rampage AT 512K AST 5251/11 Enhanced	209.00 305.00 76.00 175.00 275.00 119.00 59.00 189.00 519.00 2749.00 1645.00 249.00 249.00 249.00 579.00
Word Perfect 5 0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Library WORD TICH DBXL Diamond Quicksilver Diamond XEROX Ventura Publisher 1 1 HARDWARE ARRAY TICHNOLOGIES (ATT) Ega Wonder ATT REHARCH Premium 286 Model 140 Computer Premium 286 Model 80 Computer Advantage Premium 512K Six Pack Plus 384K Six Pack Plus 384K Six Pack Premium 256K Rampage AT 512K AST 5251/11 Enhanced Hot Shot	209.00 305.00 76.00 175.00 275.00 119.00 59.00 80.00 519.00 189.00 2749.00 1645.00 249.00 249.00 249.00 255.00 249.00 365.00 365.00
Word Perfect 5 0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Data Perfect Data Perfect Word Perfect Executive Word Perfect Executive Word Perfect Library WORD TICH DBXL Diamond Quicksilver Diamond XHROX Ventura Publisher 1 1 HARDWARE ARMY TECHNOLOGIES (ATT) Ega Wonder ATT BESARCH Premium 286 Model 140 Computer Premium 286 Model 80 Computer Advantage Premium 512K Six Pack Plus 384K Six Pack Premium 256K Rampage AT 512K AST 5251/11 Enhanced Hot Shot ATD ZUCKER Monographics Short Card	209.00 305.00 76.00 175.00 275.00 118.00 59.00 118.00 519.00 189.00 2749.00 1645.00 335.00 249.00 279.00 365.00
Word Perfect 5-0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Data Perfect Word Perfect Executive Word Perfect Executive Word Perfect Library WORD TICH BBXL Diamond Quicksilver Diamond XHROX Ventura Publisher 1-1 HARDWARE ARRAY TICHOLOGIES (ATT) Ega Wonder ATT HELLARCH Premium 286 Model 140 Computer Premium 286 Model 80 Computer Advantage Premium 512K SIX Pack Plus 384K SIX Pack Plus 384K SIX Pack Premium 256K Rampage AT 512K AST 5251/11 Enhanced Hot Shot ATD ZUCKER Monographics Short Card Memory Expansion 384K Modular 1/0 Bare P/S/Clock	209.00 305.00 76.00 175.00 275.00 119.00 59.00 80.00 519.00 189.00 2749.00 1645.00 249.00 249.00 249.00 255.00 249.00 365.00 365.00
Word Perfect 5-0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Data Perfect Word Perfect Executive Word Perfect Library WORD TECH DBXt Diamond Quicksilver Diamond XHROX Ventura Publisher 1-1 HARDWARE ARRAY TECHNOLOGIES (ATT) Ega Wonder ATT HETARCH Premium 286 Model 140 Computer Premium 286 Model 80 Computer Advantage Premium 512K Six Pack Plus 384K Six Pack Plus 384K Six Pack Premium 256K Rampage AT 512K AST 5251/11 Enhanced Hot Shot ATD ZUCKER Monographics Short Card Memory Expansion 384K Modular 1/0 Bare P/S/Clock Clock Board Standalone	209.00 305.00 75.00 175.00 275.00 119.00 59.00 119.00 345.00 519.00 2749.00 1645.00 335.00 249.00 219.00 355.00 579.00 375.00
Word Perfect 5-0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Data Perfect Word Perfect Executive Word Perfect Library WORD TECH DBXt Diamond Quicksilver Diamond XHIOX Ventura Publisher 1-1 HARDWARE ARRAY TECHNOLOGIES (ATT) Ega Wonder ATT HETARCH Premium 286 Model 140 Computer Premium 286 Model 80 Computer Advantage Premium 512K Six Pack Plus 384K Six Pack Plus 384K Six Pack Premium 256K Rampage AT 512K AST 5251/11 Enhanced Hot Shot ATD ZUCKER Monographics Short Card Memory Expansion 384K Modular 1/0 Bare P/S/Clock Clock Board Standalone 1200 Baud Internal Modem	209.00 305.00 76.00 175.00 275.00 119.00 59.00 119.00 345.00 519.00 2749.00 1645.00 335.00 249.00 249.00 279.00 355.00 579.00
Word Perfect 5-0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Word Perfect Executive Word Perfect Library WORD TICH DBXL Diamond Quicksilver Diamond XINOX Ventura Publisher 1-1 HARDWARE ARRAY TICHNOLOGIES (ATT) Ega Wonder ATT BEFARCH Premium 286 Model 140 Computer Premium 286 Model 80 Computer Advantage Premium 256K Six Pack Plus 384K Six Pack Plus 384K Six Pack Premium 256K Rampage AT 512K AST 5251/11 Enhanced Hot Shot ATD DICKER Monographics Short Card Memory Expansion 384K Modular 1/0 Bare P/S/Clock Clock Board Standalone 1200 Baud Internal Modem GTTZEN 1200	209.00 305.00 76.00 175.00 275.00 119.00 59.00 119.00 519.00 519.00 249.00 249.00 249.00 249.00 249.00 355.00 79.00 175.00 75.00 75.00 229.00
Word Perfect 5-0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Word Perfect Executive Word Perfect Library WORD TICH DBXL Diamond Quicksilver Diamond XINOX Ventura Publisher 1-1 HARDWARE ARRAY TICHNOLOGIES (ATT) Ega Wonder ATT BEFARCH Premium 286 Model 140 Computer Premium 286 Model 80 Computer Advantage Premium 256K Six Pack Plus 384K Six Pack Plus 384K Six Pack Premium 256K Rampage AT 512K AST 5251/11 Enhanced Hot Shot ATD DICKER Monographics Short Card Memory Expansion 384K Modular 1/0 Bare P/S/Clock Clock Board Standalone 1200 Baud Internal Modem GTTZEN 1200	209.00 305.00 76.00 175.00 175.00 119.00 59.00 119.00 59.00 189.00 249.00 249.00 249.00 249.00 249.00 355.00 79.00 175.00 75.00 75.00 35.00
Word Perfect 5 0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Word Perfect Executive Word Perfect Library WORD TICH DBXL Diamond Quicksilver Diamond XEROX Ventura Publisher 1 1 HARDWARE ARRAY TECHNOLOGIES (ATT) Ega Wonder ATT REFARCH Premium 286 Model 140 Computer Premium 286 Model 80 Computer Advantage Premium 256K Six Pack Plus 384K Six Pack Plus 384K Six Pack Premium 256K Rampage AT 512K AST 5251/11 Enhanced Hot Shot ATD ZUCKER Monographics Short Card Memory Expansion 384K Modular I/O Bare P/S/Clock Clock Board Standalone 1200 Baud Internal Modem GTIZEN 1200 MSP 40 MSP 15	209.00 305.00 76.00 175.00 275.00 119.00 59.00 119.00 519.00 189.00 2749.00 1645.00 249.00 249.00 249.00 255.00 249.00 355.00 249.00 355.00 249.00 355.00 249.00
Word Perfect 5 0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Data Perfect Data Perfect Word Perfect Executive Word Perfect Library WORD TICH DBXL Diamond Quicksilver Diamond XHROX Ventura Publisher 1 1 HARDWARE ARIAY TECHNOLOGIES (ATT) Ega Wonder ATT BESARCH Premium 286 Model 140 Computer Premium 286 Model 80 Computer Advantage Premium 512K Six Pack Plus 384K Six Pack Plus 384K Six Pack Premium 256K Rampage AT 512K AST 5251/11 Enhanced Hot Shot ATD ZUCKER Monographics Short Card Memory Expansion 384K Modular I/O Bare P/S/Clock Clock Board Standalone 1200 Baud Internal Modem GTTZEN 120D MSP 40 MSP 15 MSP 20 COMPUTER ACCESSORIES	209.00 305.00 76.00 175.00 175.00 119.00 59.00 119.00 519.00 189.00 2749.00 1645.00 249.00 249.00 249.00 355.00 249.00 379.00 355.00 249.00 355.00 249.00 355.00
Word Perfect 5-0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Data Perfect Data Perfect Word Perfect Executive Word Perfect Library WORD TICH DBXL Diamond Quicksilver Diamond XHROX Ventura Publisher 1-1 HARDWARE ARIAY TECHNOLOGIES (ATT) Ega Wonder ATT RESEARCH Premium 286 Model 140 Computer Premium 286 Model 80 Computer Advantage Premium 512K Six Pack Plus 384K Six Pack Plus 384K Six Pack Premium 256K Rampage AT 512K AST 5251/11 Enhanced Hot Shot ATD ZUCKER Monographics Short Card Memory Expansion 384K Modular 1/0 Bare P/S/Clock Clock Board Standalone 1200 Baud Internal Modem GTIZEN 120D MSP 40 MSP 15 MSP 20 COMPUTER ACCESSORIES P15 Power Director	209.00 305.00 76.00 175.00 275.00 119.00 59.00 119.00 519.00 189.00 2749.00 1645.00 249.00 249.00 249.00 255.00 249.00 355.00 249.00 355.00 249.00 355.00 249.00
Word Perfect 5-0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Word Perfect Executive Word Perfect Library WORD TECH DBXt Diamond Quicksilver Diamond XEROX Ventura Publisher 1-1 HARD WARE ARRAY TECHNOLOGIES (ATT) Ega Wonder ATT RESEARCH Premium 286 Model 140 Computer Permium 286 Model 80 Computer Advantage Premium 512K Six Pack Plus 384K Six Pack Plus 384K Six Pack Plus 384K Six Pack Premium 256K Rampage AT 512K AST 5251/11 Enhanced Hot Shot ATD ZUCKER Monographics Short Card Memory Expansion 384K Modular I/O Bare P/S/Clock Clock Board Standalone 1200 Baud Internal Modem CITIZEN 1200 MSP 40 MSP 15 MSP 20 COMPUTER ACCESSORIES P15 Power Director DIGITAL COMMUNICATIONS IRMA 3278	209.00 305.00 76.00 175.00 175.00 119.00 59.00 119.00 519.00 189.00 2749.00 1645.00 249.00 249.00 249.00 355.00 249.00 379.00 355.00 249.00 355.00 249.00 355.00
Word Perfect 5 0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Word Perfect Executive Word Perfect Library WORD TECH DBXt Diamond Quicksilver Diamond XEROX Ventura Publisher 1 1 HARDWARE ARRAY TECHNOLOGIES (ATT) Ega Wonder ATT BEFFARCH Premium 286 Model 140 Computer Premium 286 Model 80 Computer Advantage Premium 256K Six Pack Plus 384K Six Pack Plus 384K Six Pack Premium 256K Rampage AT 512K AST 5251/11 Enhanced Hot Shot ATD BUCKER Monographics Short Card Memory Expansion 384K Modular I/O Bare P/S/Clock Clock Board Standalone 1200 Baud Internal Modern GTTECH 1200 MSP 40 MSP 15 MSP 20 COMPUTER ACCESSORIES P15 Power Director DIGITAL COMMUNICATIONS IRMA 3278	209.00 305.00 76.00 175.00 275.00 119.00 59.00 119.00 59.00 189.00 249.00 249.00 249.00 249.00 249.00 275.00 355.00 579.00 355.00 579.00 355.00 29.00 355.00 79.00 355.00
Word Perfect 5 0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Data Perfect Data Perfect Data Perfect Word Perfect Executive Word Perfect Library WORD TICH DBXL Diamond Quicksilver Diamond XHIOX Ventura Publisher 1 1 HARDWARE ARIAY TECHNOLOGIES (ATT) Ega Wonder ATT REFARCH Premium 286 Model 140 Computer Premium 286 Model 80 Computer Advantage Premium 512K Six Pack Plus 384K Six Pack Plus 384K Six Pack Premium 256K Rampage AT 512K AST 5251/11 Enhanced Hot Shot ATD ZUCKER Monographics Short Card Memory Expansion 384K Modular I/O Bare P/S/Clock Clock Board Standalone 1200 Baud Internal Modem CITIZEN 120D MSP 40 MSP 15 MSP 20 COMPUTER ACCESSORIES P15 Power Director DIGITAL COMMUNICATIONS IRMA 3278 EVER &X EV 1800 8MH2 AT System	209.00 305.00 75.00 175.00 275.00 118.00 59.00 118.00 519.00 189.00 2749.00 1645.00 335.00 249.00 249.00 279.00 355.00 79.00 355.00 79.00 355.00 249.00 279.00 379.00 379.00 379.00 379.00
Word Perfect 5 0 Word Perfect Network Server Word Perfect Network Add-On Plan Perfect Data Perfect Word Perfect Executive Word Perfect Library WORD TECH DBXt Diamond Quicksilver Diamond XEROX Ventura Publisher 1 1 HARDWARE ARRAY TECHNOLOGIES (ATT) Ega Wonder ATT BEFFARCH Premium 286 Model 140 Computer Premium 286 Model 80 Computer Advantage Premium 256K Six Pack Plus 384K Six Pack Plus 384K Six Pack Premium 256K Rampage AT 512K AST 5251/11 Enhanced Hot Shot ATD BUCKER Monographics Short Card Memory Expansion 384K Modular I/O Bare P/S/Clock Clock Board Standalone 1200 Baud Internal Modern GTTECH 1200 MSP 40 MSP 15 MSP 20 COMPUTER ACCESSORIES P15 Power Director DIGITAL COMMUNICATIONS IRMA 3278	209.00 305.00 75.00 175.00 275.00 118.00 59.00 118.00 519.00 189.00 2749.00 1645.00 335.00 249.00 279.00 365.00 79.00 375.00 79.00 375.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00 75.00

American Express. No returns without RA# Short shipments must be notified within 48 hours. 15% restocking fee on non-defective goods: \$3.50 C.O.D. charge. Shipping \$4.50 per item, less on bulk orders. (\$8.50 Blue Label.) (Higher for some hardware items.)

Call for prices for any item not included in this price list.

EV 1800 10MHZ AT System	1849.00
Evercom II 1200 Modem Evercom III 2400 fm Modem	129 00
Magic I/O For AT	225 00 59.00
RAM 3000 EMS Expansion	119.00
FIFTH GENERATION	
Logical Connection 256K	349.00
Smartmodem 1200	325.00
Smartmodem 1200B W/Software	325.00
Smartmodem 2400	489.00
Smartmodern 2400B W/Software WENCULES	489.00
Hercules Monochrome Plus	199,00
HEWLETT PACKARD	
Laserjet II	1799.00
Fonts for Laserjet 11	CALL
Above Board PC 64K	269.00
Above Board 286 W/512K	369.00
8087-3 (5MHZ) 8087-2 (8 MHZ)	119.00 175.00
80287 (6 MHZ)	199.00
80827 (8 MHZ)	299.00
80287 (10 MHZ)	349.00
INTERNATIONAL BATTERY AT Replacement Battery	27 50
AST Six Pack Battery	27.50 3.50
IRWIN MAGNETICS	
120 XT 20MB Internal	479.00
125 AT 20 MB Internal	479.00
Masterpiece	89.00
Masterpiece Plus	109.00
Masterpiece Remote	115.00
Logimouse C7	95.00
Logimouse Hi Rez	85.00
Logimouse C7 + Paintbrush	135.00
Logimouse W/Cad/Paint	145.00
Publisher Mouse MICROSOFT	155.00
BUS Mouse W/Paintbrush	115.00
BUS Mouse W/Windows	155.00
Serial Mouse W / Paintbrush	115.00
Serial Mouse W/Windows MICROSPEED	155.00
Fast 88	79.00
MIGENT Control	
Pocket Modern MOUSE SYSTEMS	129.00
PC Mouse BUS Plus	99.00
PC Mouse BUS Plus PC Mouse Serial Plus	99.00 99.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC WOME ELECTRONICS	99.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II	99.00 629.00
PC Mouse BUS Plus PC Mouse Serial Plus HEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS	99.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer	99.00 629.00 1055.00 689.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisyric II Multisyric Plus NEC INFORMATION SYSTEMS P 760 Printer P 660	99.00 629.00 1055.00 689.00 499.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer	99.00 629.00 1055.00 689.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CGL ONIDAYA Microline 182	99.00 629.00 1055.00 689.00 499.00 389.00 269.00
PC Mouse BUS Plus PC Mouse Serial Plus HEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL OKIDAYA Microline 182 Microline 192 Plus	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 375.00
PC Mouse BUS Plus PC Mouse Serial Plus HEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 750 Printer P 660 P 2200 80 CQL OKIDAYA Microline 182 Microline 192 Plus Microline 193 Plus	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 375.00 549.00
PC Mouse BUS Plus PC Mouse Serial Plus HEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL OKIDAYA Microline 182 Microline 192 Plus	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 375.00 549.00 749.00
PC Mouse BUS Plus PC Mouse Serial Plus HEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 750 Printer P 660 P 2200 80 CQL OKIDAYA Microline 182 Microline 182 Microline 193 Plus Microline 292 W/Interface Microline 293 W/Interface Laserline 6	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 375.00 549.00 549.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL OKIDAYA Microline 182 Microline 192 Plus Microline 193 Plus Microline 292 W/Interface Microline 293 W/Interface Laserline 6 PARADISE	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 375.00 549.00 749.00 1539.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL OKIDAYA Microline 182 Microline 192 Plus Microline 193 Plus Microline 292 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autoswitch 480	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 375.00 549.00 749.00 1539.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL ONIDAYA Microline 182 Microline 192 Plus Microline 193 Plus Microline 292 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autoswitch 480 Modular Graphics Card VGA Plus	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 375.00 549.00 749.00 1539.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL ONIDAYA Microline 182 Microline 192 Plus Microline 193 Plus Microline 292 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autosynch 480 Modular Graphics Card VGA Plus PLUS DEVELOPMENT	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 549.00 549.00 749.00 1539.00 169.00 129.00 259.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL ONIDAYA Microline 182 Microline 192 Plus Microline 193 Plus Microline 292 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autosmics Graphics Card VGA Plus PLUS DEVELOPMENT Hardcard 20 MB	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 549.00 549.00 749.00 1539.00 169.00 129.00 659.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL ONIDAYA Microline 182 Microline 192 Plus Microline 193 Plus Microline 292 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autosmics Graphics Card VGA Plus PLUS DEVELOPMENT	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 549.00 549.00 749.00 1539.00 169.00 129.00 259.00
PC Mouse BUS Plus PC Mouse Serial Plus HEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL OKIDAYA Microline 182 Microline 192 Plus Microline 193 Plus Microline 292 W/Interface Laserline 6 PARADISE Autoswitch 480 Modular Graphics Card VGA Plus PLUS DEVELOPMENT Hardcard 20 MB Hardcard 40 MB POLAROID Polaroid Palette	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 549.00 749.00 1539.00 169.00 259.00 659.00 815.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL OKIDAYA Microline 182 Microline 193 Plus Microline 193 Plus Microline 293 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autoswitch 480 Modular Graphics Card VGA Plus PLUS DEVELOPMENT Hardcard 20 MB Hardcard 40 MB POLAROID Polaroid Palette Polaroid Palette	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 549.00 549.00 1539.00 169.00 259.00 659.00 815.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL OKIDAYA Microline 182 Microline 193 Plus Microline 193 Plus Microline 293 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autoswitch 480 Modular Graphics Card VGA Plus PLUS DEVELOPMENT Hardcard 20 MB Hardcard 40 MB POLANOIS PRACTICAL PERIPHERALS	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 549.00 749.00 1539.00 169.00 259.00 655.00 815.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL OKIDAYA Microline 182 Microline 193 Plus Microline 293 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autoswitch 480 Modular Graphics Card VGA Plus PLUS DEVELOPMENT Hardcard 20 MB Hardcard 40 MB POLAROID Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Modem 1200 Internal Practical Modem 1200 SA	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 549.00 749.00 1539.00 169.00 259.00 659.00 815.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL OKIDAYA Microline 182 Microline 192 Plus Microline 193 Plus Microline 293 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autoswitch 480 Modular Graphics Card VGA Plus PLUS DEVELOPMENT Hardcard 20 MB Hardcard 40 MB POLAROIS Polaroid Palette Polaroid Palette Polaroid Palette Plus PRACTICAL PERIPHERALS Practical Modem 1200 Internal Practical Modem 1200 SA Practical Modem 1200 SA Practical Modem 2400 INT	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 549.00 549.00 1539.00 169.00 129.00 259.00 815.00 1499.00 2399.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 COL ONIDAYA Microline 192 Plus Microline 193 Plus Microline 293 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autoswitch 480 Modular Graphics Card VGA Plus PLUS DEVELOPMENT Hardcard 20 MB Hardcard 40 MB POLAROIS Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Modem 1200 Internal Practical Modem 1200 SA Practical Modem 1200 SA Practical Modem 1200 SA	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 549.00 549.00 1539.00 169.00 129.00 259.00 815.00 1499.00 2399.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL OKIDAYA Microline 182 Microline 192 Plus Microline 193 Plus Microline 293 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autoswitch 480 Modular Graphics Card VGA Plus PLUS DEVELOPMENT Hardcard 20 MB Hardcard 40 MB POLAROIS Polaroid Palette Polaroid Palette Polaroid Palette Plus PRACTICAL PERIPHERALS Practical Modem 1200 Internal Practical Modem 1200 SA Practical Modem 1200 SA Practical Modem 2400 INT	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 549.00 549.00 1539.00 169.00 129.00 259.00 815.00 1499.00 2399.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CGL OKIDAYA Microline 182 Microline 192 Plus Microline 193 Plus Microline 292 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autoswitch 480 Modular Graphics Card VGA Plus PLUS DEVELOPMENT Hardcard 20 MB Hardcard 40 MB POLABOLB Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Modem 1200 Internal Practical Modem 1200 Internal Practical Modem 1200 SA Practical Modem 2400 INT Practical Modem 2400 INT Practical Modem 2400 SA AMSUME Amber Monitor SEASATE TECHNOLOGY	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 549.00 549.00 549.00 1539.00 169.00 259.00 659.00 1199.00 2399.00 1199.00 185.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL OKIDAYA Microline 192 Plus Microline 193 Plus Microline 292 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autoswitch 480 Modular Graphics Card VGA Plus PLUS DEVELOPMENT Hardcard 20 MB Hardcard 40 MB POLABOLE Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Modem 1200 Internal Practical Modem 1200 Internal Practical Modem 1200 SA Practical Modem 2400 INT Practical Modem 2400 SA AMSUNG AMBUNG	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 549.00 749.00 1539.00 169.00 259.00 659.00 815.00 1499.00 2399.00 199.00 199.00
PC Mouse BUS Plus PC Mouse Serial Plus NEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL OKIDAYA Microline 192 Plus Microline 193 Plus Microline 293 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autoswitch 480 Modular Graphics Card VGA Plus PLUS DEVELOPMENT Hardcard 20 MB Hardcard 40 MB POLAROID Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Modem 1200 Internal Practical Modem 1200 Internal Practical Modem 2400 INT Practical Modem 2400 INT Practical Modem 2400 SA SAMSUME Amber Monitor SEASATE TECHNOLOSY ST 251 40MB No Controller ST 225 20MB W/Controller	99.00 629.00 1055.00 689.00 499.00 375.00 549.00 549.00 749.00 1539.00 169.00 129.00 259.00 1499.00 2399.00 119.00 185.00 199.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL OKIDAYA Microline 192 Plus Microline 193 Plus Microline 293 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autoswitch 480 Modular Graphics Card VGA Plus PLUS DEVELOPMENT Hardcard 20 MB Hardcard 40 MB POLAROID Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Modem 1200 Internal Practical Modem 1200 SA Practical Modem 2400 INT Practical Modem 2400 SA SAMSUNG Amber Monitor SEASATE TECHNOLOSY ST 251 40MB No Controller ST 238 30MB W/Controller ST 238 30MB W/Controller ST 4038 30MB For AT	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 549.00 749.00 1539.00 169.00 259.00 659.00 815.00 1499.00 2399.00 199.00 199.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL OKIDAYA Microline 192 Plus Microline 193 Plus Microline 293 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autoswitch 480 Modular Graphics Card VGA Plus PLUS DEVELOPMENT Hardcard 20 MB Hardcard 40 MB POLAROIS Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Modem 1200 Internal Practical Modem 1200 Internal Practical Modem 2400 INT Practical Modem 2400 INT Practical Modem 2400 INT Practical Modem 2400 SA SAMSUNG Amber Monitor SEASATE TECHNOLOGY ST 251 40MB No Controller ST 238 30MB W/Controller ST 238 30MB W/Controller ST 4038 30MB For AT SUMMAGRAPHICS	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 549.00 549.00 549.00 169.00 129.00 259.00 1499.00 199.00 199.00 199.00 199.00 199.00 199.00 199.00 199.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL OKIDAYA Microline 192 Plus Microline 193 Plus Microline 293 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autoswitch 480 Modular Graphics Card VGA Plus PLUS DEVELOPMENT Hardcard 20 MB Hardcard 40 MB POLAROIS POLAROIS POLAROIS Practical Modem 1200 Internal Practical Modem 1200 Internal Practical Modem 2400 INT Practical Modem 2400 INT Practical Modem 2400 SA SAMSUNG Amber Monitor SEASATE TECHNOLOGY ST 251 40MB No Controller ST 238 30MB W/Controller ST 238 30MB W/Controller ST 4038 30MB For AT SUMMAGRAPHICS Summasketch 1201 Plus	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 549.00 549.00 549.00 169.00 129.00 259.00 1499.00 1499.00 119.00 199.00 199.00 199.00 199.00 199.00 199.00 199.00 199.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL OKIDAYA Microline 182 Microline 192 Plus Microline 193 Plus Microline 292 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autoswitch 480 Modular Graphics Card VGA Plus PLUS DEVELOPMENT Hardcard 20 MB Hardcard 40 MB POLARONB Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Modem 1200 Internal Practical Modem 1200 Internal Practical Modem 2400 INT Practical Modem 2400 INT Practical Modem 2400 SA AMSUNG AMBUNG AMBUNG ST 251 40MB No Controller ST 238 30MB W/Controller ST 238 30MB W/Controller ST 4038 30MB For AT SUMMAGRAPHICS Summasketch 1201 Plus TOSHIBA T 1000 Laptop	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 549.00 549.00 1539.00 169.00 129.00 259.00 1499.00 2399.00 119.00 185.00 1499.00 2399.00 419.00 299.00 419.00 299.00 419.00 299.00 419.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL OKIDAYA Microline 192 Plus Microline 193 Plus Microline 292 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autoswitch 480 Modular Graphics Card VGA Plus PLUS DEVELOPMENT Hardcard 20 MB Hardcard 40 MB POLANOIS Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Modem 1200 Internal Practical Modem 1200 Internal Practical Modem 1200 SA Practical Modem 2400 INT Practical Modem 2400 INT Practical Modem 2400 SA SAMSUNG AMBUNG ST 251 40MB No Controller ST 238 30MB W/Controller ST 238 30MB W/Controller ST 4038 30MB W/Controller ST 4038 30MB For AT SUMMAGNAPHICS Summasketch 1201 Plus TOSNIBA T 1000 Laptop T 3100-20 Laptop	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 549.00 549.00 549.00 1539.00 169.00 129.00 259.00 1499.00 2399.00 119.00 185.00 1499.00 2399.00 419.00 299.00 419.00 299.00 419.00 299.00 419.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL OKIDAYA Microline 192 Plus Microline 193 Plus Microline 292 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autoswitch 480 Modular Graphics Card VGA Plus PLUS DEVELOPMENT Hardcard 20 MB Hardcard 40 MB POLAROID Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Modem 1200 Internal Practical Modem 1200 Internal Practical Modem 2400 INT Practical Modem 2400 INT Practical Modem 2400 SA SAMSUME Amber Monitor SEASATE TECHNOLOSY ST 251 40MB No Controller ST 238 30MB W/Controller ST 238 30MB For AT SUMMAGRAPHICS Summasketch 1201 Plus TOSHIBA I 1000 Laptop T 3100-20 Laptop P321 Printr	99.00 629.00 1055.00 689.00 499.00 375.00 549.00 549.00 169.00 129.00 129.00 129.00 1499.00 1499.00 1499.00 1499.00 1499.00 1499.00 1499.00 1499.00 1499.00 1539.00
PC Mouse BUS Plus PC Mouse Serial Plus MEC HOME ELECTRONICS Multisync II Multisync Plus NEC INFORMATION SYSTEMS P 760 Printer P 660 P 2200 80 CQL OKIDAYA Microline 192 Plus Microline 193 Plus Microline 292 W/Interface Microline 293 W/Interface Laserline 6 PARADISE Autoswitch 480 Modular Graphics Card VGA Plus PLUS DEVELOPMENT Hardcard 20 MB Hardcard 40 MB POLANOIS Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Palette Polaroid Modem 1200 Internal Practical Modem 1200 Internal Practical Modem 1200 SA Practical Modem 2400 INT Practical Modem 2400 INT Practical Modem 2400 SA SAMSUNG AMBUNG ST 251 40MB No Controller ST 238 30MB W/Controller ST 238 30MB W/Controller ST 4038 30MB W/Controller ST 4038 30MB For AT SUMMAGNAPHICS Summasketch 1201 Plus TOSNIBA T 1000 Laptop T 3100-20 Laptop	99.00 629.00 1055.00 689.00 499.00 389.00 269.00 549.00 549.00 549.00 1539.00 169.00 129.00 259.00 1499.00 2399.00 119.00 185.00 1499.00 2399.00 419.00 299.00 419.00 299.00 419.00 299.00 419.00

ADVANTAGES

- Orders placed before 3 p m (PST) shipped same day
- We welcome corporate accounts
- Free technical support
- Immediate replacement of defective goods
- Bulk discounts
- One million dollar inventory

 Immediate shipment on purchase orders from qualified institutions (schools and universities included).

No hidden charges.

TERMS:

All prices subject to change without notice.
We do not guarantee compatibility. No surcharge for VISA or MasterCard 2% surcharge.

Order desk & technical support open 8 a m to 6 p m Monday—Friday 10 a.m to 2 p m Saturday (PST)

P.O. BOX 1588 6934 Canby St. Suite #109-110 Reseda, CA 91335

We welcome International Orders and Corporate Accounts. Telex 292415COMPU UR/Fax 818-705-4885

1 818 705-1895 US 1 800 231-6603 CA 1 800 328-4473 US



lardware

MODEMS Prometheus Other Models **US Robotics** 149 Password
Counter 2400
MONITORS Amdek Monitors Call

535

Zenith 1490 609

MS Excell 265

Multiplan 3 0 (Microsoft) 113

Alps Ali models Call AST Turbo Laser \$4310
C.ITOH Call
Citizen Printers 145 1800 159
MSP 40 319
MSP 45 465
MSP 50 399
MSP 55 530
Other Models Call
Dicomix 150 399
AND Hewlett-Packard Laser Jet Series II . . 1775 Desk Jet
DISK DRIVES Bernoulli Box 10 Meg Beta EXT 909 Beta ityT Magnum Tape Back-up Seagate 20 MG w WD Controller Toshiba 3 5 720K 95 35 4 MB Teac Fioppy F55 BR AT 12 MEG KEYBOARDS Keytronics KB5151 5 119 KB5153

PRINTERS 615 Okidata Printers 525 1595 1635 CH Toshiba 321 SL 979 2415 \$ 1715 Model 340 4345 Mode 390 5839 785 oshiba T 1000 T-1100 Supertwist

Other Modes

Eureka

3058

3789

4899

105

AA

1011825 AST 545 VIP VGA 265 Graphics Card Plus Incolor New 979 375 175 Orchid VGA ... 180 HARD CARDS

Software SPREADSHEETS Cambridge Analyst \$ 79

PFS Pro Plan 52 Supercalc 4 269 ACCOUNTING Call 109 LANGUAGES C Complier (Microsoft) \$ 259

Fortran Compiler (Microsoft) . . . 259 Macro Assembler (Microsoft) . . . R6 Ryan McFarlan Fortran 379 Ryar McFarlan Cobol 609 Pascal Compiler (Microsoft) . . . 175 Quick Basic 40 Turbo C 58 Turbo Pascai 4 0

PFS First Publisher 52 Ventura Publishing 489
Chartmaster GRAPHICS \$199
Diagram Master 185 Generic CAD w Dot Plot 30 Harvard Graphics 2 1 239
 Microsoft Chart 3 0
 229

 New Room
 30

 News Room Professional
 42
 Printmaster Plus PrintShop Signmaster 132 Turbo Graphix Fool Box 58
Windows Drawl! w clip art 159 PC Mouse MICE w paint (Buss or Ser) 85 PC Mouse w Autosketch (Buss or Ser) . . . 99

DESKTOP PUBLISHING

Microsoft Buss Mouse 10 Microsoft Sena, Mouse 10 Optimouse w Dr. Halo III MONEY MANAGEMENT Tobias Managing Your Money 40 . \$114 Dolars & Sense w Forcast

Fox Base Plus 20 Nutshe 75 Paradox 2 0 PFS Professional File 119 Q&A QuickReport Reve ation Reflex VP Expert PROJECT MANAGEMENT Harvard Total Project Manager II . \$309 Microsoft Project 4.0 287 INTEGRATIVE SOFTWARE 352 Framework II 309 MS Works 113 PFS 1st Choice Smart Software System . . . Best Price

BATA BASE MANAGEMENT

DB-XL Diamond

Symphony 435

Webster Thesaurus 37 Call Call Word Perfect Library Call ACCESSORIES Copy II Option Deluxe \$ 99 Masterpiece 79 Masterpiece Plus Masterpiece Remote MousePad by Mousetrac Summasketch 12 x 12 Plus . . . TRAINING

WORD PROCESSORS

Microsoft Word 40 \$185 Multimate Advantage II

32

PFS Professional Write

Webster New World Writer

Webster Spel Checker







Ho Charge for VISA and Mastercard We Do Not Charge Your Card Units Your Order is Shipped You'd as fee or noted throping SC A.

Call before submitting P.O.s Ash for Nettonal Accounts

Typing Instructor . .

Typing Tutor IV

Perfect running

It's no contest. Funk's 1-2-3® performance software helps improve your 1-2-3 productivity better than any other software you could possibly track down.

That's because each one is in perfect step with 1-2-3. With menus and commands like 1-2-3 itself. And with

in the world. 1 1 1 1 1 1 1 1 1 1 Harry Block re 1 2 av 1 4 :14 Gri 1 171 1131600 2 121 11 11 1 11 11 11 11 11 3 1 4 4 4 5 1 1 11 1 (41 2 3 3 0 3 2 1 17 3 2 10 1 F the property of the party of th fy of im ga 11 5 5 5 6

Sideways. The most widely used printing software

> Sideways® has always been the one software to turn to for printing spreadsheets that are too wide for your printer. It turns text on its side as it prints. So no matter how many columns you put in your spreadsheet, you get them all back out in one continuous printout. Without staples, glue or tape.

> Create presentationquality printouts that look just the way you want them to. Highlight ranges with bold, underlined, and expanded type. Choose from nine different type sizes, from minuscule to mammoth. Print through or skip over perforations. Add borders, change page size, adjust margins any way you like.

You can run Sideways right from your 1-2-3 or Symphony menu. Just highlight a range and

Plus, Sideways is the right way to print with all your other software, too. Including databases, word processors, project planners, even other spreadsheets. And it prints with all popular dot-matrix printers, as well as the aserJet Plus/Series II.



"Sideways is such a fundamental improvement in spreadsheet printing that I find it hard to imagine using 1-2-3 without it.' PC MAGAZINE

InWord.

Full-function word processing that runs inside 1-2-3.



If you need to create letters, memos, or reports that include data from your spreadsheet, you need InWord."

InWord is just a keystroke away from 1-2-3. So you don't have to jump through hoops to put spreadsheet data into a document.

Create live links to data in your spreadsheet. When you change the spreadsheet, the changes appear in the document automatically.

And Inword's powerful formatting features rival the best stand-alone word processors. InWord fully supports the capabilities of your printer, whether it's a 9-pin dot-matrix or an HP LaserJet. You can mix pitch and typefaces freely, and even print in proportional type with full micro-spaced justification for the ultimate in print quality.

"Of all the 1-2-3 word processing add-ins. InWord is the cleanest. fastest, easiest to use." PC MAGAZINE

> With InWord, automatic mailmerge is as easy as selecting a range from your 1-2-3 spreadsheet database.



partners for 1-2-3.

powerful functions and features that take up right where 1-2-3 leaves off.

So don't wait. Dash out to your favorite software store and ask for them by name. Or order directly from Funk Software.

The Worksheet Utilities. It brings out the power user in anyone. The Worksheet Utilities™is a collection of powerful tools that will change the way you work with 1-2-3. File Manager is a powerful disk organizer that lets you describe, catalog,

> all from within 1-2-3. Print Settings lets you see all your print settings on a single screen, create different print settings for different jobs, and select print styles like "17 pitch" and "landscape mode" from a menu customized for your printer.

archive, copy, move, erase, rename, and compress

worksheets and other files.

Formula Editor provides a powerful environ-

ment for entering, editing, and debugging formulas, with point/shoot menus for @functions, prompting for argu-

ments, and an on-line @function reference

Search and Replace lets you hunt through your spreadsheet for labels, values, @functions, and cell references - and optionally replace them.

AutoSave creates periodic back-ups of work-in-progress, to guard against power

failures and editing mistakes.

"Indispensable...a stunning set of utilities...the Formula Editor is simply beyond belief." PC WEEK

> Sideways is a registered trademark and The Worksheet Utilities, inWord and Noteworthy are trademarks of Funk Software, Inc.
> © 1988 Funk Software, Inc.

Noteworthy.

The software that remembers. So you don't have to.

Noteworthy™ is the professional cellannotation and documentation software that lets you tell the story behind the numbers, formulas and macros in your spreadsheet.


Want to remember why you put what you put in a cell? Just press the hot-key and up pops a blank note. Then type


use your spreadsheets need ever forget the true meaning of a cell

away using Noteworthy's powerful built-in editor. Make as many notes as you need, each one up to 8000 characters long. Copy text from a note to a spreadsheet. From a spreadsheet to a

note. Or from one note to another. It even reminds you where you put your notes. As you move through your spreadsheet, an indicator lights up whenever you land on a cell containing a note.

"The simplest, most effective, and the most custom izable way to attach notes to spreadsheets." PC MAGAZINE





Sideways \$69.95 Works with all versions of 1-2-3 or Symphony

The Worksheet Utilities \$99.95

Requires 1-2-3 Release 2 InWord \$99.95

Requires 1-2-3 Release 2

Noteworthy \$79.95 Requires 1-2-3 Release 2 or Symphony

To order call: 1-800-822-3865 ext. 115

Funk Software, 222 Third Street, Cambridge, MA 02142 CIRCLE 323 ON READER SERVICE CARD



Above & beyond the call.

-	_	e a				
-	n	TŦ	u	Ia	re	

Word Processing/	
Desktop Publishing	
Byline	\$ 199
Microsoft Word	\$ 229
Multimate Advantage-II	-
Lotus Manuscript	\$ 339
Office Writer/Speller	\$ 249
Pagemaker 3.0 PFS: Prof Write	\$ 569 \$ 119
Publisher's Type Foundry	
Ventura Publisher	\$ 519
Word Perfect 5.0	\$ 195
Wordstar Pro 5.0	\$ 199
Wordstar 2000 + 3.0	\$ 229
Xywrite III +	\$ 229
Database Systems	
Clipper	\$ 389
DBase III Plus	\$ 389
Data Perfect	\$ 269
DBase IV	\$Call
Foxbase +	\$ 199
Paradox 2	\$ 429
PFS: Prof File	\$ 149
Q&A	\$ 209
R Base for DOS	\$ 479
RapidFile	\$ 199
Reflex Omnie Questa	\$ 99 \$ 469
Omnis Quartz	\$ 409
Spreadsheets/ Integrated Packages	
Javelin +	\$ 169
Lotus 1-2-3	\$ 309
Lotus Hal	\$ 49
Microsoft Excell	\$ 319
Microsoft Works	\$ 139
Plan Perfect	\$ 179
Quattro	\$ 129
Smart System	\$ 449
SuperCalc 4	\$ 289
Symphony	\$ 495
Communications	0.440
Carbon Copy +	\$ 119
Crosstalk XVI Crosstalk MK 4	\$ 99 \$ 125
Relay Gold	\$ 149
Smarterm (Persoft)	\$Call
Smartcom III	\$ 149
Statistics	•
SPSS/PC +	\$ 699
Statgraphics 2.6	\$ 479
Systat 4.0/	\$ 499
W/Graphics	\$649
Desktop Environments	
MS Windows	\$ 69
Sidekick Plus	\$129

Graphics		Hardware*	
Boeing Graph	\$ 219	Computers	
Chartmaster	\$ 219	AST Premium 286	\$ Call
Design CAD	\$ 159	Samsung	\$ Call
Diagraph	\$ 259	Sharp PC4502-A	\$1175
Diagram Master	\$ 199	Toshiba 3100/20 +	\$ Call
Freelance Plus	\$ 329		ų Quiii
Harvard Graphics	\$ 279	Multifunction Boards	
MS Chart	\$ 269	AST Advantage	
PC Paintbrush Plus	\$ 89	Premium (512K)	\$ 309
Picture Perfect	\$ 199	AST 6 Pak Plus (64K)	\$ 129
Presentation Pak	\$ 349	AST Premium (256K)	\$ 219
Publishers Paintbrush	\$ 159	AST Rampage 286	\$ 419
Signmaster	\$ 139	Everex RAM 4000	\$ 299
Project Management		Inboard 386AT	\$1050
Harvard Total		Inboard 386 PC	\$ 750
Project Manager II	\$ 369	Intel AboveBoard	\$ Call
Microsoft Project 4.0	\$ 329	Display Boards	
Superproject Plus	\$ 289	ATI EGA Wonder +	\$ 199
Timeline 3.0	\$ 349	Hercules Network	V
Languages/Utilities	,	Card Plus W/Tops	\$ 349
Fastback +	\$ 99	Paradise VGA Plus	\$ 259
Lattice C	\$ 229		4
Norton Advanced	\$ 79	Modems	
Microsoft C	\$ 299	Hayes 1200/1200B	\$ 299
Mace Utilities	\$ 65	Hayes 2400/2400B	\$ 449
MS Fortran 4.0	\$ 299	US Robotics 1200B	\$ 109
Quick Basic/Quick C	\$ 69	US Robotics 2400B	\$ 189
Turbo Basic/Turbo C	\$ 65	Ventel 2400/2400B	\$ 389
Turbo Pascal	\$ 65	Ventel 2400/2-PS2	\$ 299
Accounting	•	Networking	
AccPac BPI	\$ 279	Arcnet Board	\$ 149
Great Plains	\$ 499	Novell Adv. Netware 286	
Peachtree Comp II	\$ 159	Novell ELS	\$ 399

ATTENTION **CORPORATE BUYERS!!**

Join over 1000 major corporations and institutions who have selected SOFTLINE as their primary vendor. Here's why.

- Wide Selection—We carry over 1000 "corporate" titles. We will assist you to source those difficult requests.
- Low Price Our motto has always been "Sample our Service Price shall never be an issue '
- Fast Delivery For those last minute rush orders, we offer convenient overnight delivery
- P.O.'s, of Coursel! We accept purchase orders from qualified organizations. Ask about our customized purchasing programs for volume buyers

ATTENTION INTERNATIONAL BUYERS!!

We process export orders to thousands of companies worldwide Convenient TELEX and FAX facilities available

Contact, Fay Chayne, Intl. Sales Manager.

Emulation Boards

AST 5251-11 +		\$	629
Irma/2 PCA/MCA		\$	725
Quadram Mainlink I	I۷	W/	
Software		\$	399

Monitors

Amdek 210A	- \$	99
NEC MultiSync II	\$	649
Princeton HX-12 +	\$	439
Princeton MAX-12E	\$	149
Samsung Color	\$	229
Printers/Plotters		
Epson FX-286E	\$	499

\$ 779 Epson LQ1050 **HP 7475A** \$1499 HP Laserjet II \$1750 \$ Call LQ-500

\$ 789 **NEC 3550** \$ 369 **NEC P2200** \$ 375 Okidata 320 Okidata 321 \$ 519 \$1050 Okidata 393 \$ 675 Okidata 293E Panasonic \$ Call

The Complete Hand \$ 169 Scanner Toshiba P321SL \$ 549 \$ 749 Toshiba P341SL \$ 999 Toshiba P351M2

Mass Storage/Backup

Bernoulli II Dual	\$ 1799
Irwin Tape Drives	\$ Call
Mountain 40MB Int Tape	\$ 389
Plus HardCard 20MB	\$ 519
Plus HardCard 40MB	\$ 719
Seagate ST251-1	\$ 529
Seagate ST 225 W/int	\$ 289
Seagate ST238 W/int	\$ 319
Sysgen Bridge	\$ 299

Input Devices

Keytronics KB 101 \$ 109 Logitech Hi-res Mouse \$ 99 Logitech M8 Mouse W/ \$ 69 Paintshow Microsoft Mouse \$ 109 PC Mouse w/Paint \$ 99

Accessories		
Curtis Ruby	\$	59
DataShield S-100	\$	69
Logical Connection	\$ 3	29
Masterpiece Plus	\$ 1	25
256K Ram Set	\$C	al
8087 Math Chip	\$ 1	19
80287-8/80287-10	\$289/\$3	39
80387-16/80387-20	\$529/\$7	75

*CALL FOR SHIPPING COST

Celebrating 5 Years of Excellence





Customer Service Hours: 9 AM — 5 PM, Mon. — Fri. In New York State call (718) 438-6057 FREE SHIPPING

on all orders over \$1,000.00, credit card orders and prepaid orders.

1333 60th Street Brooklyn, NY 11230-0010 TELEX: 627-30170 or 910-240-3918 FAX: (718) 438-2315

EXTENSION COURSE: FILENAMES FOR THE FUTURE



33RDAND.LEX? POWER.USR? WHATSTHE.DIF? Some claim the DOS file system is woefully inadequate and hopelessly out of date. But old habits die hard . . .

alf the PC users on the planet whine and moan about how you can call Macintosh files anything you want from "Nasty Letter About Morton Downey" to "My Soothing Windham Hill Collection," while the IBM world is stuck with names like GEEK4.YUK and WINSTON3.AAH. But Joe Astute, my source who wears those "Get OSsified" T-shirts, tells me help is on the way. It's a fairly low priority until Presentation Manager rolls out the door with fewer bugs than a recumbent elephant, but OS/2 will one day include a real file system on top of the toy one we've got now.

But hey, after years of doing things one way, do you toss cherished customs out the window? Do you fiddle with the strike zone? Do you change the balk rule? What's wrong with tradition, anyway? DOS filename rules are part of our computer heritage, a precious legacy from CP/M. Must we throw these lovable babies out with the dirty DOS bathwater?


I think not. Fortunately for those of us who care about our roots, a certain computer company has given our cause a boost. By copyrighting the use of descriptive filenames anyone can understand, it has precluded their use by anyone unwilling to pay a license fee of a dollar a filename (before quantity discounts)—thereby throwing a monkey wrench into the OS/2 scheme. Fortunately, an even bigger computer company has proposed an entirely new way of looking at eight-dotthree filenames—one that will work fine with OS/2 and yet maintain compatibility with the DOS we know and love.

FOLLOW THE DOT I refer, of course, to the Strongly Typed International Filename Format 8.3 (STIFF 8.3), which was developed years ago but never implemented. Fully SAA-, SNA-, LU 6.2-, OS/2-, DOS-, and cable-compatible, STIFF 8.3 lays down precise rules for filename extensions, thereby letting all users instantly and precisely determine what kind of data is in a file merely by perusing the three characters that follow the dot.

Earlier versions of the STIFF protocol were hampered by being out of touch with DOS reality. The key to the widespread acceptance of the newly revised STIFF 8.3 is that it recognizes and locks in forever such accepted DOS filename extension conventions as these:

.ARC File compressed to avoid your wasting 40 days and 40 nights transmitting or using it.

.BAK A protective file destined for deletion before you really need it.



.BAT Telltale hidden file cleverly created by baseball game to let the boss know you were playing when you should have been working.

.BIN File created by wine list program; bad years are deleted automatically by system.

.COM A "Common" program file that can actually fit into 64K of memory and is therefore offered at a bargain price.

.DBF "Debased" file; contains only corrupted information.

.DEF A system warning that the disk it appears on is defective.

.DEV File containing satanic cult messages that can hold your hard disk in thrall.

.DOC "Eliza" program to diagnose and cure associated software when it behaves erratically.

.DYN *Lotus 1-2-3* template for creating personal ratings of fine restaurants.

.EXE A fancy "executive" program virtually unlimited in size and therefore commanding hundreds of dollars more than the "common" one that does the same thing.

.HEX Another one of those devil-worshiping viruses likely to screw up your hard disk.

.HLP A file begging to be put out of its misery.

.INC File containing sensitive encrypted corporate data.

.INI Filetype used exclusively with programs that employ "spaghetti code"; for example, CAPELL.INI, TORTELL.INI, LINGU.INI.

.INX Configuration file specifying what color pens a plotter should use.

■ STEPHEN MANES

.KEY The password that opens the gates to all your other files. (Under STIFF 8.3, this must be kept in the root directory to obviate user forgetfulness.)

.LBR "Labor" program file that can

clash severely with .EXE files.

.LIB File converting offensively chauvinistic "sexist" language to "non-sexist" terminology.

.LOG File that produces an essential

part of the Frogger game display.

.MAC A special form of .INI files.

.ME A file containing absolutely essential last-minute instructions no one bothers to read.

.MSG A file that can produce terrible headaches for many users; delete if you're sensitive.

.OBJ "Objection" file; includes a vast variety of complaints about the bugs in a particular program.

.OVR Self-modified file signifying that its useful life is "over" and therefore ripe for deletion.

.PRN File containing highly charged sexual imagery; keep away from children.

.RPT "Repeat" file that contains a boring version of information duplicated elsewhere.

.SCR "Screw-up" file reporting program problems.

.STY File included with application software by certain disgruntled programmers to secretly indicate that the accompanying program is a real pig.

.SYN File that works insidiously in tandem with .DEV files to trash your hard disk.

.SYS File requiring knowledge of secret password to display covert feminist message

.WK1 Spreadsheet template that works just once.

.WKS Spreadsheet template that works some of the time.


.007 File created from lost clusters; reconstructing it requires the espionage talents of James Bond.

.\$\$\$ File indicating a programmer's engagement in wishful thinking.

I wish I had space to list all the wonderful new filetypes designated under STIFF 8.3. If you can think of it, there's an extension for it. Early-childhood programs? Use .GOO. Expense account data? An obvious .LIE. There's even .DIM—expressly for articles daring to poke fun at a certain large computer company.

And there's no doubt in my mind: STIFF 8.3 will instantly become the allencompassing industry standard. Ignore all those pundits who keep predicting great things for the nine-character-dot-four-character or even wilder formats. Believe me: such things are about as likely as lights in Wrigley Field.

The United States Senate Used askSam To Manage Every Word Of The Iran-Contra Hearings.



When The United States Senate Select Committee compiled the volumes of testimony and evidence during the Iran-Contra hearings, they used askSam to manage every word.

The system stored, searched for and quickly retrieved even the most obscure detail, text or numerical, with unparalleled speed and ease of use—without the crippling restrictions of the average database. It's this unique, versatile "free-form" design that makes askSam's Version 4 the perfect system to manage all of your information.

From sales leads to research notes, financial lists to videotape collections, askSam keeps all your information at your fingertips.

Easy Entry, Swift Retrieval.

askSam includes the most advanced data entry and retreival features available, like our full-screen text editor for easy addition of new records with or without formal definition of fields. Or you can use our ASCII-import facility for importing word processing or database files.

The Information Manager.

askSam's full-featured system makes it versatile enough to handle any amount of information for any particular need.

Power-users will appreciate innovative numerical capabilities, report generators (up to 160 columns wide) and field manipulation as

You Can Use askSam To Manage Your Information.



well as askSam's command language, security features and automatic phone dialer.

If you're not a power user (yet) askSam offers extensive context sensitive, on-line help screens whenever you need them—wherever you are.

askSam's Hypertext Facility.

With askSam's powerful hypertext facility, you can easily create menus of askSam files, programs and much more.

Money-Back Guarantee.

We'll give you 60 days to see just what askSam can do—and how it can manage your valuable information—for just \$295.



See Your Dealer Or Call

(800)-3-ASKSAM In FL call (904) 584-6590 1987 Awarded PC Magazine's Editor's Choice two years in a row



P.O. Box 1428, Perry, Florida 32347

Seaside Software, Inc. is now askSam Systems. askSam requires 256K on any IBM® PC, XT, AT, or compatibles and IBM® PS/2.

Copyright 1988, askSam Systems. askSam is a trademark of askSam Systems.

Who Says FoxBASE+ is Better than dBASE?



The Best Just Got Better—Now Shipping New FoxBASE+ Version 2.10!

Nicholas Petreley, InfoWorld Review Board:

"FoxBASE+ has outdone itself. Once again, FoxBASE+ earns an "excellent" in performance, with kudos for responding to user suggestions. For sheer productivity, there is no other choice." *InfoWorld* "Editor's Choice" for 1987 and 1988!

P.L. Olympia, Founder & President, National Dbase Users Group / Government Computer News:

"FoxBASE+ is a supercharged dBASE, with all the features Ashton-Tate forgot. If you're into serious dBASE development and have not tried FoxBASE+, you are living in the dark ages and wasting your company's money."

George F. Goley IV, Cont. Editor, <u>Data Based Advisor</u>: "The product is fast, very compatible, fast, easy to use, fast, relatively inexpensive, and very fast. In every test, FoxBASE+ outperformed the other products. And people who answer the phone at Fox know what they are talking about."

David Irwin, Former President/CEO, <u>Data Based Advisor</u>: "From the dBASE compatibility standpoint, FoxBASE+ is flawless. From the speed standpoint, FoxBASE+ is unbelievable. From the "lazy factor" standpoint, FoxBASE+ is perfect."

Glenn Hart, Contributing Editor, PC Magazine:
"Initial tests of FoxBASE+ were simply stunning. In many ways, FoxBASE+ gives you the best of both worlds: all the benefits of interactive development and debugging, plus the speed and code protection of a compiler."

Adam Green, Contributing Editor, <u>Data Based Advisor</u>, dBASE Author:

"For the PC, FoxBASE+ has consistently set the performance standard for dBASE compatible languages. For the Macintosh, FoxBASE+/Mac will set standards for innovation and leadership in a new dBASE implementation."

Don Crabb, Contributing Editor, InfoWorld:

"You can expect blazing speed on the Mac. FoxBASE+/Mac breezes past tests that have proven stumbling blocks for Macintosh databases in the past. FoxBASE+/Mac combines complete dBASE compatibility with a genuine Macintosh user interface."

This is what they said about Version 2.00 of FoxBASE +. Imagine what The Experts will say about New Version 2.10 with these added features: Menu-Driven Interface, Program Documentor, Screen Painter and Template-Based Application Generator . . . and Version 2.10 is even faster than 2.00!

Join The Experts. Get your copy of the New FoxBASE + Version 2.10 today! Now available at your nearest, quality software retailer, or directly from us by calling (419) 874-0162 Ext. 760.

Because, when it comes to speed, compatibility and value, nothing runs like the New FOX-Version 2.10!

Fox Software

Nothing Runs Like a Fox.

Fox Software 118 W. South Boundary Perrysburg, OH 43551 (419) 874-0162 Ext. 760. FAX: (419) 874-8678 TELEX: 6503040827 FOX

Introducing the in power

Flip down door covers 3-1/2" diskette storage pocket and stand.

The Power

Advanced protection for today's computers.

Today's generation of personal computers are more powerful and can process greater amounts of information faster than ever before. Consequently, electrical surges can now destroy more expensive equip-

ment and larger amounts of data. That's why we built Power Director III. The first of its kind specifically designed to protect today's computer systems. Like IBM PS/2 and Macintosh II computers.

The performance leader.

Since 1982, when we introduced the original Power Director, Computer Accessories Corporation has been the forerunner in power protection for microcomputers. Many years of surge suppression and design experience have led to the development of Power Director III.

Power Director III's unique "Sine Wave Tracking" technology closely monitors incoming power with a guard band that clamps surges and spikes. Instantaneously.



Before they can


damage your computer system.

Power Director III also meets rigid UL and IEEE 587 Category A and B surge protection performance standards assuring that

your system and data are safe from common electrical disturbances and line noise interference. And even static electricity. Power Director III includes these performance features:

- UL Listed
- IEEE Category A and B
- High performance noise filter
- Advanced surge suppression
- Static protection
- Sine wave tracking

next generation protection.




Built for your convenience.

Power Director III lets you switch on every

peripheral and your computer with the push of a button. Saving you the hassle of fumbling for switches.

And Power Director III comes with a free built-in





Designed for future growth.

Power Director III's storage pocket can be converted easily into other productivity enhancing devices. Such as a data switch for economical peripheral sharing. Or a print buffer to enhance printing ease. And no other surge

suppression and power control center affords you this expandability.



Protect your investment.

Pick up the latest generation surge suppression and power control center today. Power Director III. Before a surge can put your system out of business. For the dealer nearest you, call 1 (800) 582-2580 or in California, 1 (800) 582-0852. Ask for extension 501.



COMPUTER ACCESSORIES CORPORATION

We support the system

6610 Nancy Ridge Drive San Diego, CA 92121

IBM PS-2 is a registered trademark of International Business Machines Corporation Macintosh II is a licensed trademark of Apple Computer, Inc.

CIRCLE 516 ON READER SERVICE CARD



Servicing our PC buyers with low pricing and technical experience since 1979.

– HARDWARE –

NOW AVAILABLE

MICROSOFT MACH 20 \$329 MICROSOFT WINDOWS 386 \$119

FREE SOFTWARE!

Purchase over \$100 and receive one of these disks absolutely FREE! Purchases over \$250 get two free disks, over \$400 get three, or get all four disks when your purchase is over \$500! 1) MIXED BAG. 2) PC-WRITE. FONT-SET. 4) ABC-LIST.

Accessories

		_					
Brooklyn Bridge Univer	S	a	١.		,		\$72
Copy II PC Deluxe							101
Curtis Ruby .					-		59
Mach III Joystick .							36
Masterpiece							85
Masterpiece Plus						4	95
Steadiwatt						4	65
150 Watt Power Supply				_	į		69

Boards

AST Advantage Premium	\$319
AST Fastboard 386 . Low	Price
AST Rampage 286	379
AST Sixpac	129
AST Xformer Low	Price
Everex—2MB Above PC/X7	79
Everex-3MB Above AT	89
Generic IO XT/AT	65
Hercules Graphics Plus	179
Inboard 386 Low	Price
Intel Above 286	319
Microsoft Mach 20	329
Orchid Tiny Turbo	289

Computers

AZ 386	\$2595
NEC 386	2910
Wyse 386	2900

AZ Turbo XT

AZ Turbo AT

512K, 6 & 10 MHZ, keyboard, 200 watt power supply, one 1.2 teac drive, Phoenix Bios \$975

Laptop Portables Computers

ispeed XL-Z ermate Portable	. \$1649
 	. \$2999

AST 286 or 386 Premium Computer

AZ 10

150 watt pow dual 360K dri mother board	ve	10	MH	Z	
keyboard .					\$549

EGA Boards

AST VGA	\$	275
ATI VIP .		259
ATI EGA Wonder		175
NEC 1024 .	 	855
Orchid Designer VGA		259
Paradise Auto 480 .	 	155
Paradise VGA+		269
Quad EGA Plus .		165
Zenith VGA		259

EGA Monitors

	_
AMDEK 722	\$455
Casper .	410
Mitsubishi Diamond Scan	499
NEC Multisync II	619
Samsung	359
-	

Teac 5% * 360K		. \$99
Toshiba 31/2" 1.44 MB		129
Other Famous Brands	 Low	Price

Floppy Drives

Hard Cards

Plus Hardcard 20 MB		,		\$529
Plus Hardcard 40 MB				659

Hard Drives

Miniscribe 20 MB	_		 \$299	
Seagate 20 MB w/Cont.			265	
Seagate 30 MB w/Cont.			. 295	
Seagate ST 125 w/Cont			329	
Seagate ST 138 w/Cont		4	. 399	
Seagate ST 251-40-NS	,	,	399	
•				

Keyboards

	-		_	_		_						
Keytronics RT101				,			·		,		\$85	
Keytronics 5151												
Keytronics 5153			ь						+	+	245	
NTC Enhanced 1	0	1			4	٠	-	6			. 89	

Incredible Values

Genius Mouse						
port (similar to Hercules						
Graphics)	669					
Data Copy Microfax						
Board	300					
Amdek CD Laser Drive \$6	840					
Desktop Publisher Graphics.	\$99					

Mice

Logitech		\$68
Microsoft Bus w/Paintbrush		97
Microsoft Serial	+	97
Optimouse w/Dr Halo		89
Optimouse w/DPG		155

Modems

AZ 300/1200	\$75
Everex 300/1200	89
Everex 2400 Int.	229
Everex 2400 Ext	250
Hayes 1200	299
Hayes 2400	439
Novation Parrot 1200	89
U.S. Robotics 2400	335
U.S. Robotics 1200 Pass.	180

Monitors

\$145
149
157
255
190
460
138
76
. 249

Printers

CITIZEN	
MSP 15E	Low Price
	Low Price
MSPAS	\$415
120 D	Low Price
180 D	Low Price
Premiere 35	Low Price
120 D 180 D Premiere 35 EPSON—Call on all mo	dels
LQ500	. 330
LQ850	528
NEC	
P5XLP	815
P960XL	1005
P2200	335
P6-P7 Color Kits	125
P2200 . P6-P7 Color Kits . OKIDATA—Call on all re	nodels
OKI390	590
OKI391	590
DANASOMIC	
080-I/M2	189
080-I/M2	. 204
1092-l	329
1524	604
1524 1592 .	419
1595	. 449
3131	279
1595 3131 3151 STAR MICRONICS	497
ND15	
ND15	419
NX1000	179
NX1000 Color	. 238
	306
321 SL 341 SL 351 Model SX	***
321 SL .	
341 SL	Low Price
351 MODELSX	910

Laser Printers

Canon Laser	Low Price
NEC 850+	\$1480
NEC 860+	2050
NEC 890	3300
Laser Image 2000	Low Price
Okidata Laser 6	1324
AST Turbo PS	0100

Co-Processor

	000001	
80287 (Intel)		S185
80287-8 (Intel)		259
80287-10	+	309
80387-16		510
8087-2 (Intel)		159
8087 (Intel)		125

- Shipping on most software is \$5.00.
- AZ orders add 6.7% sales tax.
- Personal/company check allow 14 days to clear.
- We accept Purchase Orders from authorized institutions for 3.5% more than cash price. (Please call in first.)
- All returns are subject to our approval.
- There will be a 20% restock fee on all returns.
- Sorry, no refunds on open software, due to copyright laws.

1-800-421-3135_(Ext. 100)

We Stock **Products**

SAVE 60% All Available On Our Everyday **Prices**

We Cater to the First Time Buyer Call our friendly technical service (602) 246-2222

THIS MONTH'S SPECIAL MICROSOFT PC Excel SPECIAL \$295

- SOFTWARE -

Accounting Dec Easy Accounting Dec Easy Light Dec Easy Payroll Dollars & Sense In House Accounting Managing Your Money 3.0 Peachtree Business Accounting 149

Programs	n
Brooklyn Bridge Universal	\$72
Carbon Copy Plus	108
Crosstalk XVI	89
Crosstalk MK4	110
PC Anywhere	79
Smartcom II	79
Transporter	. 140

Data Base	
Managers	
Clipper	\$375
Condor 3	325
DataPerfect	266
D Base III Plus	375
DB-XL	80
Fox Base Plus	189
Genifer	189
Knowledgeman 2	265
Paradox 2.0 Premium	435
PFS: Professional File	139
Powerbase	169
O&A	188
Quicksilver	295
Revelation	464
R Base For DOS	425
Reflex	81
Relate & Report	112
VP Info	65

Publishin	9
Pagemaker	\$477
PagePerlect	279
PFS: First Publisher	54
Ventura Publisher	493

Deskton

Bernoulli cart, 10 MB	\$69
Bernoulli cart, 20 MB	79
Maxell 5¼ "DS/HD	24
Maxell 5¼ "DS/DD	20
3M 54" DS/HD	20
3M 514" DS/DD	15
3M 600A Data Tapes	28

	DOS	
IBM 3.3 DOS		\$102 Low Price

Educational	
Microsoft Learning DOS	\$28
Turbo Tutor II	25
Typing Tutor IV	30

Entertainment	
Chuck Yeager Flight Simitr.	\$35
F15-Strike Eagle .	24
Hacker II	30
Kings Quest	32
Jet	39
Microsoft Flight Simulator	31
Scenery Disk 1-7	17
Silent Service	30
Star Flight	40
Sub Battle	30

Graphics	
Boeing Graphics	\$200
Chartmaster	199
Design Cad 2	148
Diagram Master	199
Easy Cad	109
Energraphics 2.01	294
Generic Cad	49
In-A-Vision	270
Microsoft Chart 3.0	243
Newsroom	31
Newsroom Professional	42
Printmaster	29
Printshop	33
Printshop Companion	29
Signmaster	132

Integrated	
Ability	\$56
Ability Plus	145
Enable	352
Framework II Microsoft Works	370
Smart Software	120 429
Symphony	465

Languages	
Lattice C Compiler \$220 Microsoft C Compiler Ver. 5 275	
Microsoft Fortran 4.1 Low Price Microsoft Macro Assembler 92	

Languages	
Microsoft Pascal	\$185
Microsoft Quick Basic	59
Microsoft Quick C	59
Ryan McFarlan Fortran	342
Ryan McFarlan Cobol	549
Turbo Basic	59
Turbo C	59
Turbo Pascal	59
Turbo Prolog	59
Turbo Prolog Toolbox	59

Software	
Microsoft Word Fox Elassi Word Perfect	\$195 299 310
Word Perfect Modules	75

Microsoft Project	\$30
Super Project Expert Timeline 2.0	Low Prio
Total Havard Manager	

Hai	\$104
Lotus 1-2-3	309
Microsoft PC Excel	295
Perfect Plan	168
Quattro	117
Spreadsheet Auditor	82
Surpass	329
VP Planner	65
VP Planner Plus	88

Utilities	
Copy II PC	\$19
Copywrite	39
Cubit	39
D.AVE.	. 55
Deskview 2.0 .	72
Direct Access	49
Duel	48
Eureka	95
Fastback Plus	87
Formtools	56
Gopher	33
Graph in the Box Release 2	55
Hot	89
HTEST	89
Lotus Metro	69
Mace	55
Microsoft Windows 2.03	59
Microsoft Windows 386	119
Norton Advanced	75
Hot H TEST Lotus Metro Mace Microsoft Windows 2.03 Microsoft Windows 386	89 69 69 55 59

Utilities	
Norton Commander	\$37
Norton Utilities	48
Numerical Methods	56
PC Tools Delune	37
Prokey 4.0	70
Q DOS II	49
Rightwriter	75
Sidekick Plus	115
Sideways	39
808	44
Sqz	55
Super Key	55
Turbo Lighting	55
Xīree	35

Word Process	ing
Easy Extra	\$54
Lightening	75
Microsoft Word 4.0	195
Multimate Adventage II	259
Varsity	49
Volkswriter 3	139
Webster Spellcheck	33
Webster Thesaurus	33
Will Writer	29
Word Perfect 5.0	209
Word Perfect Executive	103
Word Perfect Library	55
Wordstar ProPack	233
Wordstar 2000+	229
Word Wizard	39

We Feature Microsoft Software for the Macintosh

Call For Items Not Listed.



2701 W. Glendale Ave. Phoenix, AZ 85051 1-800-421-3135 (Ext. 100)

All Prices are subject to change

Sorry, no COD orders.

Minimum phone order \$50.00

We do not guarantee compatibility.

Phone Hours: Monday thru Friday 7 am-9 pm. Saturday 9 am-5 pm MST.

No Charge for MasterCard or Visa





The Cure for MacEnvy.

For years PC users have been conditioned to think of their computers in certain terms. Dependable. Versatile. Dull. To get superior graphics, some claimed that you need a different type of computer altogether. They said *their* computer was everything the PC wasn't. Easy to use. Graphically exciting. Fun. PC owners were, well, *green* with MacEnvy.

Enter Micrografx.

With the Micrografx family of applications, you don't have to trade in your PC. Micrografx software turns your computer into a complete graphics studio for desktop design, publishing, and presentations.

Allow us to illustrate.

Micrografx Designer lets you go from rough concept to finished art, giving you the power to bring your ideas to life. Micrografx Graph Plus™ is packed with easy-to-use charting features for the business user. Micrografx Draw™ gives you control and simplicity in

a basic drawing program. And Micrografx software supports hundreds of printers like HP's LaserJet™ and PaintJet.™ All PostScript™ devices, too.

And there's more. Micrografx ClipArt[™] libraries contain volumes of professionally designed symbols and illustrations. Micrografx Convert[™] translates between the PIC and DXF file formats.

So take a bite out of the argument that PCs can't do superior graphics, and get the cure for MacEnvy. Ask your dealer for a demonstration or call us for more information.

Micrografx. The picture of success.



Telex 650309-3890 • FAX 2142342410

Until a few months ago, getting true VGA graphics meant biting not just a budgetary bullet but an entire artillery shell and buying a Micro Channel PS/2. The only alternative, trying to upgrade a PC, XT, or AT to the new video standard, was chancy at best. The first crop of VGA video adapters for the PC family failed to guarantee completely interchangeable functionality with the new IBM standard because those boards embodied only BIOS compatibility. That is, they recognized the same machine language instructions that were used by the PS/2 VGA BIOS, but their circuitry was quite unlike that of the IBM product. While they promised the same resolution and color capabilities as the IBM VGA system, when programs dipped below the BIOS to take direct control of the hardware, the early adapters could miss their cues.

The nine new video adapters from Everex, Intelligent Data Systems, Orchid Technology, Paradise Systems, Sigma Designs, Tatung, Taxan, Tecmar, and Video Seven examined here show the next step in bringing the VGA standard to PCs, XTs, and ATs: register compatibility. Not only do these video boards know and understand all of the IBM BIOS commands. but they can also be controlled at the hardware level through their registers. (A register is a special kind of silicon storage that allows video chips, microprocessors, and the like to remember numbers and settings during their calculations.) Register compatibility means that your software can bypass the BIOS to take direct control of certain hardware facilities of the VGA board. The advantage of register compatibility is that it lets your program skip the BIOS routines and the overhead they impose, thus bringing improved performance-snaz-

ven if your budget precludes the purchase of a new PS/2, you needn't be stuck with last year's video technology. With any one of these low-cost VGA boards, you'll get the most dazzling colors and highest resolution yet available.

zier colors, new video modes with more characters on the screen, faster text and graphic displays, smooth dot-by-dot scrolling—to software that takes advantage of them.

More than that, many of these video adapters promise better-than-VGA performance. Some offer 1,000-line-plus resolution; many multiply the color selection available at higher resolutions. They bring the best video yet to your PC's screen. Of course, you'll need special software drivers (which may support a limited array of programs) and a MultiSync-style monitor to take advantage of many of these superresolution modes.

Besides the nine boards reviewed here, two other products claim hardware compatibility with the VGA standard: Compaq Computer Corp.'s Video Graphics Controller Board (\$599), and IBM's PS/2 Display Adapter (\$595). Both were reviewed in "VGA Compatibles: Gaining on the New Standard" in the February 16, 1988, issue of *PC Magazine*, in which the Compaq board, with its 16-bit bus interface and fastest memory access speed, was chosen as Editor's Choice.

TWIN TRENDS Take a close look at these nine boards, and you'll see two trends emerging in VGA design. Some engineers are attempting to craft exact clones of the IBM VGA products, alike in all details and capabilities, and limiting their use solely to VGA and VGA-compatible MultiSync-style monitors. Others are aiming at the universal, endowing their products with the ability to plug into nearly any standard display.

The former adapters presume you'll never want to use anything less than a 31.5-kHz fixed-frequency VGA monitor. The latter boards let you get VGA compatibility today without forcing you to buy a VGA display; these adapters will work with whatever monitor you have. Later, as your budget allows, you can upgrade your display without tossing out your video board.

The supported standards include the one used by the IBM Monochrome Display Adapter (MDA), the Color/Graphics Adapter (CGA), the Hercules Graphics Adapter, the Modified CGA capabilities of the PS/2 Models 25 and 30 (MCGA), and

the Enhanced Graphics Adapter (EGA). None of these video adapters support composite input monitors: those using RCA-style connectors and having limited bandwidth. There are distinct differences, however, among the downward compatibilities of the VGA boards that support many standards. Some are only BIOS-compatible with earlier video standards, while others are register-level-compatible with them.

The unexpected downside to these backward-compatible boards is that, with the exception of the Sigma Designs VGA/H, they lack one essential ingredient of true VGA hardware compatibility: precise plug compatibility with the IBM VGA Video Feature Connector, the promised gateway to as-yet unnamed, unannounced, and unspecified add-on IBM accessories.

Nothing about these backward-compatible boards precludes the use of an IBM-style VGA Video Feature Connector. The omission is probably partly coincidental and partly because many engineers chose to offer EGA-style expansion for compatibility with existing (rather than ethereal) enhancements.

While the IBM-clone VGA boards generally give you just one connector—a DB-15 that matches the jack on the back of the PS/2—the backward-compatible VGA boards give you two. Like the other boards, they include a DB-15 that supplies analog signals to match VGA-style monitors and a DB-9 with digital signals to fit the previous standards. When you have your choice, for instance, with a Multi-Sync-style display that supports both analog and digital inputs, choose the former. IBM digital interfaces restrict your color choices to 64, while analog signals can put a virtually unlimited spectrum on the screen.

BETTER THAN EVER Each of these VGA adapters represents a substantial engineering achievement, notwithstanding its falling short of perfect VGA compatibility. All will bring more colors and sharper images to your PC, better than any previous video standard. Although you might still find minor compatibility problems, most of these boards should perform flawlessly with nearly all available VGA


software. And with any one of them you won't have to put your PC out to pasture to see real VGA greens.

EVEREX SYSTEMS INC. Everex EVGA

With its EVGA board, Everex pushes the maximum resolution you can expect from your MultiSync-style monitor up to an almost unbelievably sharp 1,280 by 600 pixels in four colors, without sacrificing VGA hardware compatibility. In addition, the \$399 EVGA delivers backward compatibility with all standard video modes, including Hercules Graphics, and all standard monitor types. The EVGA will even drive two monitors simultaneously, albeit with the same image.

Fitting all those features takes a lot of logic. Mixed among the 13.3-inch EVGA card's DIP logic chips are four major VLSI chips, all Everex proprietary products, an Inmos DAC, and 256K of 100-nanosecond RAM.

TWO MONITORS Both analog/digital DB-9 and analog DB-15 connectors are available, and Everex okays simultaneous



Everex EVGA

Everex Systems Inc.

48431 Milmont Dr.

Fremont, CA 94538

(800) 821-0806

(800) 821-0807 (in Calif.)

List Price: \$399

Requires: PC, XT, AT, or compatible, or

PS/2 Model 30

In Short: A full-length register-compatible VGA board with good backward compatibility for analog or digital monitors and a maximum resolution ability of 1,280 by 600 in

CIRCLE 600 ON READER SERVICE CARD

VIDEO STANDARDS SUPPORTED	Tecmar VGA Tecmar Inc. \$395	Ultra-Grafix VGA Model 580 Card Taxan USA Corp. \$395	Everex EVGA Everex Systems Inc. \$399	Paradise VGA Plus Card Paradise Systems Inc. \$3099	Sigma VGA/H Sigma Designs Inc.	Tatung VGA Pratinum Card Tatung Co. of America Inc. \$429	Designer VGA Orchid Technology \$445	intelligent VGA Board Intelligent Data Systems Inc. \$445	VEGA VGA Video Seve Inc. \$499
MDA HGC CGA EGA						:	•		
VGA COMPATIBILITY 810S Register	•	•	•	:	:	:	•	•	:
CONNECTORS 9-pin 15-pin	•	0	•	0	•	:	•	•	:
OUTPUT Digital Analog		0	•	0	•	:	•	•	:
MAXIMUM RESOLUTION Graphics (pixels) Text (columns × rows)	800 × 600 132 × 44	800 - 600 132 × 43	1,280 × 600 132 × 44	800 × 600 132 × 44	640 × 480 80 × 30	800 × 560 132 × 44	1,024 × 768 132 × 44	800 × 560 132 × 44	800 × 600 132 × 43
COLORS Max. no. of on-screen colors Total no. of colors in palette	256 262.144	256 262.144	256 262,144	256 262.144	256 262.144	256 262.144	256 262144	256 262.144	256 262.144

use of both. You can plug in two different types of monitors—one into each connector (with some limitations)—and the EVGA board will produce the optimum image for each. Everex notes, however, that on-screen images may be dimmer due to the double termination (loading) of the EVGA's outputs.

The only thing lacking from the EVGA hardware is a VGA-style Video Feature Connector. In its stead, Everex has installed a 20-pin header with the same pinout (but not the same form factor) as that of the Micro Channel architecture video bus extension.

An array of jumpers and an eight-bank DIP switch, accessible through a retaining bracket cutout, are used to set up the EVGA. One bank of jumpers changes the DB-9 connector from digital to analog outputs. Other jumpers alter the base address and interrupt used by the board to avoid

conflicts with other system enhancements. The DIP switches select the boot-up mode and type of monitor being used with the board. Color or monochrome VGA-style monitors plugged into the DB-15 connector automatically override these settings and set the jack to the output mode the monitor requires.

The EVGA has a limited automatic mode-switching ability. It can sense which display mode the software requires and attempt to match its function in its circuitry. However, Everex notes that sometimes this process is not entirely effective-for instance, when switching from Hercules to EGA modes. Consequently, Everex recommends using a special utility supplied with the board, EVGAMODE, for altering the operating mode of the board when moving between programs that ostensibly require different video adapters. The EVGA will, however, emulate Herculesstyle graphics on otherwise incompatible monitors.

ENHANCED EGA MODES Besides the VGA and underlying standard modes, the EVGA also has several "enhanced EGA" modes, including three 94-column text modes (with 25, 29, or 51 rows), three 100-column text modes (with 37, 43, or 75 rows), and ten 132-column text modes (with 25 or 44 rows and various character matrices). Extended graphics modes include three using 256 simultaneous colors (512 by 480, 640 by 350, and 640 by 400 pixels), two 16-color modes (752 by 410 or 800 by 600 pixels), and two super-highresolution four-color modes (1,280 by 350 or 1,280 by 600 pixels).

Using these advanced modes requires a MultiSync-style monitor and may require special driver software. Everex supplies drivers for AutoCAD and Lotus 1-2-3 (Re-



VGA Add-in Board Architecture

VGA-compatible display adapters are designed to let you update the graphics capabilities of your existing PC, XT, or AT, allowing your system to display up to 256 colors from a palette of 262,144. The architecture of these boards, like that of the Sigma VGA/H shown here, supports register-level compatibility with the VGA standard. Many of these 8-bit

boards feature both DB-9 and DB-15 connectors and also support a proprietary video mode that lets them deliver resolution that goes beyond VGA's 640 by 480 in 16 colors. Some, like the Sigma VGA'H, sport the VGA Video Feature Connector. With the exception of the fullength Everex EVGA, all of the boards evaluated here are half-length.

The Sigma VGA/H

100-nanosecond

The 256K of socketed 100-nanosecond DRAM is used to display text and images and speed up screen refresh time.

VLSI video chip


The VGA chip set, in this case from Tseng Labs, is a large VLSI chip that implements video circuitry control of the system's graphics controller.

VGA Video Feature Connector

The VGA Video Feature Connector, which is analogous to the feature connector found on EGA and EGA-compatible boards, is a port that allows for future enhancements to the

Inmos DAC

The Inmos Digital-to-Analog Converter (DAC) chip lets the board share digital and analog signals.



Oscillator chips

Five oscillator chips control the different clock frequencies that the board uses to handle each different video mode.

VGA BIOS chips

The VGA BIOS chips support the functions of the VGA registers.

8-bit bus connector

The 8-bit bus connector fits into both the 8-bit and 16-bit slots on the IBM PC, XT, and AT computers and compatibles.



Tecman's DAC from Brook Tree

Conspicuously absent

which is used by IBM

VGA and its clones.

Brook Tree.

from the Tecmar VGA is


the standard Inmos DAC,

Instead, the Tecmar VGA

uses a smaller DAC from

-

The Paradise VGA Plus Card, on which the Taxan Ultra-Grafix VGA Model 580 Card is modeled, offers only a single DB-15 connector at the rear of the board. However, Paradise does supply a 15-pin-to-9-pin connector, which allows the board to support Hercules, MDA, and CGA modes and to work with many styles of monitors.



Sigma's four-position DIP switch

The four-position DIP switch allows you to change the board's video mode.



The DB-15 connector, which matches the jack on the PS/2, supplies analog signals to match VGA-style monitors.

DB-9 connector


The DB-9 connector supplies digital signals to match previous video standards, including MDA, CGA, and EGA.


Taxan's VGA Video Feature Connector

Taxan uses a finger-type connector for additional features similar to those offered on the Sigma board. These types of connectors do differ, though, as you can see with the Video Feature Connector available on the VEGA board.

The small footprint of the eight RAM chips (256K) on the Video Seven VEGA VGA shows an economy of design. Above the RAM chips is a female multipin feature connector.







VGA BOARDS

lease 1A). In addition, a font-loading program, FONTLOAD, with 22 downloadable fonts is included.

The Everex EVGA passed all of the PC Labs VGA compatibility tests with the exception of direct writes in modes 7 and 15.

The strengths of the Everex EVGA are its very high compatibility and many enhanced EGA modes. Although it would benefit from a greater number of drivers and, perhaps, simplified setup, it nevertheless ranks as a good VGA alternative.

INTELLIGENT DATA SYSTEMS INC.

Intelligent VGA Board

Intelligent Data Systems calls its product the Intelligent VGA Board not just to echo the company name, but also to highlight one of the board's more-advanced features: it automatically adapts software images designed for one display to match whatever you have. Among those abilities, the \$445 Intelligent VGA can put CGA graphics on a TTL monochrome display and EGA graphics on CGA displays. Beyond the standard 17 VGA modes, the Intelligent VGA can also generate 16-color graphics with resolutions up to a maximum of 800 by 560 pixels.

Seven inches long, the Intelligent VGA combines Chips and Technologies' VGA chip, an ATI Technologies VLSI circuit for its more-arcane any-graphics-on-any-display abilities, and an Inmos DAC. The board also includes 256K of 120-nanosecond RAM soldered to the board. Expansion is possible through the Intelligent VGA's EGA feature connector.

Physically, the Intelligent VGA bears more than a superficial resemblance to Tatung's Platinum Card, and it also mimics Tatung's compatibility with various standards. Although the Intelligent VGA is BIOS compatible with the IBM VGA standard, it is not 100-percent register-level-compatible. The Intelligent VGA also claims hardware compatibility with the EGA standard as well as BIOS compatibility with the MDA, CGA, and Hercules Graphics Cards. With a special adapter board, it will also drive the internal displays of Compaq portable computers.

The Intelligent VGA mates with both analog and digital displays through the fe-


male 9-pin and 15-pin D-shell connectors on its retaining bracket. In addition, an output for an RF modulator is also available as a header on the board itself.

AUTOMATIC CONFIGURATION

While the Intelligent VGA automatically configures itself for VGA-style displays, an eight-bank DIP switch that can be adjusted through a cutout in the bracket must be set to match MultiSync-style and digital monitors. Of the six sets of jumpers that line the edge of the Intelligent VGA card opposite its retaining bracket, only one, which sets the base address of the card to one of two values, is documented.

Besides supporting all current IBM video standards, the Intelligent VGA offers eight modes of its own. Text arrayed 132 columns by 25 rows is available on all but analog VGA monitors in 2 or 16 colors. Text arrayed 132 columns by 44 rows is available for all monitor types except VGA, CGA, and Portable Personal Com-





Intelligent VGA Board

Intelligent Data Systems Inc. 6319 E. Alondra Blvd.

Paramount, CA 90723

(800) 325-2455 (213) 633-5504

List Price: \$445

Requires: PC, XT, AT, or compatible, or PS/2 Model 30.

In Short: Both register compatible with the VGA standard and backward compatible with previous standards, this 7-inch board can generate 16-color graphics with resolution up to 800 by 560 pixels. One of its strengths is automatically adapting software images designed for one display to any display you have

CIRCLE 698 ON READER SERVICE CARD

puter internal displays, also in 2 or 16 colors. In addition, the Intelligent VGA features two 800- by 528-pixel modes (16-color graphics and 80-column by 66-row text in 16 colors), text 80 by 33 columns in 16 colors, and 800 by 560 graphics in 16 colors, all of which will require a Multi-Sync-style display.

To complement those modes, Intelligent Data Systems includes two disks of software. On them you'll find a control program for manually shifting video modes that also features a built-in screen saver to blank your monitor after a predetermined period of system inactivity. Drivers are supplied for the following applications: AutoCAD, MicrosoftWindows, GEM, Ventura Publisher, and Lotus 1-2-3 (in 132-column text mode).

SLOW BIOS As might be expected, the Intelligent VGA performs nearly identically to the Tatung Platinum Card—both registered some of the slower speeds in the PC Labs performance and benchmark tests. The Intelligent VGA passed most of the PC Labs VGA compatibility tests. It failed the direct writes test in mode 13, and its video and CPU clocks were out of synch. Not far off the mark in terms of VGA compatibility, the Intelligent VGA can be used effectively in any system with any monitor, except in hardware-critical applications.

ORCHID TECHNOLOGY Designer VGA

Anything that you buy today, you take with the full knowledge that you have one foot in obsolescence and the other on a greased banana peel. Orchid Technology can help you avoid that backward-slipping feeling with its Designer VGA. Offering more than just register-level VGA compatibility, the \$445 product is fully backward compatible with all monochrome and color video standards. Moreover, it sneaks beyond the VGA specification with up to 256 colors at 640 by 480 resolution and ultimate capabilities of up to 1,024 by 768 pixels in 16 colors on interlaced displays.

What the Designer VGA is not is strictly VGA-hardware compatible. The 6-inch card lacks a VGA-style Video Feature Connector—or any expansion connector

Get your work done before

The future of personal computing is clear. More powerful PCs. Easier to use PCs. With graphics and character-based programs working side by side. Talking to each other. Multitasking. Windowing. Menuing. Mousing. Getting your work done easier and faster.

Have it all now.

DESQview™ is the operating environment that gives DOS the capabilities of OS/2.™ And it lets you, with your trusty 8088, 8066, 80286, or 80386 PC, leap to the productivity of the next generation. For not much money. And without throwing out your favorite software.

Add DESQview to your PC and it quickly finds your programs and lists them on menus. So you can just point to the program, using keyboard or mouse, to start it up. DESQview knows where that program lives. And what command loads it.

For those who have trouble remembering

DOS commands, it adds menus to DOS. It even lets you sort your files and mark specific files to be copied, backed-up, or deleted—all without having to leave the program you're in.

Best of all, DESQview accomplishes all this with a substantial speed advantage over any alternative environment.

Multitask beyond 640K.

When you want to use several programs together, you don't have to leave your current program. Just open the next program. View your programs in windows or

Actions Payenaber

| Actions Payenaber | Actions Payenaber | Actions Payenaber | Actions Payenaber | Actions Payenaber | Actions Payenaber | Actions Windows | Class Windows |

full screen. Open more programs than you have memory for. And multitask them. In

640K. Or if you own a special EMS 4.0 or EEMS memory board, or a 386 PC, DESQview lets you break through the DOS 640K barrier for multitasking. If you have other non-EMS memory expansion products like AST's Advantage or the IBM* Memory Expansion Option, we have a

solution for you, too. The ALL CHARGE-CARD* 'unifies' all your memory to provide up to 16 megabytes of continuous workspace. DESQview lets you use this memory to enhance your productivity. You can start 1-2-3 calculating and tell Paradox to print mailing

labels while you're writing a report in Word Perfect, or laying out a newsletter in Ventura Publisher, or designing a building in AutoCAD.

DESQview even lets you transfer text, numbers, and fields of information between

programs.

Fulfill the 386 promise.

For 80836 PC users, DESQview becomes a 386 control program when used in conjunction with Quarterdeck's Expanded Memory Manager (QEMM)-386—giving faster multitasking as well as virtual windowing support.

And when you use DESQview on an IBM PS/2^m Model 50 or 60 with QEMM-50/60 and the IBM Memory Expansion Option, DESQview gives you multitasking beyond 640K.

Experts are voting for DESQview. And over a million users, too.

If all of this sounds like promises you've been hearing for future systems, then you can understand why over a million users have

Choice of InfoWorld twice voted

Choice Soview "Product of the Year"

why, by popular vote at
Comdex Fall for two
years in a row, DESQview
was voted "Best PC Environment" in PC Tech Journal's
Systems Builder Contest.

DESQview lets you have it all now.

MIN.		
nembering	full screen. (ľ
tasking, brings a way to adapt to the APTs mailbo	engths in inter- tions and multi- quick and easy the future. With theses and shared	61116
programs, prograble to design pro on DOS with car	ograms running	3


those of OS/2.

DESCYTEM SYSTEM REQUIREMENTS:
IBM Personal Computer and 100% computibles (with 80%, 8088, 600%, or 100% processor) with monochrome or color display; IBM Personal System;/2+ Memory: 640K recontinended, for DESCyrew itself-0-140K + Expanded Memory Coptonals; expanded memory boards computible with the Intel AboveScard, enhanced expanded memory boards computible with the AST RAMpage; EMS 40 expanded memory boards computible with the AST RAMpage; EMS 40 expanded memory boards one memory boards of line for distinct during on me distinct driver and a hard disis «Graphus Card (Optional): Hisroiles, IBM Color /Carphus (CGA): IBM Epishened Graphics (IBM Color /Carphus (CGA): IBM Epishened Graphics (VGA)+ Moune (Optional): House Systems, Microsoft and computables—Modernalor Moutes (Pottonal): Hayes or computables—Modernalor Astronalor (Optional): Hayes (Pottonal): Hayes (Pot

YES!	Qty Product	Format	Price Each	Totals							
1E5:	DESQview 2.0	Q5-1/4 Q3-1/2	\$129.95								
I need increased	QEMM-386	□5-1/4 □3-1/2	\$59.95								
	OEMM-50/60	Q5-1/4 Q3-1/2	\$59.95								
productivity now!	ALL CHARGECARI	(Special for DESQview owners)	\$200.00°								
Name	outside USA										
-		Calif Residents add 6.5%									
Address	0	- (Grand Total								
City State Zip											
Payment Method 🗆 Visa 🗆 MasterCa	rd Expiration/	450 Pi P		C4 00405							
Account #		150 Pico Boulevard, Sa	nta Monica	1, CA 90405							
		(213) 39	2-9851								



FACT FILE



Designer VGA

Orchid Technology 45365 Northport Loop W.

Fremont, CA 94538

(800) 638-3322

(415) 683-0300 List Price: \$445

Requires: PC, XT, AT, or compatible, or

PS 2 Model 30

In Short: A short board that combines VGA register compatibility and backward compatibility with previous video standards with 512K RAM, allowing resolutions up to 1,024 by 768 in 16 colors. Works with any monitor type.

CIRCLE 697 ON READER SERVICE CARD

at all. However, its 512K of on-board 100nanosecond memory should take care of most future possibilities. Most of its capabilities derive from the Tseng Labs VLSI chip it's built around and its Inmos DAC.

ROOM TO GROW The Designer VGA excels in monitor compatibility. It gives you a solid growth path from IBM's original TTL Monochrome Display all the way up to the latest VGA and MultiSync-style monitors. Only archaeologists may be disappointed that it does not support standard CGA monitors.

The Designer VGA does require a minor setup to match it to your monitor before use. A jumper selects between monochrome and color modes, and a bank of four DIP switches selects the monitor standard. The switch (but not the jumper) can be adjusted through a cutout in the card-retaining bracket.

The Designer VGA adapts images for one standard, for instance Hercules, and readily displays them on another standard such as VGA. It will also display noncompatible VGA modes, for instance, putting monochrome VGA modes on color VGA displays.

Both DB-9 and DB-15 connectors are available for digital- and analog-interfaced monitors, respectively. With MultiSyncstyle monitors, resolutions beyond VGA include 800 by 600 in 16 or 256 colors, and the 1,024 by 768 interlaced display (which is not compatible with NEC MultiSync monitors). In addition, six 132-column modes are supported—three monochrome and three color—with character box matrices of 9 by 8, 9 by 14, and 9 by 13 in each.

DRIVERS AND UTILITIES Orchid supplies high-resolution drivers for *Lotus 1-2-3*, *Microsoft Windows* (including Version 2.0), and *AutoCAD*, as well as several utilities, some specialized (*AutoCAD* zooming) and some not (mode changing).

In testing, the Designer VGA proved almost unremarkable—and that's good. Its scores on the PC Labs performance and benchmark tests fall into the middle-to-slow category. The Designer VGA passed four of the eight PC Labs VGA compatibility tests.

Choose the Designer VGA if you want to maximize your flexibility in connecting different display types to your PC, XT, or AT, and in taking advantage of all possible video modes including very high resolution.

PARADISE SYSTEMS INC.

Paradise VGA Plus Card

The "Plus" in the name of Paradise Systems' VGA Plus Card tells only part of the story. While the \$399 adapter rates a true plus in its ability to go beyond the VGA standard to up to 800 by 600 resolution in 16 colors, it also dips below the standard, too. In so doing, it adds full backward software compatibility with all previous major video standards—MDA, Hercules Graphics, CGA, MCGA, and EGA—to PCs (except for the early 64K system board model), XTs, ATs, PS/2 Models 25 and 30, and compatibles.

All of those potentials are contained on a completely hardware-compatible 8-bit expansion card that's only 51/4 inches long.


Most of the circuitry of the card is contained in one Paradise VLSI chip, supplemented by an Inmos DAC. The 256K of video memory on the card is rated at 120 nanoseconds.

ANALOG CONNECTOR At the top of the card is the requisite VGA Video Feature Connector. The card's retaining bracket is decorated solely with an analog DB-15 connector, which precludes the possibility of plugging in an incompatible display. The VGA Plus works with both color and monochrome monitors that follow the VGA standard, as well as Multi-Sync-style displays equipped with analog inputs.

Normally, no hardware setup is required when installing the VGA Plus. Per the VGA standard, it configures itself to accommodate monochrome or color displays and allows using only the display mode supported by that monitor type. However, Paradise also includes a utility program called VGAPLUS, which allows



FACT FILE



Paradise VGA Plus Card

Paradise Systems Inc.

99 S. Hill Dr.

Brisbane, CA 94005

(415) 468-7300

List Price: \$399

Requires: PC, XT, AT, or compatible, or

PS-2 Model 25 or 30

In Short: This 5¼-inch board offers a top resolution of 800 by 600 pixels in 16 colors; 256K of video memory; register compatibility with the VGA standard; backward compatibility with MDA, Hercules Graphics, CGA, MCGA, and EGA; and drivers for

many popular software packages.
CIRCLE 696 ON READER SERVICE CARD



Telephone (_____PCM7/88

FormWorx and Fill & File are trademarks of FormWorx Corporation dBase III Plus is a trademark of Ashton-Tate

CIRCLE 174 ON READER SERVICE CARD



VGA Boards

PC Labs tested nine VGA boards that are IBM VGA BIOS-level as well as register-level compatible. Each was compared with the IBM PS/2 Display Adapter running in an 8-bit slot. The results for the Compaq Video Graphics Controller Board running in an 8-bit slot in an IBM PC AT were included for comparison's sake as were results for the same tests in a 16-bit slot and for the built-in VGA on an IBM PS/2 Model 60. The Windows Performance Tests and Video Benchmark Tests for VGA cards were run in a Microsoft Windows, Version 2.03, environment under DOS 3.2 on an 8-MHz IBM PC AT, an IBM PS/2 Model 60, and a Compaq Deskpro 386/20.

Overall, the IBM PS/2 Display Adapter board performed poorly in all the Windows Performance Tests. In two of the three Video Benchmark Tests, the IBM board came out somewhat slower than average; it was the slowest of the bunch in the Direct to Screen test. The Model 60 came out strong in the Video BIOS Routine Without Scrolling, owing in part to its 10-MHz speed. And while the Compaq V.G.C. Board's Direct to Screen test results show it's over twice as fast as any other VGA add-in board on the market, you need the appropriate device driver to take full advantage of this speed.

The Paradise VGA Plus Card fared well on most of the tests, with less-impressive results on only a few tests. Taxan's Ultra-Grafix VGA Model 580 Card also performed well throughout all tests. This, however, should be viewed as no coincidence: Taxan is using the identical board as Paradise Systems'.

Windows Performance Tests

Seven Windows call routines—LineTwo, Rectangle Scrollwindow FillRect Ethpses, Bitbit and Stretchbit—are used for the tests

The 60- by 20-Line Windows Test measures the time it takes to perform the

LineTwo function in a window that is 60 characters wide and 20 lines down. For the Full-Screen Windows Test the Lines test measures the time it takes to draw 100 random lines of various colors. The Rectangles test measures the time it takes to draw 100 rectangles of random size and color The Ellipses test measures the time it takes to draw 100 ellipses of random size and color. The Bitbit test measures the time it takes to draw 100 rectangles of the same size. The Stretchbit lest measures the time it takes to draw 100 rectangles of varying size but the same color. The Scroll test creates a rectangle that is 1/10 the height and 1/10 the width of the window in the upper-left-hand corner of the screen and measures the time it takes to scroll to the right pixel by pixel down pixel by pixel, and diagonally to the upper left pixel by pixel. The Fill test measures the time it takes to fill the window 512 times with a color The results for the Windows Performance Tests are expressed in milliseconds per single operation because of the varying size of different screens

Video Benchmark Tests

The **Direct to Screen** benchmark test measures the bandwidth of the video adapter by writing directly to the display memory buffer. The test is performed in video mode 3. The entire screen is updated using the assembly language REP STOSW instruction with register CX equal to 2000. This is done 1,000 times, and the result shown is the total of the 1,000 trials.


The Video BIOS Routine with Scrolling benchmark test measures the speed of the BIOS Teletype routine with scrolling. The test is performed in video mode 3. The screen is cleared, and 240 lines of 60 characters each (including a terminating carriage return and line feed) are written to the display through the BIOS Teletype routine. Although the first 24 lines written to the display do not involve scrolling, all the remaining lines scroll the display.

The Video BIOS Routine Without Scrolling benchmark test measures the speed of the BIOS Teletype routine without scrolling. The test is performed in video mode 3. The screen is cleared, and 24 lines of 60 characters each (including a terminating camage return and line feed) are written to the display through the BIOS Teletype routine. This is done ten times, and the result shown is the total of the ten trials.

Performance Times

(Times given in seconds except where noted)

,										
Window	s Per	Video Benchmark Tests								
60- by 20-L Windows Test	Full-	Screen Wil								
		Rectangles	Ellipses	виы	Stretchbit	Scroll	Fill	Direct to Screen		Video BIOS Routine Without Scrolling
5.5	6.0	19.2	201.0	11.0	820.0	16.1	54.5	5.6	10.1	7.6
5.5	5.5	19.2	201.0	11.0	821.5	16.1	54.6	5.6	10.2	7.6
5.5	5.5	19.2	201.0	11.0	813.8	15.9	54.5	5 6	9.9	7.5
5.5	5.5	20.9	202.1	11.0	817.8	16.0	65.1	6.8	9.1	6.1
6.0	6.6	23.1	208.7	12.1	836.0	16.6	69.9	6.9	8.6	5.6
5.5	5.5	15.9	197.5	9.3	789.2	14.6	37.4	4.3	7.7	5.6
5.5	5.5	15.9	197.6	9.3	789.4	14.6	37.4	4.3	7.7	5.5
5.5	6.3	22.0	202.1	11.3	819.3	15.9	65.2	6.8	7.6	4.6
5.5	5.5	18.7	200.1	10.6	810.8	15.7	50.2	5.0	6.9	4.7
5.5	5.5	16.5	197.7	9.3	789.8	14.7	39.2	3.6	5.6	4.0
5.5	5.5	16.5	197.7	9.9	789.8	14.7	39.2	1.8	4.8	4.0
5.5	6.0	20.3	201.9	11.2	817.3	15.9	65.0	6.8	5.8	2.9
4.4	4.9	19.8	165.9	9.9	655.3	14.0	65.0	6.7	4.3	1.5
	60- by 20-L Windows Test 5.5 5.5 5.5 5.5 5.5 5.5 5.5 5.5 5.5 5.	Full- 60- by 20-Line Windows Test Lines 5.5 6.0 5.5 5.5 5.5 5.5 6.0 6.6 5.5 5.5 5.5 5.5 5.5 5.5 5.5 5.5 5.5 5.5 5.5 6.3 5.5 5.5 5.5 5.5 5.5 6.3 5.5 5.5 5.5 6.3	Windows Performance 1 Full-Screen Windows Test Lines Rectangles 5.5 6.0 19.2 5.5 5.5 19.2 5.5 5.5 19.2 5.5 5.5 19.2 5.5 5.5 19.2 5.5 5.5 19.2 5.5 5.5 19.2 5.5 5.5 19.2 5.5 5.5 19.2 5.5 5.5 19.2 5.5 5.5 19.2 5.5 5.5 19.2 5.5 5.5 15.9 5.5 5.5 15.9 5.5 5.5 18.7 5.5 5.5 16.5 5.5 5.5 16.5 5.5 6.0 20.3	Windows Performance Tests (millis Full-Screen Windows Te Full-Screen Windows Te Colopies Ellipses 5.5 6.0 19.2 201.0 5.5 5.5 19.2 201.0 5.5 5.5 19.2 201.0 5.5 5.5 20.9 202.1 6.0 6.6 23.1 208.7 5.5 5.5 15.9 197.5 5.5 5.5 15.9 197.6 5.5 6.3 22.0 202.1 5.5 5.5 18.7 200.1 5.5 5.5 16.5 197.7 5.5 5.5 16.5 197.7 5.5 6.0 20.3 201.9	Windows Performance Tests (milliseconds) Full-Screen Windows Test 60- by 20-Line Windows Test Test Lines Rectangles Ellipses Bilibit 5.5 6.0 19.2 201.0 11.0 5.5 5.5 19.2 201.0 11.0 5.5 5.5 19.2 201.0 11.0 6.0 6.6 23.1 208.7 12.1 5.5 5.5 15.9 197.5 9.3 5.5 5.5 15.9 197.6 9.3 5.5 6.3 22.0 202.1 11.3 5.5 5.5 18.7 200.1 10.6 5.5 5.5 16.5 197.7 9.3 5.5 5.5 16.5 197.7 9.9 5.5 6.0 20.3 201.9 11.2	Windows Performance Tests (milliseconds) Full-Screen Windows Test Lines Rectangles Ellipses Bilibit Stretchbit 5.5 6.0 19.2 201.0 11.0 820.0 5.5 5.5 19.2 201.0 11.0 821.5 5.5 5.5 19.2 201.0 11.0 813.8 5.5 5.5 20.9 202.1 11.0 817.8 6.0 6.6 23.1 208.7 12.1 836.0 5.5 5.5 15.9 197.5 9.3 789.2 5.5 5.5 15.9 197.6 9.3 789.4 5.5 6.3 22.0 202.1 11.3 819.3 5.5 5.5 16.5 197.7 9.3 789.8 5.5 5.5 16.5 197.7 9.9 789.8 5.5 5.5 16.5 197.7 9.9 789.8 5.5 6.0 20.3	Windows Performance Tests (milliseconds) Full-Screen Windows Test Lines Rectangles Ellipses Bilibit Stretchbit Scrult 5.5 6.0 19.2 201.0 11.0 820.0 16.1 5.5 5.5 19.2 201.0 11.0 821.5 16.1 5.5 5.5 19.2 201.0 11.0 813.8 15.9 5.5 5.5 20.9 202.1 11.0 817.8 16.0 6.0 6.6 23.1 208.7 12.1 836.0 16.6 5.5 5.5 15.9 197.5 9.3 789.2 14.6 5.5 5.5 15.9 197.6 9.3 789.4 14.6 5.5 6.3 22.0 202.1 11.3 819.3 15.9 5.5 5.5 16.7 200.1 10.6 810.8 15.7 5.5 5.5 16.5 197.7 9.3 789.8 14	Windows Performance Tests (milliseconds) Full-Screen Windows Test 60- by 20-Line Windows Test Ellipses Bilibit Stretchbit Scruit Fill 5.5 6.0 19.2 201.0 11.0 820.0 16.1 54.5 5.5 5.5 19.2 201.0 11.0 821.5 16.1 54.6 5.5 5.5 19.2 201.0 11.0 813.8 15.9 54.5 5.5 5.5 19.2 201.0 11.0 813.8 15.9 54.5 5.5 5.5 19.2 201.0 11.0 813.8 15.9 54.5 5.5 5.5 19.2 201.0 11.0 817.8 16.0 65.1 6.0 6.6 23.1 208.7 12.1 836.0 16.6 69.9 5.5 5.5 15.9 197.5 9.3 789.2 14.6 37.4 5.5 5.5 15.9 197.6	Windows Performance Tests (milliseconds) Video Full-Screen Windows Test 60- by 20-Line Windows Test Billibil Stretchbit Scrull Fill Screen 5.5 6.0 19.2 201.0 11.0 820.0 16.1 54.5 5.6 5.5 5.5 19.2 201.0 11.0 821.5 16.1 54.6 5.6 5.5 5.5 19.2 201.0 11.0 813.8 15.9 54.5 5.6 5.5 5.5 19.2 201.0 11.0 813.8 15.9 54.5 5.6 5.5 5.5 19.2 201.0 11.0 817.8 16.0 65.1 6.8 6.0 6.6 23.1 208.7 12.1 836.0 16.6 69.9 6.9 5.5 5.5 15.9 197.5 9.3 789.2 14.6 37.4 4.3 5.5 5.5 15.9 197.6 9.3 789.4 14.6	Full-Screen Windows Tests Full-Screen Windows Test Full-Screen Windows Windows Test Full-Screen Windows Windows Test Full-Screen Windows



What if there were more powerful forces at work?

Introducing the full range of Vectra PCs from Hewlett-Packard.

Exceptional power.

That's the defining characteristic of our new, comprehensive line of industry-standard PCs.

From the 20-megahertz 80386based system, through the 12megahertz 80286, to our entry-level and portable models.

And this line not only has the speed to get the job done, but the expandability too.

For instance, the memory of our 12 MHz 80286-based model can be expanded up to 8 megabytes. And, importantly, all 8 can be accessed at the same 12 MHz for faster performance.

With eight expansion slots and up to 620 megabytes of mass storage. the 80386 models' built-in expandability will handle your most demanding applications.

But there's more than just power. There's the compatibility to meet





HP Vectra RS/16 and RS/20 Personal Computers High-level, 80386 based • Choice of 16 or 20 MHz, Intel 80386-based microprocessors

Up to 620 Mbytes hard disc storage supported—17 millisecond average seek time for 100 through 620 Mbytes

• Up to 16 Mbytes of 32-bit memory using interleaved page-mode DRAM

· 8 accessory slots for expansion 330-watt peak power supply, and six half-height mass storage shelves
 Both 5.25 and 3.5 inch flexible

disc drives supported internally Separate mouse/graphics tablet port included

 Intel 80387 and Weitek 1167 co-processor support

HP Vectra ES and ES/12 Personal Computers
Mid-level, 80286 based
• Choice of 8 or 12 MHz, Intel

80286-based microprocessors

 Up to 8 Mbytes of expanded memory, accessed at 12 MHz in the Vectra ES/12 PC, supporting LIM 4.0 vector ES/EZ PC, supporting EM/4.4
expanded memory specification
without using I/O slots
• 7 accessory slots for expansion
• 20 and 40 Mbyte hard disc

models
• Both 5.25 and 3.5 inch flexible

disc drives supported internally
• Separate mouse/graphics tablet port included

we never stop

long established reputation for quality and reliability.

Advanced surface-mount technology and VLSI are just two examples of how this reputation is being upheld.



PCs like this are the product of a philosophy that never stops asking "What if ...?" to create a better computing tool for your business.

Just call for the location of your nearest HP sales office or dealer

Portable, 8086 compatible at: 1800 752-0900, Dept. 709B. More power to you.

HP Vectra CS Personal Computer Entry-level, 8086 compatible • 716 MHz, 8086-compatible

microprocessor with zero wait states

• Up to 8 Mbytes of expanded
memory, addressable via LIM 3.2
expanded memory specification

• 7 accessory slots for

expansion

20 Mbyte hard disc model
Both 5 25 and 3.5 inch flexible disc drives supported internally

HP Portable Vectra CS Personal Computer

8086 compatible

• 7.16 MHz, 8086-compatible
microprocessor with zero wait states Up to 6 Mbytes expanded memory, addressable by LIM 3.2
 Four I/O slots

Aldus Corp

 Supports two 3.5 inch flexible disc drives

20 Mbyte internal hard disc model available

 Up to 10 hour battery life IBM style keyboard

AutoCad is a U.S. trademark of Autodesk, Inc PageMaker is a U.S. trademark of





Benchmark Tests: VGA Boards

VGA Software Compatibility

VGA Hardware Compatibility

	Color Bar	Character See	Cheracter Attribu	Line Pattern	DAC Palette	Direct Writes to Frame Burier (20 modes)	Direct Palette	VOA Write Mode	Status Register	Vertical Blank Interrupt	Pan and Scroll	Programmable Character O	Split Screen
Intelligent VGA Board	Pass	Pass	Pass	Pass	Pass	Fail (mode 13) 525 5 165	Pass	Pass	Fall	Fall	Pass	Pass	Pass
Tatung VGA Platinum Card	Pass	Pass	Pass	Pass	Pass	Fall (mode 13)	Pass	Pass	Fall	Fall	Pass	Pass	Pass
Everex EVGA	Pass	Pass	Pass	Pass	Pass	Fall (modes 7, 18)	Pass	Pass	Pass	Pass	Pass	Pass	Pass
Sigma VGA/H	Pass	Pass	Pass	Pass	Pass	Fall (modes 7, 13, 15, 16)	Pass	Pass	Pass	Fall	Fall *	Pass	Pass
IBM PS/2 Display Adapter	Pass	Pass	Pass	Pass	Pass	Fail (modes 7, 15)	Pass	Pass	Pass	Fall	Pass	Pass	Pass
Paradise VGA Plus Card	Pass	Pass	Pass	Pass	Pass	Fall (modes 7, 15)	Pass	Pass	Pass	Fall	Pass	Pass	Pass
Ultra-Grafix VGA Model 580 Card	Pass	Pass	Pass	Pass	Pass	Fail (modes 7, 15)	Pass	Pass	Pass	Fall	Pass	Pass	Pass
Designer VGA	Pass	Pass	Pass	Pass	Pass	Fall (modes 7, 13, 18, 16)	Pass	Pass	Fail	Fail	Fall *	Pass	Pass
VEGA VGA	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Fall	Fall	Fall *	Pass	Enit,
Compaq V.G.C. Board (in 8-bit slot)	Pass	Pass	Pass	Pass	Pass	Fall (modes 7, 15)	Pass	Pass	Pass	Fail	Pass	Pass	Pass
Compaq V.G.C. Board (in 16-bit slot)	Pass	Pass	Pass	Pass	Pass	Fail (modes 7, 15)	Pass	Pass	Pass	Fail	Pass	Pass	Pass
Tecmar VGA	Pass	Pass	Pass	Pass	Pass	Fail (modes 13, 15)	Pass	Pass	Pass	Pass	Fail "	Pass	Pass
Built-in VGA on IBM PS/2 Model 60	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass

^{*} Diagonal scrolling is jumpy.

To define "true" register compatibility, it is necessary to first define compatibility itself. IBM has introduced two types of VGA, one with the on-board PS/2 VGA system and the other with its plug-in VGA card. Neither of these is totally compatible with the other on all levels.

In designing the VGA circuitry of their boards, many manufacturers have opted to use the plug-in IBM VGA card as their model. The PC Labs benchmark tests are based on the VGA environment of the Micro Channel PS/2 and were designed to test compatibility with this standard.

The contradictory result is that while the boards tested may indeed be register compatible with the IBM PS/2 Dispay Adapter, none is absolutely compatible with the built-in VGA system of the IBM PS/2 Model 60. As a practical matter, these VGA boards will work with applications that follow the less stringent plug-in VGA standard but may have problems with software that attempts to access the full range of abilities found in the built-in VGA system. For most applications, that level of compatibility should be good enough.

The nine boards tested passed all of the PC Labs VGA Software Compatibility tests, which means that their BIOS interface is consistent with the IBM definition. Programs adhering strictly to BIOS should run on any of these boards.

In the PC Labs VGA Hardware Compatibility tests, the built-in VGA on the IBM PS/2 Model 60 and Video Seven's VEGA VGA were the only boards to successfully display all 20 video modes. However, the VEGA VGA, which is perhaps best regarded as an enhanced EGA card that should work with most VGA software, failed four out of the seven PC Labs VGA Hardware Compatibility tests.

Typically, boards that have failed the Pan and Scroll test can pan and scroll, albeit in a step pattern or with a certain degree of jumpiness. And boards that failed the Status Register test could cause graphics-oriented video games to operate improperty.

Only the built-in VGA on the IBM PS/2 Model 60 passed all of the PC Labs VGA Hardware Compatibility tests. Coming in right behind the PS/2 Model 60 is the Everex EVGA board, which only failed modes 7 and 15 (which are monochrome modes) in the Direct Writes to Frame Buffer video modes test. The other modes that gave the boards some trouble were mode 13, the high-color mode (320 by 200 pixels in 16 colors) for EGA, and mode 16, the high-resolution mode (640 by 350 pixels in four colors) for EGA. Boards that failed mode 16 are not fully EGA

compatible at the hardware level.

The IBM PS/2 Display Adapter, the Compaq V.G.C. Board, Taxan's Ultra-Grafix VGA Model 580 Card, the Paradise VGA Plus Card, and the Tecmar VGA ranked well overall, failing only two video mode tests and one other VGA Hardware Compatibility test. They are followed by the Tatung VGA Platinum Card and the Intelligent VGA Board, which failed one video mode test and two other VGA Hardware Compatibility tests.

The VGA Software Compatibility tests use the VGA BIOS to perform various operations, including displays of color bars, displays of characters, characters with various attributes, and an octagon made up of lines of various colors. These tests are similar to those used on the CGA and EGA. An additional color bar test in the 256-color VGA mode displays all colors at once. Programs that use only VGA BIOS calts should work with boards that pass the VGA Software Compatibility tests.

The VGA Hardware Competibility tests bypass the VGA BIOS to go directly to the VGA hardware. They include writing directly to the VGA RAM, changing the colors of the display palette by using the digital-to-analog-converter (DAC) chip directly, selecting each VGA mode using hardware registers, and checking the on-board clock versus the PC's clock. The clock is used by some software to detect the vertical blank interval (VBI), which allows a program to update the screen without flickering.

The pan and scroll hardware support was tested along with split screen and programmable character generator support. These features are often used by high-end graphics packages and sophisticated terminal emulator programs. Adapters that are only VGA BIOS compatible will probably fail one or more of the VGA Hardware Compatibility tests. Many programs, including Microsoft Windows:386, require hardware compatibility for VGA adapters.

the board to mimic any supported video standard. For instance, after you configure the VGA Plus with the program, your Hercules graphics programs will execute all their routines on your VGA display.

The VGA Plus has only one hardware jumper, which selects whether the board will have its 800 by 600 mode accessible or will keep its Video Feature Connector completely IBM compatible. The factory setting, high resolution enabled, should not be a problem because no accessories yet make use of the connector.

For true VGA
hardware compatibility,
the Paradise VGA Plus is a good
choice. Its higher-resolution
mode is a windfall for owners of
MultiSync-style monitors.

MULTITUDE OF DRIVERS The high-resolution mode of the VGA Plus requires the use of a MultiSync-style monitor. In addition, your software must be compatible to take advantage of it. Paradise supplies drivers to handle Microsoft Windows (Version 2.0 only), GEM, AutoCAD, CADvance, Ventura Publisher, and Framework II. The VGA Plus also has two 132-column text modes, 25- and 43-row. Drivers are supplied to support Framework II, WordStar, Version 3.3; WordStar Professional, Release 4.0; and WordPerfect, all in 132-column mode.

The Paradise VGA Plus rates among the most compatible VGA boards available. It passed five out of the eight PC Labs VGA compatibility tests, displaying excellent scrolling capabilities in the split-screen test. Like the Taxan Ultra-Grafix VGA, its performance was among the best in the PC Labs *Windows* performance tests and average in the PC Labs video benchmark tests.

For true VGA hardware compatibility, the Paradise VGA Plus is a good choice.

Its added higher-resolution mode is a wonderful windfall for owners of MultiSyncstyle monitors.

SIGMA DESIGNS INC. Sigma VGA/H

The "H" in the name of the Sigma VGA/H must stand for "hardware compatible" in that Sigma Designs claims it to be hardware compatible with all IBM video standards as well as Hercules graphics. Moreover, it's the only VGA board compatible with digital input monitors that also includes a VGA-style Video Feature Connector. On the other side of the connection, the \$399 VGA/H will mate with any PC or compatible, as well as PS/2 Models 25 and 30. It even stretches the VGA level of resolution up to 800 by 600 pixels in 16 colors when you have a MultiSync-style display.

The features of the VGA/H are brought to life with a Tseng Labs VGA chip, an Inmos DAC, and 256K of socketed 100-nanosecond DRAM chips. All fit on an 81/4-inch board that uses an 8-bit interface.


SUPPORTS MANY STANDARDS

Sigma Designs claims hardware compatibility with MDA, Hercules Graphics, CGA, MCGA, EGA, and VGA display standards. In addition, it plugs into both digital and analog monitors using the female 9-pin and 15-pin D-shell connnectors on its retaining bracket.

Not all display standards are compatible with all monitor types, however. MultiSync-style displays will handle all modes of the VGA/H; IBM VGA displays will show everything (including Hercules Graphics) except the highest resolution modes. Other display types are limited basically to the standards for which they were designed (with a few exceptions).

The VGA/H supports both 800- by 560- and 800- by 600-pixel 16-color graphics modes, as well as a wealth of 132-column text modes. Four of these produce 25 rows of characters, including modes for all monitor types except IBM VGA (including MDA, CGA, EGA, and MultiSync-style). Three modes allow 44 rows of text on MDA, EGA, and MultiSync-style displays. The VGA/H will also put monochrome VGA images on color





Sigma VGA/H

Sigma Designs Inc. 46501 Landing Pkwy. Fremont, CA 94538 (415) 770-0100

List Price: \$399 Requires: PC, XT, AT, or compatible, or

PS-2 Model 30.

In Short: The only VGA add-in board compatible with digital input monitors that also includes a VGA-style Video Feature Connector, the Sigma VGA/H is compatible with all IBM video standards as well as Hercules Graphies and offers resolutions up to 800 by 600 pixels in 16 colors for MultiSync-style displays.

CIRCLE 695 ON READER SERVICE CARD

VGA displays (and vice versa) without a complaint.

Setting up the VGA may require moving a single jumper or toggling some of the four DIP switches that can be seen through the retaining bracket of the card. No other adjustments are required.

ADVANCED MODES Sigma Designs does not include special drivers with the VGA/H, but instead relies on software to take advantage of its advanced modes. A utility called DISPLAY is included for switching display modes (with VGA- and MultiSync-style displays, most mode switching is automatic), blanking your monitor screen after a preset period, and booting games on the VGA/H using otherwise incompatible displays. Proprietary diagnostics are also included.

In testing, the VGA/H demonstrated hardware compatibility that places it in the top tier of the boards reviewed here. The board passed five out of eight of the PC Labs VGA compatibility tests and excelled


RESOLUTION À LA MODE

To help you compare VGA, EGA, and CGA output, we show the same image created in each of the three modes. The image, designed by PC Labs, was created using *Dr. Halo III* from Media Cybernetics and contains both type and a

curved graphic to facilitate comparison.

In photo A, you can see the image in VGA's highest resolution mode, 640 by 480 pixels in 16 colors. The image in photo B was created in VGA's 256-color mode at a resolution of 320 by 200. Pho-


to C shows the image in EGA's 16-color 640 by 350 resolution. Photo D shows the four-color 320 by 200 resolution of CGA. The curvature of the pie chart and of the block characters is smoothest in the highest resolution mode.



VGA: 640 by 480 pixels



EGA: 640 by 350 pixels



VGA: 320 by 200 pixels



CGA: 320 by 200 pixels

Look Smart. Be Smart.



Glyphix fonts work with Microsoft Word, WordPerfect, WordStar 2000, PageMaker, Ventura Publisher and more.


Choose from a menu of size and style options and get great looking results. Glyphix fonts offer 6 to 60 pt. type, 14 bold weights, condensed. expanded, screened, patterned, shaded type and more.





The Smart Choice.

Compare & Save	Glyphix	HP	Bitstrean
Fonts to 60 point	Yes	No	Yes
Degrees of bold	14	2	2
Patterned fonts	Yes	No	No
Expand & condense	Yes	No	No
300 DPI density	Yes	Yes	Yes
Typefaces per disk	4	2	1
Drico	C0095	\$200	\$100



BASICS Roman Helvette Rockland

SANS SERIF **Avanti** Gillies Olivia Galaxy

BOOK Garamet

Chancelor

FIXED Courier Prestige Basque Letter Gothic Palatine Centrum Line Draw

DECORATIVE Coop Abber Beget

Om BASICS II Roman Italic Amertype **Big City**

Optimis

Wilmington, De 19808

Glyphix fonts require an IBM PC, XT, AT, PS/2 or compatible with 64K RAM; a hard disk drive: LaserJet Plus, Series II or compatible printer, MS-DOS 2.0 or later

See Glyphix quality for yourself. Our demo disk prints our newsletter and samples of all fonts on your printer. Send \$5,00 check or money order.

ŗ	Bin	
	9 11 -	"IV
,	0	
2007	S. Janes.	7
	Glyphix font disks co	ont sin
	four complete faces.	Michigan I
		400.0
-	Basic Set—	200 0

Rook Faces -\$99.0 Decorative --

\$99.0 Pasics II -\$99.0 San Serif-\$99 Fixed Fonts -

Glyphix Font Managers are required for use with

MS Word-

ORDER TOLL FREE

800-237-9383

IN DELAWARE CALL (302) 429-8434

Name	-
Company	
Address	
City	St

Tel. (Include \$5.00 shipping and handling with your order Add \$2,50 for second item and each additional item. All Swite products come with a 30 day, money back guarantee



PCM 7/88

Glyphix and The Smart Choice are trademarks or service marks of SWFTE International. All other products are trademarks and/or registered trademarks of their manufacturers

No matter which of these modes you use,

40-column CGA Text
40-column EGA Text
40-column VGA Text
80-column CGA Text
80-column EGA Text
80-column VGA Text
Lo-res CGA Graphics
Hi-res CGA Graphics
MDA Monochrome Text
80-column VGA Monochrome Text
Lo-res MCGA Graphics
Lo-res VGA Graphics
Med-res VGA Graphics
EGA Monochrome Graphics
Hi-res EGA Graphics
Hi-res VGA Graphics
Hi-res VGA Graphics

we have the VGA display for it.



Magnavox introduces two new Professional Series displays that are fully compatible with all 17 VGA modes—both designed with the intelligence you've come to expect from Magnavox.

With a VGA display system, you'll get the most out of your present software and prepare yourself for graphics environments like Windows 386,OS/2,™and Presentation Manager.™ Resolutions include 720 x

400 for text, and 640 x 480 in 256 colors for graphics.

Both displays have a 14" CRT, versus the 12" industry standard. And both come with a built-in tilt/swivel base and are backed by a 2-year limited warranty—twice as long as most other brands.

At \$249 for the paper-white monochrome and \$649 for the color display, Magnavox makes VGA displays affordable.

MAGNAVOX Smart. Very smart.

CIRCLE 101 ON READER SERVICE CARD

at the direct palette access test. Both BIOS and direct-memory-writing performance on the VGA/H was slower than average.

The VGA/H is the board to choose for upgradability. It will allow you to move up to new display standards whenever you can afford a new monitor. It's the only board that lets you go backward to a digital monitor or forward with its VGA Video Feature Connector.


TATUNG CO. OF AMERICA INC. Tatung VGA Platinum Card

Platinum is useful and beautiful—the stuff of jewelry and catalytic converters. Tatung's VGA Platinum Card shares those qualities, if embryonically. The \$449 board is a practical product that supports all major video standards from MDA up to VGA, extending up to 800 by 560 pixels in 16 colors. It's beautiful, too, in its ability to automatically adjust itself to the standard demanded by your software. But the raw metal in the Platinum Card needs more work to fulfill its potential.

The 7-inch-long Platinum Card is a product of technological convergence, built from both Chips and Technologies' VGA chip and ATI Technologies' VLSI circuit for lower-resolution work. Its 256K RAM is rated at 120 nanoseconds, and it uses an Inmos DAC.

REGISTER-LEVEL MATCH A register-level rather than hardware match for the VGA standard, the Platinum card's expansion connector follows the EGA standard. In fact, the Platinum Card claims full hardware compatibility with the EGA standard and only a BIOS-level match for the MDA, Hercules Graphics, and CGA standards. It even puts images from any standard up to EGA on lesser CGA displays and transposes monochrome VGA screens to color displays.

Both digital DB-9 and analog DB-15 connectors are installed on the Platinum Card's retaining bracket. An eight-bank DIP switch, accessible through a cutout in the bracket, adjusts the card to match monitors that don't fit the analog VGA standard. VGA-spec displays (but not Multi-Sync-style monitors) automatically take



command and override the switch settings. An RF output for a television modulator is also available on the Platinum Card.

An entire row of badly documented jumpers lines the top half of the rear edge of the card. The accompanying manual lists the function of only one of the six sets, which sets the card's base address.

BEYOND VGA Beyond the VGA standard, the Platinum Card offers eight modes of its own. Four push horizontal resolution to 1,056 pixels to put 132 columns of text on MultiSync-style displays, at either 25 or 44 columns (200 or 354 pixels) deep. Also available are two 640- by 528-pixel modes. At its sharpest, the Platinum Card produces graphics at the odd aspect ratio of 800 by 560 in 16 colors.

Tatung supplies a control program that allows manual shifting of video modes and also includes a screen saver that blanks your monitor after a predetermined period of system inactivity. Programs supported by Tatung drivers include AutoCAD, Microsoft Windows, GEM, Ventura Publish-

er, and Lotus 1-2-3 (in 132-column text mode).

Like IDS's Intelligent VGA Boards, the Platinum Card produced some of the slowest times in the PC Labs performance and benchmark tests. It also fared as well as the IDS board in passing most of the PC Labs VGA compatibility tests. All in all, the Platinum Card is not as lustrous as it could be. With some polishing, however, it could be a strong VGA contender.

TAXAN USA CORP. Ultra-Grafix VGA Model 580 Card

Taxan's Ultra-Grafix VGA Model 580 Card earns its name by going beyond VGA hardware compatibility with an enhanced 800 by 600 16-color mode for MultiSyncstyle monitors. The \$395 product also rates as a sub-VGA board, endowed with the ability to handle any major video standard below the VGA level—including MDA, CGA, MCGA, and EGA—and put a likeness of its images on any monitor it works with (VGA and analog MultiSyncstyle only). It plugs into nearly any PC (except for the early 64K system board model), XT, AT, PS/2 Model 30, or compatible.

Based on a Paradise Systems VLSI chip and an Inmos DAC, and equipped with 256K of 120-nanosecond memory, the Ultra-Grafix VGA Model 580 Card bears a striking resemblance to the Paradise VGA Plus. As with the Paradise board, the Ultra-Grafix VGA is 51/4 inches long and uses an 8-bit interface. It also includes an IBM-standard VGA Video Feature Connector at its top edge.


The only monitor connection supplied is a DB-15 connector suitable for analog VGA-standard monitors and MultiSync-style displays equipped with suitable adapter cables. The Ultra-Grafix VGA automatically senses whether it's attached to a color or monochrome VGA display and limits its VGA display modes accordingly. The board will, however, map Hercules monochrome graphics to a color VGA system.

EASY SETUP You won't have to endure any setup head-scratching when plugging in the Ultra-Grafix VGA. Since

If our new 286 computer is so terrific, why doesn't it cost more?

This handsome piece of hightech wizardry is the new Dell

System 220.



Which means it's as fast as most 386 computers,

running MS*OS/2 and MS-DOS* at blistering speed. All from a tiny corner of your desk.


Yet it costs less than half of what most 386 computers sell for.

Which might lead you, quite

reasonably, to ask: How can Dell offer so much for so little?

Well, you buy direct from us, the manufacturer. Eliminating computer stores and their salespeople-who can add thousands of dollars to a computer's cost, and the hassle of a middleman.





"Speed is a good thing. Safe, reliable, no hassles speed is better still."-Al Poor, Editor's Choice, PC Magazine

We design and build our computers right here in Austin. Putting a premium on speed,

compatibility, and

reliability.

We're already shipping our version of MS OS/2, so you can run OS/2 applications, now and in the future.

"...includes a year's on-site support...in the price of the computer. This is the sweetest support deal offered



by any computer vendor in the business."-Eric Knorr, PC World

And each computer goes through a battery of diagnostic checks, including a comprehensive burn-in before shipment.



In addition, every computer comes with a level of service most computer stores can only envy.

Including expert technical advice before you buy, and free technical phone support after-

wards. Plus next-day on-site repair during the first year.

We also give you a thirty-day money-back guarantee, and a one year limited warranty.

"If your desire for speed is inexhaustible, (this is) the machine for you...it's reassuring when a computer completes some operations even before your fingers leave the keyboard."

-Harry Miller, PC World

As one of the largest personal computer manufacturers in the U.S., we've sold computers to large companies, small companies, and everything in between. Because of this, you can be confident we'll be here to support you now and in the future.

After all, we've been offering better computers, with better service—at better prices.

Now, if you'd like the rest of the details on our hyperfast 286 computer, and the rest of our line, there's only one more thing you have to do.

Turn the page.



CIRCLE 539 ON READER SERVICE CARD

The Dell Computer Store.

Welcome to our store. To buy or lease a Dell computer, call (800) 426-5150. We'll help you select the right system.

For service and technical support, call our highly trained technicians at (800) 624-9896. In almost all cases, any problem can be solved over the phone.

These technicians are also supported by Honeywell Bull service engineers who can be dispatched to your office by the next business day, should on-site service be required. This optional service contract is available in over 95% of the United States, with over 1,000 engineers in 198 service locations.*

We are so confident in our quality products that we also provide a Total Satisfaction Guarantee, which says that any system bought from us may be returned within thirty days from the date it was shipped to you for a complete refund of your purchase price,

We also offer a One Year Limited Warranty, which warrants each system we manufacture to be free of defects in materials and workmanship for one full year. During the one year period we will repair or replace any defective products properly returned to our factory.

Call or write for the complete terms of our Guarantee Warranty, and the Honeywell Bull Service Contract. Dell Computer Corporation, 9505 Arboretum Blvd., Austin, Texas 78759-7299.

Dell products are available on a GSA contract. Call us for GSA pricing.

THE NEW 20MHz 386 SYSTEM 310.

The top of the line. It's the highest performance 80386 computer available, faster than the IBM+ PS/2+ Model 80 and the Compaq† 386/20. It runs at 20 MHz, with the latest 32bit architecture for maximum performance. And it's completely MS* OS/2 compatible. Since it also has Intel'st Advanced 82385 Cache Memory Controller, and high performance disk drives, the System 310 is ideal for intensive database management, complex research and development, CAD/ CAM, and desktop publishing. As a network file server the system offers an unbeatable combination of price and performance.

Standard Features:

Intel[†] 80386 microprocessor running at 20 MHz.

1 MB of 80 ns 32-bit RAM expandable to 16 MB without using an expansion slot.

Advanced Intel 82385 Cache Memory Controller with 32 KB of high speed static RAM.

Socket for 20 MHz 80387 coprocessor. 5.25" 12 MB or 3.5" 1.44 MB diskette

Dual diskette and hard disk drive controller.

Enhanced 101-key keyboard.

1 parallel and 2 serial ports.

200-watt power supply.

Real-time clock.

8 expansion slots (6 available with hard disk drive controller and video adapter installed).

Dell System Analyzer.
MS-DOS® and MS OS/2 compatible.
Security lock with locking chassis.
12 month on-site service contract
(Available on complete systems).

Options: 1 MB RAM upgrade kit. 20 MHz Intel 80387 math coprocessor. 2 MB or 8 MB memory expansion boards.

SYSTEM 310	With M	With Monitor and Adapter							
Hard Duk Drives	VGA Mono	VGA Color	VGA Color Plus						
40 MB-28 ms	\$4,099	54299	\$4,399						
90 MB-18 ms ESDI	\$4,899	\$5,099	\$5,199						
150 MB-18 ms ESDI	\$5,399	\$5,599	\$5,699						
322 MB-18 ms	\$7,399	\$7,599	\$7,699						



THE NEW 20MHz 286 SYSTEM 220

As fast as most 386 computers, at less than half the price-more power for the money than any other system. An 80286 system that runs at 20 MHz, with less than one wait state. Completely compatible for both MS-DOS and MS OS/2 applications (it runs OS/2 faster than IBM PS/2 Model 80), and with a remarkably small footprint, the System 220 is the ideal executive workstation for database management, business, or sophisticated connectivity applications. The system uses page-mode interleaved memory; the page-mode RAM operates at less than one wait state, and inter-leaving results in a performance increase of about 15 percent.

Standard Features:

80286 microprocessor running at 20 MHz.

1 MB of RAM expandable to 16 MB (8 MB on system board).

Integrated diskette and VGA video controller on system board. One 3.5" 1.44 MB diskette drive. Integrated high performance hard disk interface on system board.

Enhanced 101-key keyboard. 1 parallel and 2 serial ports. LIM 4.0 support for memory over 1 MB.

Real-time clock.
Three full-sized AT+ compatible expansion slots.
Socket for 80287 coprocessor.

Dell System Analyzer.
MS-DOS and MS OS/2

compatible.

Security lock with locking chassis.

12 month on-site service contract (Available on complete systems).

Options: 3.5" 1.44 MB diskette drive. Intel 80287 coprocessor. 1 MB RAM upgrade kits.

	With Monitor									
SYSTEM 220	VGA Mono	VGA Color	VGA Color Plus							
One Dishette Drive	\$2,299	\$2,499	\$2,599							
40 MB-29 ms Hard Disk	\$2,999	\$3,199	\$3,299							
100 MB-29 ms Hard Dak	\$3,799	\$3,999	\$4,099							



THE NEW 12.5MHz 286 SYSTEM

A great value in a full-featured AT compatible. An 80286 computer running at 12.5 MHz, this system is completely MS OS/2 compatible. It's ideal for general business applications, as well as software development, local area networks, CAD/CAM, and desktop publishing. The System 200 offers high speed drive options, industry standard compatible BIOS, and on-site service. At these low prices, the System 200 is the best value in the 80286 marketplace. As Executive Computing said of this computer's predecessor, "If faster processing speed and low cost are two key issues affecting your purchase decision, this machine might be the ideal choice for your office."

Standard Features:

Intel 80286 microprocessor running at 12.5 MHz

640 KB of RAM, expandable to 16 MB (4.6 MB on system board.) 5.25*1.2 MB or 3.5"1.44 MB diskette

Dual diskette and hard disk drive controller.

Enhanced 101-key keyboard. 1 parallel and 2 serial ports. 200-watt power supply Real-time clock. 6 expansion slots. (4 available with

hard disk drive controller and video adapter installed). Socket for 8 MHz 80287 coprocessor.

Dell System Analyzer. MS-DOS & MS OS/2 compatible. Security lock with locking chassis. 12-month on-site service contract (Available on complete systems).

Options: 512 KB RAM upgrade kit. 8 MHz Intel 80287 coprocessor.

SYSTEM 200	With Monitor and Adapter									
Hard Disk Drives	Mono	VGA Mono	VGA Color	VGA Color Plus						
30 MI	\$2,099	\$2.299	\$2,499	\$2,599						
40 MB-40 ms	\$2,299	\$2,499	\$2,699	\$2,799						
40 MB-28 ms	\$2,499	\$2,699	\$2,899	\$2,999						
90 MB-16 ms ESDI	\$3,299	\$3,499	\$3,699	\$3,799						
150 MB 18 ms ESDI	\$3,799	\$3,999	\$4,199	\$4,299						
322 MB IB ms ESDI	\$5,799	\$5,999	\$6,199	\$6,299						



THE NEW 8088 SYSTEM

A full-featured, yet economical one-piece computer for office, school, or home. This system is fast, easy to use, and ready to run with Dell Enhanced MS-DOS 3.3. Microsoft® DOS Manager, and Microsoft Works software-more than a \$400 value. included at no extra charge. Complete MS-DOS compatibility means you can run thousands of programs for business, personal finance, education, and entertainment. And the System 100 can grow, with the high quality options listed below. A price leader in 8088 technology, the System 100 boasts an innovative design that allows for more power, speed and convenience than most of its competitors.

Standard Features:

Intel 8088 microprocessor running at 9.54 MHz selectable to 4.77.

640 KB of RAM. 3.5"720 KB diskette drive. Diskette drive controller integrated on system board. Integrated high-quality 84-key keyboard.

1 serial and 1 parallel port. Two full-sized expansion slots available when video adapter is installed.


One half-sized expansion slot used for video adapter.

Socket for 8 MHz 8087 coprocessor.

Internal speaker with earphone jack and volume control. Security Tie-Down bracket. Dell Enhanced MS-DOS 3.3 Microsoft DOS Manager, Microsoft Works.

Options: 3.5"720 KB diskette drive. 8 MHz Intel 8087.

System 100	With Monitor and Adapter									
	Mono	CGA Color	VGA Mono	VGA Color						
720 KB Dishette Drive	\$1,099	\$1,199	\$1,299	\$1,499						
Two 720 KB Diskette Drives	\$1,249	\$1,349	\$1,449	\$1,649						
20 MB Hard Disk	\$1,599	\$1,699	\$1,799	\$1,999						



PRINTERS. We now offer a full line of PC-compatible dot matrix and laser printers. Our dot matrix printers range from inexpensive near-letter quality printers to the highest resolution printers available. Our laser printers include some of the fastest, most reliable printers ever made. All are 300 dots per inch, and all support serial and parallel interfaces. And all printers come with our 30-day moneyback guarantee and a one year warranty.

LASER PRINTERS

Laser System 150 \$5,995

15 pages per minute, text and graphics 1.5 MB standard memory, expandable to 2.0 MB

Dual 250-sheet input trays

Laser System 80 \$3,195 8 pages per minute text and graphics 1.5 MB standard memory, expandable to 2.0 MB

Laser System 60 \$2,195 6 pages per minute, text and graphics 1.5 MB standard memory, expandable to 2.0 MB

DOT MATRIX PRINTERS Printer System 800 \$699.95 Highest resolution text and graphics from a 24-wire dot matrix printer Draft quality at 200 cps

Correspondence quality at 132 cps Letter quality at 66 cps Standard parallel and serial interfaces Wide carriage

Printer System 600 \$499.95 9-wire dot matrix Draft quality at 240 cps Near-letter quality at 60 cps Standard parallel interface 12.6 KB Buffer (expandable to 28.6 KB) Wide carriage

Printer System 300 \$199.95 9-wire dot matrix Draft quality at 144 cps Near-letter quality at 36 cps Four standard fonts Paper parking 4 KB buffer Standard Parallel interface

PERIPHERALS. With our unique manufacturing capabilities, we can build a system to your exact specifications. We offer monitors, modems, graphics boards, tape backups, hard drives, diskette drives, expanded memory boards, a serial mouse, and more. Call for details.

Operating System Software Dell Enhanced MS-DOS 3.3 with disk cache and other utilities \$119.95. Dell MS OS/2 Standard Edition 1.0 \$324.95

SOFTWARE. Complete your system with software: accounting, communications, desktop publishing, graphics, home, spreadsheet, training, word processing, and integrated packages. Call for more information.



TO ORDER, CALL **800.426.5150**

All prices and specifications are subject to change without notice. Please inquire for current details.

Dell cannot be responsible for errors in typography or photography. In Canada, leasing is not currently available, and configurations and pricing may vary. "Available on System 100 at extra charge. Microsoft." MS.® and MS-DOS.® are owned by Microsoft Corporation. "Signifies registrate unregistered trademarks owned by entities other than Dell Computer Corporation. "D1988 DELL COMPUTER CORPORATION."

AD CODE NO. 11814

WHY SETTLE FOR A MERE VGA?

So you say that VGA is not good enough for you. You say you want more pixels—something like 1,024 horizontally and 768 vertically. And you also want more colors. You're dissatisfied that the VGA allows 256 simultaneous colors only with the puny 320 by 200 mode. You want 256 simultaneous colors at the full 1,024 by 768 resolution.

Remember this number: 8514.

The 8514/A Display Adapter, 8514 Memory Expansion Kit, and 8514 Color Display comprise IBM's high-end graphics video system for the PS/2 Models 50, 60, and 80. The maximum resolution is 1,024 by 768 with 256 colors selected from 262,144. The 8514/A also contains a graphics coprocessor that speeds up the drawing operation. Although it is a little high for most users, the \$3,100 cost of the complete 8514/A system is competitive with other video boards and monitors of comparable resolution and color capability.

The 8514/A consists of two sandwiched boards that occupy a special slot in the PS/2 Micro Channel architecture bus. Although you can use any PS/2 monitor with the 8514/A, you need the 8514 Color Display for the 1,024 by 768 resolution.

MEMORY AND MODES The 8514/A comes with 512K of video buffer memory, organized in four color planes of 128K each. This gives you 16 simultaneous colors. The 8514 Memory Expansion Kit increases the on-board memory to 1MB. The extra memory adds four more color planes, for 256 simultaneous colors. (One megabyte is enough for a resolution of 1,024 by 1,024 with eight color planes; the 8514 can use the extra memory for storing fonts and bitmaps.)

The 8514/A supports only four graphics modes: a 640 by 480 mode and three 1,024 by 768 modes (each using a different font size). These are called the "advanced function" graphics modes. In the 1,024 by 768 mode, the display is inter-



Microsoft Excel running under
Windows on the IBM 8514/A Display
Adapter. The 8514
driver will be available with
Windows 2.1.

laced but at a fairly high frame rate of 43 Hz. I did not notice any flickering.

The 8514/A occupies a special bus slot with an additional connector that supplies video signals from the PS/2 system-board VGA to the 8514/A board. When the 8514/A is not in an advanced-function mode, it simply routes the video signals to the monitor attached to the adapter. Thus, the 8514/A does not replace the VGA but works in conjunction with it. You still have all the CGA, EGA, and VGA video modes supported by the VGA without any special VGA hardware on the 8514/A.

You can also use the 8514/A with two monitors. One monitor (usually the 8514 Color Display) is attached to the 8514/A adapter; the other (presumably one of IBM's other PS/2 color monitors) is connected to the VGA on the system board. For all the VGA video modes (including the CGA and EGA compatibility modes), both monitors show the VGA output. But when the 8514/A is switched into an advanced-function mode, the two adapters work independently. This flexibility is particularly useful in some dualscreen CADD programs or in program development work for running both a debugger on one screen and the program on another.

FUNDAMENTALLY DIFFERENT

The biggest difference between the 8514/A and the VGA is the 8514 graphics coprocessor. The video buffer memory in the VGA is addressable by the PC's microprocessor like any other memory in the system. An application program writes text or graphics to the video display as if it were writing the characters or bits to memory. This configuration is simple enough, but it burdens the application program (or the graphics interface software) with the time-consuming job of writing the graphics images to the adapter memory.

The 8514/A is fundamentally different. The 1MB of video buffer memory in the 8514/A is *not* directly addressable by the PC's microprocessor. Instead, the board contains a graphics coprocessor that performs many high-level functions, including the drawing of lines (with selectable styles), filled areas (with selectable patterns), and text.

Basically, an application program tells the 8514/A board what to draw and the board does all the actual drawing. To draw a rectangle on the 8514, an application program need only specify the coordinate position of the upper-left corner, the width, the height, and the color. The graphics coprocessor does the rest.



FACT FILE

IBM 8514/A Display Adapter

IBM Corp.

Consult your local authorized IBM dealer.

List Price: \$1,290

Requires: PS/2 Model 50, 60, or 80.

Options: The 8514 Memory Expansion Kit (required for 256 simultaneous colors rather than 16). The 8514 Color Display (required for 1,024 by 768 resolution).

In Short: The 8514 A is IBM's high-end video board for the PS/2 series. The resolution is 640 by 480 or 1,024 by 768 (depending on the monitor) with 16 or 256 colors (depending on the amount of memory on the board). The board includes hardware-assisted high-level drawing functions.

CIRCLE 661 NREADE (SERVICE LARD

IBM 8514 Memory Expansion Kit

IBM Corp

Consult your local authorized IBM dealer.

List Price: \$270

Requires: The 8514/A Display Adapter. In Short: Sixteen 32K graphics memory chips that plug into an 8514/A to give you 256 simultaneous colors rather than 16.

CIRC - 560 ON READER FRVIUE CARD

1BM 8514 Color Display

IBM Corp

Consult your local authorized IBM dealer.

List Price: \$1,550

Requires: PS/2 Model 30, 50, 60, or 80. In Short: The 8514 display is the only PS/2 monitor capable of 1,024 by 768 resolution. It can be attached to any PS/2 computer, but it's really designed for use with the 8514/A adapter. IBM says the monitor measures 16 inches diagonally and provides "high contrast," but don't believe it.

CIPUL 650 ON READER SERVICE CARD

THE PGC STORY The 8514 is not the first graphics coprocessor board IBM has offered for personal computers. When IBM introduced the EGA in 1984, it also introduced the Professional Graphics Controller (PGC). The PGC supported 640 by 480 resolution with 256 simultaneous colors—out of 4,096—and included a CGA-emulation (but not an EGA-emulation) mode. The board and monitor cost \$4,300, and the board required two PC-XT or PC AT slots.

The PGC was a CADD board with sophisticated three-dimensional vectorbased drawing functions. Although the PGC eventually was supported by many CADD applications (and also became something of a standard when certain video board manufacturers designed PGC superset boards), it had almost no mainstream application support.

One of the more serious deficiencies in the PGC was its inability to do bit-block transfers ("bitblts") between microprocessor memory and video memory. Bitblts are used quite frequently in windowing environments. For example, moving a mouse pointer across a graphics screen requires several bitblts for each new position of the pointer.

The high-level graphics functions in the 8514/A are not as sophisticated as those in the PGC. The 8514/A is rather a general-purpose graphics board and does only two-dimensional drawing. But it does support bitblts. The 8514/A is particularly well suited to a graphics-based windowing system such as *Microsoft Windows* or the OS/2 Presentation Manager. (The 8514/A will be supported under *Windows*, Version 2.1, and will quite likely be supported under the initial release of the OS/2 Presentation Manager, scheduled-for October.)

the drawing functions of the 8514/A is easily accomplished by making use of a high-level software interface—a RAM-resident program called HDILOAD .EXE that comes on a floppy disk supplied with the adapter board. The program is copied to the hard disk during installation and can be loaded into memory in the AUTOEXEC.BAT file. HDI-LOAD gives applications access to 59 high-level drawing functions. The entry points for these functions are obtained through software interrupt 7Fh.

For programmers who wish to explore the 8514/A, IBM sells a 52-page Programmer's Guide (including a disk with some utilities and demonstration programs) and a 140-page Technical Reference manual that documents the 59 functions. It's easiest to use the 8514/A software interface from programs written

in C. Two C header files, an assembly language binding routine, and a demonstration program written in C are supplied with the 8514/A adapter.

The drawing functions have names such as HLINE (to draw a line) and HRECT (to draw a rectangular area). Each of these function names is actually a C macro that calls a function in the assembly language binding routine. The binding routine then calls the appropriate entry point in HDILOAD, and HDILOAD accesses the hardware of the 8514/A through registers.

To test the speed of the 8514 graphics coprocessor, I wrote a C program that draws several thousand randomly sized rectangles filled with a solid, randomly chosen color. For the VGA in the 640 by 480 graphics mode, I used a highly optimized rectangle-drawing routine written in assembly language. For the 8514/A in the advanced-function 640 by 480 mode, I called the functions HSCOL (select a color) and HRECT (draw a rectangle) directly from my program.


LIBERATE YOUR PROCESSOR On a 20-MHz PS/2 Model 80, the VGA routine took an average of 8.3 milliseconds per rectangle. On the 8514/A, the time dropped to 2.7 ms. per rectangle, about three times as fast. Moreover, much of this time is spent by the 8514/A board doing the drawing. The PS/2 microprocessor is freed up after about 0.8 ms. Thus, the microprocessor actually spends about one-tenth as much time drawing the rectangle on the 8514/A as on the VGA.

With the introduction of the OS/2 Presentation Manager in October, graphics will become an increasingly important part of the PC's future. The 8514/A is the right board at the right time. It is not quite at the right price, but that problem is likely to be solved by other hardware manufacturers. Look for a lower-cost substitute for IBM's poor 8514 display in the near future, and at least one 8514/A clone after that.—Charles Petzold

Charles Petzold is a contributing editor of PC Magazine.



FACT FILE



Ultra-Grafix VGA Model 580 Card

Taxan USA Corp. 18005 Cortney Ct.

City of Industry, CA 91748

(800) 544-3888 (818) 810-1291 **List Price:** \$395

Requires: PC, XT, AT, or compatible, or

PS 2 Model 30.

In Short: A VGA-hardware-compatible short card that offers backward compatibility with previous video standards along with an enhanced-resolution 800 by 600 mode in 16 colors. For VGA and MultiSync-style displays only.

CIRCLE 693 ON READER SERVICE CARD

there's no need to select monitor types, it uses no DIP switches and only one hardware jumper, which selects whether the board will have its 800 by 600 mode accessible or keep its Video Feature Connector completely IBM compatible.

To switch the Ultra-Grafix between some of its modes, you must use a special utility program, VGAPLUS, that Taxan supplies along with the board. The 800 by 600 resolution mode of the Ultra-Grafix VGA requires you to have a MultiSyncstyle monitor and compatible software. Drivers are included with the board to enable the following program to use this ultra-mode: Microsoft Windows (Version 2.0 only), GEM, AutoCAD, CADvance, Ventura Publisher, and Framework II. In addition, drivers are included to use Framework II; WordStar, Version 3.3, WordStar Professional, Release 4.0, and WordPerfect in the two 132-column text modes (25- and 43-row) that the Ultra-Grafix VGA can display.

ABOVE AVERAGE In testing, the Taxan Ultra-Grafix VGA ranked above average in its VGA hardware compatibility. Its times in the PC Labs performance tests ranked among the fastest of the boards we tested. In the PC Labs video benchmark tests, the Ultra-Grafix was an average performer. And like the Paradise VGA Plus and Tecmar VGA, the Ultra-Grafix passed six out of eight of the PC Labs VGA compatibility tests, making it one of the most compatible boards that we tested.

Understandably, the Taxan Ultra-Grafix VGA rates as well as the very similar Paradise VGA Plus in VGA compatibility and performance because of the circuitry and chips the two boards share. If you have a VGA-style monitor, the Ultra-Grafix would be a good alternative to the IBM PS/2 Display Adapter. If you have a Multi-Sync-style display, its higher resolution capabilities make it an even better choice.

TECMAR INC. Tecmar VGA


Building on past success with its Graphics Master, Tecmar has now nailed VGA register compatibility and even higher resolution—up to 800 by 600 pixels in 16 colors—onto its \$395 VGA board. Along the way, the VGA has gathered up all lesser standards, including EGA BIOS compatibility and MDA, Hercules Graphics, and CGA register-level compatibility. The board works with nearly all non–Micro Channel IBM computers and compatibles, including all PCs (except for 64K system board models), XTs, ATs, and the PS/2 Model 30.

The 5.4-inch board misses full VGA hardware compatibility in that it lacks any provision for expansion at all, let alone a VGA Video Feature Connector. The Tecmar VGA is based on a Toshiba VLSI video chip and 256K of 100-nanosecond RAM. Conspicuously absent is the Inmos DAC used by IBM and all other clones. Both digital DB-9 and analog DB-15 output connectors are mounted on the card-retaining bracket.

SIX-BANK DIP SWITCH Peeking through a cutout in this bracket is the six-bank DIP switch that's used for setting up



FACT FILE



Tecmar VGA

Teemar Inc

6225 Cochran Rd. Solon, OH 44139

(800) 624-8560

(216) 349-1009

List Price: \$395

Requires: PC, XT, AT, or compatible, or

PS 2 Model 30.

In Short: A short card that's register compatible with the VGA standard as well as all major previous video standards and display types. Beyond the VGA standard, the board can achieve resolution up to 800 by 600 in 16

CIRCLE 692 ON READER SERVICE CARD

the Tecmar VGA. These switches are used to adjust for the monitor that's connected to the board and its default mode of operation. Unlike IBM-standard VGA boards, which automatically adapt to color or monochrome VGA displays, the Tecmar VGA requires that you set one of these switches as well as the single on-board jumper.

Once the host system is booted and running, the operating mode of the Tecmar VGA can be changed with a utility that's supplied with the board. This software enables the board to display text and graphics made by any supported video standard on any monitor that can be connected to it. The program, called VGA, is both command and menu driven, so it's easy to use and yet can be wielded in batch files as well.

Beyond the VGA standard, the Tecmar VGA supports graphics modes with either 800 by 440 or 800 by 600 pixels in 16 colors chosen from a palette of 64. In addi-





Close but no cigar

If your goal is true VGA hardware compatibility with IBM's Personal System/2, you won't find a winner here. Although all of these VGA boards aspire to it, none really reach it. All of the products we examined suffer from at least one compatibility shortcoming, be it only in smooth diagonal scrolling.

Should you be willing to sacrifice the last iota of hardware compatibility—after all, there's neither guarantee nor threat that any software company will exploit all the VGA features we've tested for—you'll find plenty of good choices.

If you already have a VGA or MultiSync-style display (or regard getting one as an inevitability) and demand a VGA Video Feature Connector as a hardware compatibility prerequisite, try the Compaq, Paradise, Taxan, or Tecmar products; the Compaq (which was an Editor's Choice in the February 16, 1988, issue) is the top choice because of its speed.

If you want to plug your new VGA board into your display and upgrade later (but don't need a VGA Video Feature Connector), choose the IDS, Orchid, Everex, or Tatung. We give the edge to the IDS Intelligent VGA—despite its \$50 price premium—because of its greater resolution potential, won with its 512K RAM.

Only the Sigma VGA/H offers both forward and backward hardware compatibility. If that's what you require, it's got to be your choice.

Because it fell furthest from the mark, we consider the Video Seven VEGA VGA only an enhanced EGA board with VGA BIOS compatibility. And the IBM PS/2 Display Adapter just costs too much.

tion, text modes with 100 columns by 43 or 55 rows and 132 columns by 25 rows are available. The beyond-VGA resolutions require MultiSync-style displays. With VGA-standard monitors, the maximum number of columns in text mode is limited to 120.

To accommodate the advanced resolutions and display modes of its VGA, Tecmar includes several drivers with it, all installable through the VGA program. Among these are drivers for AutoCAD, GEM (Versions 2.1 and 2.2), Lotus 1-2-3 (Releases 1A and 2), Symphony, Ventura Publisher (Version 1.1), and Microsoft Windows (Versions 1.0 and 2.0). Tecmar also includes a GSS*CGI driver that supports several dozen CAD, scientific, engineering, and other graphics programs.

ALLINALL The Tecmar VGA turned in average performance in the PC Labs suite of performance and benchmark tests. It passed six of the eight PC Labs VGA compatibility tests, which means it keeps company with the Paradise VGA Plus and Taxan Ultra-Grafix boards. The Tecmar VGA is a very good product, albeit one that lacks expansion abilities. For some people, however, it may not prove to be as convenient as the automatically configuring boards that don't require running programs when switching from Hercules to VGA graphics. In most cases, however, you'll want to install your graphics software for the VGA standard, and you'll never need to switch.


VIDEO SEVEN INC. VEGA VGA

The board for all seasons—any standard, any monitor, any time—that's what Video Seven's VEGA VGA promises to be. More than that, the \$499 VEGA adds more resolution, colors, and columns to the existing standards and backs it all up with a 3-year hardware warranty.

The VEGA supports MDA, Hercules Graphics, CGA, EGA, and VGA standards down to the hardware register level in any PC (except for 64K system board models), XT, AT, or PS/2 Model 30. Beyond the VGA standard, it offers 752- by 410- and 800- by 600-pixel resolution in 16 colors. In text modes, it permits up to



FACT FILE



VEGA VGA

Video Seven Inc. 46335 Landing Pkwy.

Fremont, CA 94538

(800) 238-0101

(800) 962-5700 (in Calif.)

List Price: \$499

Requires: PC, XT, AT, or compatible, or

PS 2 Model 30.

In Short: A short card that's nearly register compatible with the VGA standard as well as all major lower video standards and monitor types. Capable of automatically setting itself for the proper type of monitor and display mode with resolution up to 800 by 600 in 16 colors.

CIRCLE 691 ON READER SERVICE CARD

60 lines of 80-column text or 43 lines of 132-column text and up to eight simultaneous downloaded fonts. It lacks only the 640 by 480 MCGA two-color mode of the PS/2 Models 25 and 30.

Not only does the VEGA support all common monitor types up to their resolution limits, but it can also automatically discern between most of them and configure itself appropriately. Similarly, it automatically adapts its hardware mode to that of the software you're running.

compact design All of these functions are achieved on an 8-bit card that's only 5.4 inches long, able to fit into XT short slots. Two proprietary Video Seven VLSI chips, an Inmos DAC, and a handful of surface-mount chips make up its circuitry. Its 256K of memory is rated at 120 nanoseconds.

Strictly speaking, the VEGA is register and not hardware compatible with the VGA standard. In place of the VGA Video



Coming from Lotus.

The monitor that makes obsolescence obsolete.



MultiSync II

The world's best selling color monitor, compatible with all leading graphics standards.

At NEC, we design our products with a simple principle in mind.

What works well today should work just as well tomorrow.

And the MultiSync® II is no exception. It's a monitor that has proven itself compatible with all the leading computer systems.

Including the PC/XT/AT/386 (and their 100% compatibles), PS/2 and Mac II. As well as all the leading graphics boards. So as technology continues to evolve you can be confident that the MultiSync II will be ready to meet the challenge.


The MultiSync II has an advanced ergonomic design that makes computing more comfortable. With a smaller footprint, upfront user controls, tilt-swivel base and a non-glare screen.

Best of all, it's from NEC. The company that not only invented the technology, but that also insures that your investment in it doesn't become obsolete. For literature or a dealer call 1-800-447-4700. For technical details call NEC Home Electronics

(USA) Inc. 1-800-NEC-SOFT.







Shipping: Add \$10.00 per drive (UPS Ground)
Add \$15.00 per drive (Federal Express Standard Air)
CA Resident Please Add 6.5% Sales Tax.

Dealer Inquiry Welcome! Full Line of 3½" & 5¼" Disk Drives.

OPTIONAL 3½" / 5½" DISK DRIVE SWITCH ADAPTOR IS AVAILABLE FOR THOSE PS/2 HAS TWO 3½" DISK DRIVES INSTALLED. THE PRICE FOR THIS ADAPTOR IS \$40.00.

Order Now!

OUTSIDE CA 1-800-433-6224 INSIDE CA 1-800-553-6224





No COD Order Accept School's P/O SEND MONEY ORDER OR CHECK TO:

KINSON PRODUCTS CORP. 260 S. LOS ROBLES. *107.

260 S, LOS ROBLES, *107, PASADENA, CA 91101.

For Inquiry please call (818) 792-8953

IBM P5-2 is the registered trademark of International Business Machines (orp. Terms: 15% restocking fee on non-defective goods' No return w/o RMA*. No refund on shipping

VGA BOARDS

Feature Connector, it has a 32-pin connector that follows the EGA expansion standard. The VEGA also includes a header for an EGA-compatible light pen port.

Both DB-9 and DB-15 connectors for digital and analog displays are supplied. Digital monitors are limited to a 64-color palette even in VGA modes; up to 256 simultaneous colors can be displayed on analog screens. The 752- by 410- and 800-by 600-pixel modes require MultiSyncstyle displays.


COMPLEX CONFIGURATION Setting up the VEGA can be complex, owing to seven jumper sets and a six-bank DIP switch. The jumpers mostly are for configuring the VEGA to match your system—for instance, matching XT slot 8, changing the base address, and selecting whether you use a color or monochrome monitor. The DIP switches, accessible through a cutout in the card-retaining bracket, match some monitors that VEGA cannot discriminate between, defeat its automatic monitor-matching ability, and select the boot mode of the board between EGA/VGA mode and CGA/MDA mode.

Video Seven includes a general control utility, VEGA, that governs Hercules and CGA compatibility and incorporates a "screen-saver" function that blanks your monitor screen after a predetermined period of system activity. In addition, drivers for *AutoCAD* and *Lotus 1-2-3* (Releases 1A and 2), as well as an enhanced version of ANSLSYS, come with the VEGA.

In the PC Labs performance and benchmark tests, the VEGA did not distance itself from the pack, turning in performance results that fell within the midrange of the boards we tested. Moreover, it demonstrated several problems when executing the PC Labs VGA compatibility tests and passed only four out of the eight tests. In that its hardware compatibility with the VGA standard is doubtful, the VEGA is perhaps best regarded as an enhanced EGA card that should work with most VGA software and will work with all VGA displays. If you have doubts, its money-back compatibility guarantee should reassure you.

Winn L. Rosch is a contributing editor of PC Magazine.

Open your windows faster.



CIRCLE 359 ON READER SERVICE CARD



Princeton's Very Good Answers.

Without question, Princeton's PSC-28 and PSM-03 monitors will bring you the ultimate in VGA performance. Princeton was the first to offer truly compatible VGA dedicated monitors. Our PSC-28 is a 770×570 , .28mm dot pitch, high resolution analog color monitor that can display an infinite number of colors. The PSC-28 also features a convenient color button for green, amber or cyan text. The PSM-03, a high resolution analog monochrome monitor gives you outstanding 800×630 resolution, and the ability to display infinite shades of gray. Plus sharp crisp graphics and character definition from its dynamic focusing circuitry.

Both monitors are compatible with IBM PC*, XT*, AT*, PS/2, Apple Macintosh SE* and compatible personal computers. Each gives you full compatibility with the leading VGA adapter cards including the QuadVGA and VEGA VGA. So if VGA meets all your needs (and you don't require the additional flexibility of our famous ULTRASYNC and MAX-15 autosynchronous monitors), investigate the cost/performance value of the

PSC-28 and PSM-03.

Unsurpassed quality, service and performance make it hard to beat Princeton monitors. We offer better value than our competition. We call it the Visible Edge. For answers to all your questions about VGA compatible monitors, contact us at 601 Ewing Street, Building A, Princeton, New Jersey 08540 (609) 683-1660, x 811.

PSM-03

PSM-03

PSC-28

*Requires proper adapter card



Script languages put the power of programmers' wolfs behind from communications tasks.

he process of transferring files from one PC to another is not the black art it once was. While programmers continue to dabble in protocol development, users have at their disposal an increasing number of tools and features aimed at making file transfers easier and more efficient.

A new generation of software has emerged to redefine the high end of the communications market. First on the scene were Ascom IV, Relay Gold, and Relay Silver, which supplemented the structure and command logic of their predecessors with new levels of functionality. Then carne Smartcom III and Crosstalk Mk.4, sporting familiar names but bearing little resemblance to their older siblings. Two features in particular define this new generation of communications software: multitasking that permits multiple communications sessions (as in a multiuser bulletin board), background file transfer (while running another applications program), or both; and a script language that can rival programming languages for versatility.

In this issue we examine 21 programs with script languages you can use to automate your communications or even build new features into your system.

DESIGNER COMMUNICATIONS

The programs we reviewed—Ascom IV, BitCom, Boyan, Crosstalk Mk.4, Crosstalk XVI, Freeway Advanced, HyperAccess, Lync, MEX-PC, Mirror II, ProComm, ProComm Plus, Professional-YAM, Ptel, Omodem, Relay Gold, Relay Silver, Respond/Async, SideTalk, Smartcom III, and Softerm—range in price from \$35 to \$250 and offer robust script languages that are suitable for general-purpose communications and that include commands for flow

control and error handling. We did not look at programs with limited script languages that do little more than log on to a system.

Script languages fall neatly into three categories: minimal, advanced, and newgeneration. Minimal script languages (such as those in Boyan, Crosstalk XVI, and ProComm) have relatively few commands and tend to be weak on flow control, error handling, arithmetic, file handling, and text manipulation. They will let you create scripts for straightforward communications tasks—such as logging on to a system or requesting information and capturing it to disk-but won't let you undertake an elaborate project like building your own bulletin board or set of menus.

Advanced script languages, like those in SideTalk and HyperAccess, are best thought of as communications-oriented programming languages, somewhat like dBASE's database-oriented programming language. Most will let you build your own bulletin board or menus.

New-generation script languages are

the territory of the ground-breaking products like Crosstalk Mk.4, Ascom IV, Smartcom III, Relay Gold, and Relay Silver. They possess advanced script languages but also have more commands, so a given task can often be accomplished in fewer programming steps. Smartcom III even furnishes an on-line dictionary of commands and command syntax as an aid for writing scripts.

Many of the programs in all three categories offer a learn mode that creates scripts by recording both the user's keystrokes and the other system's response.

SPEED AND PROTOCOLS Script languages are undeniably useful but, when making a purchase, you must also be aware of the importance of protocols. More and better public-domain protocols are becoming widely available.

The ubiquitous Xmodem protocol is the only common tongue among communications programs, although Xmodem with CRC error checking tends to be more reliable, especially on noisy lines. However, Xmodem-CRC is marginally slower than standard Xmodem, so for transferring text on quality phone lines, Xmodem is probably the better choice.

Other Xmodem and Ymodem protocols offer batch file transfer and larger block size for faster file transfer. But if you need these, keep in mind that not everyone agrees on the names for these variations, which gives rise to some confusion. (For more information on protocols, see the diagram "Know Your Protocols.")

PROPRIETARY PROTOCOLS Several of the products we reviewed offer some noteworthy proprietary protocols. HyperAccess, for example, uses one that is optimized to work with high-speed modems but that, thanks largely to its data-compression techniques, offers impressive file transfer even at lower speeds. Relay Gold and Relay Silver furnish a proprietary protocol that can transfer files in both directions at once and still allow keyboard communications between systems.

Whether you're looking for lots of power and sophisticated features or ease of use and low price, you can probably find what you need among the products reviewed here.—M. David Stone

Ascom IV

Ascom IV, a \$195 program from Dynamic Microprocessor Associates, is an old-timer among communications programs—its roots go back to CP/M. It doesn't sport the most modern accoutrements, but it is mature, solid, and compact enough to run from floppies.

To install, you copy the program to a hard disk and define the parameters of your communications environment. You can save configurations to files with different names, making it easy to maintain several different methods of connecting to a service. Similarly, you can specify an Ascom IV script for each entry in the dialing directory. This gives you flexibility in structuring your communication configurations. Ascom IV directly supports a wide variety of modems. There is a provision for enabling error correction, but only on Robotics and Microcom modems.

Ascom IV lets you list a series of files to either transmit or receive. It will process your lists sequentially, which can tremendously reduce the manual intervention needed to send multiple files. The program even checks to see that you won't over-

write a file on the receiving side and that the files exist on the transmitting side. Ascom IV maintains a log of all files received or sent and the status of the transmission (whether it was successfully transferred and, if not, why not).

Ascom IV uses function keys to navigate from mode to mode. The program usually displays the available function keys to remind you of your options, but not always: in some situations you simply have to remember the appropriate commands. A status line displays assorted messages; there's also a good, context-sensitive on-line help facility.

The terminal emulations include VT52, VT100, VT220, IBM 3101, ADM3A, Hazeltine 1500, Televideo 912, Data General Dasher 200 and ADDS Viewpoint. Similarly, the program supports a bountiful assortment of file-transfer protocols that include Xmodem, Xmodem-CRC, Xmodem 1K, Ymodem batch, and Kermit, as well as several proprietary protocols such as Ascom IV, Block, BlockV, and HSmodem for high-speed modems with error-checking hardware.

Ascom IV comes with log-on scripts for several commercial services; however,



One of Ascom IV's neatest features is a transaction log that saves information on all the files transmitted or received and notes whether each transfer was successful. The program even ascertains whether your transmission is overwriting a file on the receiving side.

OUR REVIEWERS

Merv Adrian is a frequent contributor to *PC Magazine*.

Greg Alwang is a consultant with Soft Industries in Southington, Connecticut.

Patricia L. Becker is a consultant and writer at Soft Industries Corp., a Southington, Connecticut-based microcomputer consulting firm.

Bruce Brown is a principal at Soft Industries and a frequent contributor to *PC Magazine*.

Michael Brown is an accounting and microcomputer consultant based in Rockville, Maryland.

Kate Emery is a computer consultant with Soft Industries.

Glenn A. Hart is a contributing editor of PC Magazine.

David L. Hoffman is a microcomputer consultant and is vice president of the New York Personal Computer Users' Group.

Barbara Krasnoff, a frequent contributor to *PC Magazine*, is a former associate editor of *PC Magazine*.

Howard Marks is a New Jersey-based consultant specializing in communications and networks.

Alfred Poor is a senior consultant with Soft Industries and a frequent contributor to *PC Magazine*.

Alan Roth is a consultant with a New York telecommunications firm.

Walt Rowinsky is a free-lance technical writer based in Lakewood, Ohio.

John Schoenbeck lives and writes in Cleveland, Ohio.

Gary Stein is a computer and management information consultant in New York City.

M. David Stone is a contributing editor of *PC Magazine* and a consultant specializing in computer communications.

Donald B. Trivette is the author of A Quick & Easy Guide to Dow Jones News/Retrieval, published by Compute! Books.

Kenneth H. Werner is a software developer and the owner of a Houston, Texas, information consulting firm.

these only serve to get you logged on—no scripts to automate downloads or navigate through commercial services, for example, are supplied. The scripts included with some other advanced communications programs are far more sophisticated.

Ascom IV has its own editor for modify-





Ascom IV, Version 1.4 Dynamic Microprocessor Associates 545 Fifth Ave., #1103 New York, NY 10017 (212) 687-7115 List Price: \$195 Requires: 256K RAM,

two disk drives, DOS 2.0 or later.

In Short: An old-timer with roots in CP.M and a span-user interface. Documentation.

and a spare user interface. Documentation needs updating, but script language will service users well. Not copy protected.

CIRCLE 690 ON READER SERVICE CARD

ing scripts and for composing messages. One problem is Ascom IV's consistent use of the End key to terminate operations. Although most editing commands are mnemonic, most PC editors use Home and End to move to the beginning and end of a line—a sure recipe for disaster in the Ascom IV editor. A few other commands aren't standard or easy to remember and aren't prompted anywhere on the screen (for instance, F6-Ins to insert a line). The files produced are standard ASCII, so you could use your own editor, but there aren't any provisions within Ascom IV to specify another editor as the default.

Ascom IV includes translation and filtration of both incoming and outgoing characters. An ASCII-to-EBCDIC configuration with the translation for this oftennecessary mainframe conversion is supplied with the program.

SIMPLE FILE FOR BBS Ascom IV includes a much simpler script file to implement a modest bulletin board for sending

and receiving messages. You can specify passwords, mailbox IDs, and one of three privilege classes for each approved caller. The highest priority class can gain access to Ascom IV's internal DOS-like commands and can therefore send and receive files as well as messages.

The Ascom IV script language is more like assembly language than, say, BASIC or C. Hex constants are used, control characters must be inserted manually for return and line feed, and so on. As such, it's not as easy to learn or use as some other script languages. It's not particularly arcane or difficult if you've programmed before, but the novice may find Ascom IV's script language tough sledding.

The language includes easy time and date manipulations, versatile communications and configuration commands, and very flexible file input/output commands. You can move within *Ascom IV*'s menu structure and modes and input or output to the screen or printer.

A reasonable assortment of DOS-like disk commands is available for file management. You can program subroutines, but the primary flow-control mechanism is via a comprehensive assortment of IF commands and GOTOs. This results in a lot of jumping around in the script code.

Scripts are parsed and compiled as they are loaded. You can precompile scripts if you wish and thereby speed up loading.

There are some oddities. For example,

With Ascom IV you can precompile scripts if you wish and thereby speed up loading.

the manual refers to 300- or 1,200-bit-persecond modems, as if it hadn't been updated since 2,400-bps modems became widely available and inexpensive. Also, there are some errors in the script language examples. None of the rough edges were disabling, but we were surprised to see them in such a mature product.

Ascom IV offers a flexible script lan-



Know Your Protocols

From X to Z: a primer on what to expect—and what not to expect—from the protocol you're using.

modem, Ymodem, and Zmodem protocols—with their variants, their similar names, and the debates over which name really goes with which protocol—can be a source of confusion in otherwise simple communications. Here's the lowdown on these protocols—what they are, what they do, and how they appear under other names. — M. David Stone

Xmodem SENDER RECEIVER Gets command to send, awaits prompt Xmodem is the common Gets command to receive, requests from receiver standard among communications checksum, sends message to start programs. Every program Sends 128-byte block, 1-byte checksum reviewed here offers some Computes checksum, compares. version of Xmodem, which can acknowledges fall back to checksum error Sends next block Computes checksum, compares, checking. acknowledges After last block, sends End of Acknowledges Transmission message Xmodem-CRC SENDER RECEIVER Xmodem-CRC (cyclic redun-Gets command to send, awaits prompt Gets command to receive, requests dancy checking) is still around in from receiver CRC error checking versions with no fallback to checksum error checking, but Sends first 128-byte block, 2-byte CRC Computes CRC, compares, most programs with Xmodemacknowledges CRC can fall back to checksum. With such programs, the Sends next block Computes CRC, compares, receiving side requests CRC acknowledges error checking, and then asks for checksum if it doesn't get a block Sends last block with End of **Acknowledges** in response to its first request. Transmission message Xmodem 1K RECEIVER SENDER Gets command to send, awaits prompt Gets command to receive. Xmodem 1K is widely known as requests CRC error checking from receiver Ymodem, although Chuck Forsberg, creator of Ymodem, Sends first 1,024-byte block with 2-byte Computes CRC, compares, insists that true Ymodem includes a batch file feature (see CRC acknowledges Ymodem batch). By either name, Xmodem 1K sends larger data Sends second block Computes CRC, compares, blocks and thus allows faster acknowledges transfer over good phone lines. In theory, Xmodem 1K can use After last block, sends End of Acknowledges CRC or checksum error Transmission message checking, and any combination of 128-byte blocks and 1K-byte blocks. Actually, some versions of Xmodern 1K do not fall back to checksum error checking, and some will not accept 128-byte blocks.

Ymodem batch SENDER RECEIVER Gets command to send, awaits information Gets command to receive, requests Ymodem batch (Ymodem, **CRC** error checking from receiver according to Forsberg's definition) is equivalent to Xmodem 1K with batch file transfer. This protocol Sends filename and other header information. Computes CRC, compares, sends a header containing the 2-byte CRC, and first 1,024-byte block acknowledges filename along with the file itself. In some implementations, the Sends next block Computes CRC, compares, header also includes the file size acknowledges and date. (Otherwise, the file date becomes the date of transfer and After last block, sends End of Transmission Acknowledges; requests next file the size is rounded up to a with CRC error checking multiple of the block size.) message Sends filename and other header information. Computes CRC, compares, acknowledges 2-byte CRC, and first 1,024-byte block After last block, sends End of Transmission Acknowledges; requests next file message Sends null pathname to indicate no more files Acknowledges YmodemG RECEIVER SENDER Gets command to send, awaits prompt from YmodemG is a streaming Gets command to receive, requests receiver streaming option with CRC error checking protocol, built around the philosophy that no news is good news. It sends the entire file Sends first filename and other header Gives message to continue before waiting for an acinformation, 2-byte CRC knowledgement. If the receiving side detects an error in mid-Sends first 1,024-byte with block 2-byte CRC; Acknowledges; requests next file with stream, it aborts the transfer. sends second block; after last block, sends streaming option and CRC error YmodemG is not an error-End of Transmission message checking correcting protocol; it is designed for use with high-speed modems, Sends second filename and other header Gives message to continue which have built-in errorinformation correcting protocols. Sends first and subsequent blocks; after last Acknowledges; requests next file with block, sends End of Transmission message streaming option and CRC error checking Sends null pathname to indicate no more files Zmodem (full streaming) SENDER RECEIVER Tells sender which options the receiver **Zmodem** is a streaming protocol Sends Ready message, calls receiver that allows for error correction 005585588 and error detection. The receiver Sends list of options to use, as well as can interrupt to request retrans-Tells sender to start transfer mission of garbled data. Zmodem header information is fast and is reliable on poor lines. If a link is broken during a Sends data header, data subpacket 1, and Acknowledges file; requests next file transfer, Zmodem can redial and subsequent subpackets, followed by pick up the transfer without End of Transmission message having to start over. Zmodem also includes file-management Tells sender to start transfer capabilities. Sends list of options to use, as well as header information Acknowledges file: requests next file Sends data header, data subpacket 1, and subsequent subpackets, followed by End of Transmission message Acknowledges Sends End of Files message

■ COMMUNICATIONS SOFTWARE


guage and interesting and useful features (especially the multiple file specifications and transfer log). Its user interface is not as slick as that of some competitors, but it's workable. Its documentation is dry but complete. Overall, it's more suited to experienced users.-Glenn A. Hart

BitCom

If you bought a modern recently, you may have found a copy of BitCom at the bottom of the box. Fourteen modern distributors are bundling the program with their products, but even if BitCom, Version 3.5, doesn't come free to you, it's a good value at its list price of \$69.

Version 3.5, a menu-driven program with a script language powerful enough to automate most communications tasks, is easy to start and easy to use. It supports the full Haves command set, as well as transmission rates of 110 to 19,200 bits per second. It has built-in buffers and Xon/Xoff flow control, and its vendor, BIT Software, claims compatibility with 386 machines and the PS/2 series.

To get started, you copy BitCom onto a backup or, preferably, a hard disk, then enter "bitcom" at the DOS prompt. An opening menu presents four selections: go to the telephone directory, invoke a Script file, change the program's configuration, or issue a DOS command. Although Bit-Com does not come with a tutorial, it does





During communications you can use the options menu to send or receive files, and BitCom will prompt you for the filename and allow you to change the protocol. You can automate this process by assigning send/receive commands to function keys.

offer context-sensitive on-line help on the F1 key, with complete information about the current screen and all selections and parameters. You'll find available operations indicated at the bottom of each

You can keep as many as 32,000 listings, with phone numbers as long as 40 digits, in the directory. You invoke function keys and follow the instructions that appear on the screen to add or delete numbers. Other fields can be changed from default values as necessary, and you can edit the parameters at any time-even during a connection. For most fields, BitCom offers a series of appropriate values that are rotated or toggled by using cursor keys.

BitCom will redial until a connection is made. You can write a script to link numbers, so that if one is busy the next will be dialed. You can also dial from the DOS prompt and bypass the menus by entering "bitcom" and the record ID.

Once the connection is made, hitting the F2 key brings up an options menu, where you can choose to send or receive a file, change parameters, issue a DOS command, invoke a script file, or disconnect. You can specify a filename and capture the session, or you can save a screen snapshot with the press of a function key.

BitCom will allow you to change protocols before sending or receiving a file. After you enter the protocol and a pathname, the transfer begins. If you wish, you can automate the process by assigning file send/receive commands-including a

■ BitCom features a script language powerful enough to automate most communications tasks.

prompt to request the pathname-to function keys. Some of the protocols BitCom supports include Xmodem with checksum, Xmodem-CRC, relaxed Xmodem, Xmodem 1K, Ymodem batch, and (new in Version 3.5) Kermit.

RUNNING APPLICATIONS If you invoke DOS, commands are executed in a DOS shell rather than from within Bit-Com, and when finished you must hit the

It's More Than Just Two PCs Talking In The Night.

It's Totally Automated. Unattended File Transfer and Remote Control. And you don't have to be a programmer to use it.

If you've ever tried to use a "standard" communication program to create script files for automated, unattended PC-based communications, you'll really appreciate CCExpress from Meridian Technology, makers of Carbon Copy Plus.

And if you're not a communications expert, that's fine. CCExpress allows you to easily create task lists that activate your computer at a later time. You can update data files or remotely execute programs-at night-when telephone rates are low and computer usage is at a minimum and you're busy doing something important-like sleeping.

CCExpress is ideal for branch offices or other remote locations that regularly need

to transfer data or update programs with other PCs. Using unattended remote emulation you can do the same with minis or even mainframes. Of course, since CCExpress is optimized for unattended operation, it includes special features such as error recovery, results log, data encryption and password security.

So if you're looking for an easier, more cost-effective way to transmit large amounts of data, take a closer look at CCExpress. And let your computer work while you sleep!



MERIDIAN TECHNOLOGY INC

A SUBSIDIARY OF MICROCOM 7 Corporate Park, Suite 100, Irvine, CA 92714, (714) 261-1199

CGEspress maledos a copy of Certen Copy Pies CGEspress is a tradomerit of Mondian Technoloss

CIRCLE 228 ON READER SERVICE CARD

The software Their diversity is remarkable; their loyalty, intense. Every hard copy.

behind the Every day, the list grows longer.

Every day, the accolades pour in.

From publishers, writers, lawyers, managers, technicians—and especially software reviewers— **XyWrite III Plus is universally**

acclaimed as the preeminent word processor available today. Listen to the praise:

"Crisp. Powerful. In a class by itself."

"Customer support is friendly, forthright, patient."

"Every document in (PC Magazine) is edited using the fastest, most powerful word processor on the market: XyWrite III Plus."

"A fine flexible tool; it lives up to its promotion and reviews."

"XyWrite III Plus is perfection."

Feature-laden. Flexible. Powerful and responsive. Discover for yourself why so many publications, corporations, and professional writers depend on XyWrite III Plus.

For more information or the name of a dealer near you, write: XYQUEST, Inc., 44 Manning Road, Billerica MA 01821. XyWrite. Or call 617-671-0888. For people who write.



■ COMMUNICATIONS SOFTWARE

Enter key to return to the communications screen. You can select the DOS option and run a program during a communications session, but you cannot do so while transferring a file.

BitCom distinguishes Action files (which are invoked automatically to perform tasks after a connection has been made) from Script files (which control when to call a number, how many times to retry, and what to do if the connection is or is not established). You can use a Script file to make the connection, and an Action file will then be invoked if it is specified in the parameters. These files cannot be created within BitCom, which does not have a text editor. Automatic log-on to a host requires an action file to be invoked. If your log-on involves a password, it unfortunately can be seen by anyone who accesses the file from the DOS prompt.

The script language offers more than 80 functions and allows you to nest as many as eight subroutines. While basic communications functions are simplified by the menus, script files allow BitCom to be set up for people who don't want to learn a communications program. Prewritten script samples are included for dialing numbers, for receiving and sending files (including selection of protocols), for logging on to an information service (specifically CompuServe), and for automatic answering. These examples cover the major functions of the program, and they are made even easier by the manual, which includes a list of the files on the disk.

The manual does not discuss more-sophisticated applications such as making multiple unattended contacts with file transfers or screening callers for passwords, but it does refer you to the samples for guidance in accomplishing these and similar functions. The script language can handle a wide variety of tasks involving conditional statements, function calls, and responses to your input at prompts. Clever use of the script will expand *BitCom*'s powers substantially, but if you really need these applications, you might want to find a program that includes them.

We found documentation on the script language more suited to the experienced user than to the beginner, and certain key bits of information were not in the manual. Nowhere, for example, could we find which bps rates were available in BitCom.

BitCom is not difficult to learn, which makes it very useful to novices and those who need a communications program to execute standard tasks, but its script language may not be rich enough to satisfy more-advanced users.

-John Schoenbeck

Boyan

.......

College student Justin Boyan and his \$35 communications program named *Boyan* justify one of our most cherished beliefs: once in a while, out of the blue, a little guy can come up with a good product and make a buck at it. Distributed as shareware, *Boyan* is a top-quality package for the budget-conscious.

In these days of inflated program size, Boyan's requirements seem minuscule. It can run on a system with only one disk drive. Laptop users will applaud its small appetite.

The program consists of two files: BOYAN-D3.EXE, which "unarchives" itself into all the files you'll need to run Boyan, and BOYAN-D3.DOC, the 60-

page manual. We had it up and running in less than 20 minutes—without consulting, or even printing out, the manual.

The sign-on screen reminds you that the author is just a starving student and you really ought to send him the measly \$35 fee if you haven't done so already. Next, you drop right into terminal mode. As this screen informs you, you can press Ctrl-Home to get one of the 16 context-sensitive help screens.

Hitting Alt-C brings up the configuration menu. Boyan supports Hayes-compatible modems by default, but you can modify all the command and response strings to match those of practically any other modem. (Boyan supports modem speeds only up to 9,600 bits per second and only on COM1 or COM2; if you plan to use that wild new 115,200-bps modem on COM3, you'll have to find another communications program.)

Unlike some programs, *Boyan* automatically sets the character length to 7 bits if you're using even or odd parity, and 8 bits if using no parity. These combinations are the most common, but we'd prefer to have the option of setting the two parameters separately.


DOWNLOAD FILES 3 min. left) Main Board Command? A inter the Filename to Download (Enter) Checking file transfer request. Pleas -- PROTOCOL: Ymodem Protocol Juavaillable - Moder Iupe Grom -----PATH: (A) Ascii (Non-Binary) - FILENAME: DSCOPE.ARC -----(X) Xmodem (Checksum) (C) CRC Xmodem (CRC) (Y) Ymoden (PCBoard/Qmodem's 1N Xmod BLOCK LEN: long (G) Ymoden-G (PCBoard/Qmoden) (1) Imodem (PCBoard Qmodem) BYTES OK: 1924 -----(N) None BLOCKS OK: 1 (Z) Znoden (Forsberg/BSZ) Protocol Type for Transfer, (Enter) or MAPSMI: 0:05 comfoad Time: 1.7 minutes (approxima Download Size 23446 bytes (23 blocks ··· ERRORS: 0 Total Will Be: Protocol Type: Ymoden (PCBoard/Quoden ... MESSAGE: Downloading . File Selected: DSCOPE.ARC (Ctrl-X) Aborts Transfer Press (ESC) to abort. BOYAN v.D3 1 6:48 : Executive Network

After you hit PgDn for a file download, Boyan scans the screen buffer for the name of the file you're downloading to save you from typing it twice. On the left of the screen are the protocols the program supports.

Every time IBM giv we're the first



IDEAcomm 5251/MC, July 1987 Local 3X Communications for the IBM PS/2




IDEAmax 30, Sept. 1987 8MB Memory for the PS 2 Model 30



IDEAcomm 5251/ Share/MC, Oct. 1987 PS-2 Gateway Communications to the IBM System 3X



IDEAmax/MC, Oct. 1987 12MB Memory for the IBM PS/2



IDEAcomm 3278/DFT/MC, Nov. 1987 Local Mainframe Communications for the IBM PS/2



IDEA Supermax 30, Nov. 1987 8MB and Ports for the PS/2 Model 30

On April 2, 1987, IBM brought the world to a standstill when it brought the PS/2 to life.

Now while everyone else waited to see how this latest offspring would be accepted, we quietly set out to create products that would help the PS/2 reach its fullest potential. And two months later, we delivered.


In fact, we were the first to devise completely functional local and remote links between the PS/2 and System 3X minicomputers. First to offer local

and remote gateway communications for the PS/2 on a local area network. And first with a Micro Channel® board that adds up to 12 megabytes of memory.


Our list of firsts didn't start with the PS/2, either. For example, we pioneered the industry standard in backplane design for multifunction boards. And we were the first to fully apply surface mount technology, which allowed us to put all the basic computing functions onto one PC board. (Interestingly enough, a year later IBM

es birth to a new PC, to send out cards.






IDEAcomm 3270/SNA/MC, Nov. 1987
Remote Mainframe Communications for the IBM PS/2





IDEA Supermax/MC, Dec. 1987 8MB Memory and Serial Ports for the IBM PS/2





IDEAcomm 5250/Remote Gateway/MC, Dec. 1987 PS/2 Remote Gateway to the IBM System 3X

IDEAmini/MC, May 1988 1/O Card for the IBM PS/2

used surface mount technology to create the PS/2.)

The ability to conceive products quickly stems from our corporate commitment. Since our inception in 1982, our goal has been to do more than enhance IBM's personal computers. It's been to truly advance them. Our in-house research and development team meets this goal so well, it continually develops PC enhancement products before IBM does.

We're IDEA. And if you want to find out what's really happening with IBM's personal computers, call us at 1-800-257-5027. We'll be the first to tell you.

IDEAssociates
The Leader in PC Technology.

IDEAssociates, Inc., 29 Dunham Road, Billerica, MA 01821, (617) 663-6878, Telex 4979780; France, Hong Kong, Germany, United Kingdom.

The IDEA, IDEAcomm, Supermax and IDEAmax trademarks are registered in the U.S. Patent and Trademark Office by IDEAssociates, Inc. IDEAmini is a trademark of IDEAssociates, Inc. IBM and Micro Channel are registered trademarks of International Business Machines Corporation. PS/2 is a trademark of International Business Machines Corporation.


COMMUNICATIONS SOFTWARE

Most Boyan commands are easy-to-remember mnemonic Alt-key combinations, like Alt-D to dial and Alt-H to hang up. In fact, Boyan's user interface was strongly influenced by the PC-Talk/Qmodem/Pro-Comm school of communications program design; users familiar with those programs should have little trouble with Boyan.

You make some trade-offs when you buy software for \$35. With *Boyan*, the trade-off is support; there's no staff to answer calls. Boyan himself and other users polled over a bulletin board will be your primary support. Of course, *Boyan*'s ease of use mitigates this trade-off.

DIALING The dialing directory holds up to 200 phone numbers, each of which can call a script file to automate the log-in process. While you can sort the directory according to name, you have to specify the number (1 to 200) for the computer you want to call. As you might expect from shareware, *Boyan* includes predefined log-in scripts for RBBS, PC-Board, and other BBS systems but not for commercial services like CompuServe and MCI Mail.

If a number Boyan dials is busy, Boyan throws it on the redial queue. If you regularly check in to several services, you could log in to the available ones, with the busy numbers on the queue waiting to be redialed. When you activate redialing, Boyan calls each number on the queue in turn until it has made all the connections. When it makes a connection, Boyan beeps loudly to call you back to the computer.



NEAT TRICK To download a file, you just press PgDn. Since *Boyan* scans the screen buffer for the name of the file you're downloading, you don't have to reenter the filename—a neat little trick that other programs should adopt.

Boyan supports the Xmodem, Xmodem-CRC with fallback, Ymodem (Xmodem-1K), and Ymodem-G (streaming Xmodem-1K) protocols. It can also use external protocol programs, like DSZ for Zmodem or PC-Kermit for Kermit, to upload and download files using those protocols. Boyan was one of the better performers on the PC Labs performance tests for Xmodem transfers.

Boyan has powerful script and macro languages. Most of what other communications programs store as simple strings Boyan stores as a macro. This feature enables you to build fancy macros to accommodate unusual modems and phone systems. The more than 100 macro commands enable you to do almost anything you can do from the keyboard.

To Boyan a macro is a one-line program, and a script is just a file of macros strung together. Scripts can include branches to labels. Macros are recursive. Unlike Crosstalk Mk.4's CASL and Smartcom III's Scope, Boyan's terse script language lacks support for general-purpose programming, but it handles basic communications tasks easily and well.

Boyan's "scrollback buffer" makes your on-line life easier by saving data that scrolls off the top of the screen. Other nifty Boyan features include its DOS file manager and its Gossip mode, which divides the screen into separate windows for incoming and outgoing data, making it easier to hold a "conversation" on-line. And Boyan's wonderful "backspace editor" steals from the screen buffer the line you were typing on-line and lets you edit it.

But Boyan is not perfect. It doesn't support multiple sessions, terminal emulation, or remote operation. The generally good manual, while including both an index and table of contents, could use additional and more-complex examples of scripts, and a better explanation of the script language.

Still, *Boyan* is pretty impressive. Yes, it has more than a passing resemblance to Datastorm's *ProComm* shareware program, which has features, such as terminal


emulation, that *Boyan* lacks. But *Boyan* is easy on you as well as your budget, and in the tough world of communications, that kind of comfort counts.—**Howard Marks**


Crosstalk Mk.4

Crosstalk Mk4 is the powerful successor to Crosstalk XVI, but the relationship between the two does not extend far beyond their names. Priced at \$245, DCA/Crosstalk Communications' Crosstalk Mk4 is targeted at sophisticated communications users who require multiple communications sessions using combinations of modems, direct connections, and other devices. Its programming language, CASL (Crosstalk Application Script Language), also makes Crosstalk Mk4 appealing to power users.

Crosstalk Mk4's user interface and clean, uncluttered screen are vastly different from what you'll find in Crosstalk XVI. If the communications parameters require some alteration, you can call them up through menus or by using an Alt-key combination.

Crosstalk Mk4 comes on two disks. Its manual leaves a bit to be desired. Installation instructions say to place the disk marked Crosstalk Program Disk in drive





Although Crosstalk Mk.4 is targeted for users who require multiple communications sessions using combinations of devices, the program includes an easy-to-use learn mode that enables creation of scripts for often-used communications services.

A:, but neither disk is so marked, and menus are identified by inexact names. Support is not toll-free, and the number is often busy, but the technical service is ex-

■ Crosstalk Mk.4's power becomes evident when using the X.PC modem driver, which can handle up to 15 communications sessions on a single modem.

cellent once you reach it. On-line help is available, but not when you are running a script file.

Crosstalk Mk4 contains 29 prewritten scripts and includes an easy-to-use learn mode, which you invoke by typing Do Learn at the command line. Crosstalk Mk.4 builds the script file, and you can edit

other enhancements into it or even write a script to invoke one of the prewritten scripts.

DAZZLING DISPLAYS The CASL script language borrows from Pascal and BASIC. Scripts can reference line numbers or labels and use English-like commands and statements. The scripts you create with CASL can handle multiple communications sessions and dazzling screen displays that include such features as painted windows.

Crosstalk Mk4's power becomes evident when using the X.PC modem driver, which can handle up to 15 communications sessions on a single modem. You can even create a rudimentary BBS. But once compiled, Crosstalk Mk4 does not allow a script to be decompiled. If Crosstalk Mk4 encounters a compiled script with a date and time earlier than a source script, it assumes changes have been made and will recompile the script. If an error is encountered during the compilation, Crosstalk Mk4 describes the error; gives you the name of the script, the line number, and the actual line; and lets you edit the line before continuing compilation.

Crosstalk Mk4's DART file-transfer

We have one thing to say to the people who keep getting personal about PROCOMM PLUS,

"Right now, PROCOMM PLUS is the definitive telecom program and the one I personally use and recommend."

John C. Dvorak, columnist, PC Magazine

People who review software have a very tough job. They see hundreds of new programs every week. But the ones who have seen the new PROCOMM PLUS communications software are doing more than writing rave reviews about it They're getting personal. They're using it at work and at home.

Maybe it's because PROCOMM
PLUS is so easy to use it's "infuitive."
Or perhaps it's because PROCOMM
PLUS has an extremely powerful script
command language, context sensitive help, 16 terminal emulations
with keyboard re-mapping, 12 file
transfer protocols, a fully-automated
dialing directory, and advanced host
mode with electronic mail.

But one thing is for certain. If PROCOMM PLUS is the personal choice of the people who review software, you can be sure that PROCOMM PLUS is right for you.

It's time you got personal about PROCOMM PLUS. Ask for PROCOMM PLUS at a dealer near you. Or, call 314-474-8461.

Thank You.



■ COMMUNICATIONS SOFTWARE

			ă.				ProComm		
PROGRAM DESIGN	Beyan \$35.00	Ptel \$49.00	ProComm \$50.00	Qmadem \$50.00	BitCom \$59.00	Mirrer II \$69.95	Plus \$75.00	MEX-PC \$98.95	Side Talk \$119.95
Command strategy	Alt-key combinations	Command line	All/Ctrl-key combinations	Alt-key combinations, command line, menus	Menus	Command	Alt/Ctri-lay combinations, Lotus 1-2-3- style menus	Alt-key combinations, commend line, function keys, menus, point-and-shoot commends	Alt-key combinations
OOS functions included	•	•	•	•	0	•	•	•	•
Exits to DOS on local machine without breaking communications	•	•	•	•	•	•	•	•	(in back- ground only)
Built-in text editor On-line help	0	0	0	0	0	•	•	0	0
MODEM SUPPORT fransmission-rate settings (bps)	300-9,600	300-9,600	300-19,200	300-38,400	110-19,200	50-115,200	300-115,200	110-115,200	110-57,600
Standard AT command set	•		•	•		•	•	•	•
layes extended command set	•	•	0	•	•	•	•	0	0
Other	User- definable	None	User- definable	None	None	PC/r, Racal- Vadic, user-	User- definable	Racal-Vadic	None
						definable			
Remote operations via the	ABILITIES		•	•	•	•	•	•	•
Remote operations via the communications software Access to DOS level on host		•	•	•	•	•	:	•	•
Remote operations via the communications software Access to DOS fevel on host machine Runs programs remotely	0	•	•	•	• 0	•	•	•	•
Remote operations via the communications software Access to DOS fevel on host machine Runs programs remotely Remote file transfer Password protection for remote	0	0	•	•		•	:	•	•
Remote operations via the communications software Access to DOS fevel on host machine Runs programs remotely Remote file transfer Password protection for remote file transfer	0 0 0 0	0	:	•		•	:	•	•
Remote operations via the communications software Access to DOS level on host machine Runs programs remotely Remote file transfer Password protection for remote file transfer ADDITIONAL FEATURES Bingle password Different passwords for different	0 0	0	•	•		•	•	•	•
Remote operations via the communications software Access to DOS level on host machine Runs programs remotely Remote file transfer Password protection for remote file transfer ADDITIONAL FEATURES Single password Different passwords for different users	0 0 0 0 0	0	•	-		•	(with Windows, DESOview, or	-	•
Remote operations via the communications software Access to DOS level on host machine Runs programs remotely Remote file transfer Password protection for remote file transfer ADDITIONAL FEATURES Single password Different passwords for different users Background file transfer	0 0 0 0 0	0 0 0	• 0	0	•		(with Windows,	0	•
Remote operations via the communications software Access to DOS level on host machine Runs programs remotely Remote file transfer Password protection for remote file transfer ADDITIONAL FEATURES Single password Different passwords for different users Background file transfer	0 0 0 0 0	0 0 0 0 0 0	•	0	•	0	(with Windows, DESOview, or Rap View)	0	•
Remote operations via the communications software Access to DOS level on host machine Runs programs remotely Remote file transfer Pessword protection for remote file transfer. ADDITIONAL FEATURES Single password Different passwords for different users Background file transfer Simultaneous two-way transfer Max. no. of retry settings	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0	•	0	•	O O O O O O O O O O O O O O O O O O O	(with Windows, DESOview, or Rp View)	O O Defined by	•
Remote operations via the communications software Access to DQS level on host machine Runs programs remotely Remote file transfer Password protection for remote file transfer ADDITIONAL FEATURES Single password Different passwords for different users Background file transfer Simultaneous two-way transfer Max. no. of retry settings Memory-resident mode Macros	O O O O O O O O O O O O O O O O O O O	O O O O Unlimited	0 0 0 10 0 0	0 0 N/A	O O Unlimited	O Defined by protocol	(with Windows, DESOview, or Rap View)	O Defined by protocol	0 N/A
Remote operations via the communications software Access to DOS fevel on host machine Runs programs remotely Remote tile transfer Password protection for remote file transfer ADDITIONAL FEATURES Single password Different passwords for different users Background file transfer Simultaneous two-way transfer Max. no. of retry settings Memory-resident mode Macroa Script-language learn mode	O O O O O O O O O O O O O O O O O O O	O O O O Unlimited	0 0	O O N/A	O Untimited	O Defined by protocol	(with Windows, DESOview, or Rap View)	O Defined by protocol	• • • • • • • • • • • • • • • • • • •
communications software Access to DOS level on host machine Fluns programs remotely Flemote file transfer Password protection for remote file transfer ADDITIONAL FEATURES Single password Different passwords for different users Background file transfer Simultaneous two-way transfer Max. no. of retry settings Memory-resident mode	O O O O O O O O O O O O O O O O O O O	O O O O Unlimited	0 0 0 10 0 0	0 0 N/A	O O Unlimited	O Defined by protocol	(with Windows, DESOview, or Rap View)	O Defined by protocol	0 N/A

Respend/ Async \$129.00	Professional- YAM \$139.00	Freeway Advanced \$139.95	HyperAccess \$149.00	Relay Silver \$150.00	Ascom IV \$195.00	Cresstalk XVI \$195.00	Lyne \$195.00	Seitenn \$195.00	Cresstatik Mk.4 \$245.00	Smartcom III \$249.00	Relay Gold \$250.00
Menus	Command line, Ctrl-key combinations, function keys	Command line, menus, point- and-shoot commands	Function keys, menus	Att/Ctrl-key combinations, function keys, menus, point- and-shoot commends	RUNCTION KEYS.	Command line, function keys, menus	Command	Alt-key combinations, menus	Alt-key combinations, command line, function keys, menus	Menus	Alt/Ctrl-key combinations, function keys, menus, point- and-shoot commands
)	•	0	•	•	•	•	•	•	•	•	•
•	•	•	•	•	0	•	0	•	•	•	•
•	•	•	0	•	•	0	0	•	•	•	•
	•	•	0	•	•	•	•	0	•	•	•
100-19,200	50-57,600	75115,200	50-57,600	50-19,200	50-19,200	75-115,200	300-9,600	50-19,200	Modern- dependent	100115,200	50-19,200
•	•	•	•	•	•	•	•	•	•	•	•
None	Trailblazer, Fastcomm	● User- Gefinatia	BM PC Convertible, Trailblazer, Microcom, CDS, Multitech, morted MNP moderns	AT&T, EVA UPTA-96, Penril, Racal- Vadic, Ribton, Trailblazer, Telenetics, Laur-darinable	None	User-definable	None	AT&T, UDS, and 28 others	AT&T, Bizcomp CDS, DCA, Racal-Vadic, Rizon, user-definable	• None	AT&T, EVA UPTA-96, Penril, Racal- Vadic, Rixon, Trailbiazer, Telenetics, incerdifficable
	•	0	•	•	•	•		0	•	•	•
•	•	0	•	•	0	0	•	0	•	•	•
	•	0	•	0	0	0	•	0	0	0	0
	•	•	•	•	•	•	•	•	•	•	•
							· · · · · ·				
	•	0	•	•	•	•	0	•	0	•	•
	•	0									
0	0	0	0	•	0	0	0	•	0	•	•
	O Defined by protocol		O Defined by protocol	● ● 65,535	○ ○ 65,535	O O 10	O	• • 256	O N/A	• 1,000	● 65,535
0	O Defined by	0	O Defined by	• 65,535	0	0	O N/A	• 255	0	1,000	65,535
	O Defined by protocol	0	O Defined by	65,53566	O 65,535	O 10	O N/A	• 256 • • • •	O N/A	1,000	• 65,535 • • •

■ COMMUNICATIONS SOFTWARE



Communications Software: File-Transfer Protocols

(Products listed in alphabetical order)

							8	4."					4.	A. P.		
		4			S. Can	4	of Spirit	No.				B	S. Park	S		
	30	S. Co	Se S	. /	1	1		ع	3	-	A.S.	g	1		d	٠,
· · · · · · · · · · · · · · · · · · ·	4	4	4	5	8	45	14.	\$	#	#	4	4	4.	4	•	4
CompuServe-A	0	0	0	0	0	0	0	0	•	0	0	0	0	0	0	0
Compu8erve-B	0	0	0	0	•	•	0	0	0	0	•	•	0	0	0	0
CompuServe Quick-B	0	0	0	0	•	0	0	0	0	0	0	•	•	0	0	0
Crosstalk	0	0	0	•	•	0	0	0	0	•	0	0	0	0	0	0
layes	0	0	0	0	0	0	0	0	0	•	0	0	0	0	0	0
lmodem	0	0	0	0	0	0	0	0	0	0	0	•	0	0	•	0
Kermit	0	•	•	•	•	•	•	0	•	•	•	•	•	•	•	•
Megalink	0	0	•	0	0	0	0	0	0	0	0	0	0	0	0	0
Modern7 batch	0	0	0	0	0	0	0	0	•	•	•	•	•	•	0	0
Proprietary	•	0	0	0	•	•	•	•	0	0	0	0	0	0	0	•
Relaxed Xmodem	0	0	•	0	0	0	0	0	0	0	0	0	0	0	•	0
Sealink	0	0	•	0	0	0	0	0	0	0	0	•	•	0	0	0
Streaming Xmodem 1K	0	0	•	0	0	0	0	0	0	0	0	•	0	0	0	0
Felink	0	0	0	0	0	C	0	0	0	0	•	•	•	•	0	0
WXmodem	0	0	0	0	0	0	0	0	0	0	•	•	•	0	•	0
Kmodem (checksum)	•	•	•	•	•	0	0	•	•	•	0	0	0	•	•	•
Kmodem 1K	•	•	•	0	•	•	0	0	•	0	•	•	•	0	•	0
Kmodem-CRC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	•
Kmodem-CRC with fallback		•	•	0	•	•	•	0	•	•	•	•	•	•	•	0
Kmodem OverThruster	0	0	0	0	0	0	0	0	0	0	0	0	•	0	0	0
KPC	0	0	0	0	•	0	0	0	0	0	0	0	0	0	0	0
Ymodem batch	•	•	0	0	•	•	0	0	•	•	•	•	•	0	•	0
Ymodem-G	0	0	0	0	•	0	0	0	0	•	0	•	•	0	•	0
Zmodem	0	0	•	0	0	0	0	0	0	0	0	0	•	0	•	0

⁻Indicates Editor's Choice ●-Yes ○-No

protocol comes in handy if the communications link is disconnected during a file transfer. If you later connect and redo the transfer, DART picks up where it left off. This is especially beneficial when transferring very large files.


Crosstalk Mk4 is a powerful but challenging program. If you want CASL and plan to transfer large files, it is a very attractive program. But if ease of use is a concern, you might want to investigate other packages.—Michael Brown

Crosstalk XVI


Although Crosstalk XVI hasn't been updated in over a year, it is certainly not an orphan program. It is still being actively marketed by DCA/Crosstalk Communications, and there is no hint that support for the \$195 package will wane. However, with the birth of the new, improved Crosstalk Mk.4, Crosstalk XVI may find itself quickly assuming the status of an unwanted stepchild.

Crosstalk XVI has always had an interesting place in the communications market. Users who want to get a taste of programming usually find Crosstalk XVI, with its straightforward script language, a good place to start. And if you'd rather not deal with a programming language, the product will shield you from what is going on behind the scenes. But those who use more-sophisticated applications that demand a complex language structure will want to look elsewhere.

^{*}Professional-YAM offers three versions of each of the **Professional-YAM offers five versions of this protocol.



SCRIPTED OPERATIONS Crosstalk XVI operates through a series of scripted operations that are accessed through two file types: command files, which have the suffix .XTK, and script files, which end in .XTS. The former contain all the parameters necessary for making a call, such as the phone number and bit-per-second rate. More-complex operations are governed by the script file, which is invoked automatically whenever a command file of the same name is used.



Crosstalk XVI constantly displays the status of a file being downloaded using the Xmodem protocol, along with any transmission errors that may occur. The Esc key is always used either to stop a process or to toggle to and from the command line.

The first time Crosstalk XVI is called up, it automatically runs through a script that takes care of default system parameters. Users of such well-known systems as The Source and MCI Mail can also add phone numbers and passwords through an automated sequence that drops the appropriate phone numbers and passwords into their proper places in the script files.

These files, and all other Crosstalk functions, are called up from the main status screen. Most features that may need to be changed by the user, such as the phone number, bps rate, and so on, are in view here, along with their current status. Commands are typed in at the bottom of the screen, using either the first two letters of the word or the entire word itself; and you will be prompted by the program if you have not fully completed the command. For example, NU 1-212-555-1212 will change the number to be dialed; if you simply type NU or NUMBER on the command line, the program will ask you for the number you wish to dial.

Once you make a call, you are automatically placed in the terminal screen, where

all on-line communications take place. The Esc and Home keys toggle back and forth to the command line and the status screen, respectively.

For anything more sophisticated than a



FACT FILE



Crosstalk XVI, Version 3.61 Digital Communications Associates Inc. Crosstalk Communications Division

1000 Holcomb Woods Pkwy.


Roswell, GA 30076 (800) 241-6393 (404) 998-3998 List Price: \$195

Requires: 128K RAM, DOS 2.0 or later In Short: This old favorate has a flexible script language and is also relatively easy for newcomers to handle; however, it is not suitable for more-sophisticated applications. Not copy protected.

CIRCLE 678 ON READER SERVICE CARD

INTRODUCING SOMETHING YOU'VE ALWAYS WANTED IN YOUR COMMUNICATIONS SOFTWARE.

EVERYTHING.



PC Magazine's Editor's Choice Award Communications Software, October, 1986 Background Communications Software, May, 1987.

See us at PC EXPO New York Booth #313

41 Kenosia Avenue Danbury, CT 06810.

\$95 TRADE-IN OFFER. SAVE \$200!

Use the card on the opposite page to trade-in your communications software for RELAY Gold. For more information about RELAY products complete and return this coupon.

Name			
Company:			
Address			
City	State	Zip	
Send to: RELAY Communic	cations Inc.		

NEW RELAY GOLD 3.0

RELAY Communications announces the most comprehensive PC-to-PC and PC-to-mainframe communications software program ever. New RELAY Gold® Version 3.0.

When Jim Seymour described
RELAY Gold in PC Week (September, 1986)
he said it was "probably the fastest and classiest communications program ever written..."
And now, RELAY Gold is even faster. In fact, with the addition of CommPressor data compression, file transfer will be up to three times faster allowing more work to be accomplished in less time.

When InfoWorld gave RELAY Gold four disks in their January, 1986 review they called it "...a program that will fill the needs of the novice telecommunications user and yet keep up as your level of sophistication grows." Today RELAY Gold is even more flexible to help corporations standardize on one communications solution: Unparalleled mainframe connectivity. New terminal emulation compatibility. And a network version that lets you save on equipment costs by sharing modems.

When PC Magazine named RELAY Gold Editor's Choice in May of 1987, it said "RELAY Gold's [script] language is among the most sophisticated of any communications program." And now our script language is even more powerful. It allows scripting of simple or complicated procedures so a single keystroke can perform entire tasks—it will even write your scripts

When you want one communications program that gives total software 3270

emulation; error-free transfer of any file with a mainframe; a standard interface whether you're connecting through protocol converters, 3270 emulation boards or normal phone lines; background capabilities so you can get other work done while you transfer files and a whole lot more, just ask for RELAY Gold 3.0.

You'll get everything.

CIRCLE 256 ON READER SERVICE CARD



1-800-84-RELAY (In CT 203-798-3800) In Canada 416-890-1956 The full spectrum of communications software.

■ COMMUNICATIONS SOFTWARE

simple sign-on, Crosstalk XVI's language is useful. It is flexible enough to supply many of the options needed for simple business use, including the ability to wait for and reply to on-line prompts, to wait for a specified time and then run the script, to accept and process keyboard information, and to conditionally jump to other parts of the script.

SCRIPT TRICKS Novice programmers will find that there are advantages to dealing with a program that has been around as long as Crosstalk XVI. Because of its popularity, there are quite a few script tricks (unfortunately not mentioned in the manual) circulating around the user network. For example, Crosstalk XVI by itself has no function to allow you to operate your computer remotely outside of a few simple communications features. (In fact, the XDOS command, which exits the program, can be accessed when you are talking remotely with the computer-with the result that you place your remote computer in DOS and out of contact.) However, you can persuade the program to do so using a short batch file, which was recommended to me by a Crosstalk technician (for more information, see Power User, PC Magazine, October 27, 1987).

It would have been helpful if DCA had included some of these tips in the manual, which, like the program, has not been updated for some time. However, the technical support staff at DCA is knowledgeable and helpful; in addition, there is now a *Crosstalk* SIG on CompuServe that users who have questions can access.

Unfortunately, Crosstalk XVI's own help facilities leave something to be desired. There is a Help function that lists the commands available; for more information, you type Help and the command you are inquiring about. But if you are uncertain about which command will, say, let you upload using Xmodem, you will have to do a great deal of guessing.

You will find many users who still swear by *Crosstalk XVI*, and if you're looking to purchase a communications program for the first time—or if you've got a friend who's accumulated a lot of *Crosstalk* scripts—and don't need anything particularly exotic, you may want to give this one a glance. But be warned. When I

pressed DCA's technical staffers on questions about a couple of PC Labs' moreelaborate applications tests, their reply went something like this: "Well, we probably could figure something out eventually, but we'd really have to put the program through loops to get it. I'm sure that *Cros*stalk Mk.4 does it, though "

-Barbara Krasnoff

Freeway Advanced

Freeway Advanced, from Kortek, brings fully functional communications to the novice. To the power user it offers a Crosstalk-compatible script language, a keystroke learn feature, terminal emulation (VT-100, VT-52, TTY), and support for several protocols. But somewhere in between things bog down. If you're a beginner who wants to work up to power user status, you may not find all the tools you'll need in this \$139.95 package.

Getting up and running is easy. The documentation is well organized, if at times sketchy. Nevertheless, those who want to skip the basics will appreciate a section called "Three Test Drives," in which the most important parts of the pro-


gram are discussed. Novices will find a useful section called "Everything You Ever Wanted to Know About Computer Communication, but Were Afraid to Ask." There are also sections on trouble-shooting that outline the difficulties you might encounter and corrective actions that you can take when you do.

POINT-AND-SHOOT APPROACH

Freeway Advanced's menus are easy to follow and use. They employ a point-and-shoot approach that keeps keystrokes to a minimum and helps a novice stay on track. Context-sensitive help is also available. You simply type "?" to call up a clarification of a function. There is also a handy autopilot feature that "learns" steps in functions that are performed often.

Passwords can be set for a phonebook entry and its accompanying autopilot, as well as for remote access to your system. Remote-access passwords are encrypted and hidden in one of the system files.

Freeway Advanced can work at speeds up to 115,200 bits per second, and modem parameters can be set and changed at any time. The program supports the following protocols: Xmodem, Xmodem 1K, Ymodem batch, Kermit, and Crosstalk.



Freeway Advanced's point-and-shoot menu-driven structure lets you see exactly where you are. In the above screen, the user is editing a phonebook entry.


COMMUNICATIONS SOFTWARE

Freeway Advanced organizes phone numbers into nine phonebooks with 12 entries each. With each entry you can specify bps rate, parity, terminal type, and data format. You place a call by simply dialing automatically from the phonebook. You can set the number of times the system will redial, as well as the time intervals between the redials.

The chapters in *Freeway Advanced*'s manual are brief, and many features are either not covered completely or not covered at all. Complicating the situation is the fact that changes were made to the program after the documentation was published. Help is available from a Read Me file on the floppy disk, but it is a nuisance to abandon your project and repeatedly consult this file for basic information.

Freeway Advanced's greatest short-coming, however, is its script language. The commands are listed alphabetically in the documentation, which is fine, but they are not accompanied by examples so that you can see what a script looks like. Customer support suggests that you look at the bulletin board script that is on the program disk. This is helpful to an experienced user but it does not offer much to the novice. The script language is Crosstalk-compatible, but few users will want to purchase Crosstalk to get a manual that explains how to use the script language.

-Patricia L. Becker



HyperAccess

Hilgraeve's \$149 HyperAccess (IBM PC Revision 3.25) has developed into one of the finest communications packages on the market. It features high-speed file transfer, a powerful script language, an easy-to-use interface, and an interactive tutorial.

Novice users can get off to a good start by using the informative tutorial and proceeding step by step or by jumping to the chapter of their choice. Extensive sample communications sessions demonstrate every aspect of the program—from making manual data calls to using the most complicated auto-log-on scripts.

For hard disk users, installation is as easy as typing COPY. The first time you run *HyperAccess*, it automatically executes a start-up script, written in its Hyper-Pilot script language. The program prompts you for the necessary installation parameters, then modifies your CON-FIG.SYS (harmlessly) and installs a device driver.

HyperAccess is compatible with TSRs like SideKick and multitasking programs like DESQview, TopView, DoubleDOS, and Microsoft Windows. It includes all the

drivers and instructions you need to run these programs along with it.


FOLLOWING PROTOCOL HyperAccess performed the fastest Xmodem file transfer on PC Labs performance tests—even with its proprietary data compression scheme turned off. Its proprietary protocol, HyperProtocol, is significantly faster than most common protocols because of its streaming data flow and data compression features. HyperProtocol is a must for those who transfer files through noisy phone lines.

Without exiting from *HyperAccess*, you can execute DOS commands and other programs. Therefore, you can easily examine or manipulate files in your computer or run another program without breaking a communications link. When executing memory-hungry programs, you can save *HyperAccess* to disk to free up valuable amounts of RAM.

HyperAccess's remote-operations feature permits an authorized user to control his computer through the keyboard of a remote terminal. The host defines users' individual passwords and levels of access, and users with limited access cannot over-



Pressing F1 on HyperAccess's main menu invokes the program's Call screen, which displays the first eight entries in the phone list. The Hayes Smartmodem 2400 displayed in the upper right is only one of more than three dozen models chosen during the installation routine.



Shouldn't all this be in your computer instead of on

Remember the early allure of PCs? How they were going to make your office work easier and your life more organized? Well, Lotus Metro 1.1 delivers on that promise.

Metro is a memory resident desktop manager which runs behind application programs such as 1-2-3° and Symphony. It's a two-for-one product combining 12 valuable accessories with a powerful macro generator.

The accessories all use the familiar Lotus interface, and include an appointment book, phone book, calculator, DOS file manager, list manager, basic word processing, notepad, clipboard, watch, among other features. The macro generator helps you simplify difficult or repetitive tasks.

If available RAM is an issue, Metro now includes "The Swapper" allowing you to run its accessories using as little as 64K of RAM. Or if need be, you can unload the whole program with a single keystroke.

Two products for the price of one.

You would have to buy both SideKick® Plus and SuperKev® to match the functionality of Metro 1.1. And Metro costs only \$85.*

All of this makes Metro sound pretty impressive-and it is. So impressive that PC Magazine selected Metro as Editor's Choice in 1987 in the categories of Desktop Organizer and Keyboard Macros Programs.

Metro 1.1 has both 5.25" and

3.5" disk versions packaged in the same box. So visit your Lotus Authorized Dealer today, or call Lotus directly at 1-800-345-1043 and ask for product ADG-1691 to order Metro.

It's never too late for your PC to make you more organized.

Lotus Metro 1.1



ntroducing Lotus Metro 1.1

System Requirements. Lotus Metro runs on IBM® COMPAQ® Toshiba® and other computers. For specific system compatibilities consult your Lotus Authorized Dealer. Metro requires two 5-25° double-sided disk drives or one 3-5° disk drive. Hard disk not required but strongly recommended. Minimum of 64K required with Swapper, 125K without DOS-2-1 or higher. Swapper requires a hard disk, extended RAM with VDISK, or Intel AboveBoard with Intel RAM Disk. Metro is unprotected and runs with a wide variety of software programs including 1-2-3 and Symphony. When you purchase Lotus Metro directly from Lotus, tabe your first 30 days to try it. If after 30 days, Lotus Metro does not perform as described and you ve purchased it directly from Lotus, we'll gladly give you a full refund. © 1988 Louis Development Corp. Lotus, 1-2-3, and Symphony are registered trademarks, and Lotus Metro is a trademark of Lotus Development Corp. Lotus, 1-2-3, and Symphony are registered trademarks of a registered trademark of COMPAQ computer Corp. Toshiba is a registered trademark of Toshiba to a registered trademarks of Borland International, Inc.

Suggested Retail Price

write or delete files on the host computer.

With HyperAccess, you can automate entire communications processes. Hyper-Access can sign on to remote systems and handle routine file transfers or place calls for you in the middle of the night. To automate a process with HyperPilot, you can write a script using your favorite text editor and then have HyperAccess automatically compile it.

You can execute scripts with remarkable flexibility. You can run scripts directly from the DOS command line or run them from the communications screen. Finally, you can designate a script as a "sign-on" script, which the program automatically executes after a communications link has been established.

To get you started, included with HyperAccess are 36 useful, prewritten scripts, including log-on scripts to many popular remote systems. Other scripts place a data call at a designated time, log in to and download files from a HyperAccess host, and set up your system as a high-security dial-back host. What's more, HyperAccess can run the scripts unattended. When the program first runs an auto-logon script, it learns your sign-on password and stores it for use in future auto-log-ons. Unfortunately, since .NIX files are unencrypted, anyone can, with the aid of a few simple DOS commands, view your passwords and thereby compromise the security of your communications.



Version 3.25 Hilgraeve Inc. P.O. Box 941 Monroe, MI 48161 (800) 826-2760 (313) 243-0576 List Price: \$149

Requires: 192K RAM, DOS 2.0 or later. In Short: This full-featured communications package offers fast, reliable file transfer, a high-powered script language that is second to none, and an informative, well-organized interactive tutorial. It's a real pro with tremendous power that's also easy to harness. Not copy protected.

CIRCLE 577 ON READER SERVICE CARD



Performance Tests: Communications Software

To time data transfers from one IBM PC AT to another, PC Labs' performance tests used two different files: a 1-byte ASCII file called OVERHEAD and a 50K ASCII file called TIMING. Each IBM PC AT had the same configuration, and the same communications programs were used on both, allowing us to measure the programs' ability to send and receive data.

The files were tested using the standard Xmodem protocol, which supports checksum for error correction. All of the tested packages can use this error-correction scheme, but some use checksum only when other communicating programs request it. For these packages—*ProComm, ProComm Plus, Freeway Advanced,* and *BitCom*—CRC error correction was used instead. Although both checksum and CRC transfer data in 128-byte blocks, CRC is inherently slower because of its additional error-checking overhead.

Besides using Xmodem (the one universal option among public-domain protocols), some programs support their own proprietary protocols, which were also tested. In general, these protocols can only be used between copies of the same communications package—or different packages from the same manufacturer. In some cases, however, the proprietary protocols are licensed for use by other manufacturers. The programs we tested with their own protocols were HyperAccess, Professional-YAM, Crosstalk XVI and Mk.4, Freeway Advanced, Relay Gold and Relay Silver, Ascom IV, Lync, and Softerm. For comparison, the results of testing with the Xmodem protocol and with the proprietary protocol are shown together for both the TIMING and OVERHEAD files.

The test results for transfer of the TIMING file are representative of real situations. *HyperAccess* performed file transmissions faster than any of the other programs. Both with Xmodem and with its proprietary HyperProtocol, *HyperAccess* came in first.

Crosstalk XVI and Mk.4 were within the top four. Crosstalk Mk.4, with its proprietary protocol, DART, was right behind Hyper-Access, but Crosstalk XVI—using its older Crosstalk protocol—didn't fare nearly as well.

Relay Gold and Relay Silver were midroad for Xmodem tests and proprietary protocol tests alike. (Their proprietary protocol is called Relay Bidirectional.) The

only difference between the two programs is that *Relay Gold* adds support for mainframe communications. Because the programs are identical for PC-to-PC communications, we decided to test them with *Gold* installed on one AT and *Silver* on the other.

Softerm was the slowest of the packages we tested, both with Xmodern and with a proprietary protocol (Softrans). While transferring data, the program shows the data on the screen, which significantly slows its performance for file transfer.

The results for the OVERHEAD file show the time taken to set up for file transfer and to return control to the keyboard. With Xmodem, SideTalk, Freeway Advanced, and Respond/Async yielded the fastest times. When using a proprietary protocol, Freeway Advanced was the fastest program on this test.

Crosstalk XVI and Mk.4 were again among the top performers when using the Xmodem protocol. As in the TIMING file test, Crosstalk Mk.4 delivered good performance using DART, while Crosstalk XVI was considerably slower using Crosstalk.

In this suite of tests, *HyperAccess* was a decent performer whether using its proprietary protocol or Xmodem. It takes only a moment to set itself up for file transfer, which is insignificant considering its speed in transferring files.

The PC Labs communications program performance tests transferred two files for each protocol tested. The **Overhead** file test was 1 byte long and was designed to time the program's overhead in setting up for transfer and in returning control to the keyboard after transfer was complete. The **Timing** file test was a 50,000-byte text file designed to measure real-case file-transfer speed.

For an across-the-board comparison of file-transfer times, we used the standard Xmodem protocol, with 128-byte blocks and checksum error checking, except in cases where checksum is not available unless another program requests it in these cases, CRC was used.

For those programs with proprietary file-transfer protocols, we also tested the proprietary protocol. If there was more than one, we tested the fastest protocol (based on manufacturers' claims) designed for use with moderns that do not have their own built-in error-correcting feature.


Data compression, when available, was turned off for the Xmodem tests. This ensured that file transfer time would reflect the speed of both the sending and receiving portions of each program. For proprietary protocols, however, we used data compression, since for these there was no other exting.

All the file transfers were measured from the last keystroke command on the controlling side to the moment when control was returned to the keyboard. For Xmodem transfers, this meant setting up both sides individually, then entering the command to start sending on the sending side, followed by the command to start receiving on the receiving side. For proprietary protocols, this often meant setting up one side for remote operation, then controlling the transfer from the other keyboard.

on ool 06 01
06 01
01
_
77
70
70
57
52
51
47
47
45
46
45
45
44
42
41
41
40
37

N/A---Not applicable, the software offers no proprietary protocol

OVERHEAD		
(roprietary Protocols	Xmodem Protocol
Softerm	4.10	2.20
Lync	4.80	2.10
ProComm	N/A	1.70
BitCom	N/A	1.70
ProComm Plus	N/A	2.10
Qmodem	N/A	2.90
Ascom IV	9.40	1.30
Professional-YAM	2.40	2.30
Ptei	N/A	2.20
Respond/Async	N/A	1.00
Boyan	N/A	1.30
Freeway Advanced	1.00	1.00
MEX-PC	N/A	1.30
Relay Gold and Relay Si	Iver 1.40	1.30
Mirror II	N/A	1.20
Smartcom III	N/A	2.10
Crosstalk XVI	8.80	1.20
SideTalk	N/A	1.00
Crosstalk Mk.4	1.40	1.10
HyperAccess	2.00	1.40
N/A—Not applicable the software	offers no proprie	stary protocol





If the world had one computer communications

The fact is, today's bewildering variety of computers demands a program like this.

CROSSTALK Mk. 4 is the entirely new generation of PC communications software.

Its language, CASL, is designed specifically for the needs of communications and related applications.

- It helps your PC perform a variety
 of functions with a variety of
 different devices direct connection, modem, coax, or X.PC —
 up to 15 sessions at a time, if
 you like.
- It emulates virtually all popular terminals — IBM, DEC, Data General, TeleVideo, ADDS Viewpoint, and many more.
- It supports most popular modems.
- It supports the most widely used file transfer protocols, including XMODEM, YMODEM, KERMIT, CompuServe "B", CROSSTALK, and its own high-speed DART.
- It works with interfaces such as IRMA and Smart Alec to



standard you wouldn't need Crosstalk Mk.4

facilitate connections with mainframes and minis.

 Its language allows an unprecedented degree of automation of complex applications functions and contingencies. It does everything you always wished your old communications program could do.

Maybe the world's computers can't be alike. But now at least they can communicate.

See your dealer for CROSSTALK Mk. 4, and let your imagination fly.

CROSSTALK

CROSSTALK COMMUNICATIONS/1000 Holcomb Woods Parkway, Roswell, Georgia 30076/(800)241-6393

A Division of Digital Communications Associates, Inc.

CROSSTALK is a registered trademark of Digital Communications Associates, Inc. / CASL, IRMA and Smart Alec are trademarks of Digital Communications Associates, Inc. IBM is a registered trademark of TeleVideo Systems, Inc.

CompuServe is a service sark of H&R Block / X.PC is a trademark of Tymshare, Inc. CIRCLE 326 ON READER SERVICE CARD

Copyrighted miller

MORE SCRIPT POWER The Hyper-Pilot script language includes string and numeric operators, branching, subroutines, pattern matching, and lots more. It can serve seasoned programmers as well as corporate users. Scripts can be written to hide *HyperAccess* behind a customized menu system and thus give inexperienced users only the choices necessary for their specific communications needs. Hilgraeve also offers site licensing for companies that have large numbers of users.

A top-notch, comprehensive, easy-touse communications package with fast, reliable file transfer and a powerful script language, *HyperAccess* won't let you down.—Alan Roth and Gary Stein

Lync

Lync, from Norton-Lambert Corp., was one of the first programs to offer remote PC communications, as well as the ability to transfer various files between different operating systems. Today, 3 years after its fifth and latest major revision, the \$195 program remains a portable communications package capable of communicating with minis, mainframes, on-line data and e-mail services, and other PCs.

You install and configure Lync by running an installation procedure. Unlike most other communications programs where you have to specify the parameters,





All Lync commands and script (Log) files are accessed from a command line prompt, invoked with the Esc key. The Coms command, shown here, displays a quick list of the commands available at any time.

Lync checks the incoming data and sets these parameters accordingly. The only communications parameter you have to be concerned with is the bit-per-second rate. Lync runs on more than 250 different types of computer systems, a claim few other communications packages can make.

When you enter *Lync*, you are placed in terminal mode, where anything you type is sent directly to the modem. *Lync* commands are entered from a command line that you access by using the Esc key. From the terminal mode, options are many; you can communicate with any on-line data service, use one of several methods of uploading/downloading data, dial numbers from a phone list, use script (LOG) files to automate these procedures, and invoke the *Lync* mode.

The Lync mode is used either to transfer files with another PC running Lync or to establish a remote link with another PC. The Lync program uses a proprietary error detection and correction protocol when transferring files between PCs operating in the Lync mode.

Remote communications can be established with a PC running any communications program as long as it's in a TTY terminal mode. Passwords can be optionally set up to restrict access to remote machines, but neither computer can transfer files.

INSTRUCTIVE DOCUMENTATION

Lync's documentation contains an indepth "How to" section, helpful to novices, which covers such items as how to automatically sign on to an e-mail service, how to send and save encrypted data, how to make a mini-to-mainframe connection, and how to connect two computers both running Lync. A Quick Reference section explains each Lync command in more detail, and the remainder of the manual contains information on the advanced features and special options.

Lync contains a script language that allows you to automate dial-up, log-on, and file-transfer procedures. Scripts, called LOG files, can be chained together using Lync batch files, which are very much like DOS batch files. Batch files can call Lync commands or several LOG files. Both batch and LOG files are executed from the Lync command line.

You write a script command much as you would a simple if-then statement: next to a prompt that is listed on the left side of a "marker" character. If the prompt is



Unretouched Screen Images

Buy The One On The Left And You'll Have To Put It Where The Sun Don't Shine.



The monitor on the right, however, can be placed anywhere you like. Even in direct sunlight. It's the new *Flat Technology Monitor* from Zenith Data Systems—winner of *PC*

Magazine's coveted "Technical Excellence Award" in the hardware category for 1987.

You Have To See Zenith To Believe It

So clear. So precise. So lifelike. It's the only monitor with a completely flat screen. A breakthrough that has redefined monitor quality forever. Industry experts are already convinced. And once you see it in person, you'll be a believer, too.

Bigger, Brighter, Glare-Free

Our Flat Technology Monitor has an impressive 14-inch display. And even though it's bigger, it's 50% brighter than conventional CRT's and it has 70% greater contrast. So you get colors with greater depth and definition that make your reports, charts and graphs come alive like never before.

The Flat Technology Monitor is virtually glare-free. So you can work longer without the usual headaches and eyestrain. And that means greater productivity. But to get the whole picture, you have to see it with your own eyes.

Backward And Forward Compatibility

You also get full compatibility with the high resolution VGA Video generated by IBM's new PS/2⁸ computers. And with Zenith's Z-449 or other VGA-class video cards, you can enjoy CGA, MDA, Hercules and EGA graphics as well.

Experience Zenith's Latest Technology Breakthrough

Obviously, a mere picture can't do justice to our new Flat Technology Monitor. It demands a face-to-face evaluation. For a hands-on demonstration, call today for the name of your nearest authorized Zenith Data Systems dealer—the Flat Technology Monitor is available in quantities right now.

1-800-553-0305



THE QUALITY GOES IN BEFORE THE NAME GOES ON*

■ COMMUNICATIONS SOFTWARE

matched during communications, then the Lync command on the right side of the marker is executed.

If a prompt is matched out of order in a LOG file, script control will jump to the appropriate prompt and execute that *Lync* command, then jump back to where it left off. This saves you time and effort because you can include all the prompts in the LOG file that you might see, and *Lync* will match only the ones that it finds.

Lync can encrypt files for greater data security on public services. Any files that can be normally transmitted using Lync can be encrypted. The sender must specify a code word with the transmitted file, and only this code word can be used to decrypt the file. To encrypt spreadsheet files and other 8-bit files, you include Lync's ASCII convert option to convert the file to ASCII before encryption.

Lync is not for people who rely on menus. You work from an @ sign on the screen and access the command line by pressing the Esc key. Another drawback is that it doesn't have a DOS window. However, you can execute several DOS-like commands from the command line.

Lync is available for many different types of machines and operating systems and does much of the work for you. In fact, a large number of users among the installed base use Lync specifically for conversions among various operating systems.—Greg Alwang

MEX-PC

MEX-PC, \$99.95 from NightOwl Software, seems tailor-made for individualists. Although it gives token help to novices with a simple menu system, MEX-PC's real strength is its flexible, full-featured command language. It's a boon to anyone who prefers to program their communications packages to suit their needs.

The program's menu mode is a way for first-time users to familiarize themselves with the product. A series of point-and-shoot nested commands takes up the top fourth of the screen and opens the program. As you highlight each, an explanatory note appears below it. A tag tells you which menu you're in.

At the menu-mode level, the program

```
Into Fority Word Stop Alt Bell Dingley Exit-none that

Enter command mode

Inter command mode

IMEXI A>>PHONE MCI=9-245-8355

IMEXI A>>CALL MCI

Dialing: 9-245-8355: Try #1

Connected #1288 Band

IMEXI ITerm. mode: Ins key for help!

18:43:48 AM Dec 29, 1987

Port: 11.

Please enter your user name:
```

Once you've passed from menu to command mode, MEX-PC becomes a much more usable system. Here, a phone number has been assigned to the phrase MCI, which was then used to call the service.

allows you only to create phone number files for automatic dialing; you can save only the number and a short explanatory note. You cannot include specific parameters for the service or any log-on procedures. Once you're connected with a service, MEX-PC doesn't automatically switch into terminal mode. Instead, you have to toggle back to the menu and call up a separate Conversational menu, which you use to get—finally—into Terminal mode. The procedure is awkward at best.

CLONING ITSELF *MEX-PC* has no install routine. Instead, you save whatever changes you make during a particular session and copy the program. This procedure enables you to start *MEX-PC* immediately in command mode by simply cloning it while you are in that mode.

The command mode is where MEX-PC shows its muscle. You activate the command files by using a Do command from the command line. Within a command file, you can perform most of the functions expected of a reasonably sophisticated communications program, including unattended timed operations. You can also eas-

ily create personalized menu screens, log the date and the time as the first line of a captured file, call on subroutines, and even run other command files from within your program. The program also works well as a remote terminal.



FACT FILE



MEX-PC, Version 1.65 NightOwl Software Inc. Route 1, Box 7, Hwy. 12 Fort Atkinson, WI 53538 (800) NITEOWL (414) 563-4013 List Price: \$99.95

Requires: 192K RAM.

DOS 2.1 or later.

In Short: Although its menu mode is limited, this reasonably priced program shines in its much more wide-ranging and useful command mode, which includes a relatively sophisticated language. Beginners may find the learning curve too steep, but programmers will find the package worth serious consideration. Not copy protected.

CIRCLE 676 ON READER SERVICE CARD



Quick-turn the page.

COMMUNICATIONS SOFTWARE

STUDY TIME MEX-PC's language is useful once you've learned it, but the manual proceeds at too leisurely a pace. It eventually explains all the commands, but a better-written tutorial would help. Night-Owl Software does include several well-labeled command scripts. Unfortunately, on the whole they're too complex to be of real help to beginners. A more basic sample sign-on script would be useful.

MEX-PC has a lot to offer do-it-yourself programmers, but its menu-driven mode is weak—and its name doesn't tell the story. Hold the salsa—MEX stands for Modem Executive.—Barbara Krasnoff

Mirror II

When Mirror, from SoftKlone Distributing Corp., was first released, it was an unabashed clone of Crosstalk XVI—even down to the Crosstalk status screen. Microstuf (then the manufacturer of Crosstalk) cried foul and won a ruling stating that the screens were protected by copyright. SoftKlone responded by redesigning the screens. The result is Mirror II, a program that looks different from Crosstalk XVI but includes all the Crosstalk commands, adds significant new features and sells for just \$69.95.

If Mirror II did no more than copy Crosstalk XVI, there would be little to say about it. What makes the program interest-



Requires: 192K RAM, DOS 2.0 or later.

a more readable status screen than Cross-

In Short: This clone of Crosstalk XVI offers

talk's, a better help system, background op-

eration, additional file-transfer protocols, and

additional terminal emulations—all at a substantially lower price. Not copy protected.

CIRCLE 675 ON REALER SE



On first glance, the Mirror II status screen bears little resemblance to the Crosstalk XVI screen—except for the Command? prompt on the bottom line. The parameter settings are divided into two sections, or "boxes," on the upper half of the screen.

ing are the differences. Consider the script language, for example. The Mirror II language includes all of the Crosstalk commands, so the program can run any script written for Crosstalk. It also includes enhancements. Most notably, Mirror adds a learn mode for automatically creating scripts. Once it is created, you can edit the script with a word processor or with Mirror's own editor.

REDESIGNED SCREENS Ironically, *Mirror II's* redesigned screens also offer an advantage over *Crosstalk*. The *Crosstalk* status screen has so much information that it can be overwhelming. Until you learn to ignore most of the screen, the information you really need can get lost in the crowd.

Mirror II eases the information overload. The program divides its settings into categories—including port settings, security features, connection parameters, and system settings. With three to nine settings in each category and a maximum of only two categories showing at once, the display screen is far easier to read. A simple Ctrl-key combination lets you scan through the different categories as needed.

The Mirror II help feature is another plus. With Crosstalk XVI, you can ask for information on any command, but that helps only if you already know which command you want information on. Mirror II adds help in finding the right command when you don't know which one you need. You can, for example, pick Binary File Transfer from the help menu, and Mirror will show you a list of file transfer commands along with short explanations of each. In most circumstances, this is a more useful approach.

A DRAMATIC ADDITION The most dramatic additional feature in *Mirror* is background operation. As with *Crosstalk*, you can run *Mirror II* in the foreground and clear it from memory by leaving it with the Quit command. However, you can also leave *Mirror* by way of a hotkey. This lets you load another program while *Mirror II* keeps operating in the background—redialing a busy bulletin board, automatically answering incoming calls, continuing a file transfer, or simply waiting for you to call it up again.



That's how much effort it takes to turn data into graphs with Graphwriter II.

Actually, it may take even less effort than that. You see, Lotus® Graphwriter® II is the only graphics software that lets you automatically generate large quantities of quality graphs based on current spreadsheet and database information. All with a single command.

Do you regularly need to create a variety of graphs from continually changing data such as daily inventory, monthly P&L or quarterly head count? With Graphwriter II you can create a direct link to data in your 1-2-3,* Symphony,* dBase* or ASCII files. So whenever you update your data, you can automatically update your graphs with a single command. What's more, with one keystroke you can toggle back and forth between your data source and Graphwriter II to view and select the data to be graphed. No more printing out files and time-consuming rekeying.

Graphwriter II is a full-fledged production system. You can automatically output up to one hundred charts at a time with a single command. You can even print multiple charts on a page.

And Graphwriter II offers you 24 different graph types—more than any other PC graphics package. So you can choose the chart type that best represents your data.

What's more, you have control over hundreds of style settings such as type font, heading location, bar width and color.

So if you need to create and frequently update graphs from ever-changing data, you need Lotus Graphwriter II.

To get a free self-running Graphwriter II demonstration kit, call 1-800-345-1043 and ask for demo kit AFB-2524, for 5.25" format, or demo kit AFB-2664 for 3.5" format.*

Then you can turn this

page too.

Lotus Graphwriter II

COMMUNICATIONS SOFTWARE

The background operation is not entirely stable. In testing for this review, the program crashed twice-both times while hot-keying out of Mirror. Even so, background operation is a seductive feature. Just be sure to approach it skeptically and save your work more often than usual.

Also worth noting is that Mirror offers 11 terminal emulations compared with Crosstalk's 6. And to Crosstalk's Xmodem, Kermit, and proprietary protocols, Mirror II adds Xmodem-CRC with fallback, Modem7 batch, Ymodem batch, Ymodem-G, and the Haves Smartcom II protocol.

By any measure, Mirror II is a good value. If you're not interested in script files or background operation, there are easier programs to learn and use. But if you're serious about communications-and particularly if you're a Crosstalk user who has already invested time and effort in developing scripts-Mirror II is worth a close look. If you like Crosstalk, you should love Mirror. If you don't like Crosstalk, you may very well like Mirror anyway.

-M. David Stone

ProComm ProComm Plus

Datastorm Technologies' ProComm and its new ProComm Plus-the first a popular \$50 shareware program, and the second a \$75 commercial product-are like elegantly engineered German touring cars at the price of Korean subcompacts: they'll deliver on performance, but they won't break the bank.

ProComm has been available through shareware channels for several years and stands up against the toughest competition from the commercial communications software products. ProComm Plus is an enhanced version of ProComm. It is not meant to replace the shareware version but to sell alongside it as a slightly more expensive, more feature-laden sibling.

A LOT ALIKE The two versions of Pro-Comm have much in common. Either program lets you set your preferred values for most defaults. Both provide limited DOS services through file view, change directo-

```
Is this correct (Y/N)? Y
Par Upload Protocols
    1) XHODEM
                         5) TELLINK
                                                                      13) YHODEN-G BATCH
    2) KERNIT
3) YHODEM
                         6) MODEM?
7) SEALINK
                                                                      14) EXTERN 1
                                                                      15) EXTERN
                          8) COMPUSERVE B
                                               12) YHODEN BATCH 16) EXTERN 3
    4) ASCII
                             (or press ENTER for XMODEM)
     Your Selection
Delp Time Chat Gloodbye
R)ood wall Lleave wall
S)hell A)bort
Your choice? U
A)scii K)ermit S)ealink X)modem Y)modem Batch
I)modem TJelink W)xmodem G)Ymodem G Batch
Your choice? Y
file name? poplus exe
                   mental de la la comunicación de la
 escription.
Alt-Z FOR HELP TTY
                               FDX 1200 N81 LOG CLOSED PRINT OFF ON LINE
```

While ProComm Plus talks to a ProComm Plus host, several protocol choices for file transfer appear in both the program's host menu and the exploding upload window. Note the Read Mail and Leave Mail choices; the mail feature turns ProComm Plus into a BBS.

ry, and directory list commands. Both versions also include a DOS shell gateway feature to let you access DOS without breaking communications. In both cases, the screens are notable for being uncluttered. And ProComm Plus maintains the famous ProComm "exploding windows," which make a chirping noise as they expand. (The feature can be turned off in both versions.)

Most differences between the versions are straightforward additions. For example, ProComm Plus includes its own text editor—a feature missing from ProComm. However, as with the shareware version. ProComm Plus lets you install your favorite text editor as the program's default.

The few changes in ProComm Plusas opposed to additions-have all been made for a good reason. For example, the help window in ProComm Plus has been rearranged to make commands easier to find. Similarly, the key for calling up the help screen has been changed from Alt-F10 to Alt-Z, in recognition that IBM's new keyboard layout makes the Alt-F10 combination somewhat clumsy.

The dialing directory in ProComm

holds 100 entries. The ProComm Plus directory holds 200 entries and allows multiple directories. Each entry includes a 24character description, telephone number, communications parameters, and, optionally, the name of the script to automatically run when connection is established. The automatic redialing feature in ProComm has been enhanced in ProComm Plus to let you dial several busy numbers in a circular queue. You can direct an activity log of a communications session to a file or to your printer in either version.

UNATTENDED REMOTE FILE TRANSFER The Host mode in both versions offers a simple approach to unattended remote file transfer, complete with password protection, ProComm supplies one password for all users, plus a second password for access to DOS level. Pro-Comm Plus lets you set up a user file, including password, user name, and privilege level (limited or complete access) for each user. Individual passwords combined with the usage log let you keep track of who is using your system. A built-in message facility turns the ProComm Plus Host

SKILL AND RELIABILIT

That's Made Seagate the World's Leading Supplier of 51/4" Hard Disk Drives!



The Seagate ST251-1 hard disk drive combines AT-class performance with state-of-the-

art technology for proven reliability in a costeffective hard disk drive.

- 28ms Average Access Time
- 11 Watt Power Consumption
- Free Disk Partitioning Software Included for Easy Integration
- 52,224 Bytes per Cylinder
- Standard ST412 Interface
- Auto-Park With a Balanced Positioner, Eliminating the Need for a Locking Mechanism
- Sputtered Thin-Film Media Technology
- Custom-Designed, Illustrated Documentation
- For Your AT® or Compatible
- Reliability Assured

Only...\$459

80MB For data-intensive applications, Seagate's 80MB (formatted) ST4096 hard

drive delivers the reliability, dependability, and cost-effectiveness that you expect.

- · 28ms Average Access Time
- 78,336 Bytes per Cylinder
- Standard ST412 Interface
- Free Disk Partitioning Software Included for Easy Integration
- Linear Voice Coil Actuator Ensures Precise Performance
- Custom-Designed, Illustrated Documentation
- For Your AT® or Compatible
- Precision Produced

Price Reduced! Only...\$795

Plus...your bonus from CompuAdd when you buy any hard drive: PC FullBak backup software, selected PC Magazine Editor's Choice among backup software May 31, 1988. "Its ease of use and low price make it an specially good value." - David DeJean, PC Magazine

If you want Seagate quality in a high-capacity drive, call CompuAdd toll-free at 1-800-666-1872.

A Bit O' Bytes

20MB Seagate ST225 hard drive kit for your AT or compatible. 65ms average access time,



"Personal Computer Products"

12303-G Technology Blvd. Austin, TX 78727

CIRCLE 320 ON READER SERVICE CARD



ORDER TOLL FREE: 800-666-1872

Customer Service: 800-999-9901

512-250-5760

Telex: 763543 **Outside USA:** COMPUADD AUS 512-258-5575

USER-FRIENDLY

CompuAdd Computers for Compatibility, Reliability, and Easy Setup!

Standard-386/16



- · 4.77. 6. 8. 16MHz Software-Selectable Speed
- 80386 Processor
- Landmark Speed Rating of 20MHz
- Rates 17.6 on Norton's SI Benchmark Test 4.0
- 1MB RAM (expandable) to 4MB)
- 5060, 5151, or 101-Key Enhanced Keyboard (Your Choice)
 - 1.2MB Floppy Drive
 - · Real-Time Clock/Calendar
 - One-Year Limited Warranty
 - Seven Expansion Siots: Five 16-Bit & Two 8-Bit

Standard-286/10



Editor's Choice Feb 16, 1988

- 6MHz-10MHz Switch Selectable Speed
- 80286 Processor
- · Rates 9.4 on Norton's SI Benchmark Test 4.0
- 512KB RAM
- 5060, 5151, or 101-Key **Enhanced Keyboard** (Your Choice)
- Clock/Calendar w/Battery Backup
- One-Year Limited Warranty
- 200-Watt Power Supply
- 1.2MB Floppy Drive

"Overall, the Standard-286/10 appears to be one of the most attractive values.... It comes with a good complement of manuals and software and performs precisely as you would expect. You should be happy with this one.

- Alfred Poor PC Magazine, Feb. 16, 1988





\$1995

\$995

Standard-286/12

- 6MHz-12MHz Switch-Selectable Speed
- 1MB RAM

Both Systems Include...

- 0 Wait State Processing
- 80286 Processor
- 5060, 5151, or 101-Key Enhanced Keyboard
- 1.2MB Floppy Drive

- · Clock/Calendar w/Battery Backup
- One-Year Limited Warranty
- 200-Watt Power Supply

Standard-286/8

- 6MHz-8MHz Switch-Selectable Speed
- 512KB RAM

Editor's Choice Feb. 18, 1987

Keyboards



Includes separate numeric and cursor pads

\$69

5060

Enlarged Enter and Shift keys for easy **\$69** operation

101-Kev

101-key enhanced keyboard with twelve function

Standard Turbos

- Eight Expansion Slots
- 8088 Processor
- 360KB Diskette Drive With Controller
- 5060, 5151, or 101-Key Enhanced Keyboard (your choice)
- One-Year Limited Warranty

Turbo/10

- 4.77MHz-10MHz **Processing Speed**
- 640KB RAM



- 4.77MHz-8MHz **Processing Speed**
- 256KB RAM .



CompuAdd. a standard for mail-order excellence since 1982. Call for a free Catalog: 1-800-666-1872

"Personal Computer Products"

12303-G Technology Blvd. Austin, Tx. 78727

Switch Boxes

manual (25-pin)	
2 Computers, 1	Peripheral \$15
2 Computers, 2	Peripherals
3 Computers, 1	Peripheral
4 Computers, 1	Peripheral \$23
(36-pin version a	ulso available.)

Automtic (25-pin) 4 Computers, 1 Peripheral . . 8 Computers, 1 Peripheral (Available for serial or parallel.)

STARTER KITS

For Everything You Need To Begin Serious Computing Immediately!





Professional Starter Kit

Computer-286/10 system with 80286 processor (with switchselectable 6MHz/10MHz processing speeds), 512KB RAM (expandable to 1MB on motherboard), 8 expansion slots, 200-watt power supply, 1.2MB floppy drive, your choice of keyboard, dual floppy/hard drive controller, clock/calendar with battery backup, and system reset button.

Monographics Video-High-resolution (750 pixels × 350 lines) amber monochrome monitor with 12" screen, monochrome graphics card with parallel port.

Hard Drive- 20MB hard drive, fully installed.

40MB Hard Drive Option-Upgrade your 20M8 hard drive to a 40MB, fully installed for only \$100 above the base price.

Printer-Epson® LX-800 with draft (150-180CPS) or near letter quality printing, multiple typestyles, Epson character graphics set, dot graphics capability.

Software-Professional Zen Software, a totally integrated software package: ZenWord™, ZenCalc™, and ZenLink™. MS-DOS® operating system, GW BASIC® programming language, and PC FullBak backup utilities also are included.

Accessories-200 sheets continuous form paper, printer cable, and 10 double-sided, high-density blank diskettes.

Professional Starter Kit EGA

Industry-standard 14" tube size EGA monitor, EGA card, and I/O card with serial and parallel ports . \$1795

Career Starter Kit

Computer-IBM® -compatible Standard Turbo/10 computer with 8088 processor, keyboard-selectable 4.77MHz or 10MHz processing speeds, 640KB RAM, half-height 360KB floppy drive, floppy drive controller, 150-watt power supply, your choice of keyboard, and system reset button.

Monographics Video-High-resolution (750 pixels x 350 lines) amber monochrome monitor with 12" screen, monochrome graphics card with parallel port.

20MB Hard Drive Option- Add the storage power of a 20MB hard drive to your Career Starter Kit. Fully installed for only \$269 above the base price. Option includes PC Fullbak backup software.

Printer-Star Micronics NX-1000[™] provides software compatibility, plus 120cps draft and 30cps near letter quality printing, multiple type styles, nine-pin print head, Epson LX-800 and IBM Proprinter II® emulation, dot graphics capability, and tractor/friction paper feed.

Software-Professional Zen Software, a totally integrated software package: ZenWord, ZenCalc, and ZenLink. MS-DOS operating system, and GW BASIC programming language also are included

Accessories-200 sheets continuous form paper, printer cable, and 10 double-sided, double-density blank diskettes.

Career Starter Kit EGA

Industry-standard 14" tube size EGA monitor, EGA card, and I/O card with serial and parallel ports . \$1195

PS/2® Products





Orchid RamQuest 50/60[™] 2MB of EMS memory, Lotus/Intel/Microsoft \$669 compatible

Everex Evercom II 24 2400 baud internal modern with BitCom software, includes auto-answer and auto-voice switchover \$179

Taxan TDM-5 External Floppy Drive allows PS/2 models to read 5.25" diskettes, 360KB format compatibility \$299

Sharp FO-150 high speed, 8 shading levels, auto contrast, built-in phone. Sharp FO-210 features above plus autofeed and speed dialing

\$1049 \$1399

Floppy Drives



Printer Supplies

64KB Print Buffers

1 Computer, 1 Peripheral\$63 2 Computers, 1 Peripheral\$86 256KB Print Buffers

Computers, 1 Peripheral \$135 2 Computers, 1 Peripheral \$149 (Centronics parallel interfaces.)

Pont Mufflers

80-column (19" × 16" × 8.5") . 132-column (26" × 16.25" × 8.5") . . . \$59

"Personal Computer Products"

Office Facsimiles

12303-G Technology Blvd. Austin, Tx 78727



ORDER TOLL FREE

Customer Service 800-999-9901

512-250-5760


Telex: 763543.

Outside USA 512-258-5575

GREAT BUYS

On Brand Names Including MiniScribe, Seagate, AST, Panasonic, and More!

Mass Storage Hard Disk Drives



CDC Hard Disk Drive

- 18ms Access Time ESDI-Certified Hard Drive
- 10Mbit Per/Sec ESDI Dual Hard Drive/Floppy Controller
- 1:1 Interleave Controller

150MB\$1599

Maxtor Hard Disk Drive

- 16ms Access Time ESDI-Certified Hard Drive
- 10Mbit Per/Sec ESDI Dual Hard Drive/Floppy Controller
- 1:1 Interleave Controller

338MB\$2575

For ATs® andCompatibles



- One-Year Limited Warranty
- Linear Voice Coil Closed Loop Servo System
- Whitney Technology and Sliders
- Fail-Safe Autornatic Actuator Lock
- Low 14-Watt Standby Power

110MB Price Reduced!

(28ms, RLL Controller) \$1125

• Cables
• Mounting Hardware
• Western Digital® Controller
• Complete, Illustrated Installation Manual

20MB MiniScribe (65ms) . . . \$279

30MBSeagate (65ms)\$310

40MB MiniScribe
Price Reduced! (61ms) \$379

20MB for

Compaq Portable\$299

AST°

AST Advantage™ 128KB RAM, Serial, Parallel Port\$22

AST Rampage® 2 64KB RAM

for the IBM® PC\$229

FREE

- Easy to Use
- Backs Up and Restores Files

FlashCard Purchased!
 Menu-Driven or Use
 From DOS

With Every Hard Drive



\$59.95 Value!

WESTLAKE DATA

ORCHID*

Tiny Turbo 286"

- Uses 80286 Processor
- Keeps 8088 in System
- Processor Selectable to Ensure 100% Compatibility
- Optional 80287 Math Coprocessor

\$299

Printers

FlashCards[™]



Editor's Choice PC Magazine Vol. 6-3



Controller

- One-Year Limited Warranty
- Installs in Minutes

• 3½" Hard Disk • Can Boot From

FlashCard

• Shock Mounted

FlashCard-20[™] (MiniScribe, 65ms)......\$319
FlashCard-30[™] (MiniScribe, 65ms)......\$339
FlashCard-49[™] (Seagate, 28ms) *Price Reduced!*....\$539

Cables

Parallel Printer Cables
6' (DB25M to C36M) \$8.95
10' (DB25M to C36M) \$11.95
6' for Tandy 1000 \$8.95
AT Serial Cables
6' (DB9F to DB25M) \$7.95
10' (DB9F to DB25M) \$10.95
XT Serial Cables
6' (DB25F to DB25M) \$7.95

10' (DB25F to DB25M)\$10.95

CompuAdd

"Personal Computer Products"

12303-G Technology Blvd. Austin, Tx. 78727

Cables

Ca		J	u	Ċ	ł	•						
Full Pin Cables												
6' (DB25M to DB25F	7	į.										. \$7.95
10' (DB25M to DB25												
6' (DB25M to DB25M	A))					v		ŀ	ь		. \$7.95
10' (DB25M to DB25	N	1)				а				ь		\$10.95
Centronics® Cable	8											
6' (C36M to C36F) .			·			4			,		à	\$10.95
10' (C36M to C36F)			÷	۰				4			٠	\$13.95
6' (C36M to C36M).						٠		4				\$10.95
10' (C36M to C36M)												

ENHANCEMENT ENERG

Brighten It Up, Speed It Up, Talk It Up With CompuAdd-Ons

Monographics Video



Monographics Card Text Mode 80 Columns x 25 Rows, Graphics Mode 720 Pixels x 348 Lines.

Samsung 12" Flat Screen With Tilt & \$95

Monographics Card and Monitor

\$139

EGA Video



EGA Card 640 Pixels x 350 Lines. 256KB Display

EGA Monitor 14" Tube, High Resolution

EGA Card

and Monitor

\$349 \$469

Color Video



CGA Combo

Mono Combo

Color Card 640 × 200 w/Parallel Port\$59

CGA Monitor .

Color Card and Monitor . . .

Color Monitor \$239

\$289

Ultimate EGA Video



EGA Combo

Video 7® Vega Deluxe™ 640 x 480, EGA, Color, and Monographics Standards, Ultra-High \$249

NEC Multisync Il² Up to 800 × 675 Resolution, 31mm Dot Pitch, 14" Tube Size.

Video 7 Deluxe and \$869 Ultimate Combo NEC Multisync II

VGA Cards

- IBM® VGA Compatible Digital/Analog Output
- Up to 800×600 Resolution.
- Software Drivers Included
- Long-Term Warranties

Vega VGA from Video Seven \$299 VGA Plus from Paradise\$269

Charge Card



80286 Processing the PC....\$269

Internal Modems



\$69 1200 Baud Standard \$99 1200 Baud Everex .

\$139

External Modems



1200 Baud Standard ... \$89 2400 Baud Standard . \$159 2400 Baud Everex ... \$239

PC-MFC



PC/XT® Multifuction Card 384KB RAM, Parallel Port, Clock/Calendar, Game Port, Serial Port, and Software for PCs or Compatibles \$199

AT-MFC



AT® Multifunction Card Up to 1.5MB RAM Expansion, Serial & Parallel Port for ATs and Compatibles w/0K \$110

Memory Cards

2400 Baud Standard



MEM-576 w/OK \$35 EMS PC w/0K\$99 EMS AT w/0K\$119

I/O Cards



AT I/O Serial & Parallel Port...\$59 PC I/O Also Has Clock/

Calendar & Game Port \$65

CIRCLE 294 ON READER SERVICE CARD CompuAdd

We offer the best service and support available in the mail order industry, so you can purchase with confidence

FREE one-year limited warranty
 FREE one-year technical phone support

FREE 30-day, money-back guarantee
 FREE credit card ordering — no surcharge

We accept MasterCard, VISA, money orders, certified checks, personal checks (piease allow 10 days for processing), CODs (\$50 minimum order), company and institutional purchase orders, and wire transfers

Add 2% per order for shipping and handling (minimum \$2). All return items must be accompanied by a Return Authorization number, call our technical support/customer service department. Texas residents, please add 8% sales tax. Add 5% for shipping/handling to APO/FPO addresses. Software is non-refundable. For a copy of our warranty policy, call or write to the address shown. Thirty-day moneyback guarantee does not include freight. All prices are subje

Corporate and Institutional Accounts

We are dedicated to providing the professional service you require to keep your business running smoothly. We accept purchase orders on a Net Terms basis with approved credit and a minimum purchase of \$50. We provide a full-time technical staff to answer your questions and make fast repairs, if needed. Call us today: We Make Your Job Eas-er!

CompuAdd is an established leader in the computer industry. We offer superior prices, products, customer support, and service!



ORDER TOLL FREE: 800-666-1872

Inside USA

Customer Service: 800-999-9901 Telex: 763543

COMPUADD AUS

FAX: \$12-250-5760

Outside USA: \$12-258-5575

OFTWARE SPECTACULA

A Sensational Selection of Popular Software



Quattro" by Borland International

Quattro's advanced technology offers increased power and speed in the hottest spreadsheet on the market. Save time

using spreadsheet shortcuts to alter row/column length, paging, or create quality graphs. The intelligent Recalc function saves you even more time by recalculating only those elements that have changed. The SQZ! feature saves memory by automatically compacting/ expanding your spreadsheets up to 95%. Best of all, there are no tough commands to learn — Quatttro uses easy-to-learn 1-2-3® macros! It supports expanded memory specifications and EGA, CGA, and VGA adapters to get the most out of your hardware. Limited-time special ... \$109

WordPerfect* by WordPerfect Corporation

WordPerfect, the number one word processing choice, offers you a powerful word processor with all the conveniences, including automatic

format, split-screen edit, five-field sort, mail merge, macro capabilities. 100,000-word dictionary, thesaurus, spelling checker, and online tutorial. It easily converts your files from WordStar, MultiMate, and

other popular software packages for maximum compatibility. This winner of PC Magazine Editor's Choice (February 29, 1988) for word processors is sure to be a welcome addition to your writing environment.

Flight Simulator by Microsoft

Flight Simulator's challenging realism and graphics make it the aerial simulation standard! Perfect your landings at Chicago's Meigs Field, then fly cross-country to Los Angeles, New York, or other cities using radio navigation aids and visual landmarks. (Scenery disks for several U.S. regions are also available.) When you're ready, try instrument landing approaches in bad weather, or pit your skills against enemy fighters using the World War I Ace option.

Limited time special

\$29



Limited-time special. **\$189**

Limited-time special
Communications
Carbon Conv Plus \$110
Carbon Copy Plus\$110 Carbon Copy Plus (3.5")\$110
Smartcom II
CompuServe Subscription
Compuserve Subscription
Kit\$21 Crosstalk XVI\$99
Crosstalk XVI
Compilers and Languages
Clipper (Summer '87) \$394
Microsoft C Compiler \$300
Microsoft COBOL Compiler . 5467
Microsoft FORTRAN
Optimizing Compiler \$300
Optimizing Compiler5300
Microsoft Macro Assembler \$100
Microsoft QuickBASIC
Compiler
Microsoft QuickC
Turbo BASIC\$57
Turbo C
Turbo Pascal\$62
Turbo Pascal
Turbo Pascal
Turbo Pascal
Turbo Pascal
Turbo Pascal \$62 Data Bases dBASE III+ \$409 Microsoft Works \$129 Paradox \$456
Turbo Pascal \$62 Data Bases dBASE III+ \$409 Microsoft Works \$129 Paradox \$456 PFS: Professional File \$144
Turbo Pascal \$62 Data Bases dBASE III+ \$409 Microsoft Works \$129 Paradox \$456 PFS: Professional File \$144 Q&A \$199
Turbo Pascal \$62 Data Bases dBASE III+ \$409 Microsoft Works \$129 Paradox \$456 PFS: Professional File \$144 Q&A \$199
Turbo Pascal \$62 Data Bases dBASE III+ \$409 Microsoft Works \$129 Paradox \$456 PFS: Professional File \$144 Q&A \$199
Turbo Pascal \$62 Data Bases dBASE III+ \$409 Microsoft Works \$129 Paradox \$456 PFS: Professional File \$144 Q&A \$199 Rapidfile \$209 R:Base for DOS
Turbo Pascal \$62 Data Bases dBASE III+ \$409 Microsoft Works \$129 Paradox \$456 PFS: Professional File \$144 Q&A \$199
Turbo Pascal \$62 Data Bases dBASE III+ \$409 Microsoft Works \$129 Paradox \$456 PFS: Professional File \$144 Q&A \$199 Rapidfile \$209 R:Base for DOS (Single User) \$456
Turbo Pascal \$62 Data Bases dBASE III+ \$409 Microsoft Works \$129 Paradox \$456 PFS: Professional File \$144 Q&A \$199 Rapidfile \$209 R:Base for DOS (Single User) \$456
Turbo Pascal \$62 Data Bases dBASE III+ \$409 Microsoft Works \$129 Paradox \$456 PFS: Professional File \$144 Q&A \$199 Rapidfile \$209 R:Base for DOS (Single User) \$456 Desktop Publishing Aldus PageMaker \$545
Turbo Pascal \$62 Data Bases dBASE III+ \$409 Microsoft Works \$129 Paradox \$456 PFS: Professional File \$144 Q&A \$199 Rapidfile \$209 R:Base for DOS (Single User) \$456 Desktop Publishing Aldus PageMaker \$545 FONTASY \$56
Turbo Pascal \$62 Data Bases dBASE III+ \$409 Microsoft Works \$129 Paradox \$456 PFS: Professional File \$144 Q&A \$199 Rapidfile \$209 R:Base for DOS (Single User) \$456 Desktop Publishing Aldus PageMaker [\$545 FONTASY \$36 Microsoft Chart \$263
Turbo Pascal \$62 Data Bases dBASE III+ \$409 Microsoft Works \$129 Paradox \$456 PFS: Professional File \$144 Q&A \$199 Rapidfile \$209 R:Base for DOS (Single User) \$456 Desktop Publishing Aldus PageMaker \$545 FONTASY \$36 Microsoft Chart \$263 PFS: First Publisher \$57
Turbo Pascal \$62 Data Bases dBASE III+ \$409 Microsoft Works \$129 Paradox \$456 PFS: Professional File \$144 Q&A \$199 Rapidfile \$209 R:Base for DOS (Single User) \$456 Desktop Publishing Aldus PageMaker \$545 FONTASY \$36 Microsoft Chart \$263 PFS: First Publisher \$57 PFS: First Publisher
Turbo Pascal \$62 Data Bases dBASE III+ \$409 Microsoft Works \$129 Paradox \$456 PFS: Professional File \$144 Q&A \$199 Rapidfile \$209 R:Base for DOS (Single User) \$456 Desktop Publishing Aldus PageMaker \$545 FONTASY \$36 Microsoft Chart \$263 PFS: First Publisher \$57 PFS: First Publisher Art Gallery \$75
Turbo Pascal \$62 Data Bases dBASE III+ \$409 Microsoft Works \$129 Paradox \$456 PFS: Professional File \$144 Q&A \$199 Rapidfile \$209 R:Base for DOS (Single User) \$456 Desktop Publishing Aldus PageMaker \$545 FONTASY \$36 Microsoft Chart \$263 PFS: First Publisher \$57 PFS: First Publisher Art Gallery \$75 Printmaster Plus \$30
Turbo Pascal \$62 Data Bases dBASE III+ \$409 Microsoft Works \$129 Paradox \$456 PFS: Professional File \$144 Q&A \$199 Rapidfile \$209 R:Base for DOS (Single User) \$456 Desktop Publishing Aldus PageMaker \$545 FONTASY \$36 Microsoft Chart \$263 PFS: First Publisher \$57 PFS: First Publisher Art Gallery \$75

Educational

Learning DOS\$32

			dirio (
Math Blaster Plus	s!		\$29
Math Maze			\$20
Reader Rabbit			\$25
Typing Tutor IV			532
Typing Tutor IV Typing Tutor IV (3	5") .		\$34
Financial			
Dac-Accounting/			
Accounting Lite .			\$113
Dac-Easy Accour	iting .		\$57
Dac-Easy Light .			\$40
Dac-Easy Payroll			5.40
Managing Your N	loney		.\$125
Quicken			\$28
Sylvia Porter's			
Financial Planner	r		\$55
Timeslips III			\$113
Timeslips III Sylvia Porter's Sy	viftax		\$40
Games			
Ancient Art of We	rat S	lea	\$25
Balance of Power			
Bard's Tale			\$30
California Games			\$23
Chessmaster 200	00		\$24
Chuck Yeager Fli	aht Ti	rainer	524
Destroyer			
Earl Weaver Base			
F-15 Strike Eagle			
Falcon			
Flight Simulator			
(Regular Price).			\$35
Gauntlet			
Gunship			
Hardball			\$20
Helicopter Simula	ntor		\$28
Ikari Warrior			
Jeopardy			57
Jet			
King's Quest III			\$30
Leisure Suit Larry	1		. \$23
Mean 18 Golf			. \$20
Mean 18 Course	Disk		\$10
NBA			
Pirates			

Decial To To 5
Scenery Disks for
Flight Simulator and Jet \$16
Space Quest \$28
Space Quest II \$28
Superbike Challenge \$11
Test Drive
Wheel of Fortune
Where in the USA
is Carmen Sandiego \$30
Where in the World
is Carmen Sandiego\$30
Wizardry: Proving Grounds \$34
World Games\$25
Wrath of Nikadernus\$22
THOUS
Graphics
Boeing Graph \$199
Certificate Maker\$25
Chartmaster
Emplano Pius #343
Freelance Plus
Form Tool
Gem Draw Plus \$169
Generic CADD
Graph-in-the-Box\$70
Harvard Graphics\$279
PC Paint\$53
Print Shop
Print Shop Companion \$28
Windows Draw
Windows Graph\$249
windows Graph
Organizational
Harvard Total Project
Manager\$367
Microsoft Project\$330
Timeline \$280 Timeline (3.5") \$280
Timeline (3.5°)
Spreadsheets
Framework
Javelin Plus\$157

Microsoft Excel\$330

Microsoft Multiplan \$130

PFS: First Choice	79
Quattro (Regular Price) \$1	23
Surpass	39
Symphony (3.5") \$4	68
VP-Planner	55
Utilities	
Copy II PC	23
DESQview	74
DESQview	74
Disk Optimizer	39
Fastback	92
Fastback Plus	95
Fastback Plus (3.5")	95
GOfer	40
Mace Utilities	50
Microsoft Windows	RE
Microsoft Windows 386 \$1	20
Norton Utilities	30
Advanced Edition	70
PC-FullBak	40
PC Tools Deluxe	40
SideKick	50
Sideways	
SQZ! Plus	57
XTREE	
XTreePro	
A1100F10	03
Word Processors	
Bank Street Writer Plus\$	45
Gramatik II	50
Microsoft Word	20
MultiMate Advantage	69
Network Word\$1	00
PFS: Professional Write\$	145
Q&A Write	05
Websters New World	UQ
Combo	E4
Combo	31
Professional Thesaurus \$	-
Montperfect (Decules Delete)	76
WordPerfect (Regular Price) . \$2	15
WordPeriect (3.5")	114
Word Perfect Executive 5	110
WordStar Professional \$2	39


WordStar 2000+ Personal

.\$279

mode into a simple BBS system as well.

One of *ProComm*'s strong points is its wide range of eight file-transfer protocols. The *ProComm* menu choices include Xmodem (actually Xmodem-CRC with fallback), Modem7, Ymodem (actually Xmodem 1K), Ymodem batch, Telink, WXmodem, Kermit (with sliding windows and data compression), and Compuserve-B. *ProComm Plus* adds such protocols as Sealink, Imodem, Ymodem-G (actually a streaming Xmodem 1K), and YmodemG batch, as well as CompuServe Quick-B.

Terminal emulation is another plus. ProComm offers emulations for an impressive list of popular terminals: the well-known DEC VT-52 and VT-100, and IBM 3101 terminals, as well as selected models from TeleVideo, ADM, Heath, ADDS,



and Wyse. It also provides ANSI emulation for a total of ten emulations. *Pro-Comm Plus* adds five additional models in the same product families.

ENHANCED SCRIPT LANGUAGE

With either version of ProComm, you can attach scripts to a dialing directory entry. You can also call a script from within another script or invoke a script when starting the program. Script control commands in ProComm include simple decision (If), case statement, execution of an internal subroutine, and jump (GOTO). The Pro-Comm Plus script language, called Aspect, is a greatly enhanced version of the ProComm language. New features include looping commands, display control commands, additional string-handling commands, and mathematical functions. Most important for ease of use, ProComm Plus has a learn mode for automatically creating scripts.

ProComm comes on one disk, in a compressed format called ARC, for archive. To install it, you run the supplied archive-extracting program and copy it to your working disk or directory. You can then start the program and set the defaults. The ProComm manual is included ondisk. A printed version is optional. ProComm Plus comes on two disks. The files are in a noncompressed format and are accompanied by a slick installation program. The install program includes a configuration routine that will help you set your initial defaults. ProComm Plus also comes with a printed manual as standard.


A GOOD VALUE ProComm is an excellent communications tool that can satisfy the needs of most users. ProComm Plus, for a modest additional price, offers extra features as icing on an already attractive cake. Both versions of the program are easy to use and packed with features. Although performance in file transfer is slower than with many other programs, this should be an issue only if you do a great deal of file transfer at long-distance rates. For most purposes, ProComm's performance is adequate. If your communications needs are casual to moderate, either version of ProComm is a good choice. -Kenneth H. Werner and M. David At first glance, *Professional-YAM* can be intimidating. It looks like the ideal communications program for people who feel that DEBUG is as friendly a word processor as they will ever need.

Professional-YAM

Omen Technology makes the program available through an interesting procedure in which you simply call up CompuServe or GEnie, or Telegodzilla, the Omen BBS—and download a squeezed version of the program. Once you register the program, you receive a serial number and a distribution disk with files to unsqueeze the program files and bring *Professional-YAM* to life. You cannot get a working copy without a valid serial number, but, after you get one, you can copy the program at will, and your serial number entitles you to free program updates.

The features in this \$139 package could fill a small book. *Pro-YAM* has an incredible command language. The reference card lists more than 400 commands, parameters, and other settings that you can access from the command line. You can also incorporate these into scripts that can automate everything from unattended file transfers to reminders to call home to say you will be late for dinner.

File-handling commands let you look at the contents of files, cut out sections, and append them to other files. You can



Stone

Buyone, get one free.

Five productivity enhancers proven by over 300,000 PC users.

Buy any one of these SoftLogic products and get any other one free. Look for these specially marked packages at your tavorite dealer. Then just fill out the "FREE Software" coupon you'll find inside and mail it to us. It's that simple.

Coupon contained only in packages marked "FREE Software" and redeemable by users who register by 9/30/88. Void where prohibited.







For instant do-it-yourself data integration. \$99.95



Switches instantly among programs and files \$79.95







Compresses 1-2-3 and all other files. \$69.95

For more information, call 1-800-272-9900. (603)-627-9900 in NH

SOFTLOGIC SOLUTIONS

SoftLogic Solutions, Inc. One Perimeter Road Manchester, NH 03103

Offer Good In USA Only

■ COMMUNICATIONS SOFTWARE

```
Generate a script with Al TurboLearn Script Writer(Th)
 Execute your new script in newsor t
 Flash-up HELP Processor
 Add a new system entry to the Telephone Directory
 Compuserve Unline Bemo (requires modem)
 Dial telephone number and connect
 Go Local (Direct Connection)
 Host Operation demo (dial-in)
 Initialize TrailBlazer modem
 List file names in current directory
 newest files listed first
 Display Ordering Information
 Review (circular buffer search/cut/paste) demo
 Call Telegodzilla (Omen's Software Downloading System)
 Utility command dens
 Unice call to Omen Technology (requires moden)
 Exit to YAM command mode
 eXit to DOS
Ease enter your nenu choice
```

Professional-YAM comes with a demonstration script that includes this menu of options—an example of how the Pro-YAM interface can be simplified for users through careful script programming.

browse through directories half a dozen different ways. You can even drop into DOS and issue a command directly.

If you don't feel up to writing complex scripts, the default script automates many procedures for you, such as setting function-key and Alt-key combinations. You can toggle into terminal mode and back to command mode. You can manually dial a number with one command. You can even ask the program to prompt you through the dial-up process, and it will construct a script by recording a communications session and capturing both the host prompts and your responses.

WHAT MORE? Professional-YAM offers multiple types of security and encryption, host mode for remote access, automatic logging of incoming and outgoing transactions, nine or more different transfer protocols, and the ability to work with nearly any modern. One protocol is Zmodem, touted to be one of the fastest and most reliable available. What more could anyone want?

Well, some people would like a program that is easier to use. You can create a

script that presents menus and such on the screen, but you have to write it. Not everyone needs seven different DIRectory commands. And many people may be put off by the effort required to get up to speed with this program.

One problem is the manual. It is written in a dense style, with endless lists of parameters and commands and few examples to make usage clear. The two "tutorials" require careful examination of the hypothetical scripts and communications sessions listed in the book with brief annotations. These tutorials don't even appear until Chapters 8 and 25 (out of 35).

Everything in the product is configurable; nothing is static. *Pro-YAM* is also available under Unix, and its influence seems to permeate the program. For example, DOS paths must be specified with the forward slash, /, because the backslash, \, is used by Unix as a command trigger.

Novices may find all this confusing. Indeed, the program displays a bias towards programmers. You can specify an ASCII character to be sent using the Put command, but there are only two number bases that can be used. One is hexadecimal (base

This chip is too smārt tobein apersonal computer.



Introducing the corporate 386.



The 386-based personal computers offer the individual raw power.

But, in most corporations, the real work is done by many people, all trying to work together. Computers should aid this process, by giving indi-

viduals the personal power they need, and by helping groups of people work together productively.

Different groups need to share and work with the same information, even though they may be using different computers, or their data is kept on remote mainframes.

But with all this power and

SALES

FINANCIAL

ENGINEERING

OPERATIONS

PUBLICATIONS

PC

In real-world corporate applications, PC users need access to a large variety of computing resources. So the Sun386i runs Sun's open distributed computing environment, built around the UNIX® operating system. Which lets it become part of a powerful open network that can include every computer in your company.

FAX

Personal 386s fall short of meeting these needs. Because they use underpowered and primitive operating systems.

So they can't handle the really demanding applications. And they only talk to themselves, with some difficulty, rather than to all of your computers.

That's why we're introducing the corporate 386. The Sun386i™ workstation. It has the same high-performance Intel® 80386 chip as the PCs.

But not their personal limitations.

Because it runs Sun's open, distributed computing environment, built around the UNIX*operating system.

So, you have transparent access to every computer in your company. No matter which vendor's name is on the box.

Unlike the PCs, the Sun386*i* lets you take full advantage of the thousands of powerful applications designed around the UNIX operating system. But it also lets you run all of the PC

sophistication, isn't a Sun386*i* harder to use than a PC?

Not at all. In fact, it's easier.

DOS applications that millions of users

And with its 5-MIPS power,

have developed so much expertise in.

run simultaneously and at full speed.

UNIX and DOS applications can

Because we've given it a friendly, icon-oriented user interface with an integrated help facility. And a file organizer, to easily find, open, and keep track of files all over the network.

There's even an automated network administrator, that lets you personally install the Sun386*i* in minutes. Instead of hours.

So look to Sun for total networking solutions that help pull a company together.

If you'd like to know more, call 1-800-223-6736. In CA 1-800-322-6736. And we'll show you the difference between a personal machine.

And the right corporate choice.



The Network *Is* The Computer™

COMMUNICATIONS SOFTWARE

16), which is reasonable enough, but the other is not base 10 (the decimal system, based on a total complement of fingers) as you might expect. It is octal (base 8, as in 'forget you have thumbs''). Perfect for those of us who waste all that time translating the actual binary codes for ASCII characters into those troublesome decimal values, but a little hard on the uninitiated.

If you want to take charge of your communications applications or may be having problems with your current system, Professional-YAM may be worth a look. On the other hand, if you don't want to invest a lot of time getting on-line, Professional-YAM is not for you. - Alfred Poor

.... **Ptel**

Phoenix Technologies' Ptel, priced at only \$49, can transfer text and binary files and communicate with on-line data services as well as micros, minicomputers, and mainframes. It has a full-featured telephone directory and a powerful script language. And its key combinations let you bypass the command menu for fast, easy access to all commands.

To install Ptel, you copy the files from the distribution disk onto the hard disk and run the PTELUP installation program. PTELUP prompts you for most of the communications parameters. The settings



FACT FILE

List Price: \$49



Ptel, Version 4.0 Phoenix Technologies Ltd. 320 Norwood Park South Norwood, MA 02062 (800) 344-7200 (617) 769-7020

Requires: 150K RAM, DOS 2.0 or later. In Short: This low-priced yet full-featured program supports popular file transfer protocols. It's easy to learn and use and it lets you execute all commands by using keystroke combinations as well as from the menu. The script language, which allows subroutine calls and conditional branching, is more than adequate for automating everyday communications procedures. Not copy protected.

672 ON REA



The Ptel telephone directory allows you to enter many communications parameters and other useful information for each directory entry. A script command in the Esc 0 command slot will be automatically executed when a connection is made.

act as defaults, but you can change most, except for the modern type, from within the program.

From the command line, you can invoke a command menu that doubles as a help screen, listing each command and the key associated with it. You can also issue commands from the terminal mode, using a "quick-key" combination to bypass the command menu.

Each telephone-directory entry includes ten slots for entering additional data or keystrokes that you need to send to the remote system. Ptel treats each Esc slot as a short script file, but the last slot is reserved for an auto-log-on script. The program automatically invokes this command as soon as communications are established. Commands can be used to call other script files.

DEFAULT PROTOCOL PLUSES Ptel can use Xmodem, Xmodem-CRC with fallback, Modem7 Batch, Kermit, or Telink protocols. The program uses Telink with CRC error correction as the default. Telink checks the serial numbers of Ptel copies. If the same copy of Ptel has been installed on two different computers, Telink will recognize the duplication and prohibit file transfers between them.

When Ptel encounters an error during a file transfer, it tries to resend the information up to ten times. If the final attempt to transfer is unsuccessful, Ptel prompts you to tell it whether or not to continue. It will then continue or abort the transmission accordingly.

You can specify unattended operation by using a script command. In this case, Ptel will set an error flag wherever needed so that script commands can detect the error. Another useful feature for unattended operation is automatic redial until a connection is made.

SPEAKING THE LANGUAGE Ptel's line-oriented, interpretive script language is a lot like BASIC and is easy to use. You are given several sample script files that illustrate its many uses. The language allows subroutine calls to other script files (up to ten levels deep) and offers loops by means of labels and GOTO commands.

Several different types of variables make designing script files easy. An intelligent error-trapping variable automatically sets an error flag and then branches to a previously specified label. A special Z command allows you to have the system



Now less gets you even more!

The NEW Improved TARGA 16 is only \$1995!

When we redesigned the industry-standard for high color resolution videographics, we incorporated the latest technological advances. The result is a TARGA 16 with improved video quality, built-in overscan, simultaneous RGB and composite video output and more.

And TIPS is only \$795!

Since we lowered the price on our popular TARGA 16, we decided to reduce the cost of its companion, TIPS Imaging Software. The TARGA 16 version is now only \$795, a savings of \$455. This latest release of the awardwinning IBM PC-based paint program lets you create new graphics or enhance images captured by the TARGA 16. So contact your nearest Authorized Truevision Reseller, or call 800/858-TRUE and see how less can become even more.



7351 Shadeland Station, Suite 100, Indianapolis, IN 46256 800/858-TRUE INTERNATIONAL: Canada 416/499-9400 France 33-13-952-6253 Italy 39-2-242-4551 Switzerland 41-1-825-0949 U.K. 44-1-991-0121 West Germany 49-89-612-0010 Other 617/229-6900

Prices quoted are US Domestic suggested retail prices. CIRCLE 150 ON READER SERVICE CARD

Smarter by Design.





(d) (fr. 20)



CPU 386/20

Monitor Not Included

CPU 386/16

Monitor Not Included

CPU 286/P

	CPU 386/20	CPU 386/16	CPU 286/P
Standard Features			
CPU	80386-20	90356-36	80286-12
Clock Speed (MHz)	8/16, 10/20	8/16	6, 8/12
Wait State	Zero	Zero	Zero, Norton V3 SI rating: 15.3
RAM . "	1MB static column	1MB static column	512K DRAM (80ns)
On Board Expansion Memory	Up to 4MB	Up to 4MB	Up to 4MB
System Expansion Memory	Up to 12MB	Up to 12MB	Up to 16MB
Math Co-Processor Support	80287 / 80387	80287/80387	80287
Controller Card Handles	2 hard disks, 2 floppies	2 hard disks, 2 floppies	1 hard disk, 1 floppy
Disk Drive(s) Included	1.2MB floppy drive	1.2MB floppy drive	20MB hard drive, 1.44MB floppy drive
Clock/Calendar	Yes	Yes	Yes, with 10-year battery life
Ports	2 serial, 1 parallel, joystick adapter	2 serial, 1 parallel, joystick adapter	2 serial, 1 parallel, joystick adapter
Expansion Slots	1 32-bit memory bus, 5 16-bit, 2 8-bit	1 32-bit memory bus, 5 16-bit, 2 8-bit	3 16-bit, 2 8-bit
Keyboard	101-key enhanced	101-key enhanced	86-key
Power Supply (watts)	2006	200	200
Reset Switch	Yes	Yes	Yes, with 2-second safety delay
HOES	Award 32-bit ROM	Award 32-bit ROM	Phoenix
Warranty	l year	1 year	l year
System Configurations			
Monochrome System w/Hard Drive	\$2,735 \$3,130 (40MB)	\$2,035 \$2,430 (40MB)	n/a \$1,795 (20MB)
EGA System w/Hard Drive	\$3,185 \$3,580 (40MB)	\$2,485 \$2,880 (40MB)	n/a n/a
Special Note	Also available as CPU 386/20 Tower (optional). Made in U.S.A.	Also available as CPU 386/16 Tower (optional). Made in U.S.A.	22-pound portable includes 20MB hard drive and Supertwist EL backlit LCD. Made in U.S.A.

YOUR SATISFACTION GUARANTEED

All CPU systems carry a 30 day money back guarantee. You'll receive a full refund, excluding shipping charges. Returns must be shipped prepaid and insured, as new, and include documentation, as well as a Return Authorization Number on the shipping label. CPU 286 basic systems carry a

comprehensive 18 month parts and labor warranty. CPU 386, 286/P and Turbo XT basic systems are warranted for one year. During the warranty period, we will repair or replace, at our option, any defective part at no additional charge. Add-on products (hard drives, monitors, etc.) carry manufacturer's warranties.

Better By Desire.





Monitor Not Included



CPU 286/10

Monitor not included



CPU TURBO XT

Includes Monochrome Monitor

	CPU 286/12	CPU 286/10	CPU Turbo XT
Standard Peatures			
CPU	80286-12	80286-10	8088-1
Clock Speed (MHz)	6, 8/12	6, 8/10	4.77/10
Wait State	Zero, Norton V3 SI rating: 15.3	Zero, Norton V3 SI rating: 11.5	Zero
- NAM	512K DRAM (80ns)	512K DRAM (100ns)	640K
On Board Expansion Memory	Up to 4MB	Up to 4MB	Up to 640K
System Expansion Memory	Up to 16MB	Up to 16MB	Up to 8MB EMS
Math Co-Processor Support	80287	80287	8087
Controller Card Handles	2 hard disks, 2 floppies	2 hard disks, 2 floppies	2 floppies
Disk Drive(s) Included	1.2MB floppy drive	1.2MB floppy drive	360K floppy drive
Clock/Calendar	Yes, with 10-year battery life	Yes, with 10-year battery life	Yes
Perts	2 serial, 1 parallel, joystick adapter	2 serial, 1 parallel, joystick adapter	l serial, 2 parallel, game port
Expansion Slots	6 16-bit, 2 8-bit	6 16-bit, 2 8-bit	8 8-bit
Keyboard	101-key enhanced	101-key enhanced	84-key standard
Power Supply (watts)	200	200	150
Beset Switch	Yes, with 2-second safety delay	Yes, with 2-second safety delay	Yes
HECK	Phoenix	Phoenix	DTK
Warranty	18 months	18 months	l year
System Configurations			
Monochrome System w/Hard Drive	\$1,135 \$1,530 (40MB)	\$1,035 \$1,285 (20MB)	\$595 \$890 (20MB)
EGA System w/Hard Drive	\$1,585 \$1,980 (40MB)	\$1,485 \$1,735 (20MB)	\$1,045 \$1,340 (20MB)
Special Note	Peatures Selectable System Bus Timing for add-on board compatibil- ity. Made in U.S.A.	Also available in optional full size case with five drive bays. Made in U.S.A.	\$595 Complete. Includes 12" high resolution monitor and Hercules compatible graphics card.

TO ORDER, CALL (800) 824-2936

We accept Visa, MasterCard, and cashier's checks. Purchase orders welcome with approved credit. Personal checks take 15 days to clear. Written inquiries should be sent to CPU, Dept. 28, 12803 Schabarum Avenue, Irwindale, CA 91706. Hours: Monday through Friday, 7 a.m. to 6 p.m. PST; Saturday, 10 a.m. to 3 p.m. PST.



In California: (800) 662-6111 Local Inquiries: (818) 338-5959 Tech Support: (818) 814-2367



wait until a specified time of day to continue processing, which is ideal for unattended operation. However, *Ptel* offers only remote file-transfer features rather than full-fledged remote operations.

Ptel's documentation is clear and concise. The tutorial section dives right into the script language. It begins by walking you through a prewritten script designed for logging on to an on-line service.

An inexpensive communications program with a full-featured script language, *Ptel* is a no-frills, no-headache program.—Greg Alwang

Qmodem

Qmodem, a popular shareware communications program, was long a favorite of the BBS crowd. Recently eclipsed by Pro-Comm and Boyan, Qmodem came roaring back with a new version, renamed Qmodem SST, Version 3.1, and packed with exciting features.

Qmodem author John Friel maintains a bulletin board from which you can receive the program and participate in conferences with persons producing beta protocols. You can purchase Qmodem through the bulletin board as well, making payments on-line with your credit card. The price of the program is \$50.

Hooks in *Qmodem* permit it to call outside programs that implement new error-correcting protocols besides those built into the program. In the current version of





Qmodem's main help screen shows the rich set of functions available at a keystroke. Note that your choice of external editors may be installed to replace the program's Edlin default.

Qmodem, external protocols include Kermit and windowed Xmodem (sliding windows), as well as protocols designed to work with the newer modems that perform their own error correction.

QINSTALL, the install routine in *Qmodem*, allows access to virtually every feature and parameter setting you might wish to change in the program, including colors and window location, as well as the usual communications and hardware parameters.

You can change settings while *Qmodem* is running. Better yet, QINSTALL has fully context-sensitive help. When you set a parameter, you can press F1 to receive a lucid explanation of its importance and meaning. *Qmodem*'s manual is outstanding and includes a comprehensive index and a handy reference guide to the script language.

Qmodem's powerful script language includes a number of exciting capabilities, such as built-in commands that let you create menus in your scripts. You can handle input information in many ways. One is with the Get command, which simply accepts the keyed information into a variable. You can also read information from the data feed to which you're connected. The program permits looping and branching based on an indexed variable. A Push and Pop stack facility and subroutine handler permits flexible script design. *Qmodem* gives you the ability to call one script from within another, and a DEBUG facility lets you test a script as you create it. Editing is done through a file view facility that can be simply tailored to your use.

You can execute a script three ways: by linking a script to a number in the dialing directory and then entering the number, by invoking Alt-F, or by attaching it to a macro key. Keyboard macros provide a handy tool with which you may assign up to 40 key combinations (various shifted and unshifted states of the function keys).

Four terminal emulation modes are supported, and there is an option to exit but leave DTR set so that you don't drop your line if you have to leave the program.

SCROLLING SCRIPTS *Qmodem*'s DOS shell is robust and doesn't need much memory for basic operation. You can run quite a few products within the shell if you

150/200 PC/XT POWER SUPPLY

FEATURES

FEATURES					
ORDINARY XT POWER SUPPLY	TURBO-COOL 150/200				
•	•				
•	•				
0	•				
0	•				
3	•				
0	•				
0	•				
0	•				
0	•				
0	•				
0	•				
0	•				
	POWER SUPPLY O O O O O O O O O O O O				

= yes


PERFORMANCE


	ORDINARY XT POWER SUPPLY	TURBO-COOL 150/200	
Actual Power Output:	90-150 Watts	155W/205W	
Regulation:	5%-15%	4%	
Ripple and Noise:	1%-3% (p-p)	1% (p-p)	
Holding Time:	5ms-16ms	18ms	
Cooling Capacity:	50-85 Wetts	200W/245W	
Accoustical Noise:	44db	41db/44db	

CIRCLE 473 ON READER SERVICE CARD

PC COOLING SYSTEMS, INC.

31510 Mountain Way Bonsall, CA 92003 (619) 723-9513





How much would you pay for a device that does all this:

- Print Master II lets all your computers easily share all your printers, plotters, and modems, reducing the cost per user of expensive peripherals.
- Print Master II spools print jobs in its smart 256K buffer (field expandable up to 768K), then outputs them in sequence to keep your computers and printers working.
- Print Master II allows computers to select each other so you can share data bases and transfer files.
- Print Master II makes choosing a connection as easy as moving your cursor. You select where you want your data to go from a popup menu generated by BayTech's memory resident program.
- Print Master II, Model 808E, features eight flexible ports: six serial and two parallel. You can set *any* port, including both parallel ports, as a computer port or a printer port.
- Print Master II's serial ports operate at real speeds up to 9600 baud, even when all

ports are operating at the same time. You can set baud rates, plus other configuration changes, for each port.

Print Master II handles protocol conversion automatically (i.e. serial/parallel, baud rates, handshaking, etc.), so it's compatible with virtually all makes of computers, printers, plotters, modems and peripherals.

1395

- Print Master II can be used in conjunction with the printer server of a LAN to help off-load network traffic by providing port expansion and extra buffer.
- Print Master II features many little extras that make a big difference in performance: shielded connectors, a built-in power supply, easy-to-read configuration menus, fewer parts for higher reliability, sturdy metal case.



How about \$595? Call us to order direct or for the name of your nearest dealer.



Bay Technical Associates, Inc., Data Communications Products Division 200 N. Second St., Bay Saint Louis, MS 39520 USA Telex 910-333-1618 BAYTECH, Telephone 601-467-8231 or toll-free

800-523-2702

COMMUNICATIONS SOFTWARE

haven't used the extensive buffer expansion capabilities. However, when you need scrollback capability to go back within a session, or if you want to expand the download buffer to reduce dependence on disk writes, you may easily do so within QINSTALL. In fact, paging through the scrollback buffer is a nice way to develop scripts: log the session, scroll back, use the screen capture facility, and edit the file created by the capture. It's sort of a poor man's learn mode.

Omodem does not include a timed execution facility but does have an excellent circular dialing facility that can allow unattended operation. The time between redials may be specified, and you can log activity for inspection the next day.

Omodem comes with a series of easyto-edit scripts for services like Compu-Serve and MCI Mail, as well as BBS software. Background operation can be done with only OS/2 or programs like DESQview that have their own facilities for background processing.

You also will not find an embedded host mode, although there is a series of interrelated scripts that will permit host operation. The program doesn't do an automatic dialback, but programming it to do so would not be that difficult. Considering how attractive the rest of the program is, it would be a shame if the need for an automatic host mode was all that stood between you and Qmodem.-Merv Adrian

Relay Gold Relay Silver

Relay Gold and Relay Silver, Editor's Choices in previous PC Magazine communications software reviews, go far beyond the conventional terminal emulation and file transfer capabilities of most commercial products.

Produced by VM Personal Computing, Relay Gold and Silver possess the same core. However, besides handling an array of PC-to-PC communications functions, Relay Gold can work together with proprietary mainframe software to allow file transfer between PCs and large mainframes. Gold allows 3270 terminal emulation in software or through its support of

COM Port Number?	2 (1,2)	Logon Script Filename?	RS
File Protocol?	¥ (R,S,M,K,X,C)	Function May Filename?	
Parity Code?	E (1,N,E,0,N,S,7,8)	Translation Filename?	
Local Echo?	Z CYAIO	Full or Half Duplex?	T (F,H)
Auto Linefeed?	T CY.N.X)	Flow Control (XON/XOFF)?	Y CY, N, R, X
Stop Bits?	1 (1,2)	Turnaround Character?	11 (08-FF)
Answerback Char?	3 00-10	Script Control Char?	36 (08-FF)
Send LF with CR?	T (47%)	Show Control Characters?	M (Y, N)
		Delay After Each Line?	1 (8-99)

In Relay Silver, as well as in Gold, details specific to every entry in the directory are stored on a separate options page. Explanatory screens for each parameter are available at the push of a button, and a log-on script to automate a given communications session may be indicated.

PC emulation boards, while Silver is aimed at users who do not need the specialized mainframe abilities of Relay Gold. The two programs are identical in every other respect, and all the features described here pertain to both. Gold lists for \$250, while Silver costs \$150.

Both possess multitasking features that allow file transfer, text editing, and printing activities to be conducted simultaneously. The rich scripting language common to both programs allows automated control of all aspects of communications.

Don't think, however, that these advanced features mean complex tasks and bumpy learning curves for the user. Both programs present a clear, consistent menudriven user interface that beginners can use with a minimum of training. Context-sensitive help is a keystroke away, and the products are preconfigured to handle most popular modems and on-line services.

The tutorial simulates almost every phase of Relay operation and is an excellent introduction to its use. Another program makes installation and configuration of Relay practically painless. A surprisingly complete Getting Started booklet takes the new user through the necessary steps.

Computers with which Relay may communicate are listed in a directory that contains phone numbers, terminal types, bitper-second rates, and comments. For each entry in the directory, one may also specify a full range of protocol and handshaking particulars, details on remapping the keyboard, and a script that will automatically handle all log-on procedures.

Relay comes with a directory of computers that is preloaded with many common configurations. Sample entries are supplied for commercial services such as CompuServe and Dow Jones News/Retrieval, for common bulletin board systems like RBBS and FIDO, and for generic TTY and mainframe links. Relay has its own proprietary protocol for use between any two PCs running versions of Relay. This allows groups of files to be specified for transfer using the DOS wildcard characters, and the machines can both send and receive files simultaneously. Furthermore, users at each PC can chat from the keyboard during file transfer.

The log-on script for each entry in the directory may be created using the com-

To some people, the difference is obvious.





66 For sheer power, ease of use, speed, and flexibility, you would be hardpressed to find a more capable product, es-

pecially if you need advanced features. It works just as well with a half-dozen spreadsheets simultaneously as it does with one. ??

-InfoWorld



66 Integrated systems have come a long way, and Smart has...the widest array of powerful features ... strong points include intelligent data sharing and good file security, intuitive ease


of use, a powerful programming language, and consistently good performance...Smart can fill the bill for a total, integrated software system. ??

-PC Magazine

hether you're just getting started as a lone computer user, or you're the Manager of Information Systems supporting thousands of PC users, discover easy-to-use applications your office won't outgrow. Single user and Multi-user software for DOS, LANS, UNIX or XENIX systems: Word Processing, Spreadsheet & Graphics, Database Management and Communications, For additional information, including a Free Smart Demo, simply return the reply card or call toll-free (800) 331-1763. In Kansas or Alaska (800) 233-6905.



More Board for the Buck



That's what the EGA game comes down to. 100% IBM° EGA compatibility is essential. But today you need more. So what does the Everex Micro Enhancer deliver?

How about extended EGA resolutions like 752 x 410 and 640 x 480, and 132 column text modes. Or the ability to use those resolutions while running Microsoft Windows, Lotus 1-2-3, Symphony, AutoCAD, GEM, Ventura Publisher, PC Paint and VersaCAD.

That's nice. But what if your Hercules and CGA applications ran on an EGA monitor. And if an autoswitch feature automatically adjusted modes to the software running, so that you wouldn't have to hassle with switch settings. Or if there was an optional parallel port to save money and space. Wouldn't that be better?

This all comes from a leading supplier of EGA cards and costs so little that you wouldn't believe it's made in the United States. That's more board for your buck.

It's simple. More features for less money. Everex has the answer.

For more information or the name of your nearest Everex dealer please call:

in USA 1-800-821-0806

in Calif. 1-800-821-0807

CIRCLE 159 ON READER SERVICE CARD



■ COMMUNICATIONS

mands described in the *Relay* reference guide, but a much faster way is to use the learn facility that comes with the program. A typical log-on session is recorded by *Relay* and saved as a script to be used on all subsequent calls to the same computer.

sophisticated editor Relay makes it very easy to alter or fine-tune a log-on script. A sophisticated full-screen text editor may be used to edit scripts or any other DOS ASCII file. The editor can perform conventional block operations and has wildcard search-and-replace capabilities. Several files may be opened simultaneously for editing, and the editor may be used while Relay is on-line and transferring files to another computer.

The commands used in a typical log-on script are only a subset of those available to the user. *Relay*'s script language offers an extensive set of tools for handling the real-time factors inherent in data communications. As with many high-level languages, the basic programming elements consist of variables, functions, and commands.

System variables available to the pro-



FACT FILE



VM Personal Computing Inc. 41 Kenosia Ave. Danbury, CT 06810 (800) 84-RELAY (203) 798-3800

Relay Gold, Version 2.0

List Price: \$250 Requires: 192K RAM, two disk drives, DOS 2.0 or later.

CIRCLE 684 ON READER SERVICE CARD



Relay Silver, Version 1.0 List Price: \$150 Requires: 192K RAM, two disk drives, DOS 2.0 or later. In Short: Identical ex-

cept for Relay Gold's mi-

cro-to-mainframe links, these programs combine conventional terminal emulation and file transfer abilities with multitasking and text-editing features. Sophisticated but friendly to novices. Not copy protected.

I KNOW THAT REPORT IS IN HERE SOMEWHERE.

And GOfer is just the one to track it down. On a standard PC/AT, GOfer digs through files at a speed of over 1 Megabyte per minute. Most GOfer users find the information they need in less than 30 seconds.

A phrase, a fact, a note, a date. If you need it, GOfer finds it.

Even among countless PC files, GOfer software searches out the information you need with just one or two words, even if the correct spelling slips your mind.

"The most exciting and essential addon since Sidekick. A must for anyone who writes anything," says Tim Bajarin, columnist and commentator.

Unlike other text-retrieval software, you won't spend hours indexing or converting files before you can start searching. Four simple keystrokes and GOfer searches floppy and hard disks to uncover the text you need.

Once GOfer finds a section of text, you can print it, create a new file, or copy and paste

NAME

COMPANY.

ADDRESS_

into the document you're currently working in. So if you need a certain document

written to Bill Smith that mentions "insurance" and "third quarter profits," just summon GOfer with one keystroke and give him the word. Within seconds, that document will be at your fingertips.

• Not copy protected

- Performs complex searches using AND/OR/NOT and NEARBY
- Optional file compression feature allows you to fit more information on a hard disk. GOfer will search both compressed and non-compressed files.
- Works with other RAM resident programs
 - Finds text in almost any PC file including Lotus, WordPerfect, WordStar, DisplayWrite, Microsoft Word, MultiMate, Ventura, PageMaker and dBase



GOfer is available at quality software retailers.

800-82	28-0293 ——	STE #54
Microlytics, Inc. (716) 377-0130 i Sature protect and server Microlytics, Inc., 300 Main Street, Suite East Rochester, NY 14445	in New York State No risk 30 day money back guaran IBM PC Compatible ☐ 5¼° disk GOfer is also available for the Maci	itee 3½° disl
□ Visa □ MasterCard □ American	Express Discover	
Card Number	Exp. Date	
☐ Check ☐ COD (add \$2.20)		

\$79.95 each. Please add shipping charges and sales tax, if applicable.
Shipping \$3.75 (in Canada \$4.75). Shipping outside U.S. and Canada \$12.

Shipping 35.70 (In Canada 34.70). Shipping butside 0.0. and Canada 42.7

New York residents add applicable sales tax. COfer is the Text Finder utility from Microlytics. GOfer, Text Finder and Microlytics are trademarks of Microlytics, Inc. Other brand and product-names are trademarks or registered trademarks of their respective holders.

© 1988, Microlytics, Inc. All rights reserved.

CIRCLE 526 ON READER SERVICE CARD

Enable 2.0 can do more for your business than the other five combined.

"Enable may legitimately claim to be the only package vou'll ever need."

Computer Buyer's Guide & Handbook

Five major business tools, Word Processing, Spreadsheet, Graphics, **Database Management and** Telecommunications: all in one full-featured, easy to learn, costeffective package. With the ability to share data across applications that no group of stand-alones can match. And now. with newly-enhanced version 2.0. PC Week has named Enable "best integrated software package on the market."

Its remarkable ability to handle a virtually unlimited range of tasks has already made Enable one of the leading software suppliers to the Federal Government and Corporations large and small.

IN. AND COME OFFICE OF THE PERSON OF THE PER Consider Enable's \$695 versus their nearly \$2500. How does that compute?

"If you are looking for one program to do it all, this is the one."

PC Magazine

If you're stepping up to a Local Area Network, new Enable/LAN just came out on top in a comparison with other integrated LANs in an InfoWorld report: "easier to learn and use...the best integration ... (Enable) simply feels right."

Enable 2.0 and Enable/LAN. Everything you need to unify, simplify and strengthen the operation of your business. For now, and for the growth

For more information, plus the name of your nearest Enable dealer, just dial 1-800-634-3470. New York: 1-800-551-1004. Canada: 613-727-5040. Please ask for Department M.

See Us At PC EXPO, Booth #525



©1987 The Software Group, Dept. M, Northway Ten Executive Park, Ballston Lake N.Y. 12019

COMMUNICATIONS SOFTWARE

grammer include things like current date and time, line quality, and DOS file identifiers for files being manipulated by *Relay* at any given moment. Functions perform simple calculations, handle string manipulation, and supply certain kinds of hardware information. A variety of date and time conversion functions are also included in the program.

Script-language commands initiate various *Relay* activities and handle branching based on certain conditions. Commands can display messages on the user's screen and can pause for keyboard response. They are used for dialing and answering calls, as well as exchanging messages and files with other computers.

Status information on the success or failure of a command is reported, and a script may respond appropriately, using the familar if-then-else construct. Commands such as On Error and On Disconnect, which tell the program what to do if it detects an error or a disconnect message, are set to poll for specific conditions at all times. Any script can transfer control to another, and GOTO and GOSUB commands may be used to branch within a script.

DOS programs or commands may be run from within a *Relay* script. Programs run concurrently with any printing or file transfer that may be going on. The *Relay* editor may also be accessed by scripts, so files can be downloaded, processed in the

■ If what you need is a comprehensive, powerful program, you'll delight in *Relay*'s many options.

editor (sorted, for instance), and then saved to disk. *Relay*'s impressive concurrent capabilities are always available no matter whether a script is running.

PASSWORD PROTECTION Relay may be set to receive calls from other computers running a version of Relay. Remote file transfers can take place with the send-

ing computer transferring a file to an unattended receiving computer. The caller may perform most DOS functions and even run programs on the remote machine, though the display output is not echoed to the calling computer. Three types of password protection are available to prevent unauthorized access to the host PC.

If you need a comprehensive, powerful communications program, you'll delight in the many options *Relay* puts at your disposal.—David L. Hoffman

Respond/Async

Menu lovers will fall head over heels for Software Synergy's Respond/Async. Priced at \$129, it tries to please everyone—from beginners to programmers. Its Quick Start mode lets beginners use a few keystokes to connect to on-line services. Programmers will like the program's script language: it lets you write a series of program components, called dialogues, that you can save in command libraries to automate communications.

The program takes up about 500K of disk space, but you can reduce its bulk by

deleting unwanted terminal emulation files. The 33-page Quick Start manual takes you through installation, start-up, communications profile configuration, and hookup quickly and fairly clearly. The manual has no tutorial, but introductory sections walk you through the usual operations. On-line help is available.

HEAVY ON MENUS Respond/Async is entirely menu-driven. Using what Software Synergy calls Xpress keys, you can jump to the program's major function screens. You can exit to DOS without breaking communications and run other programs from Respond/Async by defining ''program profiles.'' Menu-weary users can write dialogues to automate command sequences or type successive menu commands quickly to move through the screens without pausing.

There is an Unattended mode through which you can set up your machine so that you or anyone else who supplies the specified password can operate it from a remote location.

Respond/Async's terminal emulation shines. In defining a terminal profile, you can select from screens of options that use



Respond/Async's script language uses dialogues, or program components, to automate command sequences; the above dialogue contains commands for signing on to MCI Mail. Stored in a library, a dialogue can include up to 13 lines of commands.

How to pick th



Though most mice out there look pretty much alike, they're not all equal in performance. It pays to be just a little choosy to make sure you end up with the right mouse for your needs.

Starting with software. If you want full compatibility with all of your software, all you have to do is look for a mouse with the Logitech name. There are four in all, each one designed for different hardware needs.

THE HIREZ MOUSE

If you've got your eyes on a high-resolution screen, the mouse to get your hand on is the new

LOGITECH HiREZ Mouse.

With a resolution of 320 dots-per-inch (as compared with 200 dpi or less for ordinary mice), it covers the same area on your high-res screen but needs less of your desk to do it. More than 50% less. Saving you valuable desk space, and

The LOGITECH HiREZ Mouse needs 50% less desh space to cover the same amount of screen area as a 200 dpi mouse.



Good instincts run in this family (left to right): the new LOGITECH HIREZ Mouse (\$179), the only mouse designed expressly for high-res screens; the LOGITECH Series 2 Mouse for the IBM PS/2 (\$99, plugs right into mouse port); and the LOGITECH Mouse for standard screens (\$119, in bus and serial versions).

All come with Logitech's own Plus Software, which assures ease of use with virtually any software, mouse-based or not.

effort: mouse maneuvers that used to require sweeps of the hand are now reduced to a flick of the wrist.

Which makes this new mouse a hand's best friend. And a more reliable, long-lasting companion. And, like all Logitech mice, it's fully compatible with all popular software, and equipped with a Lifetime Guarantee.

THE SERIES 2 MOUSE

For those who've chosen the Personal System/2," the most logical choice is the LOGITECH Series 2 Mouse. It's 100% compatible with PS/2, and plugs right into the mouse port, leaving the serial port free to accommodate other peripherals.

e right mouse.

THE ALL-PURPOSE MOUSE: SERIAL OR BUS

Most people find our standard mouse is still the best choice for their systems. It's available in both bus and serial versions, one of which is sure to fit perfectly with your hardware. And with all your favorite software—whether mouse-based or not.

It's hardly an accident that only Logitech offers you such a complete selection—we're the only mouse company to design and manufacture our own products. We make more mice, in fact, than anyone else. Including custom-designed models for OEMs like AT&T, DEC, and Hewlett-Packard.

The three mice pictured to the left come with all this expertise built right in. Which explains an interesting paradox; while you may pay less for a Logitech mouse, you'll surely get more in

performance.







A Logitech mouse plus Logitech application software equals a complete solution (all prices include mouse, Plus Software, and application):

LOGICADD...\$189. Turns your PC into a full-featured CADD workstation. Everything you need for dimensioned line drawing and CADD. PUBLISHER PACKAGE
...\$179. PUBLISHER
software lets beginners and
experts alike produce professional, high-impact
documents. Design templates
make page layout easy.

LOGIPAINT SET...
\$149. Eleven type
fonts and a 16-color
palette. Creates files that
move easily into both
LOGICADD and
PUBLISHER documents.

(800-552-8885 in California). Or fill out and mail the coupon below to: Logitech, Inc., 6505 Kaiser Drive, Fremont, CA 94555. In Europe, call or write: Logitech Switzerland, European Headquarters, CH-1111 Romanel/Morges, Switzerland (++41-21-869-9656).

And in comfort. With a unique lightweight ergonomic design. Low-angled buttons for maximum comfort and minimum fatigue. An exclusive technology that guarantees a much greater life span. An exceptionally smooth-moving, dirtresistant roller ball. And natural compatibility with all PCs, look-a-likes, and virtually any software.

All of which leads to an inescapable conclusion: if you want to end up with the right mouse, start with the right mouse company.

Logitech. We've got a mouse for whatever the task at hand.

For the dealer nearest you, call 800-231-7717

Logitech, Inc., 6505 Kaiser Drive, Fremont, CA 94555. Logitech Switzerland, European Headquarters, CH-1111 Romanel/Morges, Switzerland. Yes! Please send me the name of the nearest Logitech dealer.

Company/Title

Address

Name

Phone



Personal System/2 is a trademark of International Business Machines, Corporation.



the same definitions as those used in the emulated terminal's documentation. The advantage is that the terminology is familiar to people who use the specific terminals supported.

Respond/Async also offers complete emulation of the terminals it supports. Terminal emulation is less important for those who communicate only with other PCs or with major on-line services, but it's crucial for users who need to connect with computers or services that require specific terminals.

SCRIPT DIALOGUES Components of Respond/Async's script language are called libraries and dialogues. A dialogue consists of up to 13 lines of commands. Dialogues are stored in libraries, with each library containing as many as 25 dialogues. You can create and save a total of 25 libraries. To create and edit dialogues, you must use Respond/Async, not another editor. Respond/Async's dialogue commands can control variables, video display, data input and output, communications lines, telephone support, dialogue command flow, and error processing. Dialogues can call each other, and you can also chain them together.

Once you are familiar with using *Respond/Async*, its distinctive terminology may become second nature, but to novice users the program's references to libraries, directories, dialogues, and various types of

profiles can be confusing.

Respond/Async is easy to use but has plenty of power features for advanced users.—Bruce Brown

SideTalk

Lattice's SideTalk is a \$119 programmable communications program that can operate in the background or foreground. While basic operations are fairly straightforward, the program's script language, SideTalk Command Language (SCL), is a high-level language that facilitates powerful and fancy procedures. It's easy to create popup menus that include choices for command-driven functions.

To load the program on a hard disk, you put the system distribution disk or a back-up in drive A:, make it the current drive, and type LOADST C:. SideTalk creates its own subdirectory on your hard disk, \ST, and copies all necessary files into it. You can use SideTalk with a floppy-disk-only system, but a hard disk drive is recommended if you're going to use the program in its RAM-resident, background mode. It works with any modem with a configura-

tion file written with SCL. The default configuration works for modems that are fully Hayes compatible.

In addition to a 52-page user manual, the documentation includes more than 100 pages of appendixes, most of which provide excellent descriptions of the SCL commands—including a definition of the syntax and all option flags, a complete description of the command operation and flags, one or more appropriate examples, and a "See Also" cross-reference to other relevant commands or chapters in the manual. It's easy to find what you need without being overwhelmed by lengthy, convoluted explanations.

There is no tutorial. Users who turn to this program should be just a notch above novice status. And for them the excellent program design and clear manual make the need for a tutorial program redundant.


Support is abundant. In addition to their customer support department, Lattice maintains an electronic bulletin board where you will find tips on using the program, public domain software you can download, and a forum through which you can chat with Lattice staff or with other users. Although there is a predefined phone



SideTalk's initial screen displays a status line and several Alt-key commands you can use while in terminal mode. F10 invokes the pop-up menu that helps you set parameters, build a phone directory, and make calls.

If You Could Input Anything Into Your Computer Instantly, Without Using The Keyboard, Would It Make Your Life Easier?





Introducing DeskScan 2000. The affordable scanner from Chinon.

Chinon's unique new scanner could change forever the way you use your computer. With OCR software, it scans, digitizes and inputs text into your computer so that you can edit it with almost any word processing software. That means no more retyping of documents. Just think how much time that could save you and your staff!

DeskScan 2000 also scans images, so that you can input graphics too. Then you can manipulate these images with desktop publishing or graphics software.


Best of all, DeskScan 2000 is much lower priced than most effective scanners. That means it's finally cost-effective to put a scanner on every PC user's desk.

DeskScan's unique overhead scanning design means that you no longer have to separate pages from documents to feed them through a scanner. The document stays still while the scanning head "reads" the page. And the unit automatically adjusts for room lighting levels.

Scanners aren't just for desktop publishing any more. DeskScan 2000 becomes an economical FAX, with the simple addition of an inexpensive add-in board. Chinon sells

this exciting option and others in package combinations of bundled hardware and software—so that you have an affordable way of getting started with your scanner right away.

So see for yourself what DeskScan 2000 can do for you. Call TOLL-FREE 1-800-441-0222 TODAY for the DeskScan 2000 dealer nearest you.



CHINON

Chinon America, Inc., 660 Maple Ave., Torrance, CA 90503

CIRCLE 318 ON READER SERVICE CARD



directory listing in *SideTalk* for the LAT-TICE-BBS, the company has moved and the phone number is no longer valid. The new address and phone numbers are included on an announcement in the manual, and you can edit the LATTICE BBS listing in the phone directory.

SideTalk uses function keys, single-key-selection menus, Alt-key combinations, "point-and-shoot" menus, and a plain command line. It would be easy to lose control with such a multifaceted design, but Lattice kept it together. You will not find menus for every possible function, just the simpler ones. When you master the program and want to work faster, you can go to the command line (Alt-C) and type commands directly. Once you decide it's time to customize the system or to set up some fancy procedures, then you enter a programmer's world and use SCL.

You use the "ST" command to load SideTalk into RAM-resident mode and "ST/N" to run it as a standalone product. The program comes up in terminal mode, so you can type directly to the modem at that point. A list of Alt-key commands, resembling a menu, is displayed on the screen.

BACKGROUND POWER You can use most any program when *SideTalk* is operating in the background. Some activities, such as a long recalculation in a spread-

sheet, might suspend SideTalk's activities, however. When SideTalk finishes downloading a file in the background, it beeps several times. At that point you can call the program up, issue more commands, or go off-line.

Lattice is best known for its C compilers, and the SideTalk Command Language doesn't disappoint. It provides a powerful set of commands that allow you to automate any communications process. The more-advanced uses of SCL will need an editor to create a command file. Unfortunately one is not provided.

SCL command files can be as simple as lists of acceptable *SideTalk* commands, similar to a DOS batch file. But with labels for subroutines, SCL files can use conditionals and be programmed to wait for specific times to carry out tasks independently. You can also use the SCL language to develop new menu systems. The language includes variables, string handling, error handling, file control (up to three files open at once), input and output commands, arithmetic functions, program flow control, and window operations.

SideTalk does simple tasks easily, but there are other, lower-end products that are cheaper and easier. SideTalk stands out for the power users who want to roll their own. For \$119.95, they can't go wrong; SideTalk delivers without overwhelming.—Bruce Brown

Smartcom III

Hayes Microcomputer Products, leader in the modern market, has introduced a new communications program, *Smartcom III*. This \$249 program is more than an upgrade of Hayes's earlier *Smartcom II* communications software, which is still available. Unlike *Smartcom II*, which has different error-correcting protocols, a different user interface, and no script language, *Smartcom III* is very versatile.

Smartcom III requires FILES=20 on your CONFIG.SYS file. It seeks confirmation from you, however, before automatically creating or modifying your CONFIG.SYS file.

The program is set to work with Hayes modems—either the older style or the new V-Series. There are no provisions to modi-



ed); two 720K floppy disk drives (hard disk strongly recommended); DOS 2.0 or later. In Short: Smartcom III is designed for the new generation of machines. Although its high RAM and disk memory requirements make it the wrong choice for a floppy disk system, power users looking for an easy-to-use yet extremely sophisticated program will find it offers both. Not copy protected.

fy modem setup or initialization strings. Since it knows how to configure Hayes modems, there's no discussion of DTR, CD, and other RS-232 lines. Smartcom III will work with a three-line connection, but it can make use of more-complex connections if available. Setting the duration of the dialing tones and enabling the V-Series hardware error checking is about all the adjustments you will have to make. If you have a Hayes modem, there's no problem, but the program isn't guaranteed to work with anything else. So-called Hayes compatibility in other modems can be something less than total.

DIFFERENT TERMINOLOGY Smartcom III uses unique terminology. The settings that define the nature of the contact are called Activities and Connections. Activities settings control such elements as the screen display and printer setup, how files are to be transferred, execution of scripts, and the like. Connections settings adjust such functions as bit-per-second rate, direct versus modem connections, modem control settings, and so on.

Generally, you first create an Activity for each service, bulletin board, or other computer system with which you communicate, then choose which Connection you want to use. A variety of activities and connections are included.

IN OUR FAMILY ONE GOT THE LOOKS,



ONE GOT THE BRAINS,



ONE GOT THE DRIVE.



Fortunately, they all inherited the genius of Sony.

The new CPD-1303 Multiscan™ Monitor is the inspired offspring of the CPD-1302 monitor. While the CPD-1303 is less expensive, it still leads the way in variable frequency monitors. Boasting a SonyTrinitron® Microblack® Screen, a resolution of 800H x 600V and total Multiscan-VGA compatibility. Of course, being a closely knit family, we also share a lot of great memories. Thanks to our CD ROM with a large 640MB capacity memory.

And what's the driving force behind our family? Why, our innovative Sony Disk Drive. Brought to you by the same people who invented the 3.5 inch disk drive. Only now you can add this standard technology to your existing system, and take advantage of the latest software formats available.

For more information call 1-800-222-0878. Because being the loyal family that we are, we'll continue to deliver some of the highest quality, most reliable computer peripherals around.




Sony Computer Peripherals

SONY.

For More Information Call: Intelligent Products Marketing, CA (415) 866-8620. Intratec, CA (714) 474-8740. Roy J O'Donnell Company CO (303) 778-7575. Galaxy Sales Corporation, FL (305) 620-7677. G/B Marketing Inc. JL (312) 520-4008. CP Marketing, Inc. JMA (617) 969-1152. E.L. Horn & Associates, MD (301) 230-1411, (215) 372-5691. Jay F Schude Associates, MI (313) 665-6222. Herold Marketing Associates MN (612) 944-1121. Smartstuff MO (314) 532-6133. Computer Marketing Group NJ (201) 947-3551. Better Sales & Marketing, NY (716) 385-7954. (518) 786-1780. Techcom O'H (614) 436-7676. BSA Sales, SC (803) 297-7020. Miller & Associates Computer Products, Inc. TX (214) 437-5733. Hooker Northwest WA (206) 643-1820.

© 1988 Sony Corporation of America. Sony, Ihméron, Muteiscan Microblack, and The One and Only are trademarks of Sony Bookshelf is a trademark of Microsoft Corp. Actual monitor graphics generated by RIX EGA PAINT 2005. These products are not manufactured to any specific software and Sony does not and cannot make any warranty or representation with respect to the performance of the products with respect to any particular software packages and/or non-Sony add-on hardware options. Sony hereby disclaims any representations or warranty that the monitors are competited with any combination of non-Sony products under statutor.



NOW YOU CAN CONNECT FOUR USERS TO ONE LASER PRINTER.

With the Mannesmann Tally* MT910 Laser Printer and its Multiuser Interface option, you can connect four users for just \$1050 each.

Each of you will have your own I/O port, programmable for your own protocol and emulation. Laser-crisp text and graphics at 300 dpi. All the specs you see in the center. And with an optional 5-bin sorter, even your own output bin.



- Speed: 10 pages-per-minute
- Dual paper cassettes standard, 250 sheets each.
- Dual output bins standard, 250 sheets each.
 Memory: 500K; 400K available to print
- graphics or download additional fonts.
- Manual feed handles single sheets, enve lopes, transparencies, and labels.
- Emulations: Diablo® 630, Epson® FX, IBM® Proprinter," HPo LaserJet Plus," and Qumeo Sprint II.
- Workload: 10,000 pages per month.
 Standard fonts: ☐ Courier 10. ☐ Prestige
 Elite 12 ☐ Letter Gothic 16.6 ☐ bold, italic, condensed, and expanded.
- Options: ☐ 4-user I/O ☐ extensive library of optional fonts in cartridge or down loadable formats 1.1.5 Mg RAM upgrade 5 bin sorter.

CIRCLE 224 ON READER SERVICE CARD

So call the number below for more information or to connect with your nearest dealer.

And he'll connect you with the only out-of-the-box laser printer on the market today that gives you so much for just \$1050 per user.

A Mannesmann Tally.

MANNESMANN TALLY 1-800-843-1347

■ COMMUNICATIONS SOFTWARE

```
FOR IMBEDDED PROMPT "no messages", 15;
  WAIT RESULT = WAIT IGNORED THEN CALL yes messages ;
IF FILE SIZE("OUTGO") <> -1 THEN CALL yes outgoing ;
ues messages:
TYPE KEY RETURN KEY ;
WAIT FOR PROMPT "MENU", 5;
TYPE LINE "PRINT"
WAIT FOR PROMPT "MENU", 5;
DISK CAPTURE ON APPEND "E:\COMM\SCON3\NEWHAIL.MCI"
TYPE LINE "INBOX"
    TRIGGER (name) NEXT [IMBEDDED] PROMPT (string), (command)
    TRIGGER (name) EVERY (IMBEDDEDI PROMPT (string), (command)
    TRIGGER (name) NEXT CONNECTION LOST (command)
    TRIGGER (name) EVERY CONNECTION LOST (command)
    TRIGGER (name) NEXT TIME OF DAY (HH:MM) , (command) ;
    TRIGGER (name) EVERY TIME OF DAY (HHIMM) , (command) ;
    TRIGGER (name) NEXT TIME IDLE (seconds) , (command);
    TRIGGER (name) EVERY TIME IDLE (seconds) . (command)
    Help F2: Main Menu Functions | St Edit Henry P5 Switch
```

Smartcom III's split-screen editor lets you enter long commands into scripts by pointing and choosing. This process, which indicates where to place prompt messages and variable names or filenames, saves time and reduces typing errors.

Smartcom III's user interface is completely textual but intuitive and logical. You don't miss the graphics at all. It uses a combination of menu styles and window frames suitable to communications.

USING THE LANGUAGE There is a comprehensive, well-written, context-sensitive help system. Moreover, *Smartcom III* has a fine text editor that you can use for composing messages or for writing scripts.

When you write scripts, a window appears that contains all the language's statements. It lists the statements alphabetically or in functional order, according to your choice. When you select one, it appears in your script and indicates where you need to place prompt messages, variable names or filenames, and the like. This cuts down on typing and reduces errors.

Smartcom III's SCOPE (Simple COmmunication Programming Environment) language is powerful, flexible, and reasonably easy to learn. The language is not as structured as modern BASICs, so you have to use lots of GOTOs to control program flow, and the syntax is rather wordy. Scripts are compiled for faster execution;

the compiler checks for errors, inserts descriptive error messages, and returns you to the editor if necessary—an excellent and helpful system. SCOPE is unquestionably potent and could be used to program a bulletin board system or even games.

Smartcom III supports various permutations of Xmodem, Ymodem, and Kermit file protocols. Interestingly, Hayes's own Verification protocol introduced in Smartcom II is not supported (Hayes felt that the 1K-block Ymodem protocols outperformed the 512-byte Verification protocol). The CompuServe-B protocol isn't supported either—a disappointment to fans of that popular service.

SCRIPTS FOR REMOTE Smartcom III supplies a script for remote file transfer. Basically, this is a simple BBS that gives you the ability to download or upload files with Xmodem, Xmodem (checksum), Xmodem 1K, Ymodem-G, or Kermit. The script also requires the equivalent of many DOS commands, but you cannot execute programs on the remote system. The script includes password protection, though you might want to add multiple

password levels. If you prefer, you can simply use the Kermit screen to manage file transfers, with the remote computer acting as a Kermit master.

Smartcom III does allow you to drop to DOS locally while maintaining your connection, enabling, say, a long download to continue in the background. Hayes categorizes this feature as "undocumented" and discusses it only in a READ.ME file ondisk. The company warns of possible incompatibilities, and you may have to adjust some environment variables to juggle memory allocation, but it worked well in our tests.

Smartcom III's panoply of features takes a heavy toll on system memory. Smartcom III requires 512K of RAM, and 640K is desirable. Say good-bye to memory-resident software. Anything other than a full quota of memory in your machine precludes using the program. In fact, Hayes strongly recommends a hard disk. You can shoehorn Smartcom III onto a portable with two 720K floppy disks, but it's a tight and uncomfortable fit. The slow floppies on most portables don't help either when loading the large modules.

Smartcom III may not be the best choice if you want one program to run in all environments and on all machines. It's big and bulky, but these days serious PC

■ Smartcom III's panoply of features takes a heavy toll on system memory, but its script language is advanced and versatile.

users have hard disks and lots of RAM. Smartcom III's script language, however, is advanced and versatile. Smartcom III will be attractive to those using Hayes modems, and it may be something to consider purchasing if you're certain your non-Hayes modem is completely Hayes compatible.—Glenn A. Hart


Softerm

Softerm, a \$195 industrial-strength communications program from Softronics, has enough features to delight the most jaded PC user. It's not the sort of program you'd fire up on Friday nights to retrieve stock quotes—that would be like flying the Concorde across town. But you would turn to it if your boss asked you to write a bulletin-board system.

If all Softerm's goodies (including terminal emulations, background communications, a full complement of script commands, queue management, and support for multiple operating systems) give you the impression that it also requires considerable time to learn, you're right. It can take weeks to master all the program's features. But installing Softerm is easy if you use one of the 23 supported modems.

EXTENSIVE EMULATION Softerm emulates almost every terminal on the market, including ADDS, Data General, DEC, Hazeltine, Hewlett-Packard, Honeywell, IBM, Lear Siegler, Perkin-Elmer, TeleVideo, and, of course, the ubiquitous dumb terminal.

After you've used Softerm for a few days, its menu-driven interface becomes





Softerm's menu-driven interface helps new users wade through the myriad options offered by the program, but more-proficient users will want to develop macros to save time.

more of an annoyance than a help. To disconnect from a call, for example, you use the Alt-2 combination to bring up the GOTO menu, then press F2 to pop up the Dial Utility menu, move the cursor to select the Hangup option, press Enter, and then use the Alt-Esc combination to return. Even with practice, this procedure takes time. To help you cope, Softronics blessed Softerm with the ability to accept keyboard macros. No keyboard macros come with the program, but the user's manual gives you several examples of how to create them.

TSR VERSION You can also install *Softerm* in an abbreviated TSR version, called the Communications Agent. This version can send and receive files in the background while you run conventional programs in the foreground. It does not conflict with other popular TSR software such as *SideKick*.

A queue manager allows you to put up to 128 tasks in the communications queue at one time, and to fire them off consecutively or in unattended operation by date and time. The queue manager also controls multiple COM ports, so you can be exchanging files with four sources at the same time.

The Communications Agent enables Softerm to offer the File Agent, such a clever and simple option that it deserves an

■ The Communications
Agent enables *Softerm* to
offer the File Agent, such
a clever and simple option
that it deserves an award.

award. Here's how it works. You assign the communications port a device letter, similar to that of a disk drive—L, for example. Then, to download a file, all you have to do is issue a DOS COPY command, such as COPY L:WEEKLY.DAT

INCREDIBLE SAVING! OUTSTANDING PERFORMANCE! FCC 'B' APPROVED ₹ 0 ... tedalus F Han 1-1-1-1

INFO 286 6/12 MHz System

FEATURES:

10286 microprocessor with 80287 socket

Thips & Technology VLSI chipset

Keyboard selectable 6/10 MHz or 6/12 MHz clock speed apandable to IMB on board, 640K base memory ad 384K extension (512/512K optional) egal Award/Phoenix BIOS to sockets for Chips & Technology ICs, direct chipset

soldering for higher reliability

Adjusted I/O bus speed for add-on cards competibility

NFO 286 12MHz COLOR SYSTEM

8 input/output slots (6 16-bits, 2 8-bits)

Up to 15 megabyte system extension memory; 8 megabyte EMS Clock/Calendar with battery backup

200W power supply (110-220V)

Space saving case w/keylock protection, reset button, LED's for Turbo, Hard Drive, Power on/off

* Optional digital display of system speed * 101-key enhanced keyboard w/separate cursor &

numeric keypads Support 360K, 720K, 1.2MB, 1.44MB disk driv

Upgrade storage capacity by 20, 30, 40, 80 MB hard drives with WA2, NCL, RLL controllers

System packing box

* 1.2MB TEAC Drive

* Dual HD/FD Controller

200W Power Supply Space Saving Case

INFO 286 12MHZ EGA SYSTEM

EGA I: *512K

\$1349

1.2MB TEAC Drive Dual HD/FD Controller

200W Power Supply Spacing Saving Case

* Clock/Calender with Battery Back up

101-Key Enhanced Keyboard (Keytronics)
 Color Graphic w/printer Card
 SamSung RGB Monitor

COLOR II:

COLOR L

512K

\$1385 W/ST-225 20MB Hard Drive

W/ ST-251 40MB Hard Drive.

\$1595

\$1149

EGA II:

\$1585 W/ST-225 20MB Hard Drive ...

101-Key Enhanced Keyboard (Keytronics)
 Enhanced Graphic Adaptor
 Packard Bell EGA Monitor With Stand

Clock/Calender with Battery Back up

W/ST-251 40MB Hard Drive ..

\$1795

Mega 4000 4.77/8 MHz System FEATURES:

8088-2 microprocessor with 8087 socket

7000

Keyboard selectable 4.77/8 MHz speed

4-layer mother board for higher reliability

 Expandable to 640K on board
 Eight expansion slots that allow easy system expansion by using optional plug-in cards

* 150W power supply (110-220V) * Metal case w/keylock protection

* AT style keyboard, 84 Key Keyboard

System packing box

SYSTEM UPGRADE OPTIONS

* ADD 128K

* 1.2MB Teac Drive

* 360K Teac Drive * 720K Toshiba Drive

2 Serial/1 Parallel

(2nd Serial Optional +\$25)

* Everex 1200 BALID

INTERNAL MODEM

* 2.5MB RAM CARD (OK)

* 101-Key enhanced Keyboard

* Digital Display

\$85

INFO 286-12 Starter Package

MONO-I:

- 512K
- * One 1.2MB Teac Drive
- Dual FD/HD Controller
- * 200W Power Supply
- * Space Saving Case
- * Clock/Calender With Battery Back up
- * 101-Key Enhanced Keyboard (Keytronics)
- * Hercules Compatible Mono. Graphic W/Printer Card
- * 12" Monitor Packard Bell Hi-Res

MONO II: W/ ST-225 20MB Hard Drive.

MONO III: W/ ST-251 40MB Hard Drive... 51419

MAMMAN

Delivery MANNAMA OS/2 **≥**Compatible

Townediate



Complete 12MHz 286 System

ITH MONITOR

(10 MHz Version Available)

300-3 Mary Tri Tri Di AM-1 DO TM Order Now 9:00 AM -3:00 PM

MEGA 4000 4.77-8MHz TURBO XT SYSTEMS:

INCLUDE:

- ne 360K FUITSU Drive
- * AT Style Case
- * Floppy Disk Contro * AT Style Keyboard

VISA

MS DOS 3.3 WITH GW BASIC FOR ONLY \$79 WITH PURCHASE OF ANY SYSTEM! The Company Gon Can Trust

We are the manufacturer -

RETAIL HOURS MON.-FRI. 9:00AM - 6:00PM SAT.& SUN. 10:00AM - 4:00PM (714) 897-1562

8210 Katella Ave. #D Stanton, CA 90680 FAX: (714) 897-9173 TLX: 3720117 MAY

ONE YEAR WARRANTY ON PARTS & LABOR

TECH SUPPORT:

(714) 897-2037

TERMS: CIRCLE 102 ON READER SERVICE CARD

- 1. We accept Visa, MasterCard without surcharge COD-Cashier's Check, prepayment, university and corporate POs accepted upon approval

 2. Calif. Residents add 6% sales tax
- 3. Add \$3.00 handling charge, plus UPS shipping charge 4. Prices are subject to change without notice
- IBM PC/XT, AT are the registered trademark of International Business Machine Corp.

PageMaker



Three years after inventing desktop publishing, the people at Aldus have just re-invented it. With a new version of PageMaker dedicated

TECHNICAL PAPER

to one simple proposition: freedom of choice.

From the beginning, PageMaker has given people unequalled control over all the elements of their publications. But now we've added many new features that also give you the ability to assemble even the longest documents with a couple clicks of your mouse.

With PageMaker 3.0 the choice is always yours.


Here are a few of the new ways you'll have

to exercise it.



Autoflow

Now you have the option of flowing text automatically to speed up long-document creation or placing it column by column for shorter, more design-intensive pieces.



you move a graphic, your text will automatically reflow

around it. You can also control the margin between text and image and, with a custom wrap feature, fit text to even the oddest shape.

Colors WAGENIA OF THE COLORS O

Spot Color

Mix a virtually unlimited palette of colors based on any one of

three standard color models: RGB, CMYK or HLS. Then you can tag any element in the publication with a color by just click your pointer on it.

And, when you print your document, PageMaker 3.0 gives you the choice of a single coposite image or separal sheets for each color use.


You can even place registration marks in the corners of your separated output for accurate assembly by a professional printer.



Style Sheets

PageMaker's style sheets give yo the ability to create and apply style formats, including color, for all your

text. And that allows you to reformat an entire story or document in a single operation.



ls'lurning

You can also tag text in your word processor, database or spreadsheet for instant

formatting in PageMaker. And any style commands from Microsoft® Word files are read directly.

Templates

Since professionally designed templates are now Juded with PageMaker, it's

easy to give every document you create a designer's touch. You use the templates like blueprints, placing your own headlines, t and graphics according to the designated

tyles and sizes.

High Quality Fonts In addition to supporting a wide range of PostScript® fonts, PageMaker for the PC now expands the capabilities of the HP Laser let Series II and other PCL

output devices.

That's because we're including four Bitstream®fonts and Fontware." a special font generator, at no extra cost.

So you'll be able to create bit-map and screen fonts from 6 to 72 points in many versatile type faces. PageMaker 3.0 comes complete with Bold, Roman, Italic

and Bold Italic variations of Dutch and Swiss (Bitstream's versions of Times and Helvetica) along with the Courier and Symbol typefaces. Which will give many people the ability to do even more with PageMaker.






Image Control

You can now adjust the lightness or contrast of any scanned image or bit-map graphic you place in

PageMaker. And if you want to further customize a graphic, you can use one of our built-in







special effects, or even create one of your own.

If all this has whetted your appetite to find out more, visit your authorized Aldus dealer today.

And ask for the program that did a number on PageMaker.



PageMaker.

411 First Avenue South, Seattle, WA 98104 (206) 622-5500 O 1986 Aldus Corporation. The following are registered and unregistered trademarks of the companies listed: PageMaker, Aldus, Aldus Corporation, Microsoft, Microsoft Corporation, PostScript, Adobe Systems, Inc., Hewlett-Packard, LaserJet Series II, Hewlett-Packard Company:

PC-PLUS™

The High Performance Network Solution Just DOUBLED

Its Performance!



The best performing PC-based network for database applications, high performance spreadsheets and all your data and compute intensive needs. PC-PLUS! And now its *twice* as powerful!

Get the details now! Call (617) 875-6100.

PC-PLUS" The High Performance Network



Alloy Computer Products, Inc. 100 Pennsylvania Avenue Framingham, Massachusetts 01701 (617) 875-6100, TWX: 710-346-0394

Alloy Computer Products, Inc. 9 Executive Circle, Suite 240 Irvine, California 92714 (714) 261-7661

■ COMMUNICATIONS SOFTWARE



- HyperAccess
- ProComm/ProComm Plus
- Smartcom III

If you need a high degree of programming control or simply want the biggest and best, any program with a new-generation script language will serve your needs. However, Hayes Microcomputer Products' Smartcom III stands out for its innovative approach to communications and script language development, and for its straightforward menu system. The program's size (it requires more than IMB disk space and 512K RAM) makes it unsuitable for anything less than a 286 machine with a fast hard disk. Yet, as reviewer Glenn Hart points out, that (and \$249) is merely the price you have to pay for using a program that advances the state of the art.

Among programs with advanced script languages, Hilgraeve's HyperAccess, IBM PC Revision 3.25 (\$149), is the winner. Not only does its script language border on new-

generation capabilites, but the program is easy to learn and use, and it offers the fastest file transfer we measured—both with the proprietary HyperProtocol and with the garden variety Xmodem. Any of these features would be worthy of note. Together they make a package that is hard to beat.

For those whose script language needs are minimal and whose communications needs are casual, Datastorm's ProComm, for a suggested contribution of \$50, or ProComm Plus, at \$75, is the clear choice. Speed of file transfer is on the slow side for both versions of ProComm. But for casual users, the mostly mnemonic commands are easy to learn and remember, the script language is adequate, and added features—like the host mode—are invaluable if you need them.

C:*.*. The File Agent copies the file from device L: (actually the remote computer) to your hard disk. It does so by intercepting all DOS file calls and executing a script file to import or export the named file. Anywhere you can use a filename, you can use the File Agent.

Both the Communications Agent and the File Agent require you to use a comprehensive script language to control their operations, and *Softerm* provides it. The script language is sufficiently powerful to program a four-port bulletin board running in the background, and for \$50 Softronics will sell you the script file it has developed to do just that. The script files included in the package are for routine tasks like logging on to The Source and CompuServe. Learning the language is not easy, but the manual includes examples, and Softronics maintains a telephone hot line that is

staffed by knowledgeable people.

Softerm is not without flaws. The layout of the file-transfer screen is poor; introducing color and graphics would help separate the status information from the display of the data being transferred. And since the phonebook dialer is case sensitive, you must remember exactly how you entered a name if you want to find it quickly. Also, the dialer waits 45 seconds before redialing a busy number, and you cannot change that parameter.

Because Softerm has so many commands and Alt-key combinations, learning to use it takes a lot of patience and some time. Nevertheless, the program certainly rewards your efforts, with extensive emulations, background communications, a complete script facility, queue management, and support for multiple operating systems.—Donald B. Trivette

Switch on a serious surge suppressor.





With test after test proving that 70-90% of all PC malfunctions can be traced to power problems, a surge suppressor is the first accessory you should buy for your PC. But don't put your trust in just any surge suppressor. Get one that gives your whole system

superior protection. One that's engineered to the highest specifications.

Get a Kensington Master Piece® or Master Piece Plus. They're the most popular

Meets IEEE 587-1980 Category A	1
Meets IEEE 587-1980 Category B	1
UL Listed	1

The right surge suppressor passes all the tests.

PC surge suppressors. And the most serious. Because at Kensington, we're dedicated to giving your PC the best possible protection.

That's why Master Piece and Master Piece Plus are equipped with our unique two-stage surge suppression circuit, containing a high-speed silicon semiconductor for the quick reaction necessary and heavy-duty metal oxide varistors for the brute force required to keep even the largest surges from penetrating into your system.

That's why the plus in Master Piece Plus is additional modem surge suppression circuitry to protect your modem from surges,

spikes and noise on the telephone line.

And that's why the circuitry in both models can handle anything an electrical storm or your local power company can offer—up to 6,000 volts with a 3,000 amp follow-on current. (That's the kind of superior performance that passes not only UL* testing, but Categories A and B of the strict IEEE† specification 587-1980 as well.)

Now, this may look to you like we're taking more than the necessary precautions. And actually, we are. But after all, isn't that

what you expect from a serious surge suppressor?

Master Piece (\$149.95) and Master Piece Plus (\$159.95). For more info, or a dealer near you, call (800) 535-4242. In NY (212) 475-5200.





Corporate America Trusts DMP

Black & Decker

Chevron DI

Coca Cola

General Fonds

Proctor & Gamble

3M Corporation

DMP XT-4/10™ DMP 286-6/12

- 4.77-10 Mhz Speed Selectivity
 - Phoenix Bios*
- 8088-1 Processor, 8087-Ready AT-Style Case, m/Key Lock Turbo, Power & Disk LED's

- Hardware Reset & Turbo Switches
- 150 Watt Switching Power Supply
- Parallel, Serial & Game Ports

- Dual Floppy Disk Controller Clock Calendar w/Battery Tactile 101-Key Keyboard
- 360KB Floppy Disk Drive Operations Documentation
- One Year Warranty

With Mono Monitor &	Card.				i a			\$499
With 30MB Hard Dish	Drive.							\$799
With 60MB Hard Disk	Drive.							\$949

With CGA Color Monitor & Card						\$699
With 30MB Hard Disk Drive					R 8	\$999
With 60MB Nard Disk Drive					3	\$1149

With EGA Color Monit	or & C	arc	١.					\$899
With 30MB Hard Disk	Drive.	14	. 1		6.3			\$1195
With 60ME Hard Disk	Orive							\$1345

- 6-12 Mhz Speed Selectivity
- Phoenix Bios®
- 80286 Processor, 80287-Ready AT "Desk-Saver" Case *w/key lock Turbo, Power & Disk LED's
- Hardware Reset & Turbo Smitches 200 Watt Smitching Power Supply
- Floppy/Hard Disk Controller
- Clock Calendar w/Battery Tactile 101-Key Keyboard 1.2MB Floppy Disk Drive
- **8 Expansion Slots**
- **Operations Documentation**
- One Year Warranty

With Mono Monitor & Card.						\$349
With 60MB Hard Disk Drive						\$1299
With 80MB Hard Disk Drive.						\$1549

With	CGA Color I	Honitor E	Car	d				\$1049
With	60MB Hard	Disk Dri	10.	0.10				\$1499
With	BOMB Hard	Disk Driv	re					\$1749

With EGA Color Monitor & Card\$1245
with 60MB Hard Disk Drive \$1695
with some ward tisk brive

Call for current ICAM pricing. Budget 100 for 10 little 285 configurati



. . . You Can Too. TOLL FREE!

DMP386-16/20¹¹

STANDARD FEATURES 16-20 Mbz Speed Selectivity

- 80386 Processor, 80387-Ready
- **Full Size AT Case**
- Turbo, Power & Disk LED's
- Hardware Reset & Turbo Switches
- 200 Watt Switching Power Supply
- Floppy/Hard Disk Controller Clock Calendar w/Battery Tactile 101-Key Keyboard 1.2MB Floppy Disk Drive 8 Expansion Slots

- Operations Documentation
- One Year Warranty

Monochrome Configuration

With Mono Monitor & Card.								٠	\$1699
With 60MB Hard Disk Drive.	٠	١	i		ı		į.	į,	\$2099
with 80MB Hard Disk Drive.		í	i	ı	ì				\$2349

With CGA Color Monitor & Card			٠	٠	\$1899
With 60MB Hard Disk Drive	į.		ı		52288
With SOMB Hard Disk Drive					\$7540

With EGA Color Monitor & Card						. \$2099
With 60MB Hard Disk Drive			i	ı	i	. 52495
With ROMR Hard Dick Drive						\$2745

DMP ADVANTAGES

We accept credit card, COD and APO/SPO orders

In-stock orders shipped within 24 hours

are insured. We take NO chances!



(313) 422-1200 Main Lines (513) 422-1286 Tech Support

(313) 422-1289 Fax Line



Discount Micro Products, Inc. 34360 Glendale Livonia, MI 48150




Hours: Monday - Friday 9:00 a.m. - 7:00 p.m. EST Saturday's

9:00 a.m. - 5:00 p.m. EST

0



Built to Last




Arche Rival 286" Personal Computer The St. Louis Arch



Arche Rival 386" Personal Computer The Arc de Triomphe de L'Étoile



Arche Pro-File 286" and 386" Servers The Washington Arch



Arche Station 88" Personal Computer The Arch of Titus



Arche Super Station 286™ Personal Computer The Arch of Septimus Severus



QUALITY ABOVE ALL"

While others in the computer industry seem preoccupied with offering cheap technology, Arche Technologies offers something different: Quality Technology.

That's why every Arche product is designed by some of the best engineers in the business, and why each unit is hand assembled in the United States, passing through a rigorous series of tests and inspections.

For additional information for these and other Arche quality products or for the quality dealer nearest you please call: toll free 1-800-422-4674 or in MA (617) 461-1111. For Vertical Solution Reseller call: 1-800-272-8898 or in CA (415) 234-6313.

THENICHEFACTOR

Demand for AT
compatibles is stronger
than ever, and
manufacturers are
jockeying for position
in the market.
The latest
machines reviewed here
are from Amdek,
American Mitac,
Arche Technologies, Core,
Dataworld, Epson,
Hyundai, Kaypro, and
Star Industries.

NINE ATS COMPETE FOR MARKET SHARE



ow that there is a general consensus that the standard base system for business computing in the next several years is going to be an 80286-based AT compatible running between 8 and 12 MHz, complete with 1 or 2MB of RAM (more when OS/2 applications are available) and a hard disk of at least 20MB, manufacturers of AT compatibles are competing for individual niches, following the age-old business adage that a small slice of a big market is just as good as total control of a small market.

For the computer buyer, price is no longer a barrier to AT-level performance. When *PC Magazine* evaluated 21 286-based systems configured with monochrome monitors and hard disks with total

price tags under \$2,000 ("The Cheapest ATs Ever," *PC Magazine*, February 16, 1988), we found that although quality and features varied significantly from machine to machine, over half of the systems were perfectly legitimate choices. And even the scrawniest one of the bunch could outperform an XT by a factor of two.

Prices of AT-compatible systems still cover a wide spectrum, however. Famousname manufacturers like NEC, Epson, Leading Edge, and NCR can (and do) ask more for a 286 system than a big mail-order house like CompuAdd does. What you pay for is a comfortable measure of confidence: the known quality of a known quantity. But now that dozens of systems can be

■ NINE ATS COMPETE

AT Compatibles: Summary of Features

BASIC CONFIGURATION	Star Industries AT 286	Core ATomizer	Hyundal Super-286C	Epson Equity II Plus	Dataworld Data 286	Arche Rival 206
Price	\$895	\$1,350	\$1,499	\$1,595	\$1,605	\$1,795
RAM	512K	512K	640K	640K	512K	640K
Floppy disk drives	One 1.2MB	One 1.2MB	One 1.2MB	One 1.2MB	One 1.2MB	One 1.2MB
Hard disk	None	None	None	None	None	None
Clock/calendar	•	•	•	•	•	•
Software	PC-Write	DOS 3.2 or Xenix; backup utilities	DOS 3.2; setup	DOS 3.2; diagnostics, GW-BASIC, SpeedStor	Setup	DOS 3.3
Monitor	None	None	None	None	12-inch EGA	14-inch monochrome
Ports	1 parallel	1 parallel, 1 serial	1 parallel, 2 serial	1 parallel, 1 serial	1 parallel	1 parallel, 2 serial
Slots	6 16-bit, 2 8-bit	6 16-bit, 2 8-bit	4 16-bit, 2 8-bit	3 16-bit, 3 8-bit	6 16-bit, 2 8-bit	6 16-bit, 2 8-bit
Power supply (watts)	200	200	135	140	200	200
Reset switch	•	•	0	•	•	•
Keyboard style	IBM Enhanced	IBM Enhanced	IBM Enhanced	IBM Enhanced	IBM Enhanced	IBM Enhanced
CONFIGURATION TESTED						
Price	\$1,273	\$2,826	\$2,249	\$3,643	\$2,439	\$2,195
Configuration	30MB hard disk, monochrome monitor	40MB hard disk, EGA monitor	30MB hard disk, monochrome monitor	40MB hard disk, EGA monitor	1MB RAM, 40MB hard disk, EGA monitor	20MB hard disk, monochrome monitor
SPECIFICATIONS						
Clock speed (MHz)	8/10	6/B/12	8/10	8/10	8/12	8/12
Controller card handles	2 floppy, 2 hard disk drives	2 floppy, 2 hard disk drives	2 floppy, 1 hard disk drive	2 floppy, 2 hard disk drives	2 floppy, 2 hard disk drives	2 floppy, 2 hard disk drives
OTHER						
Alternative disk drives	None	None	None	720K 3½-inch; 360K 5¼-inch°	720K 3½-inch*	None
Warranty	1 year	1 year	18 months	1 year	1 year	2 years
BIOS manufacturer	Award Software	Phoenix	Award Software	Epson	Phoenix	Award Software

found south of the \$2,500 border, the bigname companies have had to take a hard look at their pricing structures. These days, a little shopping may lead you to a name-brand system discounted up to 30 percent. How else can such companies compete with machines like the 21 we recently reviewed, whose average configured price was about \$1,600?

WINNING WITH ORIGINALITY As price distinctions blur, buyers look to features to find differences between systems, and this is where the niche factor comes into play. One trend is the reemergence of backplane designs, which hark back to the good old days of CP/M machines when wide-open architecture was the name of the game. The TeleVideo Open Architec-

ture Solution series, the new Kaypro 286, and the Amdek System 286A represent three examples of the backplane design. (The Kaypro and Amdek machines are reviewed here.)

Why do it? By putting the vital chips on expansion cards rather than on the motherboard, the box is theoretically immunized against obsolescence. When your desire

Amdek System 286A	Kaypro 286	Mitac Paragon 286F
\$2,495	\$2,995	\$3,495
1MB	1MB	1MB
One 1.2MB	One 1.2MB	One 1.2MB
None	40MB	40MB
•	•	•
DOS 3.2; GW-BASIC, disk caching, other utilities	DOS 3.2; GW-BASIC, SpeedStor, WordFinder, WordStar 4.0	DOS 3.2; Disk Manager
None	12-inch monochrome	12-inch EGA
1 parallel, 1 senal	1 parallel, 1 senal	1 parallel, 2 senal
5 16-bit, 2 8-bit	2 16-bit, 3 8-bit, 4 for system	4 16-bit, 1 8-bit
190	160	145
0	•	•
 IBM Enhanced	IBM Enhanced	IBM Enhanced
 \$4,740	\$2,995	\$3,495
40MB hard disk, EGA monitor	40MB hard disk, monochrome monitor	40MB hard disk EGA monitor
8 12 5	6/12	8/12
2 floppy, 2 hard disk drives	2 floppy, 2 hard disk drives	2 floppy, 1 hard disk drive
None	None	720K 3½-inch†
1 year	1 year	1 year
Phoenix	Phoenix	Phoenix

for a 386 processor becomes unbearable, you'll just buy one on a card and swap it into a slot.

Do you care about the size of your system? Some people would pay any price to get that big AT box (21 inches wide) off their desk. Many recently introduced AT compatibles let you do that; machines reviewed here from Amdek, American Mitac, Arche, Epson, Hyundai, and Star Industries are good examples. One note of caution: designers of smaller system units have two methods of achieving their slimdown goals-by cutting out drive bays or cutting out expansion slots. You should make sure that the small-footprint machine that has caught your eye will accommodate all the devices you need. One way small-footprint manufacturers can compensate for a dearth of slots is to install a well-designed motherboard that can provide many of the functions normally assigned to slot-hungry multifunction cards (memory expansion, parallel and serial ports).

SPEED MACHINES The year 1988 has seen the introduction of souped-up versions of older AT favorites. The Epson Equity III Plus, for example, has been revamped and now runs at a top speed of 12 MHz, up from 8 in the original model. Speed is always an advantage—at least until you run into a small attack of software incompatibility. This is less of a problem than it was a year ago ("High-Speed ATs: Life in the Fast Lane," PC Magazine, April 14, 1987), but it's important to choose a machine that can be throttled down, either by an external switch or a setup program, when the need arises.

Reviews of nine new AT-compatible systems follow. They are the most recent arrivals to PC Labs, and they represent a good cross section of the market as it exists today. The cheapest—the Star Industries AT 286—is \$1,273 configured with hard disk and monitor; the most expensive—the Amdek System 286A—is over \$4,500 fully configured. There are names you know (Epson, Kaypro, Core) and names you may never have heard before (Mitac International is a Taiwan-based manufacturer, and Arche Technologies is a division of Pro-Kennex, the tennis racket people). Rounding out the group are a new machine from Korean giant Hyundai and a mail-order bargain from Dataworld. In the near future we will review two more new competitors who are joining the fray-the Leading Edge Model D2 and the PC's Limited System 200.

Shopping for an AT compatible is more complicated than ever, but having a wide range of machines to choose from means you're that much more likely to find the system that's perfect for your needs and your budget. Reviews follow in alphabetical order by manufacturer's name.

-Donald P. Willmott

AMDEK CORP. Amdek System 286A

The Amdek System 286A is a classy, fast, and upgradable small-footprint AT-compatible machine. From its 16-character LCD system unit display to its modular internal design, the 286A is pleasing to look at and a joy to use.

The 286A costs \$2,495 and comes with 1MB of 80-nanosecond RAM, a Phoenix ROM BIOS for IBM compatibility, and a dual-speed 8- or 12.5-MHz clock. It flies along at zero wait states and achieved the fastest performance in benchmark testing of processor and memory speeds.

The 286A system box design is hightech looking. It's 6½ inches high, only 15 inches wide, and a full 17 inches deep. You turn the machine on with a frontmounted power button and select system performance clock speed with a second front-panel button. The LCD tells you the time, date, and current operating speed. You can also toggle a performance indicator that uses a horizontal bar graph to display relative processor efficiency depending on the task at hand. The liquid crystal




San Jose, CA 95112

(408) 436-8570

List Price: With 1MB RAM, one 1.2MB 51/4-inch floppy disk drive, DOS 3.2, \$2,495; with 40MB hard disk, \$3,595; monochrome monitor and card, \$360; EGA monitor and card, \$1,145.

In Short: Largely OEMed from its sibling, Wyse, the small-footprint System 286A is a high-quality, 12.5-MHz 80286 system with nice finish work and a fine 101-key keyboard. Modular motherboard allows for future upgrading without your having to buy a new machine. In this case, you do get what you pay for.

: 683 ON READER SERVICE CARD



The most interesting feature of the neatly designed Amdek System 286A is its motherboard, or lack thereof. Because the processor and other essentials reside on an expansion card, future upgrades are not only possible but easy as well. The system is an Editor's Choice.



display isn't important to system performance itself, but it's a nice touch.

SETUP SOFTWARE The Amdek setup software uses a single screen display. All you need to do in order to configure your

machine is to use the Enter key and the keyboard function keys. Preparing the 286A for use is made simple by a high-quality, 64-page installation and assembly manual. The system also includes disks and manuals for DOS 3.21 and GW-BA-

SIC and three utility software packages: Diskcache, Help, and Diskpack.

You can install up to three half-height devices in the 286A. The evaluation unit came with a 1.2MB 51/4-inch floppy disk drive and a 28-millisecond CDC 40MB hard disk. The 190-watt power supply has three power leads for disk or tape drives.

The 286A's internal electronics are different from the norm. Many of the chips and much of the operational circuitry normally found on the motherboard are located on two vertically mounted boards that plug into the motherboard. The plug-in devices include both the system's CPU and RAM chips.

This setup, actually manufactured by Wyse Technology, uses the motherboard more as a bus in which to plug compatible devices than as the repository for the actual brains and chief operating devices of the computer. The major advantage to this modular design is the potential it affords for easy improvement: you can upgrade the system with a faster processor or different memory just by pulling out a board. Amdek currently has an 80386 board in the works that will plug into this system board. Pricing has not yet been set.

Standard equipment includes a combination floppy/hard disk controller, as well as one parallel and two serial ports. The 101 key keyboard supplied with the 286A is another piece of good news. It is manufactured by Wyse for Amdek and has tactile response, with good travel and a nice click. It's almost as good as the "real" IBM Enhanced keyboard.

Amdek uses the standard IBM workalike Phoenix ROM BIOS: in this case, Version 1.83. It easily passed the benchmark tests that are dependent on BIOS compatibility.

UPSCALE MACHINE The Amdek is definitely an upscale machine and is sold through a dealer network that also furnishes service and support. While the 286A is not as expensive as IBM or Compaq machines, it's on the high end of the price scale of most of the AT-class computers we've tested. With a reasonably fast 40MB hard disk and an EGA video board and monitor, the 286A lists for \$4,740—that's \$1,250 to \$1,900 more than the prices of other similarly equipped

Presenting the Ricoh PC LASER 6000 personal printer.

At six pages per minute, it's the perfect tool for people who like to work, not to wait. A printer that'll give your input the kind of output you'd expect from a machine four times its size

Its sleek, compact body measures in at a mere 16 inches wide and 16.5 inches deep. Which practically gives you the freedom to place it just about anywhere in your office. (However, we simply suggest you put it next to your PC.)

It also comes with its own printer control language that's supported by a variety of popular software programs. Add one CIRCLE 749 ON READER SERVICE CARD


of our optional emulation cards, and your choice of compatible software is virtually unlimited.


The Ricoh PC LASER 6000 also has one megabyte of memory (expandable to two) so you can print the most sophisticated desktop publishing graphics.
And best of all, it's very affordable.

So, the next time you're waiting around for your current office printer to print, look into buying a Ricoh PC LASER 6000 for yourself.

It's a great way to get out on your own. For more information on the Ricoh PC

LASER 6000, call 1-800-HI-RICOH. LASER PRINTERS





Operating System...And You'll Pay.

of training, and the costs of the system.

All in all, a very expensive upgrade.

"How can you say this operating system is compatible...when half our computers can't even run it."

Take a look around at the mix of PCs your company uses.

Think one version of OS/2 can be used as a company standard?

Think again.

Because each brand of 80286 or 80386 PCs or PS/2s needs its own machine-specific version. And each version has its own set of hardware and software compatibilities.

8088-PCs are totally out of the picture, and PC-DOS programs don't run while you're interacting with an OS/2 application.

"So you're telling me that to play it safe, we should use the operating system's network... or use none at all."

Open architecture is what built the business PC industry...because it enables you to mix and match the best software with the best hardware for your specific needs.

Which makes you wonder just how smart it is to install an operating

system designed for a specific network...
that may or may not be best for you.
That may or may not be compatible
with the networks you already have.

Our competition wants you to buy it all from them.

We give you a choice.

So we're compatible with the networking standard: Novell.

We take advantage of the fastest software-driven network:

LANLink 5XTM

And we work with the standard in micro-to-mainframe connectivity: Irma by DCA.

"What's this I've heard about operating systems designed for multi-user work groups?"

In short, they're the way of the future.

Because they address the very same needs that most concern you.

Like cost, compatibility, and connectivity.

PC-MOS is a unique DOScompatible, multi-user operating system. It lets departments use inexpensive dumb terminals (or 8088-PCs running terminal emulation software) in combination with host computers.

Because it's multi-user, you can share a PC's data, programs, memory, and processing power with workstations costing under \$500, each. "If PC-MOS can save us over \$1,000 per user, why aren't we using it?"

Good question.

Because with PC-MOS, you get an operating system that lets you share your computers' resources instead of forcing you to spend up to \$5,000 per user upgrade.

PC-MOS was designed to be an operating system standard for the mix of 80286 and 80386 PCs in your company. So you don't have to worry about varying levels of compatibility among your PCs.

It's an operating system that provides compatibility with the hardware and software you have. And it provides a migration path to future applications which will take advantage of the 80386 processor's 32-bit mode.

PC-MOS is available for both 80286 and 80386 PCs and PS/2s.

It comes in single-user, five-user, and 25-user versions, starting at \$195, all of which include a money-back guarantee.

For complete details, call The Software Link at 1-800/451-LINK.



PC-MOS/286[™], PC-MOS/386[™], and LANLink 5X[™] are trademarks of The Software Link, Inc. PC AT, PS/2, Personal System/2, PC-DOS, & OS/2 are trademarks of IBM Corp. IRMA is a trademark of DCA, Inc. Prices and technical specifications subject to change. Copyright © 1988. All Rights Reserved.

■ NINE ATS COMPETE

machines in this round of AT-type computer testing. But the 286A's class shows in both its design and performance, and the modular design could save you money later on system upgrades.—Bruce Brown

AMERICAN MITAC CORP.

Mitac Paragon 286F

The small-footprint Mitac Paragon 286F, from American Mitac Corp., has the most expensive base price of the AT compatibles reviewed here, but it also has the largest number of standard features. For \$3,495 you get IMB RAM, two floppy disk drives, a 40MB hard disk, and an EGA monitor. Clearly, Mitac wants to be considered a one-stop shopping solution.

The most unique feature of the Paragon 286F is the vertical $3\frac{1}{2}$ -inch drive bay on the right-hand side of the machine. The 720K $3\frac{1}{2}$ -inch microfloppy disk drive that sits inside it is a standard feature (along with the customary $5\frac{1}{4}$ -inch drive) and makes media transfer as easy as typing COPY A:*.* B:. Like IBM, Mitac is making a move toward the $3\frac{1}{2}$ -inch media standard. But, unlike IBM, it is doing it with low-density drives. A 1.44MB drive would have been a better choice.

SHRINK-WRAPPED Despite the small footprint (it's only 14¾ inches wide), the Paragon 286F does not skimp on features, though its mass storage capability is limit-



FACT FILE


Mitac Paragon 286F

American Mitac Corp. 410 E. Plumeria San Jose, CA 95134 (408) 432-1160

List Price: With 1MB RAM, one 1.2MB 5½-inch floppy disk drive, one 720K 3½-inch floppy disk drive, 40MB hard disk, 12-inch EGA monitor and card, VGA controller on board, DOS 3.2, \$3,495. Monochrome monitor and card, \$119.

In Short: A high-quality 12-MHz 286 machine that comes with a hard disk and monitor included in the base price. The EGA monitor isn't great, but the rest of the system is topnotch, and the standard $3\frac{1}{2}$ -inch microfloppy disk drive is an extra advantage.

CIRCLE 676 ON READER SERVICE CARD



The Mitac Paragon 286F has a vertically mounted microfloppy disk drive to the right of its drive bays, giving it a unique appearance. The small-footprint package includes just five expansion slots, but all the vital ports, including video, are built into the motherboard.





The LOGITECH HiREZ Mouse the only mouse expressly designed for high-resolution screens.

With a resolution of 320 dots-perinch (as compared with 200 dpi or less for ordinary mice), it covers the same area on your high-res screen, but needs less of your desk to do it. More than 50% less. Saving you valuable desk space, and effort: mouse maneuvers that used to require a sweep of the hand are now reduced to a flick of the wrist.





The LOGITECH
HIREZ mouse needs
50% less derk space
to cover the same
amount of screen
area as a 200 dps
musse

Which makes this new mouse a hand's best friend. And a more reliable, long-lasting companion—fully compatible with all popular software, and equipped with a Lifetime Guarantee.

Equipped, too, with other advantages exclusive to all Logitech mice: A unique lightweight ergonomic design. Lowangled buttons for maximum comfort and minimum fatigue. An exclusive technology that guarantees a much greater life span. An exceptionally smooth-moving, dirt-resistant roller ball. And natural compatibility with all PCs, look-a-likes, and virtually any software.

So if you've got your eyes on a high-res screen, get your hands on the one mouse that's agile enough to keep up with it.

The LOGITECH HiREZ Mouse. For the dealer nearest you, call 800-231-7717 (800-552-8885 in California), or write Logitech, Inc., 6505 Kaiser Drive, Fremont, CA 94555. In Europe, call or write: Logitech Switzerland, European Headquarters, CH-1111 Romanel/Morges, Switzerland (++41-21-869-9656).



CIRCLE 182 ON READER SERVICE CARD

ed. There is room up front for two exposed half-height devices, as well as the vertically positioned microfloppy drive. All the bays were filled on the evaluation unit with standard equipment: a 1.2MB 5½-inch floppy disk drive, a 40MB half-height hard disk, and the 720K microfloppy disk drive. Though the motherboard offers only five expansion slots (four 16-bit and one 8-bit) it compensates by offering two built-in serial ports, a parallel port, the floppy disk controller, and the enhanced EGA video port. The only slot that needs to be occupied to run the machine is the one holding the hard disk controller.

The front panel of the machine includes the drive bays, a lock, the on/off switch, a reset switch, and lights to indicate hard disk activity and 12-MHz turbo mode.

In microprocessor testing, the Paragon 286F performed on a par with other 12-MHz machines. Its 8-MHz operation was also without surprises. The 40MB Microscience hard disk that was installed in the Paragon 286F was an able performer and rated an average access time of 32 milliseconds in the hard disk benchmark tests. The Phoenix ROM BIOS ensures excellent compatibility.

The 12-inch EGA monitor included with the system produces good text, but the colors are hazy, lacking the vibrancy that EGA users demand. A switch below the screen allows the user to select green, amber, or white characters in text mode. Here is where the one-stop shopping solution stumbles. Getting ten pieces put into

OUR REVIEWERS

Greg Alwang is a consultant at Soft Industries, an independent computer consulting firm based in Southington, Connecticut.

Bruce Brown is a principal of Soft Industries, an independent computer consulting firm based in Southington, Connecticut.

Jonathan Matzkin is a staff editor of PC Magazine.

Catherine D. Miller is an associate editor of PC Magazine.

Donald P. Willmott is an associate editor of *PC Magazine*.

one system for one price is certainly an easy way to shop, but what if one of the pieces (a \$500 piece in this case) is unacceptable?

KEYBOARD CONSIDERATIONS

Since it plugs into the front of the computer and has an extra-long cord, the keyboard, which seems oversized when placed in front of the diminutive chassis, can be used far from the screen. It is of the standard 101-key IBM Enhanced-style design and has a soft touch with little audible feedback.

Standard software includes DOS 3.2 and its manuals and Ontrack's Disk Manager. A clear and well-illustrated user manual also comes with the system. Given the fact that a 40MB hard disk is standard, Mitac might want to consider including DOS 3.3 with the Paragon 286F so that disk partitioning is not necessary unless the user wants to do it. All Mitac machines come with a 1-year warranty.


The Mitac Paragon 286F is by no means a bargain machine, though its everything-for-one-price packaging makes the \$3,495 price tag understandable. Mitac has positioned the system as a corporate solution, and it is but one member of a family of PCs that range from an XT-class machine all the way up to a 20-MHz 386-based PC. In the 80286 category, Mitac also offers the Paragon 286VE, a 16-MHz 286 machine priced \$500 above the level of the Paragon 286F. Evaluation units were unavailable at the time of this review.

If you're operating with the kind of budget the Paragon 286F demands, the machine is worth a look. Mitac's attempt to distinguish itself by traveling the high-quality road in the AT-compatible market is, for the most part, successful.

-Donald P. Willmott

Arche Rival 286

Although Arche Technologies is a new player in the computer field, its parent company, Pro-Kennex, is an established manufacturer of racquetball and tennis rackets. The \$1,795 Arche Rival 286 is made in the United States and is built upon the same principle of quality that has given Pro-Kennex its competitive market edge.



chrome monitor and card, DOS 3.3, \$1,795; with IMB RAM, \$1,995; with 20MB hard disk, \$2,195, EGA monitor and card, \$600 In Short: An aesthetically designed and solidly built 12-MHz 286 machine, the small-footprint Arche Rival 286 performs in the same range as do other machines in its class (with the exception of its slow, optional 70-millisecond hard disk). Its beautiful 14-inch flat-screen monochrome monitor really sets it apart.


Arche Technologies is so confident of the Arche Rival 286's construction quality that it offers a 2-year warranty.

The first thing you notice when you look at the Arche Rival 286 system is its small footprint—6 inches high by 17 inches wide by 17½ inches deep—and aesthetically pleasing design. Its solid construction and attention to detail—everything is nicely finished inside and out—inspire confidence.

SWITCHABLE SYSTEM The Arche Rival 286 is an 8/12-MHz switchable system. The turbo switch and the reset switch are conveniently located on the front panel of the system; however, the power switch is located in the customary place on the right side of the case. An indicator light lets you know when you're operating at the 12-MHz turbo speed.

But the most striking system component is the 14-inch amber monochrome monitor, which is manufactured by Arche Technologies. This flat-screen phosphor display has 1,000-line resolution in the center of the screen and 800-line resolution at the corners. It has the usual brightness and contrast controls on the left side of the monitor and has vertical and horizontal hold adjustments at the rear of the monitor.

The monochrome video adapter board that comes with the system doesn't have



WHAT YOUR OLD COMPUTER SYSTEM NEEDS IS SOME NEW INFORMATION.

Since you last bought a microcomputer system, you may have noticed that they are getting more powerful, more productive and less complicated all the time. You may also have wondered how you're going to keep up.

Do you try to get more out of the system you have? Do you opt for enhancements to improve speed and memory? Or would it be more cost effective just to buy a new system?

THE ENTRE
ANSWER
BOOK
TO PC
UPGRAIES

At Entré, we understand your concerns. In fact, we've written a book about it. It explains in clear, concise English how you can make your system more productive and more efficient. And how the experts at your local Entré Computer Center can help you with products, training, service and support.

What's more, it's free. Just send the coupon to Entré or call 1-800-635-7500. It could be the most important data you've ever called up.

Entré Answer Book P.O. Box 5075 Rosemead, CA 91770-0960 1-800-635-7500
Name
Address
City
StateZipPCM
COMPUTER CENTERS'
THE BRAINS BEHIND BUSINESS COMPUTERS.

Entré Computer Centers are independently owned and operated. © 1988 Entré Computer Centers, Inc. "Trademarks of Entré Computer Centers, Inc.

Insist on a Sysgen 51/4" drive for your PS/2.

Here's why:

A Sysgen™ Bridge-File™ gives a PS/2™ full access to your current data and software, with unparalleled 5¼″ disk drive performance and reliability. You get:

A larger capacity drive. Two modes — a 360Kb and a powerful 1.2 Mb — assure you comprehensive transfer capabilities and convenience for total office needs. Others, like IBM®'s, offer only 360Kb. Proven reliability. In fact, Sysgen is the choice of over 100,000 satisfied Bridge-

File and tape back-up users. No slot loss.
The Sysgen 5¼" drive adapter card doesn't take any additional slot space. IBM's does. Built-in flexibility of an external connector. You can add another Bridge-File drive or

Sysgen's high-performance tape back-up system,
Bridge-Tape.™ (As a Bridge-File owner, you receive a
total savings of \$135 on Bridge-Tape!) What's more,

Sysgen's footprint is smaller. A full 50% smaller than IBM's. For the best PS/2 access to 5¼" disks, and the best value at only \$325, insist on Sysgen Bridge-File.

Sysgen offers the only complete family of data transfer products: Including the 3½" Bridge-File floppy disk drive, for transferring information from any PS/2 to any PC. And the Bridge-Tape subsystem that's


PC and PS/2 compatible, giving you total tape back-up and data transfer flexibility.

Call for Sysgen literature or for the location of the Sysgen dealer nearest you.



INFO HOTLINE 1-800-821-2151





An Editor's Choice, the Arche Rival 286 is most admirable for its excellent 14-inch, flat-screen high-resolution amber monitor, which is standard in the \$1,795 system. Hard disks are available, but you'd do best to add your own. The tested disk turned in a 70-inflisecond access time.



graphics capabilities, so I replaced the original board with a Hercules graphics board. The display was even better yet; this monitor is a standout.

The system is designed around the Chips and Technologies' VLSI AT chip set. The unit I evaluated came with 1MB RAM on the motherboard, although 640K RAM is standard for the basic system. Four banks of 256K-bit 100-nanosecond parity-checked RAM chips are arranged in a standard configuration, running with one

wait state. There is an open socket available for the Intel 80287 coprocessor chip.

The Arche Rival 286 has the usual eight expansion slots (two 8-bit and six 16-bit) and has three half-height drive bays. The clock/calendar uses a rechargeable 3/600K nickel cadmium battery from Varta. This battery will recharge itself from the power supply and should last 5 years or so; the 200-watt Senstron power supply has four device connectors. The system I evaluated came with a 1.2MB 51/4-inch Teac floppy disk drive, which is not spring-loaded, and a 20MB Seagate ST-225 hard disk. Although Seagate produces reliable hard disks, this one is slow-rated at 70 milliseconds. Since it will cost you an extra \$400 over the base system price, I would recommend that you look elsewhere and get a better price-or a faster disk.

The basic \$1,795 price includes DOS 3.3. The Award Software setup program, which is part of the Award BIOS, is encoded into 200-ns. EPROM chips and is accessible from the keyboard by pressing the Ctrl-Alt-Esc key combination.

The manual was away at the printer's at review time, so Arche sent me a typeset copy. The 54-page version I saw seems to be directed toward the novice: it's well written, contains lots of pictures and a good index, but has little in-depth technical information.

HOMEMADE Many components of the Arche Rival 286 are manufactured by Arche Technologies: the controller card can handle two floppy disk drives and two hard disk drives; the monochrome video adapter/printer card has a 9-pin TTL video port and a 25-pin parallel port; and the peripheral port card has another 25-pin parallel port and two serial ports.

The keyboard supplied with the system is Unitek's enhanced AT-style 101-key keyboard. It has a good, stiff, over-the-center feel though it can't really approximate the feel of an IBM keyboard.

The Arche Rival 286 is a consistently solid, although not spectacular, performer for its class. It sets itself apart with its aesthetic styling, quality construction, and a superior monitor. The only weak link in this otherwise solid system is the extremely slow (and optional) hard disk.

-Catherine D. Miller

Prime products

- □ 31/2" format available from us. Specify when ordering.
- package includes both 5¹/₄" and 3¹/₂"
- 31/2" format available from manufacturer
 by request. Call us for details.
 - CP—copy-protected; NCP—not copy-protected

SOFTWARE

We only carry the latest versions of products. Version numbers in our ads are current at press time.

Alpha Software NCP	
□Keyworks 3.0 (macros)	\$59.
□Advanced Keyworks 1.0	175.
□ALPHA/three 1.1 (dB3 file compatible)	219.
American Small Business Computers	
□Design CAD 3.0 (NCP)	159.
Design CAD 3D 1.1 (NCP)	
Application Techniques NCP	
BPizazz Plus	75
Ashton-Tate NCP	
□dBASE III Plus 1.1	call
• Rapidfile 1.2	
MultiMate Advantage II 1.0	
☐ Master Graphics Pack (includes Sign Mast	er
Chart Master, Diagram Master)	
Best Programs NCP	233.
□ Label Master 3.1 (mailing label program).	29
Bible Research NCP	. 20.
□THE WORD 4.0 (specify KJV or NIV)	150
Bloc Development NCP	133.
□FormTool 2.01	50
Borland International NCP	, 33.
□Sidekick 1.5	. 57.
□Turbo BASIC 1.1	
□Turbo C 1.5	
□Turbo Pascal 4.0	
Superkey 1.1.	
□Reflex 1.1	
□Eureka 1.0.	
Sidekick Plus	
• Quattro 1.0 w/SQZ!Plus 1.0	
Paradox 2.0 (easy-to-use database)	. call
Broderbund CP	. Can
□Print Shop	. 35.
Print Shop Companion (tools for Print Shop)	
□Memory Mate 2.0 (NCP)	
Chipsoft NCP	. 40.
B Tally Ho 1.01 (financial calculator)	32
Computer Associates NCP	. 02.
SuperCalc 4 1.1	299
Crosstalk Communications NCP	
□Crosstalk XVI 3.61	95
□Crosstalk MK.4 1.0	
Dac Software NCP	123.
□Dac-Easy Payroll 2.0	59
□Dac-Easy Light 1.0	
□Dac-Easy Accounting 2.0	
Dac-Easy Bonus Pak 2.0	
CDao Lasy Dollas Fan 2.0	110.

PC Connection Software Special through July 31, 1988

Nolo Press ... NCP
WillMaker 3.0

Now you can prepare your own valid will without a lawyer. Even the American Bar Association Journal called this "a nice, easy-to-use program." Following a simple question-and-answer format on-screen, in plain English, WillMaker allows you to:

- Leave specific items to your spouse, children, grandchildren, domestic partners, friends, and charities
- Name a guardian to care for your minor children
- Create a trust for your minor children
 Easily update your will as necessary
 For PC, XT, AT & PS/2.....\$35.

Digital Research ... NCP □Gern Draw Plus 2.01 189. Executive Systems ... NCP 5th Generation ... NCP Funk Software ... NCP •Worksheet Utlities 1.0 59. Generic Software ... NCP Generic CADD Level 3 (Drafting Enhancements & Auto Dimensioning included in Harvard Associates ... NCP Hayes ... NCP Hilgraeve Software ... NCP Individual Software ... NCP □Professor DOS (with Smartguide). 33. Intuit ... NCP Javelin Software ... NCP Lifetree ... NCP MacroPac International ... NCP 101 Macros for: 1-2-3 dBASE III Plus WordPerfect

NECA CD	
MECA CP ☐ Managing Your Money 4.0	120
Meridian Technology NCP	129.
□CarbonCopy Plus 5.0.	119
Microlytics NCP	110.
□Gofer 1.0 (text retrieval system)	45.
□Wordfinder 4.0 (electronic thesaurus)	
MicroPro NCP	
□WordStar Professional Release 4.0	
□WordStar 2000 Plus Rel. 3 (Personal Ed.)	259.
Microrim NCP	440
R:BASE for DOS (version 2.1)	
R:BASE for OS/2 (31/2" disks only)	339 .
□Learning DOS (for any version)	35
□Windows 2.03	
●Works 1.0	
	129.
Bookshelf 1.0 (CD-ROM)	
Bookshelf 1.0 w/Amdek Laser Drive	
	209.
■Excel 2.0 (requires 80286/80386 CPU)	319.
LANGUAGES	00
Quick BASIC 4.0	
©Quick C 1.0	
BC Compiler 5.1	
Migent NCP	EUU.
Ability Plus 1.0	149.
Monogram NCP	
□Dollars & Sense 3.1	105.
Nantucket Software NCP	
	399.
New England Software NCP ■Graph-in-the-Box Release 2	75
Nolo Press NCP	70.
BWillMaker 3.0 spi	ecial
North Edge Software NCP	0014
□Timeslips III 3.2	115.
Owi international NCP	
□Guide 2.0	143.
Paperback Software NCP	
UVP-Planner Plus 2.0	
UVP-Info 1.4	
□VP-Expert 1.2 (expert system)	65.
□Nvelope 1.01	29.
□H/Test-H/Format 2.0 (hard-disk tools)	
Mace Utilities 4.1 (DOS utilities)	
Personics NCP	
■SmartNotes 2.0	
ESeeMORE 1.0	
B@BASE 1.1	119.
Peter Norton NCP	
Norton Utilities 4.0	
Norton Guides (C, Assembler, Basic). each	
Advanced Utilities 1.0	03.
DESQView 2.01 (operating environment)	79
□Expanded Memory Manager 4.1	
Revolution Software NCP	

For IBM Personal Computers exclusively.

Excel each 42.



at perfect prices.

Simon & Schuster NCP Typing Tutor IV\$33.	
Softlogic Solutions NCP	
□Software Carousel 2.02 (everything resident) 49.	
Disk Optimizer 4.0	
Software Publishing NCP	
●PFS:First Publisher 1.0	
■PFS:First Choice 2.0 89.	
■PFS:Professional Write 2.0	
●PFS:Professional File 1.01	
• Harvard Graphics 2.1	
• Harvard Total Project Manager II 379.	
Surpass Software Systems NCP	
©Surpass 1.0	
Symantec/Turner Hall NCP	
■Note-It Plus 2.0	
BSQZ!Plus 1.01	
B 4Word 2.0	
B 4Views 1.0	
●Q & A Write 1.01	
■Grandview 1.0	
□Q & A 3.0 (database, word processor) 209.	
□ Breakthrough Timeline 2.0 289.	
TOPS NCP	
Flashcard (AppleTalk network card) 169.	
NetPrint 1.08 (share printers)	
Traveling Software NCP	
©LAP-LINK Plus 1.0	
Desklink	
True BASIC, Inc NCP	
□True BASIC 2.01 (now includes Runtime) 57.	
Vericomp NCP	
■SoftBytes 2.0	
■SoftBytes 386 ^{MAX} 2.36 49.	
WordPerfect Corp NCP	
•WordPerfect Library 1.1	
□WordPerfect 5.0	
■DataPerfect 2.0	
WordTech Systems NCP	
□dBXL 1.2	
□dBXL 1.2	
Xerox NCP Ventura Publisher 1.1	
Xerox NCP	
Ventura Publisher 1.1	
Ventura Publisher 1.1	
Xerox NCP Ventura Publisher 1.1	
Ventura Publisher 1.1	
Xerox NCP Ventura Publisher 1.1	
Xerox NCP Ventura Publisher 1.1	
Ventura Publisher 1.1	
Xerox NCP Ventura Publisher 1.1	
Ventura Publisher 1.1	
Ventura Publisher 1.1	
Ventura Publisher 1.1	
Ventura Publisher 1.1	
Xerox NCP Ventura Publisher 1.1 549. EDUCATIONAL Barron's CP Computer SAT 35. Stone & Assoc NCP (reqs. graph. brd.) My Letters, Numbers, Words (ages 2 to 6) 27. Kids Stuff (ages 2 to 6) 27. True BASIC, Inc NCP Trigonometry 32. RECREATIONAL Accolade CP (reqs. graphics brd.)	
Xerox NCP Ventura Publisher 1.1 549. EDUCATIONAL Barron's CP Computer SAT 35. Stone & Assoc NCP (reqs. graph. brd.) My Letters, Numbers, Words (ages 2 to 6) 27. Kids Stuff (ages 2 to 6) 27. True BASIC, Inc NCP Trigonometry 32. RECREATIONAL Accolade CP (reqs. graphics brd.) Hardball (baseball simulation) 11.	
Ventura Publisher 1.1	
Xerox NCP Ventura Publisher 1.1 549. EDUCATIONAL Barron's CP Computer SAT 35. Stone & Assoc NCP (reqs. graph. brd.) My Letters, Numbers, Words (ages 2 to 6) 27. Kids Stuff (ages 2 to 6) 27. True BASIC, Inc NCP Trigonometry 32. RECREATIONAL Accolade CP (reqs. graphics brd.) Hardball (baseball simulation) 11.	

PC Connection Hardware Special

through July 31, 1988

Practical Peripherals ... 5 years 2400 Baud Internal & External Modems

The Practical Peripherals 2400 SA has been a best-seller with us for some time now. The reason? It delivers high quality data transmission, Hayes compatibility, and made-in-the-U.S.A. quality. All at a terrific price.

- Hayes asynchronous compatible
- Compatible with virtually all current communications programs
- Separate line and set connectors to accomodate data and voice calls
- Automatic answer mode
- Made in the U.S.A.

Chuck Yeager's Flight Simulator	
Hitchhiker's Guide	12.
	25.
	33.
Microprose CP	
F-15 Strike Eagle (requires CGA)	22.
Gunship (requires CGA or EGA)	32.
Microsoft CP	
□Flight Simulator 2.13 (reqs. graphics brd.)	35.
Mindscape CP	
□Balance of Power (regs. graphics brd.)	30.
Parlor Software CP	
□Bridge Parlor (best Bridge simulation)	49.
Sierra On-Line CP	
Leisure Suit Larry (requires CGA or EGA).	25.
■Space Quest (requires CGA or EGA)	33.
■Space Quest II (requires CGA or EGA)	33.
■King's Quest III (requires CGA or EGA)	33.
■Police Quest (requires CGA or EGA)	33.
Sphere, Inc NCP	
■Tetris (addicting mind teaser)	
■Falcon (F-16 simulation, reqs. graphics brd.)	32.
Sublogic NCP	
□Jet 2.1 (requires EGA or CGA)	33.
XOR NCP	
□NFL Challenge , , ,	69

1-800/243-8088



PC Connection 6 Mill Street 500M Marlow, NH 03456

603/446-3383 **FAX** 603/446-7791

HARDWARE

Manufacturer's standard limited warranty period for items shown is listed after each company name. Some products in their line may have different warranty periods.

AST Research 2 years	
I/O Mini 2 C/S/P	\$89.
SixPakPlus 64k C/S/P	
(now upgrades to 576k)	. cal
SixPakPremium 256k C/S/P	
(upgrades to 1 Meg or 2 Meg w/Piggyback)	cal
Advantage Premium 512k S/P	
(upgrades to 1 Meg or 2 Meg w/Piggyback)	cal
Advantage 2 512k (for PS/2)	. cal
RAMpage! 286 512k (upgrades to 2 Meg)	cal
Hot Shot 286 (10 MHz)	399
Amdek 1 year	
410A (amber monochrome monitor)	159
LaserDrive-1 (CD-ROM Drive; 90-day wrty.)	
Compucable 2 years	
2-Position switch box	29
3-Position switch box	
Cuesta 1 year	. 00
Datasaver 400 Watt (standby power unit)	459.
Curtis lifetime	400
ACCESSORIES	
	0
Disk Holder DB-1 (holds 50 51/4" disks)	
Printer Stand PS-1	. 10.
DS-1 Switch Box (controls 2 printers)	. 33.
CABLES	47
Smartmodem-to-PC Cable (9 feet)	
Printer-to-IBM cable (9 feet)	. 17.
SURGE SUPPRESSORS	
Safestrip SP-3 (6 outlets; 1 year wrty.)	
Diamond SP-1 (6 outlets)	
Ruby (6 outlets; EMI/RFI filtered; 6 ft cord)	
Ruby-Plus (w/FAX & modern protection)	. 69
DCA 1 year	
Irma 2 (3270 emulation board)	729
Epson 1 year	
We are an authorized Epson Service Center.	
FX-86e printer (80 column, 240 cps)	
FX-286e (136 column, 240 cps):	
LQ-500 (80 column, 180 cps)	
LQ-850 printer (80 column, 264 cps)	
LQ-1050 printer (136 column, 264 cps)	
LQ-2500 printer(136 column, 324 cps)	. cal
LX-800 printer (80 column, 180 cps)	. cal
Printer-to-IBM cable (6 feet)	. 15.
Everex 1 year	
1200 Baud Internal Modem	. 99.
2400 Baud Internal Modern	199
5th Generation 6 months	
Logical Connection 256k	349.
Logical Connection 512k	
Hayes 2 years	
Smartmodem 1200	299
Smartmodem 1200B (with Smartcom II)	
Smartmodem 1200B (no software)	

For IBM Personal Computers exclusively.



Call 800-243-8088.

Smartmodem 2400	\$449 .
Smartmodern 2400B (with Smartcom II).	449.
Hercules 2 years	
Graphics Card Plus	. 189.
Network Card Plus (with TOPS DOS)	349.
Intel 5 years	
2400B Modern 2 (internal modern for PS/2	
Models 50/60/80)	279.
Inboard 386/PC w/1 Meg	
Inboard 386/AT (req. installation kit)	
Inboard Installation Kit (specify computer).	
Aboveboard 286 512k	
Aboveboard PS/286 512k S/P	419.
AboveBoard 2 Øk (for MicroChannel)	. 279.
8087 (for IBM-PC & XT)	
8087-2 (for PS/2 Models 25 & 30)	
80287 (for AT & XT286)	
80287-8 (for 8 MHz 80286 machines)	
80287-10 (for PS/2 Models 50 & 60)	
80387 (for 16 MHz PS/2 Model 80)	
80387-20 (for 20 MHz PS/2 Model 80)	
Kensington Microware 1 year	
Masterpiece	94
Masterpiece Plus.	109
key tronic 3 years	. 100.
101 Keyboard (enhanced layout)	99
Kraft 1 year	
Three-button Joystick	33
KYE International 1 year	
Genius Mouse Model GM-6 Plus	50
Microsoft lifetime	00.
SPECIFY BUS OR SERIAL VERSION	
Mouse with Paintbrush	. 109.
Mouse with Easy CAD	
Mouse with Windows and Paintbrush	
Migent 1 year	. 140.
Pocket Modern (1200 baud, incl. software)	119.
MSC Technologies lifetime	110.
SPECIFY BUS OR SERIAL VERSION	
PC Mouse w/PC Paint +	go
PC Mouse w/Autosketch	. 105.
NEC 2 years Multisync II (800 x 560 max. resolution)	call
	Coll
NSI Logic 3 years	125
Epic 480 (extended EGA)	160
Smart EGA Plus (supports 800x600 res.)	, 109.
Orchid Technologies 2 years	200
Tiny Turbo 286	. 209.
Designer VGA	. 349.
PC Cooling Systems 1 year	
REPLACEMENT POWER SUPPLIES	400
Turbo Cool 150 (run 25° - 40° cooler)	
Turbo Cool 200 (run 30° - 45° cooler)	
Silencer 200 (69% noise reduction)	. 149.
Practical Peripherals 5 years	400
Microbuffer Inline (par. print buffer w/32k)	129.
1200 Baud Internal Modern (w/ProComm,	
1200 Baud External Modem	
2400 Baud Internal Modem	special
2400 Baud External Modem	special
Princeton Graphics 1 year	
MAX-12F (amber monochrome monitor).	139

Ultrasync (supports CGA, EGA, VGA) \$549.
Quadram 2 years
ProSync (with mouse) 259.
Microfazer II Print Buffer 64k 249.
Quad386XT
Toshiba 1 year
P321SL printer (80 col., 216 cps, w/tractor) 529.
P351SX printer (136 column, 216 cps) 999.
T1000 Laptop (80C88, 6.4 lbs., 5 hr. battery) call
T1200 Laptop (80C86, 10 MHz, 20 Meg) call
T3100/20 Laptop (80286, 8 MHz, 20 Meg) call
T3200 Laptop (80286, 12 MHz, 40 Meg) call
T5100 (80386, 16 MHz, 40 Meg) call
768k Ram Card for T1000
Video 7 2 years
VEGA Deluxe (supports 640x480) 209.
VEGA VGA (supports full VGA specs) 287.

DRIVES

IOMEGA 1 year
Bernoulli II Single 20 Meg Internal (51/4") 779.
Bernoulli II Dual 20 Meg External (51/4") 1679.
20 Meg cartridge (5 ¹ / ₄ ")
Bernoulli Box 40 Meg 1679.
20 Meg cartridge (8")
PC2 Card
PC2B Card (bootable card) 229.
PC4 Card (for PS/2 Model 50/60/80) 299.
Mountain Computer 1 year
40 Meg Internal Tape Drive (XT, AT or PS/2) 379.
40 Meg External Tape Drive (XT, AT or PS/2) 479.
40 Meg External Tape Drive w/Power
Supply (XT, AT or PS/2)
Pius Development 1 year
Hardcard 20 Meg (49 ms)
Hardcard 40 Meg (39 ms) 725.
Seagate 1 year
FREE PCTV® Hard Drive Installation Tape with the
purchase of 20 Meg Seagate drive for the IBM PC
(not for AT). Specify Beta or VHS.
20 Meg Internal Hard Drive ST225 (w/controller
and cables, 65 ms)
30 Meg Internal Hard Drive ST238 (w/controller
and cables, 65 ms)
40 Meg Internal Hard Drive for AT (40 ms) 439.
40 Meg Internal Hard Drive for XT
(w/controller and cables, 40 ms) 499.
TEAC 1 year
PC, XT 360k Drive (51/4" half-height) 99.
720k Drive (31/2" half-height, specify XT or AT) 99.
Toshiba 1 year
AT 360k Drive (51/4" half-height) 99.

1-800/243-8088



PC Connection 500M 6 Mill Street Marlow, NH 03456

603/446-3383 FAX 603/446-7791

DISKS

All disks have a lifetime warranty.	
51/4" DS/DD Disks for PC & XT (360k)	
Fuji MD2D (10 disks per box)	\$12.
Sony (10 disks per box)	
Maxell MD2-D (10 disks per box)	13.
Verbatim Datalife (10 disks per box)	13.
51/4" DS/High Density Disks for AT (1.2 Me	eg)
Fuji MD2HD (10 disks per box)	
Sony (10 disks per box)	23.
Maxell MD2-DD (10 disks per box)	23.
Verbatim Datalife (10 disks per box)	22.
31/2" DS/DD Diskettes (720k)	
Sony (10 disks per box)	18.
Fuji (10 disks per box)	19.
Maxell (10 disks per box)	20.
31/2" DS/High-Density Diskettes (1.44 Me	:g)
Fuji (10 disks per box)	55.
Maxell (10 disks per box)	

MISCELLANEOUS

ŀ
2
5
)
2

OUR POLICY

- We accept VISA and MASTERCARD.
- No surcharge added for credit card orders.
- Your card is not charged until we ship.
- If we must ship a partial order, we never charge freight on the shipment(s) that complete the order (in the U.S.).
- All U.S. shipments insured; no additional charge.
- APO/FPO orders shipped 1st Class Mail, charged by
- Allow 1 week for personal and company checks to clear.
- COD max. \$1000. Cash, cashier's check, or money order.
- 120 day limited warranty on all products."
- To order, call us anytime Monday thru Fnday 9:00 to 9:00, or Saturday 9:00 to 5:30. You can call our business offices at 603/446-3383 Monday through Friday 9:00 to 5:30.

SHIPPING

Note: Accounts on net terms pay actual shipping. Continental US:

- For monitors, printers, Bernoulli Boxes, and computers, pay actual charges. Call for UPS 2nd-Day & Next-Day-Air.
- For all other items, add \$3 per order to cover UPS Shipping. For such items, we automatically use UPS 2nd-Day-Air at no extra charge if you are more than 2 days from us by UPS ground.

Hawnii:

 For monitors, printers, Bernoulli Boxes, and computers, actual UPS Blue charge will be added. For all other items, add \$3 per order.

Alaska and outside Continental US:

Call 603/446-3383 for information.

For IBM Personal Computers exclusively.





PC Pride.

It's not Greek to us. By Jove.

he town of Marlow, NH (pop. 553) is steeped in myth and tradition. Even as we speak, our Herculean mascots are celebrating the Summer Olympiad by running and jumping their frivolous little hearts out. Meanwhile, we ordinary mortals continue to set new world records for sales and support of awardwinning programs and peripherals.

Hit us with your best shot. (Or, the myths of mail order).

Back in the days of yore, not-so-perspicacious PC pundits

proclaimed that no mail order house could have enough pride to satisfy serious customers. They said the big bears of retail would crush our humble enterprise and we'd return to the sidelines with our flag in tatters. Since then we've vaulted, sprinted, jumped, dived, bumped, spiked, and generally hurdled ourselves headlong into the hearts and minds of PC users all over the world.

We've known the thrill of victory when your ports are pumping and performance is perfect. But, we also know the agony of defeat when your jumpers aren't jumping and your disks fall short. That's why our intrepid team of sales consultants is always in training to reach new heights of after-sale support.

Gopher! The gold, please.

When you go to trade shows you need something to trade and something to show, right? Well, how about the PC Connection Raccoon Pride Pin? You probably

won't want to trade this soon-tobe-if-not-already-valuable memento of microcomputer mastery. But you will want to show it off. Get one of your very own with an order of \$500 or more between now and July 31st.

Just call 1-800/243-8088 or 1-603/446-3383, M-F 9:00 to 9:00; Saturday to 5:30. If you're planning to visit please call ahead.



Display your PC Pride with a special pin featuring our own classy colsouné and bound-for-glory mancour. Offer not smallable to set accounts. One per contener.

For IBM Personal Computers exclusively.

IP&CONNECTION

CORE INTERNATIONAL Core ATomizer

In the past few years we have seen AT compatibles marketed by companies that are well known for making other things like monitors, printers, and even cars. Now consider the long-awaited revision of the ATomizer, from Core International, a maker of high-performance hard disks.

Core has taken its advanced disk drive technology and fed it into an AT clone with positive results. At \$1,350, the ATomizer comes with 512K RAM; a 1.2MB 51/4-inch floppy disk drive; one parallel and one serial port; a combination floppy/hard disk controller; an IBM Enhancedstyle keyboard; and six 16-bit and two 8bit expansion slots. There is room for two more exposed half-height storage devices and one full-height disk drive. The 21-inch system unit is extremely sturdy and somewhat bulky; you may want to try to put it under vour desk.

The ATomizer operates at a switchable 6, 8, or 12 MHz and contains the Phoenix BIOS, Version 3.06. Memory on the motherboard can be expanded to 4MB using 1MB chips, and additional memory can be included on expansion boards up to the 16MB limit.

HIGH-CAPACITY HARD DISKS The Core HCR controller card is specially equipped to run high-capacity hard disks




FACT FILE

Core ATomizer Core International 7171 N. Federal Hwy Boca Raton, FL 33487 (305) 997-6055


List Price: With 512K RAM, one 1.2MB 51/4-inch floppy disk drive, DOS 3.3 or Xenix, \$1,350; 40MB hard disk, \$876; monochrome monitor and card, \$285; 14inch EGA monitor and card \$600

In Short: A reliable, fast, 12-MHz machine with powerful mass-storage capabilities from a company known for its big, fast hard disks. The system is sturdy, with plenty of room for one or more full-height disk drives. An ideal machine for applications that require high capacity and speed.

CIRCLE 681 ON READER SERVICE CARD




Core International's rugged ATomizer is a full-size 12-MHz AT compatible that, as you might expect, turned in the best hard disk performance times of the machines reviewed here. Inside, the standard AT-like eight-slot configuration is found.



and contains circuitry that can support hard disks using a 1-to-1 interleave. The HCR controller also passes information to and from the disks much faster than a normal ESDI/506 controller (like the one in the IBM PC AT) would. In order to take full

advantage of the HCR controller, you should use a high-capacity disk. Obviously, Core offers a number of different disk choices: some are aimed at those looking for a good buy, while others are geared toward those whose main concern is real

Of all the graphics you can create with Freelance Plus,

























































speed, the kind Core is famous for.

If you order an ATomizer equipped with a hard disk from Core, all you have to do is specify whether you'll be using DOS, OS/2, or Xenix. Core will low-level-format the hard disk and run setup by request. Core does not supply a copy of the operating system with each unit, but you can purchase one separately.

You pay a little more for the Core disk drives, but in return you get a machine that offers reliability, data security, and speed.

Our evaluation unit contained a Core Optima 40MB hard disk (\$876) with DOS 3.21 installed. It also included a respectable Mitsubishi-made 14-inch EGA monitor and adapter card (\$600), bringing the total cost of the evaluation unit to \$2,826. The ATomizer performed the benchmark tests with no major problems and finished first in disk testing.

The keyboard shipped with the evaluation unit was an 84-key, AT-style keyboard that had a mushy feel to it, but a representative said that Core now ships only 101-key, Enhanced-style keyboards with the ATomizer. The new keyboard did not arrive in time for evaluation, but it can only be better than the other keyboard.

The documentation is basic enough to guide new users through installation and setup and advanced enough for more-experienced users. Bundled with each AT-omizer is Core's own Corefast backup and file management utility, as well as a Core utilities disk.

Included with the ATomizer are several manuals that contain separate sections for installing and configuring the disk drives, getting started with the Corefast backup program, and even instructions on upgrading for Novell software when using a Core disk drive.

TECH SUPPORT If you encounter any problems when configuring the ATomizer, Core offers free technical support for the length of the warranty. The warranty for the ATomizer system unit is 1 year; for a Core disk drive, 3 years. Extended 2- or 3-year warranties for the ATomizer (\$200 and \$350) are available.

When the unit is returned for repairs, Core pays the shipping one way. Problems with the system unit are fixed by third-party maintenance technicians, but if the Core disk drive is the problem, Core will replace it (for free if the problem occurs within the 3-year warranty period).

Based on price and performance, the ATomizer is a good buy. Even when you add the price of a hard disk, monitor, and adapter card, the system is a reasonable \$2,800 to \$3,000. You pay a little more for the Core disk drives, but in return you get a machine that offers reliability, data security, and speed.—Greg Alwang

DATAWORLD Dataworld Data 286

The Data 286 from Dataworld, the southern California-based mail-order firm, is a zero-wait-state, 12-MHz machine with 512K of 60-nanosecond RAM, and a 12-inch EGA monitor and card. The Data 286 costs \$1,605 and comes in a full-size system box, 6½ by 19½ by 16½ inches (HWD), the advantage being the full complement of eight expansion slots: six 16-bit and two 8-bit. One of the 16-bit slots holds the hard/floppy disk controller.

The zero-wait-state memory setting is very fast, and Dataworld has chosen to ensure memory reliability with faster-thannormal RAM chips. While other vendors typically install 80-ns. chips for 12-MHz zero-wait-state machines, Dataworld uses more-expensive and faster 60-ns. chips. According to Dataworld, the 60-ns. chips have a better chance of working well under the high-heat situations that often occur in full-size boxes stuffed with expansion cards.

SWITCHING WAIT STATES If you want to switch between zero wait states and one, it's easily accomplished with a rear-mounted toggle switch. Other conveniences include front-panel buttons to



FACT FILE

Dataworld Data 286

Dataworld 3717 San Gabriel River Pkwy. Pico Rivera, CA 90660 (800) 722-7702

(800) 722-7734 (in Calif.) (213) 695-3777

List Price: With 512K RAM, one 1 2MB 5½-inch floppy disk drive, 12-inch EGA monitor and card, \$1,605,40MB hard disk, \$585; 512K memory upgrade, \$150

In Short: A fairly standard AT compatible that runs at speeds of up to 12 MHz at zero wait states. Very-high-speed 60-nanosecond memory chips help ensure reliable performance. The price is right, but service is available only on the West Coast.

CHELE 680 UN READER SERVICE CARD

switch between the 12-MHz turbo mode and the slower 8-MHz speed for products that don't work at higher speeds.


All of the internal components are either industry standards or acceptable substitutes. The finish work is of fine quality, and the box suitably rugged. The 200-watt power supply has four power lead device connectors and includes a switched outlet in which to plug a monitor power cord.

The Data 286 uses the ubiquitous Phoenix 80286 ROM BIOS, in this case Version 3.07/00. Phoenix setup software is also included, although the IBM Advanced Diagnostics setup program works as well.

The Data 286's keyboard is of the IBM Enhanced style and is manufactured by Focus Electronics. The keyboard is particularly good and a pleasure to work with. It has a reasonable amount of tactile feedback, good travel, and a reassuring click. It feels especially sturdy.

Neither DOS nor any version of BASIC comes standard with the Data 286, as it does with all the other machines reviewed here except for the Star Industries AT 286. The only software included is the setup program, so when you compare prices be sure to add \$99 for DOS and BASIC. A helpful booklet has fairly clear descriptions of system switch and jumper settings. The booklet also has an accurate line drawing of the motherboard and electronic

This is the one were particularly proud of.



Lotus* Freelance* Plus is the most versatile graphics package for the PC. And that's probably why it's the #1 selling business graphics package on the market.*

Freelance Plus lets you create everything from data-driven charts like bar charts, to graphics based on ideas like flowcharts. And Freelance Plus is the complete graphics solution, because you get all the tools you need for creating effective business graphics in a single package.

What's more, Freelance Plus is compatible with other Lotus software, like 1-2-3, Symphony, and Manuscript. And it's incredibly easy to use.

Find out why Freelance Plus has the biggest slice of the pie. To order a \$10 demo kit, call 1-800-345-1043 and ask for demo kit ADW-1658. Lotus Freelance Plus



■ NINE ATS COMPETE



The Dataworld Data 286 offers 12-MHz speed and excellent compatibility in a full-size chassis that may be hundreds of dollars less expensive than other AT compatibles. A vistem with a 40MB hard disk and an EGA monitor can cost as little as \$2,190.



components, a measure of detail other vendors sometimes omit. A 40-page user manual covers the system's installation and setup procedures.

Dataworld machines need to be shipped to the West Coast for service. The vendor

pays for ground shipping one way, and its service department tries for a 3-day turnaround. If you call with a service problem and the technicians are able to determine the faulty component over the phone, they'll have you take the suspect piece out of your machine (if you feel capable) and ship it west, which costs less for both sides. The system comes with a 1-year warranty for parts and labor.

The bonus for accepting the potential service inconvenience is price. Our evaluation unit, complete with EGA card and monitor and the 40MB hard disk, was priced at \$2,439. You get a high degree of AT compatibility, faster memory chips than from most vendors, and several convenient features in a full-size box for significantly less than you would pay for other, name-brand computers at local dealers.—Bruce Brown


EPSON AMERICA INC. Epson Equity II Plus

Epson America keeps right on rolling with new products and product updates. The Epson Equity II Plus is the latest version of Epson's small-footprint, all-purpose 80286 computer. With a base price of \$1,595, the 10-MHz Equity II Plus is \$500 cheaper than Epson's top-of-the-line Equity III Plus, which gives you more expansion slots, faster operation, a bigger box, and a top operating speed of 12 MHz.

For your \$1,595, Epson gives you a 640K, 8/10-MHz, one-wait-state AT compatible. Configured with a 40MB hard disk and an EGA monitor, the price of the system is \$3,643. The Equity II Plus completed all of our benchmark tests handily and achieved the speed performance scores its clock and wait-state setting would suggest. There are no surprises here, which is good news in a developed product niche that should be predictable but often isn't.

The Equity II Plus's system box is a small unit, 6.1 by 15.7 by 16.3 inches (HWD), that weighs 19.8 pounds. It doesn't take up much room on your desk, but if you put the 7.7-inch-deep keyboard in front of the system unit, you'll need a minimum desk depth of 24 inches plus some room in back for cables.

The computer is good looking but doesn't call attention to itself with any particularly startling exterior features. Inside the box, however, the power switch mechanism looks pretty silly. There is a long metal arm that extends from the frontmounted power switch to the back of the



We call it Modular Systems Architecture™: a building block approach that protects your PC investment against obsolescence. It makes upgrading Wyse PCs a snap—literally. Because we've put all computing functions, even the CPU and its microprocessor, on plug-in boards. So as your needs grow, you can easily upgrade our 8 MHz AT compatible to a 12.5 MHz high perform-

ance 286, or even a 16
MHz 386. When more
powerful microprocessors
are available, you'll even
be able to upgrade our
top-of-the-line 16MHz
WYSEpc 386.

exceptional memory

speed plus processing

speed make it one of the must powerful PCs made.

WYSE* is a registered trademark of Wyse Technology. SystemWyse, WYSEpc 386, and Modular Systems Architecture are trademarks of Wyse Technology. IBM is a trademark of International Business Machines. Screen: Boeing Graph.

Introducing SystemWyse.™ Wyse PCs are themselves building blocks in a comprehensive



It's this easy to upgrade the CPU and boost the power of a System Wyse PC.

system for creating solutions. They link effortlessly with our terminals, monitors, and expansion boards in integrated solutions of exceptional quality and value, using industry standard software. And SystemWyse is backed by the company that sells


more terminals than anyone but IBM.

The big idea, above all, is to adapt more readily to change than any other PC system. Because survival belongs not merely to the fittest, but to those who remain fittest, longest. Call for more 1-800-GET-WYSE

WYSE

We make it better, or we just don't make it.

■ NINE ATS COMPETE



The Epson Equity II Plus is a small-footprint, 10-MHz AT compatible. Inside, note the separate controllers for the floppy disk drive and the hard disk, and the long arm that extends from the onrolf switch in front of the machine to the power supply in the back.





FACT FILE

Epson Equity II Plus

Epson America Inc. 2780 Lomita Blvd. Torrance, CA 90505 (213) 539-9140

List Price: With 640K RAM, one 1.2MB 51/4-inch floppy disk drive, \$1,595; with 40MB hard disk, \$2,795; monochrome monitor and card, \$248; RGB monitor and card, \$568; EGA monitor and card, \$848.

In Short: A small-footprint, 10-MHz system with quality components, most—including

with quality components, most—including
the BIOS—manufactured by Epson. The
only markedly different components are separate floppy and hard disk controller cards
that eat up an extra slot. Sold and serviced
through dealers, so discounts can be found
and service is close by.

CIRCLE 679 ON READER SERVICE CARD

machine and pushes a button on the 140watt power supply. The mechanism seems out of place in an otherwise cleanly designed machine.

Configuring the Equity II Plus with the supplied Set-Up software is simple. It involves making selections from a single screen menu that lists options in pop-up windows. The Set-Up utility on IBM's AT Advanced Diagnostics disk also works.


The Equity II Plus is available with a variety of disk drive units. A 1.2MB 5½-inch half-height floppy disk drive is standard with the system; a 360K 5½-inch and a 720K 3½-inch floppy disk drive are optional. The only hard disk option is the 28-millisecond CDC 40MB hard disk that Epson also sells with the Equity III Plus. There is space in the system unit and power hookups for up to three half-height drive or tape devices.

INSIDE THE BOX You get just six expansion slots with this unit (three 16-bit and three 8-bit), though they are probably enough for most single users. The standard interface card includes the controller for the floppy disk drive and parallel and serial ports. It takes one of the 8-bit slots. If you add a hard disk to the Equity II Plus, you have to use a separate hard disk controller. The evaluation unit came with a Western Digital controller for the CDC hard disk.

The IBM Enhanced-style keyboard is



Quicken finishes all this in



ntroducing Quicken" Version 2absolutely the fastest, easiest way to write checks, keep financial records. track income and expenses, budget, and manage your cash flow. It's ideal for business and personal use.

Now, Finish Financial Chores in Seconds.

Quicken completes your financial work 5 to 8 times faster than ever before:

- Analyze budget vs. actual expenses by month for 12 months: 4 seconds
- Look up a check you wrote 1000 checks ago: 1 second
- Write and print 20 checks and update all records: 3 minutes
- Compile an itemized list of tax deductions for the year: 3 seconds

How can it be so fast? Quicken uses indexed files and speed-optimized C and assembler code - the very latest in high-speed technology.

So Automatic, It Eliminates Work.

Quicken's fully automatic "macros" eliminate repetitious clerical work. Macros



Quicken remembers the bills you forget.

remember your bills, print your checks, and update all records automatically. All you do is sign the checks.

In fact, Quicken is so automatic it reminds you to pay your bills even if you forget to use it! Simply turn on your hard disk PC, and Quicken's pop-up Billminder" appears when you need to pay bills.

No Need to Alter Your Bookkeeping Procedures.

Quicken is easy to use because it works just like your checkbook. There's no need to change your bookkeeping format or learn anything new — no accounting jargon, no "debits," no "credits."

Quicken also comes with comprehensive on-line help, a complete manual, and free technical support.

Here's what the critics say:

"I've never seen such an easy-to-use manual or software that's so simple to use." Martin Blumenthal, inCider Magazine

"Extremely simple and fast."

Esther Dyson, Industry Analyst

"Absolutely the best small accounting program made." Bob Schwaback. Universal Press Syndicate

New Features for Business.

Quicken provides special sections for businesses covering payables, receivables, cash flow forecasting, payroll, petty cash control and job, client, and property bookkeeping.

If you're a doctor, property manager, accountant, consultant, or manage any type of small business, and you write checks, Quicken will save you time and money starting today.

Free 30-Day Trial.

Try Quicken. If you're not 100% satisfied, return it within 30 days and pay nothing.

Specifications
Software Compatibility: Exports data and reports in ASCII.
Also exports in Lotus "format with optional Transfer Utility.
Hardware Compatibility: All IBM" PC, AT," PS/2" and
compatibles with 256K RAM and DOS 2 0 or higher All
printers. All monitors. Also available for Apple." Ile, Ike
and GS with most of the same features.
Capacity: Number of bank accounts unlimited.
Number of transactions unlimited. Maximum amounts.
\$9,900,900.00. Number of income expense categories:
250 with 256K, thousands with 512K RAM.
Other: Not copy protected. Checks are approved for all
financial institutions in the U.S. and Canada.



Try Quicken for 30 Days Free! If not completely satisfied, return Quicken within 30 days for a full refund (including \$3.00 shipping and handling charge).

Call 800 624-8742	
· , - (-1)	
Or send coupon with payment to: Intuit,	
540 University Ave., Palo Alto, CA 9430	l
☐ Check enclosed (No purchase orders) ☐ Visa ☐ MasterCard ☐ Arnex	
Card NoExp	
Name	
Address	
CityState	
ZipPhone	
Ouicken \$49.95 plus \$3.00 shipping &	

handling. CA residents add sales tax.

☐ Apple II version ☐ 3½" disk ☐ IBM version ☐ 5¼" disk

☐ Transfer to Lotus Utility (optional), \$19.95 Current Quicken owners-Call our 800

number for upgrade information.

■ NINE ATS COMPETE

merely all right, with reasonable response and feel. The keyboard isn't good enough to rave about, but it won't keep you from buying or using the machine, either. Like other Epson machines, the Equity II Plus has the keyboard plug on the left front side of the system unit, an improvement over the more common back-of-the-box location.

Epson usually supplies extensive documentation for its products, and the Equity II Plus is no exception. Three thick manuals cover the included MS-DOS 3.2, GW-BASIC, and a user guide and diagnostics. SpeedStor hard disk backup software also comes standard.

Epson produces its own BIOS, which passed all of our compatibility tests. The only feature on the whole machine that is different from the norm is the separate floppy and hard disk controller cards.

One of the best things about the Equity II Plus is its manufacturer. While many AT-class machines have to be shipped across the country for service or cared for by regional service centers, Epson is a standard brand name and its computers are generally sold through dealers who also supply support and service.

The Equity II Plus is neither the fastest nor the fanciest AT-class machine. Epson positions this unit as an all-purpose machine for end users who need middling 80286 power but don't want to give up a lot of desk space. If you need 12-MHz speed or nine slots, Epson is happy to sell you the Equity III Plus, but many users need look no further than the Equity II Plus,—Bruce Brown

HYUNDAI ELECTRONICS AMERICA

Hyundai Super-286C

Hyundai markets the Excel—its fast-sell-ing import econocar—as the best possible combination of price and features. There are cheaper cars (if you want to call the Yugo a car), but Hyundai claims that you won't find a better deal when you consider all of the Excel's standard equipment.

The same philosophy seems to be behind Hyundai's economy computer, the Super-286C. With a base price of \$1,499, it's several hundred dollars more expensive than the cheapest AT compatibles.



The small footprint of the Hyundai Super-286C is achieved by slicing out two expansion slots and mounting the half-height hard disk vertically. The \$1,499 machine comes standard with an EGA Wonder Card and one parallel and two serial ports.



INTRODUCING THE MOST POWERFUL, "ALL IN ONE" LOOP 286 COMPUTER





LOOP 88

- . Intel 8088 Base System.
- 4.77 10 MHz Clock Speed
- . 640K Memory on Board
- * Hard & Software Switchable
- **★ 8 Slots**
- ERSO BIOS 150W Power Supply
- . One Teac 360K Floppy Drive
- . Floppy Drive Controller.
- . AT Type Keyboard (84 Keys)

BASE SYSTEM \$539

ALL SYSTEMS WITH:

- . One Year Limited Warranty.
- 72 Hours Burn in Work.
- Fully Assembled & Tested Assurance in U.S.A.
- 30 days money back guarantee...
- . FREE UPS ground in U.S.A.
- · Major credit cards acceptable.

LOOP 286

- . Western Digital 286 Main Board
- . Western Digital BIOS
- ◆ 1 MB Memory on Board
- * 1 Wait State
- **★** 0 Wait State Available
- + One 1.2 MB Floppy Drive
- . 200W Power Supply
- Enhanced Capacity Keyboard (101 Keys)
 Case Dimension 17" * 16" * 6"
- . Best Quality Guarantee

BASE SYSTEM \$1335

5

- Built-in Intel® 12.5 MHz 80286 Microprocessor. 0 or 1 wait states available. Fully IBM AT compatible. Uses latest surface mount. technology by Western Digital-
- 2 Built in 1 MB of DRAM at 256K x 9 SIMM Expandable to 4MB.
- 3 Built-in single chip Paradise PEGA video controller. Supports up to 640 x 480 resolution, 16 colors from a palette of 64. EGA. CGA. MDA, Hercules" and **Plantronics** Colorplus' compatible. Simulates color with 16 shades on monachrome monitors.
- . Built in single chip Noppy disk controller. Supports up double or high density 5.25 inch drives.



Built in single chip hard disk controller Can operate two ST/ 506 or ST/412based disk MFM (Modified Frequency Modulation) data encoding format with 32 Bit ECC (Error Correction

- Built in 2 serial ports through 10 pin headers. 1 Centronics parallel port through 26 pin header.
- Built-in PS/2" compatible mouse port.
- Built-in expansion slots-3-16 BIT AT BUS and 1-8-BIT PC **BUS Automatic bus** decoupling eliminates compatibility problems with 8 MHz add on
- Built-in CMOS clock calendar with built-in system configuration
- Built in 80287 math co-processor slot-

CALL SPECIAL PRICE FOR HARD DISK, MONITOR TAPE BACK-UP, CO-PROCESSOR & MODEM QUALIFIED CORPORATION & UNIVERSITY P.O. ACCEPTABLE. DEALER INQUIRY WELCOME.

> ORDER HOT LINE: 1-800-521-4892 IN CALIFORNIA: 1-714-937-1670

VERTEX
CIRCLE 329 ON READER SERVICE CARD

Advanced Research, Inc. COMMITMENT TO BEST CUSTOMER SUPPORT AND SERVICE
1820 Orangewood Ave., Ste 203, Orange, CA 92668

COMPLETE 386 TOWER WITH 64MB HARD DRIVE!

ZEOS 386 TOWER. NEW, FAST AND POWERFUL. THE INDUSTRY'S MOST UNBELIEVABLE VALUE. BELIEVE IT.

STANDARD FEATURES INCLUDE:

- Gemine 32-bit Intel 80386, 6/16 MHz keyboard selectable.
- Zero-Wait CACHE using 64K of SRAM.
- 1 MB of 32-bit RAM on board. System expandable to 16 MB.
- 64 MB Miniscribe Hard Drive coupled with Adaptec's 2372 ultra high speed controller; 1:1 interleave, 800 KB/sec transfer rate!
- 1.2 MB High Capacity Floppy Drive.
- Disk Caching Software for further enhancement of disk performance.
- Deluxe heavy-duty tower case with six half-high drive openings.
- High-Res 12" Non-glare Amber Display, Tilt & Swivel base, Hercules compatible Adapter supporting up to 132 columns.
- 101 Key Enhanced Keyboard, Pleasant "Tactile/Click" Feel.
- Clock/Calendar with Battery Backup.
 Serial and Parallel/Printer Ports.
- 6-16 and 2-8 bit AT-compatible I/O slots, 287/387 Math Coprocessors optional.
- Fully compatable with virtually all XT/AT and '386 software.



Our complete 386 Tower. With a 64 MB hard drive. 1 Megabyte of ZERO wait memory expandable to 16 Megabytes. Monitor, keyboard, drives and controllers, all of the highest quality—everything and more for only \$2,995. How can it be?

Because it's ZEOS, that's how. Your ZEOS 386 Tower comes to you factory direct, fully assembled, burned-in and tested in our own laboratories. Every system is built to order. Custom built actually, right to your own specifications. And talk about performance, compare these test results using PC Labs Benchmark Series Release 4:

	NOP	80385 Instruction Mix	Floating Point Calculation	Conventional Memory
ZEOS 386/16 Tower	21	3.6	13.6	0.5
ZEOS 386/20 Tower	1.7	3.0	10 8	04
IBM PS/2 Model 80-071	21	4.4	15.6	0.6
Compaq Deskpro 386/16	2.1	4.0	15.5	0.8

\$2995<u>00</u>

When you compare speed, compare quality and compare value you'll find your ZEOS 386 Tower is the Benchmark! We have many other drives and options too. They include:

• EGA color upgrade with auto switch

 EGA color upgrade with auto switch controller. Fully tested. Add only \$495.

■ 20 MHz upgrade. Add \$500.

High capacity drives, tape back-ups and many more options.
 For details call 800-423-5891.

Order now with confidence. Your ZEOS 386 Tower comes with a Full One Year Limited Warranty and our 30 day Full Refund Satisfaction Guarantee. Call now, 800-423-5891.

ODDED NOW TOLL EDEE

ORDER NOW TOLL FREE 800-423-5891

FAX Orders Dial: 612-633-2310 In Minnesota Call: 612-633-4591 MasterCard, VISA and C.O.D. Also see the ZEOS 286 in this issue





FACT FILE

Hyundai Super-286C

Hyundai Electronics America 4401 Great America Pkwy Santa Clara, CA 95054 (408) 980-7561

List Price: With 640K RAM, one 1 2MB 51 a-inch floppy disk drive, DOS 3.2, EGA Wonder Card. \$1,499; with second floppy disk drive, \$1,599; with 30MB hard disk, \$1,999; with two floppies and hard disk, \$2,099; 14-inch monochrome monitor, \$250, EGA monitor, \$308.

In Short: A small-footprint, 10-MHz AT compatible that offers good quality for a good price. Standard EGA Wonder card is an advantage, as are motherboard-mounted ports.

CIRCLE 678 UN HEADER SERVILLE CARD

But the system comes in a nearly complete configuration, unlike other clones whose base prices don't include such "luxuries" as ports and a video card.

LOADED MOTHERBOARD The Super-286C's motherboard has two serial ports, a parallel port, and a floppy disk drive controller built in. That should take care of I/O needs for most users, and it frees the expansion slots that would normally be devoted to I/O and the floppy disk controller.

A clock/calendar is also standard equipment, and the Super-286C comes with ATI's EGA Wonder monitor card. EGA support is an unusual feature to find as standard equipment, and it's even more surprising to find a name-brand component sitting in the slot. The EGA Wonder is one of the most widely sold EGA cards, and it offers auto-switching to accommodate different monitors and software.

To complete your Super-286C system, you need only add a monitor and a hard disk to go with the standard 1.2MB 5½-inch floppy disk drive. A 14-inch monochrome monitor adds \$250 to the price, while an EGA display will set you back \$308 over the base configuration price. A 30MB hard disk brings the system price (less monitor) to \$1,999.

Our tested configuration, with an amber monochrome monitor and a 30MB RLL Seagate hard disk, had a total price of \$2,249.

The Super-286C is a small-footprint system, measuring 6 by 15% by 16% inches (HWD). The Hyundai's smaller width accommodates a total of six expansion slots (four 16-bit, two 8-bit)—two fewer than the IBM PC AT. That's a consideration, but the motherboard-based ports and floppy disk controller lessen the need for additional slots.

The system's hard disk is mounted on its side, next to the cage that encloses the floppy disk drive bays. This somewhat unusual arrangement allows for installation of a second half-height floppy disk drive under the standard floppy, if desired.

Hyundai supplies the Super-286C with a relatively puny 135-watt power supply. That should be big enough to handle most peripherals, but a fully loaded bus might make the power supply wheeze a bit. Several other machines in this price class offer power supplies in the 190- to 200-watt range.

The Super-286C runs at keyboard-selectable clock speeds of 8 or 10 MHz. The usual Ctrl-Alt-Plus or -Minus key sequence changes speeds. The ROM BIOS is by Award Software, a name seen more and more often on clone motherboards.

BENCHMARK RESULTS In processor benchmark testing, the system performed in the normal range for a 10-MHz machine, 1.2 to 1.3 times faster than a standard IBM PC AT. I encountered some fairly strange results, however, in running our hard disk BIOS Seek test. The drive generated too many errors for the results to be useful. On an alternate test, which uses DOS calls instead of BIOS calls, the drive clocked in at an access time of 69.79 milliseconds, which is serviceable if not speedy. The problem with the BIOS speed test may have been related to the drive's use of RLL technology. In any event, in actual practice the drive performed without incident.

A few other minor annoyances marred my impression of this basically sound machine. The power switch is rear mounted, which prevents accidental shut-down but makes for blind groping when a cold boot is in order. The supplied keyboard, which mimics the IBM Enhanced layout, has a mushy, imprecise feel. Typing on it was tolerable but hardly a pleasure.

The overall construction quality of the Super-286C seems quite high. Add-in cards fit snugly into the expansion slots, and the machine has an overall air of solidity that's missing from many compatibles.


Hyundai is one of the giants that are making Korea's presence felt worldwide. The size and reputation of the company are reassuring when you are plunking down over \$2,000 for a computer. Beyond that, the Super-286C has much to recommend it on its own merits. It's a very good system for the money.—Jonathan Matzkin

KAYPRO CORP. Kaypro 286

Kaypro Corp. has made a point of not following in the paths of others. Its latest AT compatible may not be made with exactly the same recipe as most 286 machines, but it is certainly capable of grabbing a chunk of the pie. The Kaypro 286 is a 12-MHz machine that has a lot to offer, even though, like the Amdek System 286A, it strays from the norm. It's marked by a pretty hefty price tag, but it also offers a convenient upgrade path.

For \$2,995, the Kaypro 286 comes with 1MB RAM; one 1.2MB 51/4-inch floppy disk drive; a 40MB hard disk (Fujitsu, Miniscribe, or NEC); one parallel and one serial port; a combination floppy/hard disk controller; an IBM Enhancedstyle Maxi-Switch keyboard; and an adequate 12-inch Samsung monochrome monitor and card. At first glance, the Kaypro 286 looks like an IBM PC-XT, but after closer inspection it's easy to see that looks aren't everything. The dimensions are the same, and four half-height drive bays are accessible from the front of the unit, but that's where the comparison ends.

the system unit, you have to remove 11 screws. After looking at the inside of the 286, you can see that Kaypro has taken a somewhat different approach in organizing the internals of the machine. Most noticeable is the missing motherboard. Like the Amdek System 286A, the Kaypro 286 takes advantage of slot technology and places all the motherboard components on a full-length microprocessor board. This



Obviously, We Believe In

When it comes to portable PCs, we think that numbers should speak for themselves.

Perhaps that's why we have the largest number of high-powered, highly-portable PCs on the market today. All of which are IBM-compatible. All of which have industry-standard 3½" disk drives, full function keyboards and a vast array of built-in ports. All squeezed into packages as easy to carry as a briefcase.

The T1000, for example, weighs a mere 6.4 pounds, yet boasts MS-DOS* in ROM, a 720KB 3½" disk drive and an optional 768KB memory card which can be configured as

EMS memory or a battery-backed RAM disk.

Our T1200H, on the other hand, has the distinction of packing a 20MB hard disk, a backlit screen and 1MB of RAM into a tidy 11-pound package. We also make an economical dual floppy disk version known as the T1200F that weighs just under 10 pounds.

And thanks to rechargeable battery power,

all three are ready to work wherever you go.

For even more computing power, the T3100/20 is one of the smallest PCs with an 80286





Strength In Numbers.

microprocessor and an easy-to-read gas plasma display. It gives you a wealth of power and a 20MB hard disk in a trim 15-pound package.

Our T3200 goes even further, with two IBM-compatible internal expansion slots, a 40MB hard disk, an EGA plasma display system and up to 4MB of memory. Still, it only weighs a scant 19 pounds.

Finally, there's our powerful T5100, which at less than 15 pounds has all the best features of our other portables, plus an 80386 microprocessor for unmatched versatility and speed. And for a limited time, your T5100 purchase entitles you to buy Paradox 386,° Borland's

powerful database software for only \$299 (which is nearly \$600 off the retail price).

And to all those numbers, we'd like to add one more: 1-800-457-7777. With it, you can find out even more about Toshiba's full line of computers and printers.

In fact, it's one call that ought to be your number one priority.

All Toshiba PCs are backed by the Exceptional Care program (no-cost enrollment required). IBM is a registered trademark of International Business Machines Corp. MS-DOS is a registered trademark of Microsoft Corp. Paradox is a registered trademark of Borland Corp.



In Touch with Tomorrow
TOSHIBA
Toshiba America Inc., Information Systems Division



Benchmark Tests: Low-Cost ATs

There were few surprises in the processor benchmark-test results. All three 10-MHz machines performed similarly, as did five of the six 12-MHz machines. The Amdek System 286A, with its 12.5-MHz clock speed, was a step ahead of the pack.

The Star Industries AT 286, the Arche Rival 286, and the Hyundai Super-286C were equipped with hard disks that didn't perform nearly as well as the others did but helped to keep the price of their systems' tested configurations down. In the case of the Star Industries machine, hard disk performance was compromised by an 8-bit hard disk controller. Conversely, the Core ATomizer sported an excellent 40MB drive that outperformed all the competition. Anything less from a company that is primarily a manufacturer of mass storage devices would have been a disappointment.

Performance Times

(Times given in seconds except where noted)

	NOP	80286 Instruction Mix	Floating-Point Calculation	Conventional Memory	File Access	DOS Disk Access (milliseconds)	BIOS Disk Seek (milliseconds)
8-MHz IBM PC AT	4.17	8.96	35.60	1.32	15.06	42.54	37.20
Epson Equity II Plus	3.35	7.08	27.95	1.02	11.16	29.99	27.61
Hyundai Super-286C	3.35	7.08	28.01	0.99	14.24	69.79	N/A
Star Industries AT 286	3.35	7.14	28.01	1.04	51.47	71.93	68.09
Arche Rival 286	2.80	5.89	23.40	0.88	14.75	81.22	69.23
Core ATomizer	2.80	5.82	23.12	0.85	11.09	29.73	18.95
Dataworld Data 286	2.80	5.82	23.18	0.84	11.44	33.02	30.35
Kaypro 286	2.75	5.83	23.12	0.85	11.21	35.54	33.70
Mitac Paragon 286F	2.75	5.82	23.17	0.82	13.13	35.01	32.26
Amdek System 286A	2.69	5.77	22.52	0.82	10.87	41.25	27.50

N/A—Not applicable: test could not be completed without errors.

The NOP benchmark test is designed to measure raw clock speed and memory access time while minimizing differences in microprocessors and the effect of memory caching. This test executes almost nothing but NOP ("No Operation") machine code instructions in a big 128K loop

The 80286 Instruction Mix benchmark test measures the time it takes to execute a selected series of processor-intensive tasks. The test program uses 80286 instruction code. These instructions are a subset of the total processor instruction set.

benchmark test measures processor speed by looping through a series of floating-point calculations, including multiplication,

The Floating-Point Calculation


calculations, including multiplication, division, exponentiation, and logarithmic and trigonometric functions. The benchmark program uses the floating-point library included with Microsoft C Compiler 4.0

The Conventional Memory benchmark test allocates 256K of conventional memory and treats it as a series of 64-byte records. Then 16,384 random records are read into and written from this memory. The result shown is the average of the read and write times.

The File Access benchmark test measures the time it takes to sequentially create and write a 256K data file using record lengths of 512 bytes and 4K. The test program then performs a series of operations: a sequential read of the same file, a random write, and a random read

The DOS Disk Access benchmark test measures the time it takes to do a random sector read using DOS DOS buffers are set at 3 and the interleave factor is left at the drive's default setting. This test adds DOS's overhead to the BIOS and hardware times. The test program performs the sector read 1,000 times within the DOS disk partition. The average result is shown in milliseconds.

The BIOS Disk Seek benchmark test measures the time if takes to do a random seek using the disk's ROM BIOS. The test result includes minimal software overhead and may not parallel the manufacturer's claimed average access time. The test program performs 1,000 seeks. The average result is shown in milliseconds.



The most affordable way to build a skyscraper.



MultiSync Plus

For superior business

graphics, desktop

publishing and CAD.

Copyrighted material

Or construct a bridge. Or design a circuit. Or even create a pie chart. With the MultiSync® Plus, high resolution graphics are well within reach. When used with the graphics board that was designed for it—the MVA 1024 from NEC—it may well be the ultimate value for all your CAD and business graphics applications.

MultiSync Plus has a 15" diagonal flattened CRT and a tilt-swivel base to make you more comfortable. It works with boards for a variety of systems, from PC/XT/AT/386 (or 100% compatibles) to MAC II and PS/2. It automatically adjusts its scanning frequency from EGA to VGA, and on up to even higher standards with our MVA 1024 in AT/386 based systems.

Whether your plans are as big as a skyscraper or as small as a memory chip, MultiSync Plus makes the world of high resolution graphics more accessible. For literature or a dealer call PC IT AT and PS/2 are regalated trademarks of the informational discreases. Machines Corporation

1-800-447-4700. For technical details call NEC Home Electronics

(USA) Inc. 1-800-NEC-SOFT.





■ NINE ATS COMPETE



Like the Amdek System 286A, the Kaypro 286 features a backplane design, putting the 80286 processor on an expansion card and allowing for future upgrades. The \$2,995 machine includes a monochrome monitor and a 40MB hard disk.



approach may seem a little strange at first, but it makes upgrading your microprocessor a breeze.

There are nine expansion slots available: five 8-bit and four 16-bit. Three 8-bit and two 16-bit slots are left after the system board, video card, I/O card, and con-

troller are installed. The controller is a National Computer Ltd. combination controller and the BIOS is Phoenix, Version 3.07. A toggle switch and reset button are located on the back of the machine to either switch between 6 and 12 MHz or reset the computer.



FACT FILE

Kaypro 286

Kaypro Corp.

533 Stevens Ave. Solana Beach, CA 92075

(800) 4-KAYPRO

List Price: With IMB RAM, one 1.2MB 51/4-inch floppy disk drive, 40MB hard disk, 12-inch monochrome monitor and card, DOS 3.21, \$2,995. EGA monitor and card.

\$575.

In Short: A 12-MHz machine with its motherboard components located on a full-length expansion card that leaves the possibility of an easy 386 upgrade wide open. The \$2,995 price tag seems high, but the system is complete and includes quite a pile of software.

CIRCLE 677 ON READER SERVICE CARD

The most unusual (and the most likable) feature of the Kaypro 286 is its separate microprocessor board. You have to like this feature after you discover how easy it is to upgrade your machine. Imagine just plugging a 386 microprocessor board into your 286 machine and instantly having 386 speed. With the Kaypro 286 it's possible and just over the horizon. As of this writing, Kaypro is in the process of developing a 386 upgrade board specifically for the 286 model. The upgrade board is expected sometime in the second quarter.

The Kaypro 286 performed all the benchmark tests with no problems and finished right up with the other 12-MHz machines tested. The 40MB hard disk had an average access time of 31 milliseconds. The only problem we had was getting the keyboard to work, but after switching to another Enhanced-style keyboard, we were up and running.

Bundled with the Kaypro 286 is a pile of software as tall as the computer. Besides MS-DOS 3.21, you also get WordStar Professional, Release 4.0; WordFinder; SpeedStor; and GW-BASIC. You'll also find several Kaypro utility programs that include a menu program that allows new users to set up menu choices for performing various DOS housekeeping tasks. Kaypro adds a nice touch by including two blank high-density floppy disks along with the many software programs.

Vision is the power of imagination. Seeing beyond the obvious Being able to grasp and comprehend the obscure.

Introducing IZE™ to realize greater vision.

The information age has presented virtually every field, from research, education, and government to law, medicine, and business, with powerful resources. Resources that, unlike traditional data-based information, are textual. Lacking structure, this ever-growing textbase is most often unexplored, untapped power.

IZE is software designed to automatically discover the underlying structure of textbase resources and provide users the power to tap, explore, manage, and organize them.

The look of IZE is familiar: a table of contents presented in outline form. Yet the power of this elegant structure is considerable. And transparent in use.

Randomly entered reports, proposals, research abstracts, presentations, and correspondence. Ideas, lists, and notes. Documents you've

already created and those you'll generate in the future. Imported information from on-line services. Plus any other text capable of being read by an IBM® PC or compatible system, can now be easily viewed in a different light.

IZE will create a fundamental change in the way you use your computer. And the way you use information.

To gain mastery over new resources. To grasp. To comprehend. To see. To focus. To create.

To fully utilize the product of the information age.



The promise of IZE is greater vision to share your vision with the rest of the world.

persoft

For more information about IZE, please contact your politiers dealer please up \$1,1-808-279-8000(4)

© 1988 Persoft Inc. All Flights Reserved. L/E is a trademark of Persoft Inc. Patents Pending IBM is a registered trademark of International Business Machines Corporation.

■ NINE ATS COMPETE

Aside from software, there is also plenty of documentation to guide you through assembling, using, and ugrading your Kaypro 286. The user guide contains a useful tutorial to familiarize new users with the different aspects of the computer.

DEALER NETWORK Unlike many other compatibles, Kaypro machines are not available through distributors. Kaypro uses independent dealers to sell its systems. So, if you need to have your Kaypro 286 serviced, call your dealer. The warranty period for the 286 is 1 year, and Kaypro will pay for the shipping one way. Kaypro also provides a toll-free tech support line.

The Kaypro 286 is built with the future in mind. Kaypro tries hard to please and does a good job. Today the Kaypro 286 gives other 286 machines in its class a run for their money. Its big advantage is that tomorrow it may be running in the 386 pack.—Greg Alwang

STAR INDUSTRIES Star Industries AT 286

If you want quality, you're going to have to pay for it, right? Well, not always. Take the Star Industries AT 286. Here's a 10-MHz AT compatible with a lot of power and flexibility. Unlike some other compatibles, this one offers you the best of both worlds: quality at a very affordable \$895 base price.

Unlike some other inexpensive compa-



FACT FILE

Star Industries AT 286

Star Industries 7655 E. Redfield Rd., #8 Scottsdale, AZ 85260 (800) STAR-286

(800) STAR-286 (602) 483-2854

List Price: With 512K RAM, one 1 2MB 5%-inch floppy disk drive, \$895, 30MB hard disk, \$299, monochrome monitor and card, \$79; EGA monitor and card, \$508.

In Short: An inexpensive, small-footprint, 10-MHz machine that features standard components and a good keyboard. The 8-bit hard disk controller hurts hard disk performance.

HE . 2 675 TENEAL EN ENVIE AME



With a base price of \$895, the Star Industries AT 286 is one of the least expensive AT compatibles we've seen. The 10-MHz system tested by PC Labs included a monochrome monitor and a 30MB hard disk for a total price of \$1,273. Hard disk performance was slowed by an 8-bit controller.



tibles, the Star AT 286 has a solid chassis with well-integrated components, all in a small-footprint box. The interior of the system unit looks like a scaled-down version of the IBM PC AT and holds no real

surprises. The AT 286 comes equipped with 512K RAM on the motherboard, one 1.2MB 51/4-inch floppy disk drive, one parallel port, a monochrome video adapter, a built-in clock/calendar, a Western



Datacopy Grayscale Scanners: Now you can put gallery quality photographs in all your publications.

The best imaging in a desktop scanner comes from Datacopy. Now you can merge finely detailed photographs and other artwork directly into your desktop publications.

HIGH RESOLUTION

Datacopy's complete range of scanners delivers the ultimate in high-resolution imaging.



With advanced grayscaling capabilities and 300 or 400 dot-per-inch quality graphics, Datacopy Scanners clearly outperform all other products in their price class.

VERSATILE SOFTWARE

Datacopy Scanners are supported by equally powerful software. PCImage" allows you to capture grayscale, then



manipulate a scanned image to fit your own format. And

merge that image with your current desktop publishing package.

What's more, Datacopy OCR Plus and OCR 4mat software can handle text and numerical

data too. So you can scan the most popular types of hard copy information. And format



CIRCLE 247 ON READER SERVICE CARD

them for your current word processing, spreadsheet or desktop publishing programs. Quickly and easily.

QUICK INFORMATION

Call us today. We'll furnish you with information on our complete line of scanners and software. And where to find the nearest Datacopy reseller. (800) 821-2898





EDITOR'S CHOICE

- Amdek System 286A
- Arche Rival 286

There were no real disappointments in this group of nine AT compatibles; in fact, all are acceptable choices. Two machines stand out in the crowd. The Amdek System 286A is a system of superior quality with an obsolescence-proof processoron-a-card design. You'll pay hand-somely for this machine—\$3,595 for IMB RAM, a 40MB hard disk, and no monitor—but you won't be disappointed.

Those with smaller budgets should investigate the Arche Rival 286. This machine came out of nowhere but will make a name for itself with its \$2,195 price tag and outstanding flat-screen monochrome monitor. The hard disk that Arche offers isn't good enough for the rest of the system, so order the base system, install your own favorite hard disk, and you'll have an AT compatible to brag about.

As you shop for your AT compatible, keep in mind some of our other

recent Editor's Choices. The CompuAdd Standard 286/10 was the best of the 21 inexpensive 286 machines that we evaluated in February (see "The Cheapest ATs Ever," PC Magazine, February 16, 1988). At \$1,529 including monochrome monitor and 20MB hard disk, it's a high-quality bargain. A 12-MHz model is also available. Looking back a little further, the AST Premium/286 has proven to be one of the most popular AT compatibles of all since it first came on the scene over a year ago. Many dealers offer deep discounts on the Premium/286. If you can find a good deal, give it strong consideration.

For PS/2 fans wondering how the IBM PS/2 Model 50 stacks up against all this competition: \$3,595 buys you a 10-MHz 80286-based machine with 1MB RAM, one 1.44MB 3½-inch disk drive, an agonizingly slow 20MB hard disk, and no monitor.

Digital hard disk controller, a separate floppy disk controller, and a Key Tronic Enhanced-style keyboard. There are eight expansion slots available—two 8-bit and six 16-bit—and five half-height drive bays. The power supply is a 200-watt Astec with five device connectors.

A convenient turbo switch on the front of the unit is used to toggle the AT 286 between 8 and 10 MHz (with one wait state), and a reset switch performs a cold boot. The Star comes with the Award 286 Modular BIOS, Version 3.01, but you can specify a Phoenix BIOS if you want one. The Key Tronic keyboard has a snappy feel to it, very much like the IBM Enhanced-style keyboards.

The configuration tested had a monochrome monitor and a 30MB Seagate ST-238 hard disk with DOS 3.21 installed.

The total price was \$1,273. It performed the processor benchmark tests flawlessly.

In hard disk testing, the AT 286 turned in extremely disappointing results. The disk's 68-millisecond access time was unfathomably slow until the problem was spotted. The Everex hard disk controller in the system (the floppy disk controller is separate) had an 8-bit rather than a 16-bit interface, resulting in a tremendous data traffic jam that slowed the disk to a crawl.

EASY TO RUN The AT 286 is easy to set up and use and can be run right out of the box. If you change the configuration and have to run setup, you'll have no problem because the setup is built into the ROM BIOS (this feature is available only with Award BIOS, Version 3.01).

The documentation consists of one 60-

page manual that covers assembly of the AT 286, the basic DOS commands, the different hardware components of the system, and problem troubleshooting. Overall, the manual is quite informative and provides a very thorough overview of the system in understandable layman's terms. New users will probably want to keep this manual around as a handy quick reference. DOS doesn't come with the AT 286, but you can order it separately for \$79. Star does include the popular shareware word processing program, *PC Write*, with each AT 286 unit.

Star Industries packs many quality components into the AT 286 for an uncommonly low price.

Surprisingly, Star Industries packs many quality components into the AT 286 system for an uncommonly low price. The use of name-brand components like Western Digital, Astec, Key Tronic, and Intel (DRAM) probably accounts for the fact that the AT 286 has an extremely low failure rate. If you do need customer support for the Star AT 286, it's free. The warranty for the AT 286 lasts 1 year, and any faulty parts are replaced free of charge for the first 30 days. And if a Star AT 286 has to be returned, Star Industries pays for the shipping.

BANG FOR THE BUCK The Star Industries AT 286 is a quality machine with lots of bang for the buck. Although it isn't the fastest 10-MHz machine available, it's certainly one of the least expensive. But if Star Industries sacrifices performance to keep the price down, as seems to be the case with the 8-bit hard disk controller, it should change its strategy. The quality of the Star Industries AT 286 and its compatibility make it a very attractive choice for cost-conscious buyers, but in today's marketplace no one wants to (and no one needs to) settle for less-than-optimal performance.—Greg Alwang



How we made the most powerful integrated software a whole lot easier to use.

Yes. There are ways to take something that's very powerful and make it easier to use.

Actually, with Symphony* 2.0, not only is this latest version of the world's most popular integrated program easier to use, but it's also more powerful than ever. So it can keep up with you as your capabilities grow.

For starters, since there's no copy protection, you can get Symphony up and running with much quicker and easier installation.

Once up and running, bingo, you have instant access to five key business functions: spreadsheet, word processing, database, graphics and communications. So you can prepare budgets, write memos, create inventory lists without having to go through the hassle of changing programs.

But Symphony is really more than five separate programs. Because, unlike other integrated packages, Symphony lets you dynamically integrate functions. For example, when you change spreadsheet data, your graph of that data and your memo containing the same

numbers automatically reflect the changes. So you get greater efficiency, and you're able to work faster too.

Plus, the Symphony spreadsheet is the fastest and most powerful spreadsheet available in integrated software, based on Lotus* 1-2-3*, the industry-standard spreadsheet technology.

We could go on about the many features of Symphony 2.0—how its macros let you automate complex or repetitive tasks and create customized applications. How the

word processor now has a spelling checker and text outliner. And how database and communications have been improved.

The bottom line is that Symphony is one high performance package that's made to be opened up.



Lotus Symphony 2.0

Hassle



With a backup system from Irwin, you won't have to shuffle floppies all day just to protect vour data.

Because our tape drives store up to 64 megabytes on a single minicartridge.

In a fraction of the time you'd spend making

floppy backups.

Irwin's EzTape software makes it hasslefree. Instead of complicated commands and pro-



cedures, it has Automatic Backup that you can set and forget. To store data automatically, every night, every weekend-whenever you want.

There's even On-Line Help for fast answers

without burying yourself in a manual.

Our drives fit every popular personal computer and our space-saving internal drives fit right into your floppy disk slot.

An Irwin system works with all the popular networks, and just one of our tape drives can handle every computer on your LAN.

And our patented AccuTrak™precision tracking technology allows you to transfer data from a PC to a PS/2 to a Mac.

That's a promise no other system makes.

because no other system can.

Which may explain why more people buy our minicartridge systems than all others combined.

To learn more, call 1-800-BACKUP1 for your nearest Irwin dealer.

He'll demonstrate with convincing proof how easy it is to save your data.

And your peace of mind.



© Copyright 1988, Irwin Magnetic Systems, Inc. Irwin and EzTape are registered trade marks and Acculrak and Irwin BACKUP are trademarks of Irwin Magnetic Systems, Inc.
Other brand or product names are trademarks or registered trademarks of their
respective holders.



CORE's ATomizer 286/12 and 386/20based PCs offer high-performance solutions to today's complex applications and operating environments.

High-Performance Internals. Both ATomizer 286/12 and 386/20 are

equipped with a high-performance controller and up to two CORE internal drives.

They can be configured with a range of ST-506 drives, from 30 to 144MB or ESDI drives, from 40 to 760MB. Combine access times as low as 10ms with

CORE's disk caching system (over 4,000KB/sec.) for unsurpassed performance.

Backup. The ATomizer can be configured with powerful backup systems: CORE fast for diskette, winner of PC Magazine's Editor's Choice for two consecutive years, and COREtape, from 40 to 250MB.

Network File Servers. Novell Inc. has certified CORE's HC Series

drives and controllers for use with NetWare version 2.1. Up to 3 gigabytes of storage may be configured.

ATomizer 286 and 386 PCs also support other major LANs, including IBM Token Ring, 3Com and PC Net.

COREpower your LAN, CAD or desktop publishing system. Contact your nearest dealer or CORE representative today.

Northeast Region: Southern Region: 407/997-6055 203/357-1339

Central Region: 312/439-0511

Western Region: 213/312-8130

International Sales: 407/997-6044. FAX: 407/997-6009



Come see us at PC EXPO, Booth #1547

Products listed and shown are registered trademarks of their respected manufacturers. CORE Infernational CORE CORE*tast*: CORE tage. HC Series and ATomizer are registered trademarks of CORE International Inc.

Copyright 1988 CORE International Inc.

CIRCLE 225 ON READER SERVICE CARD

SCIENTIFIC WORD PROCESSORS: FORMULAS FOR

SUCCESS

No longer needlessly complicated and cumbersome, today's scientific word processors simplify the task of integrating text and technical character sets.

Those who use scientific and technical word-processors are, to echo the old saw about the rich, just like you and me—except they ask a lot more of their WP programs.

The scientific-technical WP arena is, in a very real sense, just an extension of standard, full-featured word processing requirements. However, it's important to remember that there's sci-tech, and then there's sci-tech.

Many of the requirements of those who prepare less-technical scientific papers and manuscripts can be met very well by one of the powerful word-processing packages we looked at in our roundup of word processors in the February 29, 1988, issue.

Microsoft Word and Nota Bene, particularly, have become popular with academics—and not only those in the humanities and soft sciences. Both programs manage footnotes superbly, a hallmark of technical typescript. Both have nifty internal boilerplate features, so that if you tire of typing a long, complex, or simply uncommon word or term used frequently in the paper—say, riboflavin, hymenopterous, or acetylsalicylic acid—you can use a keyboard-macro shortcut to insert that word or phrase.

Both programs (and others reviewed in that issue) also handle long manuscripts very well—a relatively recent development in PC-based word processors.

Old hands at PCs—who've lost a chapter or two in their time to the vagaries of power failures, hard disk crashes, and those mysterious gremlins who creep into our offices at night to perform unspeakable and untraceable acts on our computers—may still prefer to

■ SCIENTIFIC WORD PROCESSORS

save longer works in single-chapter files. But the convenience of managing a several-hundred-word manuscript in one large file is undeniable—and, now, maybe even sensible.

BEYOND WORDS For many scientists, engineers, and others whose words pass through a PC en route to publication, complex equations are at the heart of their work. And getting those equations onto the screen, onto the disk, and eventually onto paper is a major stumbling block with most PC word-processing software.

With many programs you enter the IBM extended character set symbols by holding down the Alt key while typing the character's three-digit ASCII code on the PC's numeric keypad. But it's not just getting those delta and pi symbols into the work one by one that counts. It's combining them in multiline mathematical expressions, or as elements of chemical formulas, that's the trick. And this brings most PC word processors—and those who use them—to their knees.

The problem of getting complex numerical expressions into the computer, then getting something approaching typeset results out the other end of the system, was addressed in the 1970s by Professor Donald Knuth at Stanford University.

Knuth developed TEX—pronounced "tech" by knowledgeable users, "tecchhhh" (as in "blecchhhh") by the true cognoscenti—not as a sneer but to match the correct pronunciation of the Greek characters from which its name is drawn. TEX is essentially a formatter that accepts what look like ordinary (if confusing) ASCII files and drives output devices to produce good-looking and intelligible results on paper.

TEX has a set of keyboard entry conventions that at first seem merely illogical but soon become really infuriating; however, they can eventually be memorized and used to represent the ups and downs of superscripts, subscripts, functions, and so on—all to produce those complex mathematical expressions on paper.

DIFFICULTY IS PRESERVED To say that *TEX* takes a little effort to learn is like saying that with a little effort you could build your own full-scale, working Chal-

lenger spacecraft and run your own space shuttle program.

Over the past 10 years—during which Knuth's system was widely adopted in universities and research institutions—TEX has become, in effect, the Departmental Secretaries' Full-Employment Act. Thousands of secretaries and typists in physics, chemistry, engineering, and other technical departments across the world owe TEX thanks: their employers cannot let them go, cutbacks or not, because no one else in the department understands TEX well enough to get their papers out if their secretaries were to leave.

MicroTEX, developed by David Fuchs and published in 1985 by Addison-Wesley, brings the glory of TEX to the PC. A full implementation of the Knuth standard, MicroTEX lets users who know TEX make a rapid transition to a much less expensive, much more appropriately scaled computer and laser printer combination than that provided by the departmental minis and institution-wide mainframes often used for scientific or technical word processing. It also offers a rich set of challenges (chuckle) to the newcomer.

AUTHORS AND WPs The complexities of TEX, and the cult of those who have learned if not quite mastered it, illustrates one of the problems fundamental to most scientific and technical word-processing tools until very recently: they were often too complicated for the authors themselves to use.

It's not that a Ph.D. in astrophysics couldn't learn them so much as that he shouldn't have to. Mastering a word processing program is a reasonable and necessary qualification for writing in the scientific and technical domains today. But mastering a needlessly complicated program just to get words and figures down on paper is poor use of a technical person's time.

From running labs to teaching to speaking at colloquiums to writing grant proposals to selling research programs to administrating or managing to maybe even finding a few minutes to think about what he is trying to do . . . well, the life of a respected technical professional has few spare moments.

This means, too often, relying on others

to get fragments of papers and other scitech documents into the computer, then tidying them up. Which makes for bad papers and worse science. Which has led to the appearance of good alternatives.

THE LOTUS PRESCRIPTION Lotus Manuscript, for example, though in fact a good choice for many kinds of large, structured manuscripts, had been unabashedly positioned by Lotus as a sci-tech word processor suitable for an author's own use. Now Lotus will be marketing Version 2.0 of Manuscript, which we looked at in its beta release, as a general-purpose word processor.

Manuscript is a smart, capable, and civilized system, perfectly usable by the authors of sci-tech papers themselves (and not only by those who once "typed" their work) for text entry. It uses a set of equation-entry conventions similar to but more logical and easier to learn than those of TEX.

Better, it lets you start with a simple outline, expand that outline into a detailed, highly structured schema, and then gradually expand sections of that outline into a full-fledged manuscript. Because sections can be selectively collapsed to their headlines, you can keep "open" only the portion you are writing at the moment, while still seeing how that portion fits into the overall outline.

Manuscript also allows easy entry of tabular material and lets you draw rules, or lines, around and through those tables for more-attractive, more-readable results. And Manuscript can enfold graphs and charts from Lotus's own 1-2-3, Freelance Plus, and Graphwriter II programs into its text, as well as compatible graphics files from other vendors' programs.

Manuscript is a good example of how much more PC-like scientific and technical word processing has become over the past 2 or 3 years.

Which is not to say that there aren't other good choices.

TWO ROUTES TO WP A longtime favorite, T^3 (known by its friends as "teecubed") has more little quirks than the U.S. Tax Code. It does its job very well, however, and in the process provides a very good on-screen display of the formu-

CONTRIBUTORS

Heeth Clark is general manager of Rhintek Inc., a systems software company that specializes in developing products and consulting in the areas of communications, compilers, editors, and graphics. She is also an instructor at Johns Hopkins University.

Henry Fersko-Weiss is a free-lance writer based in Warwick, New York. He is a regular contributor to several national publications.

Caroline Halliday is an electrical engineering consultant with High Tech Aid in Ellicott City, Maryland.

Alan Hoenig, who teaches mathematics at John Jay College in New York City, frequently writes about computer typesetting.

Patrick Nicholas, based in New York City, is a free-lance writer who frequent-

ly writes on computer-related topics.

Robin Raskin is a New York-based free-lance author, editor, and consultant specializing in computers. She writes frequently for *PC Magazine* and other computer publications.

Walt Rowinski is a free-lance technical writer based in Lakewood, Ohio.

Neil J. Rubenking is a contributing editor of *PC Magazine*.

Jim Seymour is a contributing editor of *PC Magazine*.

Richard Hale Shaw is a software engineer at Hilgraeve Inc., a Monroe, Michigan-based communications software vendor.

Kenneth H. Werner is the founder and owner of a Houston, Texas, information consultancy specializing in human factors and audits.

las you're entering. It's especially good for chemists who must reproduce chemical formulas on paper.

Comparing Manuscript and T^3 is illuminating because they represent two very different but very interesting approaches to meeting the needs of the scientific-technical word processing user.

Manuscript appears to be strictly character-oriented in text entry mode. Using color, you'll get a few clues indicating boldface or italic type, but the program is designed for rapid text entry and editing. Indeed, its text-handling speed approaches that of XyWrite and Version 4.0 of Microsoft Word, two of the fastest programs examined in our previous look at general-purpose word processing programs.

But if you try to see how your finished pages will look by slipping into Manuscript's page-preview mode, you're in for a surprise: you'll discover that the program isn't character-oriented after all. On a graphics monitor you can slog through an incredibly slow page-by-page visual inspection of how the finished pages will look. Text is "greeked" (or simulated, with illegible squiggles), but if you wish you can blow up sections of the text to confirm (in simple stroke-font letters and

numbers) that complex formulas have been entered properly.

T³, by contrast, stays in graphics mode throughout the writing and editing process. Boldface, italic, underlining and strikethrough (and combinations of the above), as well as complicated multiline formulas, are shown on-screen as you work.

You pay a price, however, for that display: T^3 is much slower than *Manuscript* or the faster general-purpose word processing programs are at text entry and editing maneuvers.

NO MORE INDIA INK A very large percentage of scientific and technical papers, proposals, and manuscripts are still written by hand or typed very roughly on a typewriter or PC, then finally retyped by secretaries who leave blank spaces for symbols and complicated equations. Later, these symbols and equations are carefully inked in with a pen. Duplicate copies are made on a photocopier.

That's a shame—especially when the text of those papers originates on a PC running word processing software. Today, PC word processors are available that make text entry and editing fast and easy,

allow authors to compose technical matter and formulas directly from the keyboard, and can insert graphs, illustrations, and even screened photos of lab apparatus or of the projects and phenomena described in the text.

As we see these dramatically improved PC-based word processing tools moving onto the PCs of scientists, engineers, and other technical personnel, with perhaps only a final cleanup and printout reserved for secretaries (who may, for example, have access to a fast laser printer), we're likely to see far fewer inked-in papers delivered at conferences and submitted to journals.

Those papers—and their mistakes, illegible numbers, and odd-looking symbols—won't be missed.—**Jim Seymour**

Alexander

Word processors gain popularity by coupling power with ease of use. Similarly, programs that offer power but are not easy to use often fall by the wayside. *Alexander*, from Design Enterprises of San Francisco, is a \$245 personal word processor that has many useful features for scientists, mathematicians, composers, and anyone wanting to display foreign-language characters, but the way the features are implemented makes the program very difficult to use.

Written in compiled BASIC, Alexander will conquer you before you conquer





P O. Box 14695
San Francisco
P O. Box 14695
San Francisco, CA
94114
(415) 282-8813
List Price: \$245

Requires: 256K RAM, one disk drive, DOS 2 0 or later

In Short: A difficult, poorly implemented word processor that requires a keydisk. You can display mathematical equations and chemical symbols as well as music charts, but you wouldn't want to. Not copy protected.

HILE 643 NEEALERSERV TOAR

SEEKING THE RIGHT FORMULA

Broad character selection and flexible layout options are top priorities when choosing a scientific word processor. Here's how several programs present these features.




Alexander lets you assemble mathematical or scientific equations on-screen. To create any additional symbols you require, you can use Alexander's character-generation program, which also allows you to remap the keyboard or mask unused letter keys.




For editing text that includes formulas, **ChiWriter**'s synchronized mode ensures that subscripted characters shift their position along with the rest of a formula. Here the letter m is added to the text, with the results shown in both modes.




The Egg keeps each equation on one line wherever possible and allows up to 17 levels in a single equation. The program's fonts contain an extensive variety of technical symbols; any other symbols may be created using a utility that comes with the software.




The EXP display, completely WYSIWYG, shows on its status line the mnemonics that produced the bracketed expression in the denominator of equation 1. To produce equation 2, more elements were added to equation 1.



More a language and compiler than a text editor, PCTeX accepts its commands for special symbols in a document prepared jointly with another word processor.




Math characters, like many other special symbols, are input using function keys in Spellbinder Scientific. The program's math edit macro simplifies the entry and editing of a mathematical diagram.




In addition to creating attractive equations in WYSIWYG fashion, Tech/Word is WYSIWYG oriented in its text composition, displaying bold, italics, sub- and superscripts, underscore, and reverse video. Footers and headers are not WYSIWYG.



Both text and equations in PS are initially entered in the text mode, where the linear format for equations makes them easy to enter and read




In this complex chemical diagram created in T^3 , the message in the top-left corner notes that a file called "Chem Examples" is being revised. T^3 allows filenames that DOS would not accept.



In TechWriter's equation and chemistry mode, mathematical equations and chemical formulas can both be entered. Each line on the screen represents a half line on the printer. Subscripts can also be printed a half-space wide to improve the look of the output.

■ SCIENTIFIC WORD PROCESSORS

("Seeking the Right Formula" continued)



Once you open a file in **Total Word**, you can access more than 400 scientific characters by calling up one of nine special onscreen keyboards. Often-used equations or the process of drawing compounds can be automated with macros.



WordMarc Composer has three technical character sets available: Greek, chemical, and DecTech. In addition, the conventional English alphabet can be modified with a few keystrokes to reflect European punctuation.

it. The installation process makes you think that you can install it to and run it from a hard disk, but you quickly discover that no matter where you run it from, it requires a keydisk in drive A:. The first thing Alexander dislodges is your CONFIG .SYS file and, if you're not careful, your AUTOEXEC.BAT file, too.

Alexander works with a monochrome, CGA, or HerculesPlus video board. Although the screen resolution on a monochrome monitor is adequate for text display, you'll need a CGA monitor in order to see any of the extended ASCII characters. But although Alexander requires a CGA, it can't work in color—all you get is high-intensity white—and unfortunately, it won't recognize an EGA or VGA card.

Alexander is menu driven and has lightpen and mouse drivers to make choosing selections easier. The menus get to be intrusive because you have to use them to get anywhere.

FOUR MODULES Alexander has four modules: basic word processing, editing, printing, and a control program. The basic word-processing module is for creating documents containing up to 18 pages of double-spaced type. The editing program, which handles larger documents, has a

file-chaining selection that lets you link files together, giving you the illusion of one document.

You can print most small documents (no longer than 18 pages) directly from the word processing and editing menus, but for larger jobs you have to go to the printing program. The control program takes care of the default values and the printer controls.

In addition, a character-generation program lets you create your own display characters, remap the keyboard, or mask unused letter keys. *Alexander* even has a typesetting module.

When you start the basic word processor, Alexander uses the standard defaults set out by the control program: line length is 65 characters, and tabs are set at every five stops. Line length can vary from 5 to 255 characters. Alexander saves to files and reads them in a text format that includes any special formatting codes. It can also read and write ASCII files directly.

Text formatting is shown on-screen with embedded characters identifying bold, underline, and super- and subscripts, among others. During editing you can do block moves, copy, delete, and search and replace. When you are in text-editing mode, *Alexander* changes the cursor from


an unblinking underline character to a disconcerting, fluttering rectangle.

ALTERNATE CHARACTER SETS

Word processing in another language is possible with Alexander, but not easy. You can remap the keyboard, no small task in itself, and write a glossary help screen to show you which keys have been changed; this screen replaces Alexander's regular help display. None of these are simple operations. In order to use any special characters you first have to load the word processor, then load the special characters, return through the menus to load the glossary phrases, and, finally, you can begin typing.

Graphics character sets are available for music composition, mathematical and scientific equations, molecular charts, and electronic schematics. Cyrillic, Hebrew, Greek, and accents for most European languages are available, too. You can buy key decals in Cyrillic, Hebrew, and Greek, and if you type in Hebrew, it is possible to enter characters from right to left.

Multiline equations are done by first entering "graph paper" on the screen and then doing a character-by-character entry to build models that use more than one line. Music composition is entered in mu-



ontware for word processing. It won't make you a great writer. But you'll have a face like one.

Bitstream Fontware now works with WordPerfect 5.0 and Lotus Manuscript 2.0. So no matter what kind of writing you do, you can print it with the kind of typefaces people remember.

They're the same revolutionary typefonts now changing the face of MS-DOS desktop publishing. Which means you'll be changing the faces on your letters, reports and proposals with the finest professional typefaces anywhere.

Dozens of faces that look better and read easier. That convey your thoughts and your image more clearly. And that reproduce perfectly, in nearly any size, on



virtually any Hewlett Packard, compatible or PostScript PDL laser printer.

See your dealer today. Or call us at 1-800-522-3668 (617-497-7512 in Massachusetts). Get the simple facts about choosing and using Fontware to print everything you



print everything you write. Because if you want them to remember your words, it helps to have a face they can't forget.

Bitstream[®]

FONTWARE **

CIRCLE 218 ON READER SERVICE CARD

trademark of Bristream Inc. The laisowing are registered trademarks of their owners. WordPerfect. WordPerfect Corp., Lotus Manuscript. Latus Development Corp., PostScript. Adobe Systems Inc. Hewent Packard. Hewent Packard. Co. 6, 1988 The Man

Firein Foundation Trust under license authorized by Curtis Management Group, Indianapolis, Indiana.

FRIENDLINESS.

"For corporate use, Release 3 is hard to beat. Its friendly user interface can have even temporary workers up and running within minutes..." PC WEEK

"Easier to use than either [WordPerfect* or Microsoft Word*]." Personal Publishing

PUBLISHING.

"Comes with all the additional software necessary to effectively publish (both desktop and presentations) with a word processing program." Personal Publishing


"...All of the publishing capabilities most firms are likely to need."

PC WFFK

FEATURES.

"Allows you to convert files to or from DisplayWrite," Microsoft Word, MultiMate Advantage II," WordPerfect 4.2, WordStar® Professional, ASCII, and IBM® DCA FFT formats."

"...A clear winner in overall applicability...Ideal for corporate users..."



SUPPORT.

"The best telephone support policy in the business." InfoWorld

PRICE.

"A slew of useful add-on programs for free..."

Personal Publishing

SPEED.

InfoCom

PRINTING.

"...The best LaserJet" output from any IBM word processing program."

"Printer support is among the most extensive of any

word processing package.

Personal Publishing

"Faster word processor now ranks among the best..." InfoWorld

HOT WORDS

Some of the brightest reviewers in the software business are giving their highest ratings ever to WordStar* 2000.


In January *InfoWorld* awarded WordStar 2000 a 9.1, its highest rating for a word processor, and added that WordStar 2000 gives users "...an awesome features list, significantly improved performance, excellent documentation, and superior support."

InfoCorp says that WordStar 2000 offers "...a distinct speed advantage..." And *PC WEEK* summed it all up by saying "MicroPro is offering a real bargain here..."

If you're ready to switch on the power of Word Publishing,[™] you need to learn about WordStar 2000.

OFFICE/PROFESSIONAL WORD-PROCESSING-SOFTWARE Multimate WordSta 2000 Plus Word 4 Perfect Advantage II Ease of Use Very Good Very Good Very Good Very Good Excellent **Technical Support** Satisfactory Good Satisfactory Excellent **Support Policies** Good Good Satisfactory Excellent Excellent Satisfactory Excellent Documentation Excellent Excellent Excellent Very Good Good Good Good Poor Speed Compatibility Excellent Satisfactory Very Good Excellent **Totals of all Categories** 7.8 7.3 54

March 28, 1988 InfoWorld ranked WordStar 2000 as the top product.



STAR RESULTS

If you're looking for a powerful word processor that can help you make powerful communications, you've found it: WordStar 2000. It's a feature-rich word processor with the added ability to incorporate graphics right into your text. WordStar 2000 lets you add pictures to your words to create documents with the graphic impact of desktop publishing.

It's easy to learn and use WordStar 2000. And when you have questions, MicroPro* offers the best support in the business. Our toll-free lines operate seven days a week.

We'd like to send you the word on WordStar 2000 and why it's right for you. For details and copies of the rave reviews, call 1-800-227-5609 (Ext. 465).

WORDSTAR. **2000**

WORD PUBLISHING POWER

A LAN version and a Legal Edition of WordStar 2000 are available.

Word Publishing is a trademark and WordSter and MicroPro are registered trademarks of MicroPro International Corporal "Trademarks of third parties.

MicroPro.

CIRCLE 240 ON READER SERVICE CARD

■ SCIENTIFIC WORD PROCESSORS

sic charts that *Alexander* conveniently paints to the screen. When you're in edit mode, you enter the notes, sharps, flats, and so on.


Alexander lets you do just about anything you want, but not easily. The package's shortcomings include its use of a keydisk and its repetitive, intrusive menus. There is at least one similarity between Alexander the word processor and Alexander the Great: it would not be worthwhile to tangle with either of them.

-Patrick Nicholas

ChiWriter

ChiWriter, from Horstmann Software Design Corp., is a scientific word processor that makes the processes of including mathematical symbols and line drawings within text and generating different fonts a snap. Editing formulas and equations is equally simple.

ChiWriter costs \$79.95 for a base configuration that includes fonts for mathematical symbols, CGA compatibility, and printer drivers for 9-pin dot matrix printers. You'll have to spend an additional \$24.95 for video drivers if you want Hercules, EGA, and VGA compatibility. Drivers for Hewlett-Packard LaserJet and PostScript printers cost \$59.95, and those for other dot matrix printers cost \$24.95.



Fonts for chemistry symbols cost an additional \$49.95.

ChiWriter can be installed on a single-floppy-disk-drive system with 256K RAM. A dual-floppy or hard disk system and 512K RAM are recommended for large word-processing jobs, however. The program does not come with a spelling checker or thesaurus. Horstmann Software reports that Version 3.0 of ChiWriter will sport a spelling checker and will also support PostScript printers.

SELECTING FONTS The program's function keys hold the secret to selecting fonts. Up to 20 fonts (italic, bold, math, line-drawing, Greek, Standard English, and others) are assigned to keys F1 through F10 and Shift-F1 through Shift-F10. Switching from one font to another is just a matter of selecting the appropriate function key to use.

The default font is Standard English, located at F1. To change from Standard English to the "small" font (an alphanumeric font suitable for sub- and superscripts), for example, you merely press F2 at the appropriate spot in your text. Press F2 once, and only the next character will be "small"; all characters thereafter will be printed in Standard English. Press F2 twice, and the "small" font remains active. And if you press a font-change key followed by Alt-H, ChiWriter will display a keyboard chart that tells you which key encodes which symbol.

When you activate a function key, the symbols appear on the screen in the selected font. With the exception of proportional spacing, *ChiWriter* offers WYSIWYG word processing.

The ChiWriter screen has four information lines. Across the top of the screen are the tab-ruler and mode line (which identify tab locations, the selected font, and the insert, spacing, and synchronization modes). Across the bottom of the screen are two rows of information: one a command line, the other a brief description of the selected command. You can hide this bottom portion if you wish to display more lines of text on-screen.

You issue editing commands either through the menu at the screen bottom or through Ctrl-key or Alt-key combinations. Marking text, moving text, wrapping words, selecting tabs, and searching both forward and backward are only a few of the commands that you can select using this method.

GENERATING SYMBOLS With ChiWriter, generating math and scientific symbols is a breeze. There are two math fonts and four scientific fonts that will give you just about any symbol you'll need. You can create special symbols by mixing the symbols or line-drawing fonts with the math fonts. Moreover, ChiWriter's Font Designer gives you added control over special symbols and characters, allowing you to edit two fonts at the same time or create a new symbol by cutting and pasting, painting, changing the width of the characters, or overlaying the character boxes of two edited fonts.

ChiWriter also makes it easy to write and edit formulas and equations. To obtain a sub- or superscript, you must employ a two-key command; ChiWriter moves the next character up or down one-half line space into the sub- or superscript row. Since symbols are shown correctly on the screen, errors are easy to spot.

ChiWriter shines in its edit mode, because it lets you control the spacing after inserting or deleting text. When inserting a character into an equation that includes sub- or superscripts, for example, you first press the synchronization toggle key (* on the numeric keypad) to switch into synchronization mode. In this mode, the sub- or superscript character moves aside—in its proper place beside the character preceding it—to accommodate the insertion. Otherwise the sub- or superscript would end up, respectively, beneath or above the character it was meant to follow.

On the downside, *ChiWriter* will not calculate the formulas that you enter. Lines cannot be longer than 80 characters. Footnotes, headers, footers, and endnotes are available, but footnotes cannot run across two pages.

All in all, ChiWriter is easy to use and provides WYSIWYG multisymbol capability that you won't find in many more-expensive word processors. The program is an excellent secondary word processor for users whose documents require specialized symbols and line drawings.

-Heeth Clark

NNOUNCING ROLLCALL

the "instant access" address system that puts your old card file in its place.



Does this situation sound familiar? You need to call a temporary service right away. So, you turn to your address file and flip through the Ts for "temporary." Not there. How about the Ss for "services" ... the Ws for Will B. Quick Temporary Service ... the Qs? Maybe somebody "borrowed" the card.

Now RollCall[™] gives you instant access to the names, addresses, and phone numbers you need. When you put this system on your IBM® PC (or compatible), you'll have the important people in your life at your fingertips much faster than you can say Will B. Quick.

Look at these RollCall features:

EASY-TO-LEARN: Learning RollCall is a breeze. Look at the instructions once ... and you're an expert.

EASY-TO-USE: RollCall resides in your computer's memory, and you can pop it up instantly—even when you're running another program. RollCall eliminates the chore of writing and maintaining information on paper. And, you can "jot down" any comments you want to remember about each person, so you still get the flexibility of a manual file.

FAST: Three seconds or less. That's all it takes to get the name, address, and telephone number you need.

VERSATILE: Whether you need to keep track of 50 names or 50,000, RollCall allows you to locate them by name, affiliation, and even your own designation. You can use it while you're writing a letter with your word processing program—RollCall will automatically insert the person's name and address right into the letter. Or use it to print envelopes and mailing labels. You can even print a directory to take with you on the road.

A GREAT BUY: RollCall costs only \$49.95. Amazing when you consider that we include a 3-1/2" diskette in addition to a 5-1/4" diskette, so you can conveniently put RollCall on any system. And we offer you TOLL-FREE hotline support absolutely free of charge.

ROLLCALL is for YOU! Perfect for office or personal use ... for large corporations or small businesses ... for salespeople ... for executives ... for secretaries ... for clubs and associations. RollCall is for anyone and everyone who needs to organize and use a list of names and numbers!

THE ROLLCALL GUARANTEE: Don't wonder whether or not RollCall will make your life easier. Try it! If you're not satisfied, then we'll take it back within 30 days and refund your money. To order now, call TOLL-FREE today:

1-800-888-DOIT.

(That's 1-800-888-3648. In the Washington, D.C. Metro Area, call 264-8900.)

Need RollCall immediately? Ask about next day and 2nd day delivery.

CIRCLE 384 ON READER SERVICE CARD

ROLLCALL

Order Form

at \$49.95 plu dling per cop	copy(ies) of RollCall s \$2.50 shipping and han- y. Virginia orders add 4.5% 25) per copy.
Name	
Address	
City	State Zip
	case we have a question rder):
CHECK ONE:	
Check en Computin	closed (payable to Qandug).
☐ Charge m	y:
☐ VISA	
Acct. #	
Expiration	n Date
Signature	PCM7/88

Mail to: Qandu Computing, Inc. 12040 South Lakes Drive Reston, VA 22091.



Software for Mere Mortals

© 1968 Qandu Computing Inc. RollCall and Qandu Computing are trademarks of Qandu Computing, Inc. IBM is a registered trademark of International Business Machines, Inc.



With IRMAremote, you can talk to your mainfrant

Whether you're on the road in Why, Arizona or opening a remote branch office in Chicago, Illinois, you and your personal computer can be as close to mainframe information as the nearest telephone.

Introducing IRMAremote™ from DCA.®

IRMAremote offers reliable, inexpensive and accurate access to your mainframe no matter where

you are. That means downloading files, electronic mail, data extraction and data entry—everything, in fact, that IRMA™ offers. And that includes supporting all of the mainframe file transfer software from DCA and IBM™ your company has invested so much in.

What's more, it doesn't matter what kind of protocol your network runs on. Right now, there are




from places once considered out of the question.

IRMAremote products for both SNA and BSC. Soon, there'll be a third for X.25. And if you use modems with the Hayes" AutoSync feature, all you have to buy is our IRMAremote software.

Perhaps most importantly, IRMA remote is made by DCA, the company that has set the standard in reliable micro-to-mainframe communications. A fact that your Data Communications Manager will really appreciate when you request an IRMAremote for yourself or your office.

Not only will a phone access your mainframe, it will also access all the information you need on our IRMAremote products. Dial toll-free, 1-800-241-IRMA, extension 518.



New Version 2.0

Fortunately, that's all it takes.



Can Professional Write significantly reduce the time and cost of your training and support? Call 1-408-848-4391, Operator #60 for a free trial disk.

Truth is, the best business people have the least spare time. So Professional Write 2.0 was designed to get them up and running immediately.

Professional Write 2.0 has all the features managers demand, and saves them the frustration of learning programs designed for full-time typists.

Our learning process speeds up the word process.

Anyone can learn Professional Write in a couple of hours. The screen is as familiar as a piece of paper. Pull down menus and an online manual means there's nothing to memorize. Our follow-along tutorial is written in plain English, and our context-sensitive help is one of the best available.

It all ensures that your managers spend their time managing, instead of asking for help.

We're the most compatible with your secretaries.

We gave Professional Write the most extensive and direct connections with the other software standards in your office. No other program does it so easily. Professional Write has built-in compatibility with MultiMate,™ WordPerfect,™ Microsoft Word,™ WordStar,™ Wang™ PC, DCA, and ASCII. You can directly import Lotus 1-2-3™ worksheets without retyping; include a chart from Harvard Graphics when printing; and mail merge quickly with dBase III™ files.

We give your printers the perfect set-up.

Now using multiple fonts with an HP Laser Jet, Apple Laser Writer, Sort Script or HP Desk Jet is as simple as underlining. And printer support has never been easier, because Professional Write is preconfigured for quick installation.

We have a fast new way to find your documents.

You no longer have to spend your valuable time hunting down files. Our new *File-Finder* searches through the actual text of *all* your Professional Write files to find any words or phrase, and will call up the appropriate document. We'll also give you sorted lists of files, and the option to identify your files with summary descriptions.

There's more to our feature story.

We know what managers need from a word processor. That's why Professional Write offers speed keys, macros, and column-move. An integrated spelling checker,



thesaurus, on-screen calculator and address book are only a keystroke away. We also support all

We're quick to polish up your image

the popular networks.

Put time on your side. Call 1-408-848-4391, Operator #60 for a free trial disk.

PFS: Professional Write and PFS: Write owners Call 1-800-255-5550 for upgrade information.



Product name	Tech/Word	ChiWriter	EXP	Alexander	WordMarc Composer	PS
List price Price of upgrade	\$75.00 Free	\$79.95 \$10.00	\$150.00 \$25.00	\$245.00 Free	\$375.00 \$149.00	\$395.00 \$40.00
Network version	1100	\$10.00	925.00	1100	\$143.00	g=0.00
Cost of master program	N/A	N/A	N/A	N/A	\$695	N/A
to, of users license allows	N/A	N/A	N/A	N/A	1	N/A
Cost per additional user	N/A	N/A	N/A	N/A	\$150	N/A
Bite license available	0	0	0	0	•	•
Memory usage						
Expanded memory	0	0	0	0	0	0
Extended memory	0	0	0	Ö	0	0
Disk usage						
Disk space required	350K	150K	110K	440K	1,500K	403K
Program is entirely memory resident	0	•	•	0	0	0
Text formatting features		-				
Left justification	•	•	•	•	•	•
Center justification	0	0		0	0	
Right justification	0	0	•	0	•	•
Proportional spacing	0	•	•	0	•	•
Adjustable left and right margins	•	•	•	• ,	•	•
Maximum right margin setting	255	76	132	254	163	250
Maximum no. of margin changes per document Block indent (left)	Unlimited •	Untimited	Unlimited	Unlimited	Unlimited	Unlimited
Block indent (left and right)	0	0	0	0	0	0
1½-line spacing	•	•	•	•	•	•
Double line spacing	•	•	•	•	•	•
Triple line spacing	•	•	•	•	•	•
Auto-leading	0	0	•	0	0	0
Variable line spacing within document	•	•	•	•	•	•
10 characters per inch	•	•	0	•	•	•
12 characters per inch	0	•	0	•	•	•
Compressed type	0	•	0	•	•	•
Additional monospace pitches	0	0	0	•	•	•
On-screen underline On-screen bold	•	•	•	0	•	•
		•		U	•	•
Continuous underline	•	0	•	•	•	•
Broken underline Double underline	0			•	0	0
Superscripts	•	•		•	•	
Subscripts		•	•	•	•	•
Italics		•	•	•	0	•
Bold Halles	•	•	•	•	0	•
Overstrike	0	0	•	•	•	•
Strikethrough	0	0	•	•	0	0
Small capitals	0	•	•	0	0	•
Nonprinting notes replaced by blanks	0	0	0	0	•	•
Nonprinting notes with space closed up	0	0	0	0	0	0
	•	•	•	•	•	•
Adjustable top and bottom margins						
Maximum page length (lines)	Unlimited	9,999	66	Unlimited	Unlimited	Unlimited
	Unlimited	9,999	66	Unlimited	Unlimited	Unlimited
Maximum page length (lines)	Unlimited		66	Unlimited		

[—]Indicates Editor's Choice — Yes O—No N/A—Not applicable: program does not have this feeture.

*For 2 to 15 users, \$150 each, 16 to 30 users, \$100 each; 31 or more, \$50 each. Add \$50 to each number for previewer and laser driver support.

			(F)		TTT.	
			PE		TE .	Spellbinde
Product name List price	TechWriter \$395.00	The Egg \$495.00	Total Word \$495.00	#CTEX \$499 00	T ¹ \$695.00	Scientific \$790.00
Price of upgrade	\$50.00	\$50.00	599.00	\$50.00	\$145.00	\$295.00
Network version						
Cost of master program	N/A	N/A	N/A	\$569	N/A	N/A
No. of users license allows	N/A	N/A	N/A	1	N/A	N/A
Cost per additional user	N/A	N/A	N/A	\$150*	N/A	N/A
Site license available	0	•	0	•	0	0
Memory usage						
Expanded memory	0	0	0	0	0	0
Extended memory	0	0	0	0	0	0
Disk usage						
Disk space required	234K	256K	2.5MB	3MB	3МВ	700K
Program is entirely memory resident	0	0	0	0	0	0
Text formatting features						
Left justification	•	•	•	•	•	•
Center justification	•	0	•	•	•	•
Right justification	•	•	•	•	•	•
Proportional spacing	•	•	•	•	•	•
Adjustable left and right margins	•	•	•	•	•	•
Maximum right margin setting	126	200	250	Unlimited	158	159
Maximum no. of margin changes per document Block Indent (left)	Unlimited	Unlimited •	Unlimited	Unlimited	Unlimited	Unlimited
Block indent (left and right)	•	0	•	•	0	•
1½-line spacing	•	•	•	•	•	•
Double line spacing	•	•	•	•	•	•
Triple line spacing	•	•	•	•	•	•
Auto-leading	0	•	0	•	0	•
Variable line spacing within document	•	•	•	•	•	•
10 characters per inch	•	•	•	•	•	•
12 characters per inch	•	•	•	•	•	•
Compressed type	0	•	•	•	•	•
Additional monospace pitches	0	•	•	•	•	•
On-screen underline	0	•	•	•	•	•
On-screen bold	•	•	•	•	•	•
Continuous underline	•	•	•	•	•	•
Broken underline	•	•	•	•	•	•
Double underline	0	•	0	•	0	0
Superscripts	•	•	•	•	•	•
Subscripts	•	•	•	•	•	•
Italics	•	•	•	•	•	•
Bold Italies	•	•	•	•	•	•
Overstrike	•	•	•	•	•	•
Strikethrough	•	•	•	•	•	•
Small capitals	•	•	0	•	•	•
Nonprinting notes replaced by blanks	0	•	0	0	•	0
Nonprinting notes with space closed up	0	0	•	•	0	0
Adjustable top and bottom margins	•	•	•	•	•	•
Maximum page length (lines)	255	Unlimited	150	302	Unlimited	88
Variable page length within document	•	•	•	•	•	•
Vertical centering	0	•	0	•	O	0
Tabs can be entered anywhere	•	•	•	•	•	•
Tabs move when left margin changes	0	0	0	•	0	•

MAGAZNE					WordMarc	
Product name List price	Yech/Word \$75.00	ChiWriter \$79.95	EXP \$150.00	Alexander \$245.00	WordMarc Composer \$375.00	P8 \$395.00
Price of update Text formatting features	Free	\$10.00	\$25.00	Free	\$149.00	\$40.00
Maximum no. of tab stops	255	Unlimited	16	Unlimited	Unlimited	16
Hard page breaks	•	•	•	•		•
Conditional page breaks	•	0	•	•	0	•
Paragraphs can be linked	\bigcirc	0	0	•	\circ	•
Unbreakable blocks	•	0	0	•	0	•
Widow control	0	0	0	•	•	0
Orphan control	0	0	0	•	•	•
Automatic page numbering	•	•	•	•	•	•
Automatic resetting of page numbers	•	•	•	•	•	•
Creates headers	•	•	•	•	•	•
Creates footers	•	0	•	•	•	•
Command strategy						
Full-screen menus	0	0	0	•	•	0
Partial-screen menus	•	0	0	0	•	•
Lotus-style menus	0	•	0	0	0	•
Can bypass menus	0	•	N/A	0	•	0
Command line	0	•	•	Ö	0	•
Function keys used with Alt/Shift/Ctrl	•	•	•	•	•	0
Alphanumeric keys used with Alt/Ctrl	•	•	•	•	0	•
Permanent defaults	0	•	•	•	•	•
Temporary defaults	•	•	•	•	•	•
Screen displays						
Screen displays ruler line	•	•	0	0	•	0
Ruler line can be suppressed	0	0	N/A	N/A	•	N/A
Ruler/status line shows character columns	0	•	\cap	\cap	•	•
Margin positions are graphically displayed	•	•	0	0	•	0
Ruler/status line shows line number	0	•	•	•	0	•
Ruler/status line shows page number	•	•	•	0	0	0
Auter/status line shows filename	•	•	•	0	0	•
Program shows current drive and path	0	0	0	•	•	•
Ruler line shows DOS date and/or time	0	0	N/A	N/A	0	N/A
Page breaks are shown while typing	0	•	•	0	0	\circ
Paragraph markers are normally shown	•	•	0	•	0	0
Text entry and editing						
Status messages indicate special typing modes	•	•	\cup	•	•	•
insert and overstrike modes are available	•	•	•	•	•	•
Deleting						
Entire word	•	•	•	0	0	•
Entire line	•	•	•	•	0	0
Sentence	0	0	0	0	0.	
Paragraph Page		0	0	0	0	0
Column	0	0	0	0	•	0
	•					
Undelete capability Multiple undelete levels	0	O N. A	0	O N/A	•	0
				-		
Mouse-centroliable cursor	0	0	0	•	0	· ·
Ward block Line block			0	0	0	
Sentence block		0		0	0	

indicates Editor's Choice •-- Yes O--No N/A--Not applicable: program does not have this feeture

			•					
Product teme List price Price of upgrade	TookWriter \$395.00 \$50.00	The Egg \$495.00 \$80.06	Total Ward \$495.00	PCTAX \$499.00 \$50.00	7° ************************************	Spoithinder Scientific 87790.00 \$295.00		
Text formatting features								
Haximum no. of tab stops	University	200	250	Unlimited	Unlimited	Unlimited		
Hard page breaks	•	•	•	•	•	•		
Conditional page breaks Paragraphs can be linked	0	0		0	0	0 .		
Unbreakable blocks	•	0	•	•	0	•		
Widow control Grphan control	0	0	•	•	0	•		
Antomotic page numbering	•	_			•			
Automatic resulting of page numbers		0						
Creates headers	•	•	•	•	•	•		
Creates feeters	•	•	•	•	•	•		
Command strategy								
Full-screen menus Partiel-screen menus	0	0		0	0	0		
Latus-ctyle monus	0	0	0	0	0	•		
Con bypose monus	•	N/A	0	M/A	•	0		
Command Hos Function keys used with Alt/Shill/Ctrl			•	•	0	0		
Alphanumeric keys used with Alt/Ciri	•	•	0	0	0	0		
Permanent defaults	•	•	•	0	•	•		
Temperary defaults	0	•	•	•	•	•		
Screen displays								
Screen displays rater line Rater line can be suppressed	O N/A	•	•	•	•	O N/A		
Ruler/status line shows character columns	•	•		0		O		
Margin positions are graphically displayed	0	•	•	Ö	•	Ö		
Ruler/status line shows line number	•	•	•	0	•	•		
Ruior/status line shows page number Ruior/status line shows filename	•	•	•	0	•	0		
				0		0		
Program shows current drive and path Ruler line shows DOS date and/or time	N/A	0		0	•	O N/A		
Page breaks are shown while typing	•	•	•	0	0	•		
Paragraph markers are normally shown	•	0	0	0	•	0		
Text entry and editing		_						
Status messages indicate special typing medes Insert and overstrike medes are available		•	•	0	•	•		
Deleting					-	-		
Entire word	•	•	•	0	0	•		
Entire line Sentence		•	•	0	0	0		
Paragraph		0	0	0	0			
Page	0	•	0	Ō	0	O		
Column	•	•	0	0	0	0		
Undatate capability Multiple undelete levels	•	0	•	O N/A	O N/A	•		
Mouse-centralishie curser	0	0	0	0	0	0		
Werd Meth	•	0	•	0	0	•		
Line block Sentence block		0	0	0	0	0		

The Diconix 150 printer. Completes The silent partner



most any system. Quietly. that fits in a briefcase.



A Kodak Company

3100 Research Boulevard Dayton, Ohio 45420 1-800-DICONIX

VAGAZINE Troduct name	Tech/Word	ChiWriter	EXP	Alexander	WordMare Composer	P3
List price Price of update	\$75.00 Free	\$79.95 \$10.00	\$150.00 \$25.00	\$245.00 Free	\$375.00 \$149.00	\$395.00 \$40.00
Text entry and editing	1100	\$10.00	420.00	1100	\$140.00	4-0.00
		_				_
Paragraph block Column block			0	0	0	•
Page block	0		0	0	0	0
Block can be extended	0	0			0	0
Move block	•	•	•	•	•	•
Copy block Dalete block	•	•	•	•	•	•
Pelere mock Reformats automatically after block move		0		0		
			_		•	
Copies or moves to another window	0	0	0	0	0	•
Copies or moves to and from footnotes	0	•	•	0	•	•
Baves to a file		•	•	•	•	•
Appends to a separate file	U	•	0	•	0	•
learch-and-replace						
Works forward and backward	0	•	0	0	•	•
Verifies replace	•	•	•	•	•	0
Searches within other files	0	0	0	•	0	0
Performs case-sensitive search Preserves case when replacing			0		0	0
Preserves case when replacing Recognizes whole words	0	0	0		0	0
Uses wildcards	0	0	0	0	0	
Search-and-replace for format codes	•	0	0	•	•	
Text windows	84 z A	2		8448	6248	
No. of windows Split-screen windows	N/A N/A	2	1	N/A N/A	N/A N/A	0
Spiit-screen windows Full-screen windows	N/A	0		N/A	N/A N/A	
ruir-screen wattoows	H/A			n/A	IN/A	
Printer						
No. of printer drivers	20	33	5	15	171	12
Can modify printer drivers	•	•	0	•	•	•
Can work with more than one printer	0	•	0	•	•	0
Edits while printing	0	0	0	0	•	0
Queues documents for printing	0	0	0	0	•	0
Can change print queue	0	0	0	0	•	0
Printz block	0	•	0	•	0	0
Prints continuous range of pages	•	•	•	•	•	•
Prints selected pages	0	0	0	0	0	
Prints as you type	0	0	0	0	0	•
Higher-order ASCII characters	•	•	•	•	•	•
Automatic envelope formatting and printing	0	0	0	•	0	•
Landscape mode	0	0	0	•	0	0
File handling						
Entire document kept in RAM			•	_	0	•
Maximum file size	Unlimited	160K	Unlimited	1.82MB	Unlimited	50K
Creates .BAK file	•	0	•	0	•	•
Makes backup during save and resume	0	•	0	O	0	•
	0	0		0		
lemporarily goes to DOS includes file management functions		0				
Can search disk for a Hiename		0	0	0		
File import/export						-
Accepts DCA files	0	0	0	0	•	0
Accepts WordStar files	0	•	0	0	•	0
Accepts WordPerlect files	0	•	0	0		0

Product name List price Price of upgrade	TackWriter \$395.00 \$50.00	The Egg \$495.00 \$50.00	Total Ward \$495.00 \$99.00	PCTeX \$499.00 \$50.00	7° \$595.00 \$145.00	Spellbinder Selentitic \$790.00 \$295.00
Text entry and editing						
Paragraph block	•	0	0	0	0	•
Column block	•	0	0	0	0	•
Page block Block can be extended		0	0	0	0	0
Move block	•	•	•	0	•	•
Copy block	•	•	•	0	•	•
Delete block	•	•	•	0	•	•
Reformats automatically after Mock move	•	0	•	0	•	0
Copies or moves to another window	0	0	•	0	0	0
Copies or moves to end from tootsetes	•	0	•	0	•	0
Saves to a file	•	0	•	0	0	•
Appends to a separate file	0	•	•	0	0	0
Search-and-replace				***		
Works forward and backward	•	•	•	N/A	0	•
Verifies replace	•	0		N/A	•	•
Searches within other files Performs case-sensitive search		0		N/A N/A	0	
Preserves case when reptacing	0	0		N/A	0	0
Recognizes whole words		0		N/A	0	ĕ
Uses wildcards	0	Ö		N/A	0	
Search-and-replace for format codes	•	•	•	N/A	•	0
Text windows						
No. of windows	N/A	N/A	2	N/A	N/A	N/A
Split-screen windows	N/A	N/A	•	N/A	N/A	N/A
Full-screen windows	N/A	N/A	0	N/A	N/A	N/A
Printer						
No. of printer drivers	102	8	200	12	10	8
Can modify printer drivers	0	0	•	0	0	0
Can work with more than one printer	0	•	•	•	•	0
Edits while printing	•	0	•	0	0	0
Queues documents for printing	0	0	•	0	•	0
Can change print queue	0	0	•	0	0	0
Prints block	0	•	•	0	0	•
Prints continuous range of pages	•	•	•	•	•	•
Prints selected pages	•	0	0	•	•	0
Prints as you type	0	0	•	0	0	0
Higher-order ASCII characters	0	0	•	•	•	0
Automatic envelope formatting and printing Landscape mode		0		•	0	•
File handling						_
Entire document kept in RAM	0	0	•	0	0	0
Maximum file size	1MB	173K	1M8	Unlimited	Unlimited	Unlimited
Creates .BAK file	•	0	•	0	0	•
Makes backup during save and resume	•	0	•	0	0	•
Temporarily goes to DQS	0	•	•	•	0	•
Includes file management functions	•	0	•	0	•	•
Can search disk for a filename	0	0	•	•	•	0
File import/export					_	
Accepts DCA files	0	0	0	0	0	0
Accepts WordStar files	0	•	0	0	0	•
Accepts WordPerlect files	0	0	0	0	0	0





"What am I doing here?"

I guess I have a reputation for saying what's on my mind. So when the people at Everex asked me to be in their ad, I said it was okay as long as they let me have the floor.

The reason I like their Step 386/20 is simple. It's fast. It is definitely the fastest machine that I've seen so far.

When they sent the machine over, I put it through every benchmark test I could find. I finally gave up. It was the highest on all of them.

Give me the choice and I'll use the fastest thing I can get my hands on. This happens to be it.

What can I say? I like the beast.

For your nearest authorized Everex Computer Systems Reseller call 1-800-356-4283. Everex, 48431 Milmont Dr., Fremont, CA 94538.

CIRCLE 216 ON READER SERVICE CARD

"At 20MHz this is the fastest beast I've ever had the pleasure to meet."

John C. Dvorak Columnist, PC Magazine

 IBM PS/2 Model 80 (20 MHz)
 3.52 MIPS

 Compaq DeskPro 386/20
 4.59 MIPS

 Everex Step 386/20
 4.91 MIPS

Power Meter MIPS Version 1.2. The Database Group.



AGAZINE .					Shedden's	
ndutt name	Took/Word	ChiWriter		Manager	Composer	1
et price	\$75.00	\$79.95	\$150.00	\$245.00	\$375.00	\$395.00
ice of update	A S	\$10.00	\$25,00	Tipe !	\$149.00	\$40.00
ile handling				111		RI CLE AND A
Accepts Microsoft Word files	0	0	0	0	•	0
Accepts MultiMain files	0	0	0	0	•	0
pelling checker, hyphenation, nesaurus	ş.		. ,			
oilling checker	0	0	0	0	•	0
No. of words in standard dictionary	N/A	N/A	N/A	N/A	60,000	N/A
Dictionary size	N/A	N/A	N/A	N/A	421K	N/A
Dictionary developer	N/A	N/A	N/A	N/A	In-house	N/A
No. of user-defined dictionaries	N/A	N/A	H/A	N/A	Unlimited	N/A
Spell-checks single word	N/A	N/A	H/A	N/A	0	N/A
Spell-checks defined block	N/A	N/A	N/A	N/A	0	N/A
Check-as-you-type option	N/A	N/A	N/A	N/A	0	N/A
phonelion						
Based on algorithm or dictionary	N/A	N/A	N/A	N/A	Both	Algorithm
Uses hot zone for hyphenation	0	0	0	0	•	•
Inserts soft hyphens	0	0	0	0	•	•
Allows entering soft hyphens from keyboard	0	0		0	•	•
Readjusts to additions and deletions	0	0	•	0	•	•
sesaurus	0	0	0	0	0	0
Antonyms provided	N/A	N/A	M/A	N/A	N/A	N/A
lanuscript preparation					the state of the state of	7
otnote/endnote capability	0	•	•	•	•	•
Different fonts	N/A	0	0	0	0	•
Auto-numbering	N/A	•	•	•		•
favian canability	0	0	0	0	_	_
dexing capability Multilevel indexing	N/A	N/A	N/A	N/A		
					-	
ble of contents Multilevel formats	O N/A	0	0	O N/A	•	•
	N/A	N/A	N/A	N/A		O
esktop publishing features					1	
sking columns	0	0	•	0	0	•
Single and snaking columns on same page	N/A	N/A	•	N/A	N/A	l laiteira d
Maximum no. of columns Full justification and microjustification	N/A N/A	N/A N/A	4	N/A N/A	N/A N/A	Unlimited
Full justification and microjustification Automatic calculation of placement and width	N/A	N/A N/A		N/A	N/A N/A	
						
de-by-side columns	0	0	0	0	0	• All the fact of
Maximum no. of columns	N/A	N/A	N/A	N/A	N/A	Unlimited
Full justification and microjustification	N/A	N/A	N/A	N/A	N/A	•
matched column widths available	N/A	N/A	0	N/A	N/A	
justable gutter width	N/A	N/A	0	N/A	N/A	•
ngle column automatically restored	N/A	N/A	0	N/A	N/A	
ne graphics	•	•	0	•	0	•
exable line graphics	•	•	0	0	0	•
mamic graphics	•	0	0	0	0	•
ility to import graphics-format files	0	•	0	0	•	
aphics preview	•	0	0	0	0	•
ge preview	0	0	0	0	•	•
II-page vertical monitor supported	0	0	0	0	•	•
ndscape high-resolution monitor supported	0	0	0	0	•	0
		_	0			_

			PC		PC	Spolibi
Fraction name List price	TechWriter \$395.00	S496.00	7495.00	FCTbX \$499.00	1 ⁹ \$505.00	Scienti 5790.0
Price of upgrade	\$50.00	\$50.00	\$99.00	\$50.00	\$145.00	\$295.0
File handling				C. P. Land	12 - 10 24 20 3	
Accepts Microsoft Word files Accepts MultiMale files	0	0	0	0	0	0
Spelling checker, hyphenation, thesaurus	1 *	-				
Spelling shocker	Optional (\$50)		•	0	•	•
No. of words in standard dictionary	123,000 347	N/A N/A	170,000 150K	N/A N/A	80,000 185K	50,000 112K
Dictionary size Dictionary developer	In-house	N/A	in-house	N/A	Trigram Systems	Merrian
No. of user-defined dictionaries	1	N/A	1	N/A	Unlimited	1
Spell-checks single word	0	N/A	•	N/A	•	0
Spell-checks defined block	0	N/A	•	N/A	•	0
Check-as-you-type option	0	N/A	0	N/A	•	0
Hyphenation Based on algorithm or dictionary	Algorithm	N/A	Both	Algorithm	N/A	Diction
Uses hot zone for hyphenation	0	0	•	0	•	•
Inserts soft hyphens	•	0	•	•	•	•
Allows entering soft hyphens from keyboard Readjusts to additions and deletions		0		•		0
Thesaurys	0	0		0	0	0
Antonyms provided	N/A	N/A	•	N/A	N/A	N/A
Manuscript preparation						7
Featnets/endnote capability	•	•	•	•	•	0
Different fonts Auto-numbering	•	0				N/A N/A
Indexing capability	•	0	•	•	0	0
Multilevel indexing	•	N/A	•	•	N/A	N/A
Table of contents Multilevel formats	0	O N/A	•		O N/A	O N/A
Desktop publishing features			,			নার ক
Snaking columns	•	0	•	0	•	0
Single and snaking columns on same page	0	N/A	•	N/A	•	N/A
Maximum no. of columns	Unlimited	N/A	19	N/A	9	N/A
Full justification and microjustification Automatic calculation of placement and width	•	N/A N/A	•	N/A N/A	•	N/A N/A
		10/0		IVA .		N/A
Side-by-side columns Maximum no. of columns	O N/A	•	O N/A	•	•	2
Full justification and microjustification	N/A	•	N/A	•	•	•
Unmatched column widths available	0	•	0	•	•	0
Adjustable gutter width	0	0	0	•	•	0
Single column automatically restored Line graphics	0	0	0	0		0
						0
Erasable line graphics Dynamic graphics	0 0	0	0	0	0	0
Ability to import graphics-format files	0	0	0	0	•	0
Graphics preview	O	•	•	Ö	0	0
Page preview	0	0	•	•	0	•
Full-page vertical monitor supported	0	0	•	•		0
Landscape high-resolution monitor supported Zoom image	0	0	0	0	0	0
					7.8	

MAGAZINE					Wordlare	•
Product name	Took/Word	Christian	EXP	Alexander	Composer	PG
List price Price of update	\$76.00 Pree	\$79.95 \$10.00	\$150.00	\$245.00 Free	\$375.00	\$395.00 \$40.00
Desktop publishing features						
Competible with:						
Bylines	0	0	0	0	0	0
GEM Desitop Publisher	0	0	0	0	0	0
The Office Publisher PageMaker	0	0	0	0	0	0
Ventura Publisher	0	0	0	0	0	0
Scientific and technical leatures					,	28.22 3.33
Supports eversize fonts		•	•	•	•	- 13 141 3 - 14A
Displays symbols not in Wif's character sat	•		•			•
Numeric learures						\$ 5 × 0 1
Parlorms arithmetic	0	0	0	0	0	0
Keybeard calculations	N/A	N/A	N/A	N/A	N/A	N/A
Keykeard colouistions can be dropped into text	N/A	N/A	N/A	N/A	N/A	N/A
Calculates from numbers on the sersen	N/A	N/A	N/A	N/A	N/A	N/A
Pop-up calculator	N/A	N/A	N/A	N/A	N/A	N/A
Equation-processing mode			·			
Equation solving	0	0	0	0	0	0
Imports equations	0	0	0	0	0	0
Aligns portions of equations	•	•	•	•	0	0
Auto carriage returns	0	0	0	•	0	0
Auto entry and exit	0	0	0	•	0	0
Can copy or move equations	•	•	•	0	0	0
Can copy or move column areas of equations	0	0	•	0	0	0
Supports Goto Paranthesis command	0	0	0	0	0	0
Reads/imports Latur 1-2-3 files	0	0	0	0	0	0
Corporate and professional features	\$					
Mail-merge	0	0	0	0	•	•
Maximum no. of record files	N/A	N/A	N/A	N/A	Unlimited	Unlimited
Mailing labels printed	N/A	N/A	NZA	N/A	•	
Broup editing and file comparison Revision marking	0	0	0	0	0	0
Changes verified one by one	N/A	N/A	N/A	N/A	N/A	N/A
File comparison	0	0	0	0	0	0
Outline numbering	Ö	O	Ö	0	0	Ö
No. of outline levels supported	N/A	N/A	N/A	N/A	N/A	N/A
Collapsible outlines	NZA	N/A	N/A	N/A	N/A	SUA.
Telecommunications module	0	0	0	•	•	0
Logal features						
Creates table of authorities	0	0	0	0	•	0
Checks citation formats	0	0	0	0	0	0
Provides line numbering	0	0	0	0	0	0
Other corperate features		0				
File energetion	0	0	0	0	0	0
File encryption Preformatted forms processing	0	0	0	0		

				THE THE THE	建	``a
			PC	10000000000000000000000000000000000000	PC	Spolibinder
reduct come	Took Writer	The Est	Total Word:	PERK	TO A VIEW	Scientific
at price	\$395.00	\$495.00 \$50.00	\$495.00	\$499.00 \$60.00	\$595.00 \$145.00	\$790.00 \$295.00
rice of upgrade lesktop publishing features				T flaring to	4 5 6 6	, 900000
esktop publishing teatures	Company of the second second	A STATE OF THE STA	P. Co. S. C. 21	ME N. A.	TO THE PARTY OF TH	. t.
Bylines	0	0	•	0	0	0
GEM Desktop Publisher	0	ō		o	o	0
The Office Publisher	0	0	•	0	0	0
PageMaker	0	0	•	0	0	0
Ventura Publisher	0	0	•	0	0	0
cientific and technical features		100		1.4	A STATE OF THE STA	
upports oversize fonts	•	•	•	•	•	•
laplays symbols not in IBM's character set	•	•	•	•	•	•
lumeric features						
erforms arithmetic	0	0	•	0	0	•
eyboard calculations	N/A	N/A	0	N/A	N/A	•
eyboard calculations can be dropped into text	N/A	N/A	N/A	M/A	H/A	•
alculates from numbers on the screen op-up calculator	N/A N/A	N/A N/A	0	N/A N/A	N/A N/A	0
		Arte Art	_	Ki F. C.		
quation-processing mode		0	0	0	0	0
quation solving mports equations	0	0	0	0	0	0
ligns portions of equations	•	•	•	ě	•	0
		•		0	0	0
uto carriage returns uto entry and exit	0		0	0	0	0
an copy or move equations	•	•	ě	Ö	•	0
an copy or move column areas of equations	•	•	•	0	•	0
Supports Goto Parenthesis command	0	0	0	0	0	0
leads/imports Lotus 1-2-3 files	0	0	0	0	0	•
Corporate and professional features		E. W. F			A STATE OF THE STA	
fail-merge	•	0	•	•	•	•
Maximum no. of record files	Unlimited	N/A	Unlimited	Unlimited	Unlimited	1
Mailing labels printed	•	N/A	•	•	•	•
iroup editing and file comparison						
Revision marking	0	0	•	0	0	0
Changes verified one by one	N/A	N/A	•	N/A	N/A	N/A
File comparison Outline numbering	0	0	0	0	0	0
No. of outline levels supported	N/A	N/A	N/A	Unlimited	N/A	N/A
Collapsible outlines	N/A	N/A	N/A	0	N/A	N/A
elecommunications module	0	0	0	0	0	0
agal features						
Creates table of authorities	0	0	0	0	0	0
Checks citation formats	0	0	0	0	0	0
Provides line numbering	0	•	•	•	0	•
Other corporate features				_		
Passwords	•	0	0	0	•	0
File encryption	0	0		0	0	0
Preformatted forms processing	U	U		•	U	

MAGAZINE Product name List price Price of update	Tech/Word \$75.00 Free	ChiWriter \$79.95 \$10.00	EXP \$150.00 \$25.00	Alexander \$245.00 Free	WordMare Composer \$375.00 \$149.00	P8 \$395.00 \$40.00
Macros and sort routines No. of macros	N/A	50	Unlimited	48	Unlimited	350
includes sort routines	0	0	0	0	0	0
User can elect fields for sorting	N/A	N/A	N/A	N/A	N/A	N/A
Help, documentation, and error handling						
On-line help available	•	•	0	•	•	•
Context-sensitive on-line help	0	•	N/A	•	•	•
Adjustable help levels	0	•	N/A	0	0	0
Documentation						
Keyboard templates	0	0	0	0	•	0
Tutorial	•	•	0	•	•	0
Installation						^
Automated installation Hardware environment recognized automatically	•	0	0	0	•	0
Error messages						
Explains error Suggests remedy	0		0	0		0
						
Tech support		_				
Cost of single-user paid support	Free	Free	Free	Free	\$50	Free
Cost of multiple-user paid support	N/A	N/A	N/A	N/A	\$50 per station	N/A
Preduct name List price Price of upgrade	TechWriter \$395.00 \$50.00	The Egg \$495.00 \$50.00	Total Word \$495.00 \$99.00	PCTeX \$499.00 \$50.00	16 \$595.00 \$145.00	Spelibinder Scientific \$790.00 \$295.00
Macros and sort routines No. of macros	288	30	Unlimited	Unlimited	Unlimited	15
Includes sort routines	0	0	•	0	0	
User can elect fields for sorting	N/A	N/A		N/A	N/A	
Help, documentation, and					•	•
error handling	•	0		0		
error handling On-line help available	:	O N/A		N/A	•	0
error handling On-line help available Context-sensitive on-line help	•	_				0
error handling On-line help avallable Context-sensitive on-line help Adjustable help levels	•	N/A		N/A		
error handling On-line help available Context-sensitive on-line help Adjustable help levels Documentation Keyboard templates	•	N/A	•	N/A N/A	•	
error handling On-line help available Context-sensitive on-line help Adjustable help levels Documentation	Optional (\$50)	N/A N/A	•	N/A N/A	•	
error handling On-line help available Context-sensitive on-line help Adjustable help levels Documentation Keyboard templates Tutorial	•	N/A N/A	•	N/A N/A	•	
Context-sensitive on-line help Adjustable help levels Documentation Keyboard templates Tutorial Installation Automated installation	•	N/A N/A	•	N/A N/A	•	•
error handling On-line help available Context-sensitive on-line help Adjustable help levels Documentation Keyboard templates Tutorial	•	N/A N/A	•	N/A N/A	•	
Tutorial Installation Automated installation Hardware environment recognized automatically Error messages	•	N/A N/A	•	N/A N/A	•	•
On-line help available Context-sensitive on-line help Adjustable help levels Documentation Keyboard templates Tutorial Installation Automated installation Hardware environment recognized automatically Error messages Explains error	•	N/A N/A	•	N/A N/A	•	•
On-line help available Context-sensitive on-line help Adjustable help levels Documentation Keyboard templates Tutorial Installation Automated installation Hardware environment recognized automatically Error messages Explains error Suggests remedy	•	N/A N/A	•	N/A N/A	•	•
On-line help available Context-sensitive on-line help Adjustable help levels Documentation Keyboard templates Tutorial Installation Automated installation Hardware environment recognized automatically Error messages Explains error Suggests remedy Tech support	Optional (\$50)	N/A N/A	•	N/A N/A	•	•
On-line help available Context-sensitive on-line help Adjustable help levels Documentation Keyboard templates Tutorial Installation Automated installation Hardware environment recognized automatically Error messages Explains error Suggests remedy	•	N/A N/A	Free N/A	N/A N/A	•	•

First the EGAWONDER" NOW...

The Second Wonder of the World

- Exclusive "Plug & Go" with automatic self-configuration. Switchless Parameter memory retention, means easy
- 100% Hardware & BIOS competible with ISM at VGA, EGA, CGA, MDA & Hercules means no surprises, all ISM PC-compatible software runs. Up to 800% Faster than IBM with
- 1:1 memory interleaving and a 16 bit detapath on 286/386's means you almost need a pilot's license to use this one.

- Supports 1024x768 Hi-resolution on standard
- Multisync type monitors.

 More colors at higher resolutions with ATI custom software drivers for popular desictop & CAD applications.
 Displays 132 Columns software on any monitor,
- including: TTL, RGB, EGA, MULTISYNC, IBM 8503/8512/8513/8514 monitors 512k Video Memory able in both PC & AT

N/15 bit bus versions.

Software		
	PERCUL/TION	COLDRIGHADE
AFT HE ARROLL/TICH SHAVERS SUPPLIED	100 Au 700 000 720	16/906 K
AT 16-RESOLUTION DRIVENS SUPPLIED	500000 ·	296/296 X
VRA	220±20 ALL 17 MIDDES	296/200 K
BOA	040x300	16/64
COA	3394300	10/01
MOA	7701:348 0.401:460	

MODE & 60 CAM NOT BE DISPLAYED ON 8503-12-13

TECHNOLOGIES INC

ria Park Ave., Scarborough, Ontario, Canada MIW 332 D (ATT TOR) Tel. (616) 756-0711 Fee: (416) 754-0776

in. All LCA WONCEA ELA MONCEA. EL Monte Corp., AUTOSHADE - Autodesking, JEM VGA, EGA, CGA - Ing GEM - Digital Research Inc., VENTURA - Xeron Corp., AUTOSHADE - Autodesking, JEM VGA, EGA, CGA - Ing



ASK AND YOU

In PC printers, as in life, you can't always get what you want.

Unless, of course, you get an ALPS.

Take our new ALQ224e and ALQ324e, for instance. The "e" is for "enhanced," which is how these dot matrix printers differ from our original ALQ line. And the enhancements are all the result of customer suggestions.

You asked for a 24-pin printer that could run 9- and 18-pin software. So we gave the ALQe printers 24 pins, and the ability to emulate 9- and 18-pin printers. You asked for smoother paper handling, with no waste. So we added paper parking and a built-in, push/pull tractor feed. And you asked for greater type versatility. So we included two resident fonts.

Of course, you also get most everything else you'd ever want in a printer. Like crisp letter-quality output. Color. A top speed of 240 cps. Easy front-panel controls. Full compatibility with the leading PCs and software. Plus the ability to run five years without a breakdown.



SHALL RECEIVE.

There's even a choice of sizes. The compact ALQ224e is ideal for standard paper sizes and tight spots, while the wide-carriage ALQ324e can handle up to 16-inch-wide spreadsheets.

What's more, both printers come with a free ALPSmate software program, which gives you full control of your ALQe from your PC.

So ask your local ALPS dealer for a free ALQe demonstration. And if, for some reason, you find they're not exactly the type of printer you're looking for, call us at 800-828-ALPS.

Or, if you're in California, 800-257-7872.

And we'll be happy to build something else for you.



Built by popular demand.

ALQe and ALPSmate are trademarks of Alps Electric Co., Ltd. C 1988, ALPS America.

The Egg

Perhaps because it can be described as an object with a flawless exterior enclosing material with lots of potential, *The Egg* became The Peregrine Falcon Co.'s code name for its \$495 scientific word processor during development. For the most part, that appellation fits: *The Egg* is a fine tool for preparing scientific documents. What is not flawless, however, is the program's nonmath word-processing functions.

The Egg is easy to crack. Installation is a simple matter of copying files from one non-copy-protected disk. (The Egg works on floppy- and hard-disk systems.) An hour or so later, after having worked through the tutorial, you are ready to start preparing documents containing equations of varying complexity.

Fonts included with the program contain every important technical symbol (many in several sizes), including some basic chemistry forms. If you need some special symbol not in the fonts, you're free to create it with a utility within the program. (Additional and extensive chemistry fonts are available separately.)

The Egg easily created PC Magazine's sample test equations. Equations, however, cannot be rescaled. Vertical movements are in units of quarter-lines, while

half-character widths. (A future program, The Egg Bookmaker, will offer the ability to make small adjustments in any direction and will provide kerning.)

horizontal movements can be adjusted to

LINES AND LEVELS From *The Egg*'s perspective, an equation or technical expression is held on a single line. This line may have any of 17 levels, and you place your integers, Greek letters, vectors, fraction lines, braces, and brackets on this line at the appropriate level.

Some expressions may extend far above or below the baseline of the line, and *The Egg* does not automatically adjust the interline spacing; you will have to perform this fine-tuning yourself. A special reference symbol on the screen moves up and down to indicate your current position with respect to the true baseline.

The Egg comes with eight fonts, each of which is available in eight sizes, and each size of which is available in normal, bold, italic, and bold italic weights. Just about any scientific character you need can be found in one of the eight basic fonts, and extensive font charts help you to unearth the font containing the one you need.

At any time, two fonts are always online. All of the eight sizes of these two, plus the four weights, are always available as well. It is also easy to bring up other fonts.

But when it comes to reference material, information in *The Egg*'s large, handsomely produced manual is not so easy to educe. The manual is in need of revamping, and some of the phrasing is, in fact, confusing and awkward. One unfortunate omission: you are never told how to start *The Egg!* What you expect to work, fortunately, does—at the DOS prompt, type "egg" followed by a carriage return.

Where the manual fails, the tutorial does its job and brings the new user up to speed in short order. (Peregrine Falcon was working on a new manual, which should now be available.)

PRINTED OUTPUT Not all printers are capable of producing the scientific-technical symbols that are *The Egg*'s specialty. Only about half a dozen printer drivers come with the program, including the IBM Graphics Printer and Toshiba P1351 dot

matrix printers, the Diablo 630 daisy wheel printer, and the Hewlett-Packard LaserJet and Apple LaserWriter laser printers.

The Egg can also produce a disk file containing the PostScript instructions for preparing your manuscript. (Otherwise, there is no capability for preparing print files.)

For some users, being able to use a laser printer may not be an issue. In that case, Peregrine Falcon's *Three Minute Egg* will be of interest. In this essentially complete version of the real *Egg*, the ability to print on laser printers and design your own special characters has been removed. This marginally crippled version sells for \$225, less than half the price of its hard-boiled relative.

It is a disappointment that more-traditional word-processing tricks were not well integrated into *The Egg*. Efficient cursor movement and sophisticated formatting are not present. *The Egg* performed poorly on the PC Labs benchmark tests primarily because it had difficulty handling the large sample text file. You will do fine if you keep your *Egg* files reasonably short.

With this easy-to-learn WYSIWYG scientific program, you can create virtually any scientific expression you could want. But when it comes to nonscientific word processing tasks, you might find *The Egg* to be a bit runny.—Alan Hoenig

EXP

EXP, from Wadsworth & Brooks/Cole Advanced Books & Software, lets you put scientific or mathematical formulas in your documents and easily edit them later. The screen display is completely graphics oriented, so that what you see really is what you get.

You wouldn't purchase this \$150 program as an office word processor, but if you buy it for its technical features you can certainly use it for other tasks. It has all the basic features, including footnotes, headers and footers, columns, multiple windows, even macros.

EXP's display is acceptable on a CGA, but it's most impressive on a higher-resolution adapter like the EGA or Hercules Graphics Card. Naturally you need a





The Egg
The Peregrine
Falcon Co.
65 Koch Rd., Suite B
Corte Madera, CA
94965
(800) 621-0851
(ext. 204)

(415) 924-4663

List Price: \$495 (copy-protected version, \$425).

Requires: 256K RAM, two disk drives, Hercules monochrome or CGA monitor, DOS 2.0 or later.

In Short: The Egg is an easy-to-learn WYSIWYG scientific word processor. Virtually any scientific expressions can be created with it, but it is lightweight when it comes to nonscientific word-processing tasks. Not copy protected

CIRCLE 641 ON READER SERVICE CARD

The Fastest Draw in the West is From the East.

Holt it right there, partner. If you're after the quickest draw in these parts, then track down the new Mutoh pencil plotters.

They're lightning fast—we're talkin' 5.7G acceleration and 44ips for the F-Series. With a quick-loading cartridge that holds 40 leads to blaze away longer without having to stop and reload.

What's more, pencil is clean and sharp. You can erase and redraw parts by hand easier than a rustler covers up horse tracks, only a darn sight prettier. So you get copies slick as a whistle.

When it comes to plotting, show on you mean business. Get the good guys from Mutoh on your side.





NEW PRODUCT

The F-910A plotter

take either pen or pencil Resolution of 0.0004°. Speed of up to 44 5ips. Accelerates up to 5.7G Pen/Vector Sorting Function HP-GL compatible

MUTOH AMERICA INC

895 Cambridge Drive, Elk Grove Village, IL 60007 Tel: 312/952-8880, Fax: 312/952-8808 Western Office: 4883 East La Palma Avenue, Suite 505, Anaheim CA 92807 U.S.A. Tel: 714/779-2326

MUTCH EUROPE GmbH. Klosterstrasse 112 4000 Dusseldorf 1 F R Germany Tel 0211/3613095 Fax 211-362128



MUTOH INDUSTRIES LTD.



When our custor our LAN, they do

It's easy to understand why our American-made 10 NET® has met with such rave reviews among the 100,000 PC users in the 40 countries where it's been introduced.

Perhaps it's so popular because it's so easy to install over twisted pair or even fiber-optic cable. Perhaps because it's compatible with NETBIOS and also offers communication to the mainframe with IRMALAN™ products and CROSSTALK.[®]

Perhaps because it's so surprisingly powerful with its easy-to-use software that offers excellent



ners talk about n't mince words.

utilities for resource sharing, print spooling, messaging, conferencing and network management. Or perhaps because people have found 10 NET to be so cost-effective. But whatever their reasons, it's time you knew about one of the world's most popular LANs.

For more information about 10 NET in plain English, call 10 NET Communications, a division of Digital Communications Associates, Inc. at 1-800-358-1010. In Ohio, you can call us at 1-800-782-1010.



Whenever diskettes travel, programs and data face added dangers. But Kao professional quality MicroDisks, snug and secure in their Diskaroo, are ready to go anywhere.

Diskaroos are rugged, water-resistant, anti-static nylon storage packs, containing ten 1 MB 3.5" Kao MicroDisks—the perfect choice for the Macintosh, "IBM" PS/2," and most laptop pc's.

An assortment of five vibrant diskette colors (2 ea. red, orange, yellow, green, blue) provides quick identification. And because Kao MicroDisks exceed every industry standard worldwide, you're assured of reliable performance, every time.

You can pay up to \$11.95 for similar diskette storage purchased separately. But for a limited time, the Diskaroo and ten Kao professional quality MicroDisks only cost what you'd pay for other diskettes alone.


Call (800) 443-0100 extension 947 for the name of your nearest Kao dealer now. Check out the Diskaroo while supplies last. And don't leap home without one. CIRCLE 169 ON READER SERVICE CARD



World Headquarters. Kao Corporation 14.10 Minordash ikayabad. 1. Irinne C.F. polis. Tokyu tu tu apan 813 660 1690 F.p. 813 660 1780 Teles KACI (1702/4816 pr. 1780 Corporation of America Intervience. Divisio III. 2006. gode pr. Price. M. Indignishers. A 1804 4 (25) enc. 1806 F.p. (415) 665 0460 pr. C.F. polis (1704 America) (1704 America) 1807 (

scuttors is a registered hademark of Appire Computer inc., BM is a registered to a kinark and PS 2 a hademark of international Business Machines Corporation

■ SCIENTIFIC WORD PROCESSORS



graphics printer to produce *EXP* documents. At present the software supports five varieties: the Epson MX-80, the Toshiba P-1351, the Epson LQ-1500, the Tandy DMP-2100, and the Hewlett-Packard LaserJet II.

WORKING IN BOXES The basic unit of EXP expressions is the box. Certain commands—Open, Matrix, Numerator, and others—open boxes; other commands, such as Bracket, Frame, Sqr (the square root symbol), and Close, close the box and may surround it in some way.

Once you have a box, you can connect other boxes to it. The Roof command puts a new box above the current one; Rug puts it below. You get several different choices for subscript and superscript placement, including preceding the box. Best of all, if you insert more text or symbols inside a box, the box grows to fit.

What goes in these boxes? EXP offers seven ASCII fonts and six symbol fonts. The latter include almost every scientific and mathematical symbol you could want, along with several Greek fonts and even a Russian alphabet. At present you can't edit the fonts or create new ones, but a mouse-driven font editor will soon be available.

To insert a symbol in the text, you call for it by name. For example, typing "\phi beta kappa" on the command line will put

the appropriate Greek letters into the text. You can mix symbols with control codes on the command line, too. The command "\sum1 roof infinity close rug \0\ close" will print a summation from zero to infinity. This command means, "Create a summation character, put an infinity symbol on top of it, and put a zero under it."

If you frequently need that summation from zero to infinity, you might assign it to a keyboard macro. You call *EXP* keyboard macros with a special command key or by shifting to the macro keyboard, so *any* key can be a macro key. *EXP* macros are strictly recorded key sequences without conditional programming, but you can edit them with a utility program.

also boasts many basic features of office word processing, certain features that it might have are absent. A spelling checker, automatic hyphenation, and index generation, to name a few, are not present.

EXP is strictly command driven; there's not a single menu in the program. Also, it doesn't duplicate any DOS functions. If you need a file directory, you press the "DOS shell" key and type DIR. There's no on-line help; if you need to know something, you look it up in the manual or on the Quick Reference card. By leaving out certain amenities and concentrating on the technical features, the authors kept EXP small and sleek.

Devotees of Donald Knuth's TEX text formatting program will be thrilled to hear that EXP-to-TEX conversion is in the works. (The program is currently being tested and should appear later this year.) The most common criticism of TEX is that it lacks a WYSIWYG interface. EXP could give it one.

EXP makes few demands on your system. It will work on a 256K IBM PC with a single floppy disk drive. If you use your computer for many different purposes, or if you need to start working with a technical word processor right away, EXP is for you.—Neil J. Rubenking

PCTeX

PCTeX, from Personal TeX, is very different from other scientific word processors. For one thing, although it processes docu-

ments so they are ready for printing, it is not an editor. You can't write a document with it, move blocks of type around, or do a search-and-replace.

In a sense, *PCTeX* is a language and a compiler. You place *PCTeX* commands into a document prepared with the word processor of your choice, and the program will run the file so that it's ready to be printed. In this programmerlike way you get precise and powerful control over document formats—including typesetting features like ligatures and kerning. The \$499 program can also construct almost any mathematical formula or expression.

MAINFRAME ORIGINS Because PCTeX (pronounced "PC tech") is a language and has been ported down from the mainframe world, it's not easy to learn or use. It takes dedication and the programmer's sense of detail. This is evident from the very beginning. Installing the program and getting ready to run it can take some time. PCTeX comes in pieces: a main program, which actually includes several different sets of TEX macros; a document previewer; and a printer driver. Each piece has its own manual, and there is even a separate, over-250-page manual for La-Tex, one of the macro sets.

The PCTeX program itself resides on four disks. Installing this part of the full





PCTeX, Version 2.1
Personal TeX Inc.
12 Madrona Ave.
Mill Valley, CA 94941
(415) 388-8853
List Price: \$499 (including previewer and laser printer driver).

Requires: 512K RAM (640K recommended), hard disk drive, DOS 2.0 or later. In Short: A typesetting program rather than a word processor, *PCTeX* doesn't let you do interactive editing but affords you total control over formatting, especially of mathematical formulas and equations, once you master its complexities. *PCTeX* delivers superiorquality output and device-independent files. Not copy protected.

CIRCLE 639 ON READER SERVICE CARD

LARGE-DOCUMENT PROCESSING + EQUATIONS - HASSLES = LOTUS MANUSCRIPT

More than just a scientific word processor, this full-featured program's new release offers the best of both worlds.

Finally, a word processor with a powerful equation language that lets you formulate equations as if you were speaking them, instead of drawing them with pixel-based pickup sticks, and that packs enough power to be called a document publishing system. That's *Lotus Manu*script, Version 2.0.

With a strong set of tools for creating large documents, the original *Manuscript* bridged the gap between traditional word-processing and full-featured desktop publishing. But its full equation language made the \$495 package especially appealing to scientists and tipped the balance toward scientific-technical applications.

The difference between Manuscript, Version 2.0, which we looked at in its beta release, and the original Manuscript is significant: Version 1.0 was a good scientific word processor; Version 2.0 competes feature for feature with the major corporate word processors. Version 1.0 hung together beautifully; at first glance, Version 2.0 borders on awesome

Although you gain a lot with the new release of Manuscript, you don't give up anything in ease of formatting equations. You type f(x sub1) Delta x = 0, and Manuscript responds with a sculpted

$$f(x_1)\Delta x = 0$$

As you create an equation, you can size it, scale it, justify it, include it in a table of tables, and preview it on a full display screen. The equation becomes, in effect, a concise statement combining both format and content information. An equation editor makes reworking equations a snap.

Equation-handling prowess is only a minor part of *Manuscript*'s many abilities

Manuscript's skillful handling of ta-

bles of contents, indexes, references, and notes materials makes it a good choice for all types of report writing. Optimized for the sci-tech crowd, the program's document-handling tools are equally suited for the creation of any highly structured document.

WHISTLE WHILE YOU FORMAT

At the heart of *Manuscript* is a unique way of approaching document creation. Whether it's a cross-reference, a chart, a column of text or data, a table of contents, a footnote, an equation, a section heading, or a paragraph of text, *Manuscript* lets you format at the same time you compose. All documents are made of building blocks: text, blocks (which are units of text with similar attributes), columns (which are vertical blocks), and

sections. Each of these units can be created with a single keystroke and subsequently edited and formatted.

A well-integrated outliner is the backbone of the system. You create a detailed outline by promoting and demoting and collapsing and expanding. Taking the concept further, you can format the various levels of your outline. A series of format panels prompts you to make numerous decisions about the appearance of the printed page.

Much of *Manuscript*'s grunt work is a one-time-only affair. Laser printers and downloadable fonts are controlled via a Global Typeface Setup panel. You create a table of up to 20 fonts for point-and-place insertion in a document. I tested the beta version of *Manuscript*'s custom version of Bitstream fonts, the *Fontware Installation Kit for Lotus Manuscript* (\$95 from Bitstream), and found creating and editing custom fonts to be a well-integrated and easy-to-handle process.





Lotus Manuscript, Version 2.0 Lotus Development Corp. 55 Cambridge Pkwy Cambridge, MA 02142 (800) 345-1043

(617) 577-8500 List Price: \$495; upgrade from Version 1.0, \$75

Requires: 512K RAM (640K recommended), hard disk drive, graphics display card for print preview, DOS 2.0 or later. In Short: This powerful document processor sports a table editor, equation formatting, hot links to spreadsheets, an integrated outliner and spelling checker, and a host of other valuable features. It tackles the job of creating large documents and simplifies the process of entering equations. Not copy protected.

HE & BOT ON READER SERVICE CARE

OUILTING LARGE DOCUMENTS

Large documents typically don't live by text alone; they are a patchwork of all sorts of nontext material—and *Manuscript* can handle just about all of them. There's a built-in table maker that creates multiple columns as you specify column and gutter widths. A border layout tool lets you create a mock-up of how you want a block (or blocks) of text bordered. Together, the table maker and borders are infinitely superior to any combination of drawing tools and tabs I've ever had the misfortune to work with.

Graphics created using Freelance Plus, Graphwriter, Lotus 1-2-3, Symphony, as well as other packages can be inserted, scaled to size, and placed on the page by answering questions on a single pop-up panel. Scanned images from a variety of popular scanners can be insert-

ed with a single command, and Manuscript can accept PostScript files.

You'll be impressed with the live spreadsheet link into documents. You can first create a formatted document to house 1-2-3 data and then insert the worksheet (or range) on command.

A pop-up Marker menu rounds out the package's overwhelming supply of commands. Markers are Manuscript's way of indicating places in the document where extraneous material belongs. There are markers for just about anything that isn't text. Orientation markers signal a change from landscape to portrait. Author, date, revision, and file-time markers insert those pieces of information into the document. A screen marker inserts a captured screen image (sized and scaled) into place. Markers even handle Manuscript's conditional mail-merge.

At every turn *Manuscript* meets you with a feature. Two on-screen windows let you edit multiple documents. A series of page-layout panels customizes title pages, index pages, and others. You can create an elaborate series of special char-


acters, such as daggers and bullets, using specified keystroke sequences.

SEPARATE BUT EQUAL Most newer word processors tout the fact that they offer WYSIWYG representation. *Manuscript* is not a WYSIWYG word processor. But, it's designed in much the same way that many earlier word-processing programs were: with a text editor and a print formatter/previewer.

During text editing the display is used in text mode. To see a page layout, you use a graphics display monitor and Manuscript's Print Preview.

Because Manuscript is not busy redrawing bit-mapped graphics screens each time you make a move, and because all of the extraneous document pieces are merely marked for inclusion at print time, the text-editing process is fast, even when you're working with large documents. You can preview the printed document to the screen and see a true page display, including graphics, equations, and fonts. You can get an overview of the layout with "greeking" or zero in on

Lotus Manuscript's Preview Page function gives you a 'greeked'' look at a page before printing. A page is shown to the left. with its upper portion blocked off for 2X magnification (up to 10X is permitted). Below: An equation can also be magnified, ungreeked, by using the Graphics Zoom function. This image can fill the entire screen.



 $C_{\mu_{\nu}}(M) = -e^{2}Tr \int \frac{d^{4}k}{(2\pi)^{4}k - m + i\epsilon} \gamma_{\mu} \frac{1}{k - q - m - i\epsilon}$

text, using *Manuscript*'s magnification window. You can even create full-screen previews of a single graphic or equation without previewing the entire document.

TOO TOUGH TO HANDLE? All powerful word processors have steep learning curves, but many users feel that *Manuscript*'s is the Mount Everest of learning curves. Actually, the initial philosophical hurdle of thinking in "blocks" is tough. Once you make the leap, the rest is perfectly sensible.

Sometimes Manuscript's keystroke requirements save you time, but often you find yourself pressing more than your fair share of keys. Most edit command functions are assigned to the function and Alt-function key combinations. But since many of the keys can perform an action on a block, column, or section of text, you'll always need to specify the amount of text as well as the action.

Some of the more-common keystroke assignments are bizarre. For example, the Ins key is used to execute commands rather than to toggle between overstrike and insert modes. The Spacebar is the potpourri keystroke; when in doubt, hit it. It brings up the available submenus, toggles between yes and no prompts, and checks items on pop-up option lists, to name a few of its capabilities.

Is Manuscript simply too big and cumbersome to use for cranking out a simple letter? It depends on content. There are tools to track the author, comments, and revision numbers of a document much like those of any other corporate word processor. But if you're just typing ordinary text, you probably don't want Manuscript. On the other hand, if your letters include logos, signatures, tables, and a few boilerplate paragraphs, you might be pleased with Manuscript.

Products evolve strangely. Lotus Development Corp., a company known for corporate applications, has created a sui generis scientific-technical word processor. On closer inspection, the sci-tech crowd has an enviable product. *Manuscript*, Version 2.0, is bigger than the scitech market.—Robin Raskin

SCIENTIFIC WORD PROCESSORS

package is as simple as typing "install." While this transfers all the program files onto your hard disk, that's not the end. You need to create special format files. The manual guides you through two such procedures. Each takes only two commands and several minutes to accomplish, but it involves reading through 20 pages of documentation and can be confusing.

Next comes the PCTeX menu configuration. PCTeX can be run by typing commands at the DOS prompt, but Personal TeX has added a menu to make the program a bit more friendly. The menu has seven commands: Edit, Compose, View, Print, Typeset, MSDOS, and Quit. To configure the menu so that it carries out its functions properly, you have to copy the PCTEX.CFG file to your word processor or use the DOS editor EDLIN to change it. These changes can be fairly simple, or quite complex if you add options such as modified error handling or memory management. Finally, you install the preview program, which might necessitate changing the .BAT file and the printer driver, each supplied on one disk, and the Computer Modern fonts, which come on five or more disks (depending on your printer). When you finish, you will have one main directory, six second-level directories, and seven third-level directories; in the process, you will have used up 4 to 6MB of space on your hard disk.

A THICKET OF COMMANDS Your first and predominant usage of PCTeX happens outside its boundaries, in your word processing package. Because PCTeX is a typesetting program, you have to embed formatting and typesetting commands in your word processing documents. This involves using a bewildering thicket of curly braces, slashes, percent signs, superscript symbols, command words, and letters. For example, if you wanted to italicize the words "italic correction" in a sentence, you would type: {\it italic correction\/}; if you wanted to underline those words as well, you would type: \underbar{\it italic correction\/}.

Mathematical expressions are even more complex to type. The simple equation, 1+2=3, would be entered as \$\$1+2=3\$\$, which is straightforward. But a more complex formula like x divided

by 1 plus x over 2 would be written as: $\frac{1+\sqrt{x^2}}$. And a formula involving large parentheses, with the square roots of several variables added together, then raised to the second power, would read: $\frac{1+\sqrt{x^2}}{1+\sqrt{x^2}}$

Unfortunately, some of the basic formatting techniques, such as setting and changing margins or creating a table, aren't even in the *PCTeX* manual. To find them you would have to consult a textbook called *The TEXbook*, by Donald Knuth (Addison-Wesley Publishing Co.)

As it turns out, document margins are entered at the top of a file. The default setting is for 1-inch margins all around. If you wanted a top margin of 1½ inches and a 1½-inch margin on each side, you would

 PCTeX offers ample rewards; you can achieve incredible precision in formatting text.

type: \voffset=1.5in \hoff\hoffset=1.5in \hsize=5.5in. Then, if you-wanted to set off a paragraph by narrowing its width (that is, increasing its margins by half an inch), you would type \leftskip=.5in \rightskip=.5in at the beginning of the paragraph. To create a table, you have to use the "\halign" command, the pound sign, ampersands, and the \cr command in an eye-straining array.

VERSIONS AND VARIATIONS Obviously, formatting takes time and slows down document creation. There are approximately 900 command symbols, letters, and words in the PCTeX vocabulary. As if this weren't daunting enough, PCTeX comes in several varieties: plain, LaTex, and AMS-Tex. Each of these versions of TEX expresses commands in a different way and adds more of them. There are also style files to learn—smaller sets of TEX macros designed for specific tasks. The ltr style, for example, allows you to typeset business letters.

After a document has been written and edited, the *PCTeX* program takes over. First you have to "compose" the document. In essence, this step compiles the file from the language commands. It uses a batch-processing approach, so you have to wait for the whole document to be composed before you can view or print pages. The composed file is given a .DVI extension, which stands for "device independent."

By now it must be clear that this program is not for everyone. But despite its complexity and the time you will need to invest in learning it, *PCTeX* offers ample rewards. You can achieve incredible precision in formatting text, especially mathematical expressions.

Symbols in a formula can have superscripts stacked as high as you like; in fact, superscripts, subscripts, fractions, and binomial coefficients can all be nested in any order of complexity. You can generate large operators, such as a summation symbol or the integral sign, surrounded by limit symbols in different type styles. The program will also align formulas, produce matrixes, thin the space between expressions in a formula, and more.

Since PCTeX is a typesetting program, it automatically takes care of kerning (adjusting the space between letters) and will even insert ligatures (certain pairs of letters bound together tightly for optimal appearance. The many typesetting features and the precision formatting make for printed documents of typeset quality. I've never seen better-looking documents from a dot matrix printer—they look like professionally produced manuscripts or books.

PORTABILITY OF FILES Another important reward is the portability of the composed document files. The .DVI files can be used with mainframe, minicomputer, and PC systems. They can be printed by dot matrix and laser printers or by typesetting machines—without any significant difference in the final output.

Since TEX is a public-domain program, there are a lot of people developing addons and extensions. In fact, there are several other PC versions of TEX. One of these is Addison-Wesley's MicroTEX. Two other versions, TurboTex and CommonTex, are shareware products. There is

You Take Care of Business! Abraxas Takes Care of the Books.

Use the arrow keys to pop an invoice or credit from the scrolling A/R screen. Press F10 to select by dute. Enter, edit or view data on the same screen!





Pick a client and an invoice from the scrolling data windows. Press (enter) — see detail, apply credit, or change your data.

Pop up aging, posting or payment windows, or enter a new invoice number and you're ready to begin...

Select a tax rate from a window you set up yourself.

Abraxas calculates your taxes, freight, commissions and balances instantaneously.

If you're not convinced, pull down the onscreen calculator and check your numbers.





No debits, no credits — Abraxas does the accounting automatically.

Post as much as you want to as many accounts as you want by name - not number.

Abraxas generates an accurate, detailed protected audit trail!

The first truly 'transparent' Business Management/Sales/Accounting Software available for the PC.

You enter Checks, Deposits, Invoices and Credits. Write-up Proposals, Sales Agreements, use our Point-Of-Sales. Pick Clients off Scrolling Windows, Deposits from the Check Register, Dates from the Calendar, Popup the Calculator, the Rotary File, Aging Windows. Abraxas Debits and Credits your Journals and Ledgers in Real-Time, Accrues

your Payroll, Rentals and Debt, Reverses and Adjusts and even Dials your Phone — Automatically! Track Sales Leads, Meetings and Tasks, maintain an incredibly sophisticated Mailing List. More than 250 Reports with User-Defined Levels of Detail.

A/R, A/P, General Ledger, Sales, Point-Of-Sales, Inventory, Payroll, Rental Property, Notes, Office Utilities, Checkbook (Cash Receipts and Disbursements) in one program for \$695.

ApTECH Inc.
P.O. Box 2366
Binghamton, NY 13902
CIRCLE 185 ON READER SERVICE CARD



800-443-3732

Give this to and you hear from

Upgrading mass storage used to mean one interruption after the other.

Your users were very easily confused.

And you weren't always free to answer questions like, "How do I set up a subdirectory?" Or, "How do I upgrade the DOS on my hard disk?"

But, all that's changed. With Plus Hardcard™ 40 you can upgrade your users to 40MB easily and never have to worry about it again.

Because Plus
Hardcard has
been specifically
designed with
the end user in

Plus Technical Support Line

1-800-826-8022

mind. It's completely different from other hard disks. For example, you won't have to personally install the Hardcard. Most of your users can do it in minutes. There's no system reconfiguration. No connector cables or adapter cards. And there's plenty of simple documentation ready to help those who don't know their keyboards from their clipboards.

There's even a toll-free technical support number for installation and user information. So if any of your

your users will never them again.

people have immediate questions, you won't have

compatible with some of the biggest names in the



to be the one with all the immediate answers.

More importantly, Plus Hardcard is the most reliable (40,000 hours MTBF) fixed disk available. It also happens to be extremely fast (access time 35ms) and durable (100 Gs). And it's business.IBM*COMPAQ*Wyse*And more. So if upgrade interruptions have kept you from getting to bigger issues, call us for complete compatibility and other technical information at 1-800-826-8022.

Machines Corporation; COMPAC/Compaq Computer Corporation; Wyae/Wyae Tachnology: € 1988 Plus Development Corp

also a *TEX* Users Group in Providence, Rhode Island.

Not your run-of-the-mill PC-based document processor, PCTeX is extremely powerful but proportionally hard to use. If you are a scientist or an academician who wants total control over the typesetting of a manuscript, then this is the program for you.—Henry Fersko-Weiss

PS

PS, from Scroll Systems, is a powerful scientific and technical writing tool. Originally written for the Victor 9000 before IBM introduced the PC, the \$395 program is actually a hybrid of Phoenix Computer Products' Pmate text editor and Scroll Systems' text-formatting and presentation facilities. Its impressive range of capabilities includes all the basic text-editing features you'll want, plus extensive macro, programming, and print-formatting features.

PS's ability to simplify the input and presentation of complex equations sets it apart from many other packages. Its Greek/math symbol set includes integrals, sums, plus/minus signs, and braces. The symbols are called up by using Alt- and Shift-key combinations. They can be edited, and they can all be represented on the screen in both text and graphics preview modes. You can also create your own font—important for those who use unusual notation in their documents.

In addition, PS offers you a choice of





PS, Version 1.4 Scroll Systems Inc. 5530 N. Camino Escuela Tucson, AZ 85718 (602) 299-8087 List Price: \$395

Requires: 256K RAM (512K recommended),

two disk drives, DOS 2.0 or later.

In Short: This scientific-technical word processor excels in making complex formulas easy to enter. Both the manual and the software are geared toward advanced users with programming experience. Not copy protected.

CIRCLE 638 ON READER SERVICE CARD

keyboard configurations. Combining the Ctrl, Alt, and D, F, G, or Q keys will change your keyboard to Dvorak, French Azerty, German or back to Qwerty.

While you're learning the ins and outs of symbol placement, you can call up a representation of the keyboard you're using, which pops up across the bottom of the screen. Unfortunately, it disappears when you strike the next key. Becoming familiar with the various keyboards would be a lot easier if the program would display the keyboard diagram in a window until it's no longer needed.

FULL RANGE OF PRINTERS PS supports the full range of printer types: daisy wheel, dot matrix, laser, and graphics. Naturally, which print capabilities you get depend on the type of printer you use. On most dot matrix printers, PS supports the standard high- and low-order ASCII character sets, which is enough for most applications. Greek/math, italic, and script characters are supported on the Toshiba printers, the C. Itoh Prowriter 8510, and the NEC 8023.

But PS's most impressive print capabilities are realized with the Hewlett-Packard LaserJet and the Imprint Technologies LightWriter. The LightWriter is available as a special package from Scroll Systems and includes a special interface card that must be installed in your PC.

Equations are entered in linear format in PS's text mode, using the actual Greek and mathematical symbols. The convention is fairly easy to learn and is easily readable in text form once you get accustomed to it.

Subscripts and superscripts, important in most technical documents, are set up manually by embedding control characters in the text. There's no limit to the number of levels of super- and subscripting, but you have to plan for the correct placement on the page to avoid overprinting. Placement of super- and subscripted expressions in equation mode is automatic.

Tables, also very important, are handled rather poorly; the program has only a rudimentary table-building facility. Nor can it perform block operations on columns of text. PS does, however, have a basic ability to plot graphs and include them in the text.

a better job when it comes to footnotes. An automatic footnoting feature allows the program to identify footnotes as they are typed into the text and to stack them at the bottom of the page. As footnotes are stacked, the amount of space needed is measured, and the bottom margin of the page is moved up accordingly. PS comes with a separate macro that can be used to scan a completed document and number the footnotes.

Other macros that come with PS include an automatic indexer, a mailmerge/addressing facility, and a phone dialer. You can write complex programs and assign up to about 350 macros using PS's programming language.

Mastering this language is the key to getting the most out of the package. It's also a major limitation. Nonprogrammers will have some trouble with PS. It's really aimed at experienced programmers who are willing to do some work.


This bias is reflected in the documentation. The manual is erratic, abruptly swinging from language appropriate for a novice to a very technical programming style. It assumes that the reader can puzzle out unsupported references, and it fails to explain some commands.

Although installation is easy, novice users won't be able to figure out what to do. The instructions are scattered among two appendixes, one extremely technical, and a READ.ME file on the program disk.

The major installation requirement is setting up an AUTOEXEC.BAT or another activating batch file. And you do have to be careful in dealing with SYMBOL.COM, the program that reconfigures the keyboard. You have to make sure that if you quit PS and then return to it without rebooting the system, your batch file won't try to reinstall SYMBOL.COM over itself. That fatally hangs up the system.

SYMBOL.COM, unfortunately, makes PS largely incompatible with most TSR programs, such as SideKick. The program plugs in its own values in the keyboard queue, changing the Alt-key combinations used by TSRs.

Another problem is PS's awkward feel. Its numerous command types require some unusual key combinations. And commands are grouped poorly, making them



SOONER OR LATER, THE OTHERS WILL RUB YOU THE WRONG WAY.

That's because the others start wearing out so fast. Right out of the box, in fact. Whereas PC MOUSE™ doesn't.

It's the *only* mouse that uses advanced optical technology and all solid-state electronics. So it has no moving parts to rub you the wrong way. Which is why PC MOUSE keeps on giving you superior performance, year after year. With no mouse-cleaning or maintenance to worry about. It's so reliable, in fact, it comes with a *Lifetime* Warranty.

Besides trouble-free operation,

PC MOUSE features exceptionally smooth hand control and digital pointing accuracy. It's the only complete system that includes its own precision MousePad,™ which lets you maneuver easier than with friction-activated mice. That means you can breeze through spreadsheets and graphics programs smoother than ever.

PC MOUSE works with any IBM or compatible personal computer. And it includes

PC MOUSE. Engineered like no other mouse in the world.

free Designer Pop-up™ menu software, so you can run all your favorite programs.

Sooner or later, you'll want to compare those other "blind" mice with the only one that "sees"

optically-PC MOUSE.


Just go to your dealer, and see how they run.



Formerly Mouse Systems

Products available for IBM PC/XT/AT^{as} Ps/2^{ra} and Apple® computers. © 1988, MSC Technologies, Inc., 2600 San Tomas Expressway, Santa Clara, CA 95051; (408) 988-0211
PC MOUSE, MousePad and Designer Pup-up are trademarks of MSC Technologies, Inc. IBM PC/XT/AT and PS/2 are trademarks of IBM. Apple is a registered trademark of Apple Computer, Inc.

*Limited Lifetime Warranty applies to hardware products only: Warranty limited to North America.



SFT NetWare v2.1 MIS-conceptions about

Traditionally, the MIS world has viewed PC-based local area networks with a healthy dose of skepticism. A "prove it to me" attitude. And in an arena ruled by powerful mainframes, that approach has given rise to a few misconceptions and doubts about LAN performance.

Well, doubt no more. Because with the industry standard SFT NetWare v2.1, Novell offers the LAN software powerful enough to convince even the toughest MIS skeptic.

SFT NetWare v2.1 gives you the features and functionality of mini/mainframe systems

at a fraction of the cost. With extensive fault tolerance, security and LAN-to-mainframe connectivity, it makes LANs advanced enough for major corporate, government and education installations.

No other LAN software even approaches the level of fault protection and data security built into SFT NetWare v2.1. Novell has pioneered LAN fault tolerance, and provides protection from failures in server hardware. In addition, enhanced security locks and passwords give you complete control of the information stored on your LAN.

pport

ant Capabilities

em Security

k Management Controls



puts to rest the LAN performance.

SFT NetWare v2.1 simplifies network management with menu-driven utilities that let you control the network from any workstation. Advanced accounting features allow you to audit and account for users or departments utilizing network resources. Available communications links give you unsurpassed connectivity with mini/mainframe systems and other LANs. And SFT NetWare v2.1 supports OS/2 as well as DOS workstations.

To get LAN performance that raises your MIS standards, get the LAN system with no doubts about it—SFT NetWare v2.1. See

your Gold Authorized Novell Reseller, or call 1-800-LANKIND.

For more information, call from your modem 1-800-444-4472 (8 bit, no parity, 1 stop bit) and enter the access code NV216.



For network solutions, you should be seeing red.



Performance Tests: Scientific Word Processors

We chose WordPerfect as the standard against which to measure all of the word processors reviewed in PC Magazine—corporate, professional, personal, and scientific/technical—not because of its performance, but because of its popularity and widespread use. It was one of the top five performers in PC Magazine's roundup of word processors in the February 29, 1988, issue and turned in similar results this time around.

Since Alexander and PCTeX (unlike all of the other packages) were unable to import the 50K test document, no results are reported for these two packages. Alexander more closely resembles the other packages in this category but was able to import only about 70 percent of the test document. Unlike the others, PCTeX works with an existing word processor and uses typesetting rather than traditional document-control commands. In addition, one-third of the packages—The Egg, ChiWriter, WordMarc Composer, and PS—could not complete two or more of the tests.

With the exception of the Print Whole Document test, which it did not pass, *EXP* was a solid performer across the board. It consistently placed among the top five packages.

Three packages passed all the tests without a hitch: T^3 , TechWriter, and $Total\ Word$. Of this group, T^3 produced some of the slowest results, coming in last or close to last in five of the tests. However, the package showed its speed in the Global Search and Replace test, capturing first place. Despite its slowness in performing many document-handling tasks, T^3 is still a good choice because of its powerful font editor; scientific, mathematical, and chemical fonts; and Greek and Russian alphabets.

Although Spellbinder Scientific placed among the top five packages in the Save and Resume and Text Delete tests, it could not perform seven of the other tests and was the slowest in the Print Whole Document test. Despite these less-than-impressive results, Spellbinder is still worth considering because of its scientific-text-processing capabilities.

The PC Labs word processing tests were performed on an 8-MHz IBM PC AT outfitted with a 30MB hard disk drive, an Intel Above Board (supporting 2MB RAM), and an EGA card. Additionally, a 1MB RAMdisk was created to perform the Print Whole Document test. All programs were run under DOS 3.2 with files and buffers equal to 20.


The tests were done using a SOK document file—approximately 14 pages long and without page numbering. The document contained 8,835, words, with 56 lines per page and 72 characters per line. The reported speeds measure the time from when the last keystroke was entered to the moment when control of the keyboard, still in editing mode, was returned to the tester. For each test except one, the original test document was used as the source document. Reported performance times are the average of three test trials, measured in seconds.

IMPORT FILE SIZE

The import File Size test measures in bytes the final imported file size once a program brings a 50K document into its own environment. Programs manipulate files differently—for example, in the way they insert formatting codes into the document—hence the imported file size varies. Software that could not import the 50K file could not be tested. However, the inability to import large files should in no way reflect on a program's performance with smaller documents.

Performance	Import File Size (bytes)
Total Word	51,072
TechWriter	61,952
ChiWriter	54,300
WordMarc Composer	53,248
PS	50,000
WordPerfect	50,000
The Egg	50,012
Tech Word	50,000
EXP	50,000
Li .	50,000
Spellbinder Scientific	49,000
PCTeX	N/A
Alexander	N/A

N/A-Not applicable: function not available



Relative Times (WordPerlect = 100)

DOCUMENT MANIPULATION

The Document Manipulation tests measure the time it takes a word processor to load and save a file. Document Load measures the time it takes to call up the file imported in the import File Size test, Save and Resume measures the time it takes a program to save the same document and return control of the keyboard to the tester.


Performance Times	Document Manipulation	
(Times given in seconds)	Document Load	Save and Resume
Total Word	7.73	8.16
TechWriter	2.00	1.00
ChiWriter	14.00	8.00
WordMarc Composer	0.10	N/A
PS	3.00	3.00
WordPerfect	1.00	3.00
The Egg	11.00	4.00
Tech/Word	1.85	N/A
EXP	1.00	1.00
T ²	7.00	6.00
Spellbinder Scientific	5.00	2.00
PCTeX	N/A	N/A
Alexander	N/A	N/A

N/A-Not applicable function not available

GLOBAL SEARCH AND REPLACE

The Global Search and Replace test measures how long it takes a word processor to replace 115 cases of the word *his* with the word *hirs*. Sensitivity to upper- and lowercase letters was noted in the reporting of each result.

Performance Times (Times given in seconds)	Global Search and Replace
Total Word	105.91
TechWriter	55.00
ChiWriter	29.00
WordMarc Composer	26.00
PS	9.00
WordPerfect	6.00
The Egg	6.00
Tech-Word	2.34
EXP	2.00
Ť,	1.02
Spellbinder Scientific	N/A
PCTeX	N/A
Alexander	N/A





Performance Tests: Scientific Word Processors

CURSOR MOVEMENT

The Cursor Movement tests determine how long it takes to move the cursor through a document. The Cursor Top-to-Middle test times the jump from the top, or Home position, to a predefined point in the middle of the document. The Cursor Middle-to-Bottom test times the jump from the midpoint to the bottom, or End position, of the document. The Search for Middle test measures the time it takes to find a sentence placed in the exact middle of the document. Since some word processors cannot search for an entire sentence, the test allows for searching on a keyword or string of words.


Performance	Cursor Movement		
Times (Times given in seconds)	Cursor Top-to- Middle	Cursor Middle-to- Bottom	Search for Middle
Total Word	0.10	0.10	1.30
TechWriter	1.00	1.00	22.00
ChiWriter	0.10	0.10	2.00
WordMarc Composer	1.00	2.00	6.00
PS	0.10	0.10	1.00
WordPerfect	0.10	0.10	2.00
The Egg	0.10	0.10	1.00
Tech/Word	1.16	1.83	1.01
EIP	0.10	0.10	1.00
T ¹	4.00	5.00	23.00
Spellbinder Scientific	N/A	N/A	N/A
PCTeX	N/A	N/A	N/A
Alexander	N/A	N/A	N/A

N/A-Not applicable: function not available

BLOCK MANIPULATION

The Block Manipulation test is based on two separate timings. The Block and Move test records the software's ability to define, or highlight, the first three pages of the test document and then move it to the center of the document—somewhat like a cut-and-paste operation. This test moves but does not delete the text. The Block and Copy test takes the same three-page block and copies it to an external file. Both tests require large-scale page reformatting that slows the performance of some programs, depending on how well they handle the task in a RAM buffer. The larger the buffer, the faster the results.

Performance Times	Block Manipulation	
(Times given in seconds)	Block and Move	Block and Copy
Total Word	109.23	2.77
TechWriter	3.00	7.00
ChiWriter	1.00	N/A
WordMarc Composer	3.00	1.85
PS	N/A	N/A
WordPerfect	0.10	1.00
The Egg	1.00	N/A
Tech/Word	19.30	1.05
EXP	1.00	1.00
T ³	18.00	6.00
Spellbinder Scientific	N/A	N/A
PCTeX	N/A	N/A
Alexander	N/A	N/A



MERGE AND TEXT DELETE

The Merge test times the program's ability to import an external file to a point immediately following the middle of the document file. The external file consists of the first three pages of the original document. Again, page formatting affects the performance results.

The Text Delete test times how long it takes to define and delete the file that the Merge test imported and inserted into the document. Again, this procedure requires significant page reformating, and the program's buffering capability greatly affects performance.


Performance Times (Times given in seconds)	Merge	Text Delete
Total Word	3.61	17.66
TechWriter	6.00	3.00
ChiWriter	6.00	N/A
WordMarc Composer	4.00	N/A
PS	N/A	0.10
WordPerfect	0.10	1.00
The Egg	N/A	1.00
Tech Word	18.93	4.21
EIP	1.00	0.10
T ³	15.00	5.00
Spellbinder Scientific	N/A	1.00
PCTeX	N/A	N/A
Alexander	N/A	N/A


N/A-Not applicable function not available

PRINT WHOLE DOCUMENT

The Print Whole Document test uses a 1MB RAMdisk and times the program's ability to print the entire 50K test document to an external file.

Performance Times (Times given in seconds)	Print Whole Document
Total Word	62.89
TechWriter	321.00
ChiWriter	51.00
WordMarc Composer	33.00
PS	47.00
WordPerfect	2.00
The Egg	N/A
Tech Word	50.89
EXP	N/A
L,	45.00
Spellbinder Scientific	640.64
PCTeX	N/A
Alexander	N/A





Back up your software with CopyWrite

CopyWrite backs up hundreds of copy protected software packages for the IBM PC. Where feasible, **CopyWrite** removes copy protection entirely.

CopyWrite now includes ZeroDisk, allowing you to run some popular software from a hard disk without anything in your floppy drive. Call for the list of software it handles.

CopyWrite is revised regularly to keep up with the latest in copy protection. Revisions are available for a small charge.

CopyWrite requires an IBM PC, XT, AT, PS/2 or compatible with 256k bytes of memory and at least one diskette drive. It is not copy protected. CopyWrite is not for making copies for sale or trade, or for any other use that deprives software authors of payment for their work.

To order, send us a check for \$50 US funds, or call with your credit card. We ship within a day. Available on 3 and 5 inch diskettes.

Quaid Software Limited

45 Charles Street East Third Floor Dept 207 Toronto Ontario Canada M4Y 1S2


(416) 961-8243

We've Added a New Teacher to Our Assembly Language Program.

Introducing The Visible Computer: 80286—an advanced version of the "Award Winning" TVC: 8088. Its animated simulation of the PC's microprocessor shows you exactly how assembly language instructions are carried out. And it comes complete with a comprehensive 400 p. manual.

TVC lets you choose from 45 demonstration programs that can be executed with the simulator—from simple register loads to advanced programs that manipulate interrupts and perform file I/O. It makes learning assembly language... elementary!





Software Masters™

The Visible Computer: 8088 for IBM PC/XT/AT and true compatibles; TVC: 80286 for IBM AT. To order direct: Software Masters, 2714 Finfeather, Bryan, TX 77801; (409) 822-9490. Include \$3.00 handling. Bank cards accepted.

CIRCLE 487 ON READER SERVICE CARD

■ WORD PROCESSORS

rather hard to memorize.

Overall, PS is difficult to master. Nonetheless, it offers exceptional facilities that will make life a lot easier for experienced programmers who need to enter and format technical or scientific text and equations.—Walt Rowinski

Spellbinder Scientific

Spellbinder Scientific, Spellbinder Software Products' \$790 adaptation of its Spellbinder word processor, does an impressive job of handling scientific text. Both Spellbinder versions share the same command sequences, function keys, edit-mode features, and command-mode features. Features unique to the scientific version are implemented with function keys and macros.

Spellbinder Scientific lets you freely intersperse and display formulas, equations, and diagrams on-screen with ordinary text. To do so, you'll first type your text as you would any document, and then you'll use function keys to shift to the italic character set for a variable, to boldface for a vector, to math symbols for access to special symbols, and to a miniature character set for subscripts and superscripts.

FONT CAPABILITY Spellbinder Scientific offers eight easy-to-use function-keyselected character sets—including ASCII, italic, math symbols, and two sets of



For problems involving engineering calculations or scientific analysis, the answer is MathCAD.®

Transporting an iceberg to Southern California is a formidable task. Calculating the variables is just as demanding. How many tugboats would be needed to tow the ice mass? At what cost? How much fresh water would be lost?

Innovative solutions require extraordinary tools. For problems involving calculations or what-if analysis, the answer is MathCAD.

MathCAD is the only PC-based software package specifically designed to give technical professionals the freedom to follow their own scientific intuition.

Requires IBM® PC or compabble

You decide how to solve the problem -MathCAD does the "grunt work."

□ Ends programming and debugging.

Recalculates as variables change.

Generates quick plots.

Easy to learn and use, MathCAD operates interactively in standard math notation. And its built-in functions provide all the power you need to solve real-world problems. MathCAD handles matrix operations, solves simultaneous equations, works with real and complex numbers, does automatic unit conversion, displays Greek characters and

other math symbols, performs FFTs and much more.

There's never been a better way to get fast, accurate solutions to analytical problems. That's why 20,000 engineers and researchers are using MathCAD daily in applications as diverse as fluid mechanics, signal processing and molecular modeling.

To find out what MathCAD can do for you, call us today for a free demo disk: 1-800-MathCAD (in MA, 617-577-1017). Or write to MathSoft, Inc., One Kendall Square, Cambridge, MA 02139.

> Math Soft Software Tools for Calculating Minds

HOW **MANY GLASSES** OF WATER



(BM* International Business Machines Corporation Mathical Mathisoft inc., copyright Mathisoft inc., 1988

CAN THIS ICEBERG SUPPLY

CIRCLE 154 ON READER SERVICE CARD



We've got a whole new family of tape backup systems.

Whether you've got an IBM, a compatible, or a Macintosh, you can count on Tallgrass. We back you with all the storage capacity you could ask for, plus ail the features, all the support, and all the speed you'll ever need. And we make it easy to protect your valuable data. Since all operations are automatic

and unattended, you can just set it, and forget it.

Best of all, we stand behind our products with the industry's only 3-year warranty.

But there's one other reason why so many more people are asking for Tallgrass. It's because the competition is asking so much more for their products. Let Tallgrass start backing you up. Call 1-800-TAL-GRAS. Or write to: Tallgrass Technologies, Inc. 11100 West 82nd St. Overland Park, KS 66214



When it's worth saving, it's worth Tallgrass

WORD PROCESSORS

chemical symbols. (ASCII, italic, and math symbol character sets may be miniaturized.) Except for a few of the math symbols, these characters may be used as super- and subscripts or may be centered.

Among the characters that compose the math symbols character set are Greek letters and logical and mathematical operators. Several diacritical marks and enhanced character forms are also included, and the keyboard diagrams included with the package map the key combinations for math and chemical symbols.

One timesaving feature is Spellbinder Scientific's math edit macro, which simplifies the entry and editing of a mathematical diagram. Several functions identify the top-left and bottom-right opposite ends of an area as a "function box." The macro creates fixed-shape symbols in the appropriate size for the function box, which can be moved, copied, or centered. The macro facilitates the insertion, deletion, replacement, centering, and aligning of text in one term without destroying the alignment of other terms in the diagram. The program also offers a chemical edit macro for formula diagram editing that is similar to the math edit macro. These powerful edit macros make the program a good choice as a secondary word processor for patent attomevs.

CHARACTER EDITOR A character editor lets you alter the appearance of characters; using this feature you can create a new application-specific character set. If you wanted to supplement *Spellbinder Scientific*'s math and chemical symbols with those needed for electronics diagrams, for example, you would be letting yourself in for an extensive undertaking. But developing half a dozen new symbols is a realistic goal.

What Spellbinder Scientific displays on-screen is what it will print; with exceptions in certain enhancement modes, the program doesn't force you to vsiualize how strange on-screen command sequences will print out.

With its powerful edit macros, diacritical marks, a character editor, and eight character sets, *Spellbinder Scientific* is a good partner for anyone who needs to produce high-quality scientific documents.

-Kenneth H. Werner



Faster! dBFast" compiles and delivers a typical .EXE file in under 5 seconds, while Clipper is still plodding through a 4 minute compile/linking routine.

And check out our blistering execution speed We blow away the competition! "Why wait?"

Smaller! With Clipper's lumbering "overhead," the smallest possible execute file is 120KB . . . and it mushrooms from there! **dBFast**'s ultra-efficient "runtime engine" results in amazingly compact code, as small as 1KB!

Smarter! dBPast delivers very high dBase III compatibility. It supports dBase .NDX files and is LAN-capable right out of the box. It's many features include AUTOLOCK, SOFTSEEK, APPEND, BROWSE, CHANGE, EDIT, and dBPast supports external PROCEDURE FILES.

Cheaper! At a fraction of the cost of the competition, dBFast sets the new industry standard for Price-To-Performance. For developers, distribution rights are Royalty-Free. And, as an added bonus, dBFast now includes dBEdit, a professional-grade text editor. "Why pay more?"

The new kid on the block!



T^3

 T^3 (pronounced "tee cubed") is big. If you can give it 3MB of disk space and your full 640K of RAM, To can do big things for you. Built-in fonts support scientific, mathematical, and chemical word-processing, Greek and Russian alphabets, and more. If you need symbols not already included in the fonts, you can create your own with the font editor.

If you're familiar with word processing conventions, you may have some unlearning to do before you can use this \$595 program from TCI Software Research. Its authors clearly decided to eliminate all assumptions and design the program from the ground up. For example, you can never start a new file in T3-you must always revise a copy of an existing document. Fortunately, it's easy to create shell documents that contain all the appropriate formatting commands for a business letter or a chemistry text. The program comes with quite a few of these shell documents.

All T^3 files reside in volumes, and each



Research Inc. H90-B Foster Rd Las Cruces, NM 88001 (800) 874-2383 (505) 522-4600 List Price: \$595

Requires: 640K RAM, hard disk drive, graphics monitor, graphics printer, DOS 2.0

In Short: This massive program should handle any scientific, mathematical, or chemical word-processing job. Not copy protected (U.S. version).

CIAULE 632 UN REALER SERV LE CARE

volume is a single DOS file. Within a volume, document names can be up to 16 characters long, and no characters are forbidden. However, you won't be able to manipulate your files with standard DOS utilities.

DEVELOPING HABITS ANEW Your keyboard habits will have to change, too, for T^3 makes extensive use of *chording*. In effect, chording allows any key to act as a Shift key. For example, the "Center" key (5 on the numeric keypad) serves as a "repeat shift." If you press and hold a cursor key, it moves just one space, but if you press Center as well, the cursor moves continuously.

The cursor keys themselves can begin chords. Hold down the Cursor Right key and tap any letter key-the cursor moves right, to the next occurrence of that letter. If you press the Del and move the cursor, the text is highlighted from the point where







For the IBM® PC, XT, AT, PS/2 and compatibles. Supports most printers including LaserJets.

ONLY \$49.00. Available through dealers, or direct from Paul Mace Software Inc., 400 Williamson Way, Ashland, OR 97520
To order: (800) 523-0258 (VISA, MasterCard, C.O.D.), © 1988 Paul Mace Software.

CIRCLE 211 ON READER SERVICE CARD

you pressed Delete to where the cursor resides. Release it and that text is deleted. While this technique takes some getting used to, it makes the keyboard substantially more flexible.

 T^3 uses horizontal-moving-bar menus. They scroll up and down, and you can shortcut them by typing the first letter of the selection you want. Almost any operation in T^3 involves at least one menu. If you need to fill in a blank (for example, a filename, a font, or a keyboard definition), hit the Menu key for a dynamically built list of choices.

MENUS AND MACROS There are so many menus that an experienced user might feel slowed down were it not for the macros. You can create an unlimited number of named macros in T^3 . To invoke a macro, hold down Ctrl and type in the name. A T^3 macro doesn't do any conditional branching; it's strictly a recorded se-

quence of keystrokes. But one macro can call another, and you can edit your macros with a T^3 utility.

For all its flexibility in terms of prepared and user-created fonts, T^3 does have

• T^3 's authors clearly decided to eliminate all assumptions and design from the ground up.

some limitations. Delimiters such as brackets have no "stretch"—you build them from smaller pieces, and you must add pieces if your equation grows vertically. Also, the screen display for T^3 is not quite the same as its output. There's no

proportional spacing or justification onscreen; all characters line up on columns and half-rows. Fonts don't show on-screen exactly as they will print. Apparently, managing full graphics would have slowed down the program too much.

Besides handling your technical work, T^{d} has the features typically found in professional word processors that let you create business documents. Business letters printed on a laser printer in a proportional font look very good, and Trigram's Resident MicroSpell will make sure they're spelled correctly. TCI also provides "hooks" for Borland's Turbo Lightning if you have it.

Don't expect to create complex documents the first day you use T^3 . There's a lot to learn, even with help from the supplied Tyro Tutorial. T^3 is immense and very powerful. Its screen display is not 100 percent WYSIWYG, but it's definitely close enough for good work. If you need to work



The WorldPort 2400™ and the WorldPort 1200™ modems are the perfect travel companions for your portable computer. They work virtually anywhere in the world, including hotel rooms and phone booths, allowing you to connect in a few million more locations than other modems.

With features superior to internal units, the WorldPort line of moderns is the smart choice for all your communication needs. WorldPort moderns operate from their own

internal battery, drawing no power from your laptop. Cutting edge technology brings you features such as Bell and CCITT standards, direct connect and acoustic interface (300 and 1200 bps), tiny size and a tiny price. The WorldPort 1200™ can be easily upgraded to 2400 bps and both the WorldPort 2400™ and the upgrade come with Carbon Copy PLUS™ communications software.

Find out more about the travel companions that won't tie down your portable computer.

Call us today for more information about the WorldPort line of modems, or the name of your nearest dealer, at **800-541-0345**. (In New York, 516-261-0423.)



Touchbase Systems, Inc. 160 Laurel Avenue Northport, NY 11768 (516) 261-0423 TELEX: 6502848020 FAX: (516) 754-3491

WorldPort 1200 and WorldPort 2400 are trademarks of Touchbase Systems, Inc., Carbon Copy PLUS is a trademark of Meridian Technology Inc.



Why build a printer you can stand on, when all it will ever carry is a full office workload?

The answer is reliability.

We built the best track record in the industry by demanding a lot more from our products than you ever will. OKIDATA engineers call this "championship specs." Over 3 million OKIDATA users call it rugged reliability. And it shows in the quality and performance of every printer and modem we make.

You can see it in our new 300 series of 9-pin and 24-pin printers. Their speed, print quality and sheer versatility can carry a ton of paperwork. With day in, day out reliability. OKIDATA wouldn't have it any other way. Why should you?

Call 1-800-OKIDATA for the dealer near you. CIRCLE 235 ON READER SERVICE CARD



We put business on paper.

on technical documents all day long, T^3 would be a sensible choice.

-Neil J. Rubenking

Tech/Word

With Tech/Word, Goldstein Software offers a simple and inexpensive solution to the difficult task of including scientific and mathematical text within a document. The \$75 program includes a total of seven special fonts, a normal text font, and the ability to create custom fonts. These built-in fonts, coupled with the program's built-in math structures and symbols, allow you to compose documents in the language of

You create a complex equation by keystroking in a series of graphics characters. Tech/Word's mathematical/science expressions are fully WYSIWYG, which spares equation writers the agony of waiting to see hard copy to judge the integrity



FILE



Tech/Word. Version 1.09F

List Price: \$75

Goldstein Software Inc. 12520 Prosperity Dr. Silver Springs, MD 20904 (301) 622-9020

Requires: 320K RAM; two disk drives; CGA, EGA, or Hercules graphics card; DOS 2 O or later

In Short: This program is an easy-to-use, effective word processor capable of producing a wide variety of scientific and mathematical equations in a painless WYSIWYG fashion. Tech/Word's word processing features are not particularly well suited for managing large documents, but the program may be a terrific solution for short scientific-technical documents. Not copy protected.

CIRCLE 636 ON READER SERVICE CAR

of an equation. For its low price, even if Tech/Word did nothing else but let you type math/science expressions, it would be a useful program.

Tech/Word does considerably more, but not nearly as much as do other scientific-technical word processors on the market. That's because it places a heavier emphasis on the Tech component of its name than on the Word component. So, while you can create relatively complex formulas and equations, you cannot manage complex documents requiring specific numbering or outlining schemes. It is difficult to size text and equations, and there are no provisions for managing indexes, title pages, tables of contents, tabular materials, or footnotes, all of which are typical requirements of scientific writing.

You cannot easily create multiple margins in a document. There is no drop to DOS, nor is there a way to save the current file with a new filename, resume editing

Simply The Fastest In The World!

PC FullBak is the FASTEST!

The accompanying screen tells the whole story! It's not sensitive to your CPU speed. Run it on an IBM PC, XT, AT, or PS/2 30, 50, 80 or true hardware compatible at 8, 12, 16-even 20 mhz.

PC-FullBak is SIMPLE!

Use the light-bar menu interface or choose to issue your orders from the command line or batch

PC-FullBak is THOROUGH!

PC-FullBak allows you to back up, compare, or restore an entire hard drive with or without subdirectories, a single sub-directory, or an individual file. You may even append new files to the end of your backup set.



PC-FullBak passes the

"PC Week tests disclosed that PC-FullBak is 12% faster than Fastback. PC-FullBak is heartily recommended."-PC Week

"PC-FullBak is the least expensive program. I judged it the easiest to

-M. Bryan, LOTUS Magazine

At your dealer now or order direct. Volume purchases & site licensing available.

3.6 MEG PER MINUTE! † († ON INTEL 80386 16 MHz)



PC-FullBak is INEXPENSIVE!

From the people who gave you PathMinder and SafetyNet you would expect value. How does \$59.95* strike your pocketbook?



(512) 328-1041/P.O. BOX 1711/AUSTIN, TX 78767

'PS/2 is a trademark of IBM



Now that the best name in CAD is this affordable, why settle for a generic brand?

What's in a name? When it comes to the Autodesk name, a lot. In fact, it's the best-selling, most well-respected name in the CAD business. There simply is not another company with the credentials to make that claim.

That's why you shouldn't settle for anything less than AutoSketch, the best way to get started in CAD. AutoSketch is the precision drawing tool from the Autodesk family of products. Not only is AutoSketch priced at just \$79.95, but unlike some entry-level CAD products, you don't have to keep spending more to add the features AutoSketch already has. Standard features like boxes, circles, stretching, mirroring and rotating—to mathematical precision. And advanced CAD capabilities like dynamic PAN and ZOOM and automatic dimensioning and scaling, in up to 10 working layers.

CIRCLE 165 ON READER SERVICE CARD

Of course, if you do want to move up from AutoSketch at some point, your files can easily be uploaded into AutoCAD.*

AutoSketch runs on IBM® PC/XT™/AT® and 100% compatible computers, and supports IBM's PS/2.™

So if you're ready for CAD, why not go with the name that rates highest among both critics and users? Anything else is, well, second-rate.

To order your AutoSketch directly, call 1-800-223-2521. For the name of your nearest

AutoSketch Dealer or for more information, call 1-800-445-5415 or write to AutoSketch, 2320 Marinship Way, Sausalito, CA 94965.

1415 or tetch, Way, 14965.

AUTODESK, INC.

"A speed-enhanced version (9 times faster), requiring a math coprocessor, is available for \$99.95.



Preserve the fruits of your labor.

You have valuable information on your computer system that demands protection—client lists, sales records, inventory lists, legal contracts, financial records.

Archive Your Data.

Preserve your vital data by creating your own personal archive. The Archive tape backup system is your solution.

The Archive Streaming Tape Solution.

Archive streaming tape systems are easy to add-on and are fully compatible with your IBM PC, XT, AT and compatibles. And all models of the IBM PS/2 family. Both 3½ and 5¼-inch form factor products can be installed directly in your computer cabinet. Or simply connect our

free-standing, self-contained external unit.

Software Completes the Solution!

Archive can preserve 10, 20, 40 MB and more of your data in minutes. Thanks to Archive's own menu driven, auto-prompting QICstream software.

And with over 1 million drives shipped, our leadership

position is unequaled in the industry. Archive provides you with the lowest cost—most reliable—advanced technological products on the market today!

Preserve the fruits of your labor.
Call now: 1-800-237-4929 for the
Archive dealer nearest you. And
tell them you want the **Archive**Streaming Tape Solution.
CIRCLE 527 ON READER SERVICE CARD



ARCHIVE®

after a save, create columns, or center paragraphs of text. There's no spelling checker, no thesaurus, no control of back-ups or a file save procedure, and only a rudimentary search-and-replace facility. Items such as page breaks, page numbering, line spacing, and footers and headers are not WYSIWYG.

Yet, despite these limitations, what exists works well and easily. With the quick reference card and brief tutorial, I was using the program to full capacity after only 30 minutes. However, since the morecomplex Alt-, Ctrl-, and Shift-key commands form the bulk of the *Tech/Word* program, since there is no context-sensi-

■ With the program's quick reference card and brief tutorial, *Tech/Word* can be used at full capacity after only 30 minutes.

tive help, and since using the fonts requires mapping the keyboard to other symbols, I usually found myself needing to keep an open manual by my side even after spending days with the program.

When you install the program, you can choose all or some of the built-in fonts. These can be modified and assigned to documents on an individual basis. The main menu is function-key driven and allows you to either edit or print a file or perform some DOS file-management functions.

SIGNS OF AGE The program shows its age when you choose to edit or print a file. It displays an unsorted list of available files. You must type rather than point-and-select the file you wish to edit. Each time you choose a file, you must tell *Tech/Word* to accept or modify your selected default fonts.

Choose edit, and you are brought to a roomy editing screen with a single status line and a ruler line. Alt-Key commands are used to produce different text formats, many of which are displayed in WYSIWYG style on-screen. A series of Ctrl-B commands handles block cut, paste, copy, and save functions. A series of Ctrl-D commands offers a respectable variety of delete-text options, including the deletion of math structures and expressions.

AMPLE TOOLS FOR EQUATIONS

Creating equations using *Tech/Word* is a sensible procedure, and you are given ample tools. The function keys define the math structures. Structures describe the look of an intended multiline-height equation. So, for example, you can choose a triple-level I-shaped structure to enter a summation or a triple-level C-shaped structure for integrals. The program also makes it easy to include square roots, radicals, fractions, and matrices within text.

Tech/Word offers eight different math enclosures, including thin and thick brackets, braces, and borders. As you enter information in the bracketed areas, they widen to accommodate these characters. Multiline-height math functions, such as the integral, pi, and sigma symbols and arrows, are also available and are sized to your specifications with a single command.

Combining keyboard commands and special fonts creates the math expression. For a typical equation, you might need a bracket, a "triple double-level super" formation, and keyboard associations entered from any of the three built-in math fonts, a Greek font, two IBM graphics fonts, a script font, a normal font, or a custom-designed font. Two additional fonts for chemical symbols are available free of charge but are not included with the program package.

Creating expressions in this pick-andchoose manner is easy, but there are certain drawbacks. First, these clumps of graphics information can be difficult to edit. As I attempted to edit fractions or move a nested bracket, I often opted to begin from scratch. Second, this graphics building-block approach requires that you must always have the manual or the appropriate help screen displayed. Few users will be able to memorize the keyboard as-

THE HEAT IS ON! AT PRINTERS PLUS Printers Plus has been satisfying customers since 1982 by exclusively concentrating on computer | printers. We're not just order takers - we're experts! Call today! IT'S TIME YOU SAW THE **FEATURES:** • 24 pin print head · Full color dot matrix printer · Hi-res graphics Tractor included! · Paper Park Epson emulation IBM extended character set • 240 cps draft/80 cps letter quality Easy front panel control LIST PRICE FOR PRINTERS **PLUS PRICE** THE WORLD SLARGEST SELECTION OF PRINTERS ntee to match the lowest in-stock prices in of PC MAGAZINE! If you don't see it, GALL! PRINTERS PRINTERS PLUS, INC. 8486-C TYCO RD., VIENNA, VA 22180 (703) 734-0236 WE'LL CREDIT COST OF LONG DISTANCE TELEPHONE CAI WITH ANY PRINTER PURCHASE. This offer good only through mail order division. Visit our 7 retail showrooms for best local prices 15% restocking fee applies to all returned or refused merchandise.

PRINTERS PLUS AND COMPUTER PAPER DESIGN ARE REGISTERED TRADEMARKS OF PRINTERS PLUS, INC., VIENNA, VA.





All These **Functions For** \$150.°°

Word processing Document tracking Communications Terminal emulation

4 functions in one easy to use program that conserves your learning time, your PC's memory, and your money. Wordmover's state of the art features are based on Computerease Software's experience with the publishing industry since 1983.

Powerful Word Processing

written in assembly language for speed, menus for beginners, command interface for advanced users, built in spell checker, edit up to 9 files at a time, 20 level undelete, search and replace, proportional font support, macro/script capability, mail merge.

Integrated Communications

dialing directory, translation tables, XMODEM, unattended file receive, customizable terminal emulation for VT100, 3101 etc.

Document Tracking

Wordmover gives you the cross referencing of a database without the setup and learning hassles. Customizable "header" templates for tracking by addressee, subject; document number, etc. Selective directories by category of file.

Easy to use

Tutorial documentation keyed to progressive help screens for quick incremental learning. Pop down menus and key prompts. Customizable keyboard, commands, messages, & color.



P.O. Box 170 Warren, R.I. 02885

(401) 245 • 1537 (401) 245 • 1523 **CIRCLE 130 ON READER SERVICE CARD**

■ SCIENTIFIC WORD PROCESSORS

sociations for all these special symbols. Third, many scientists prefer an Englishlanguage "Keyword" approach to processing math expressions because it is less intrusive. The flip side of this is that nonequation-speaking secretarial help seems to prefer the more graphics symbol-oriented solution.

Tech/Word is the offspring of Gold-Word, which is also an easy-to-use but limited word processor. In fact, it looks as if Tech/Word's scientific and math production capabilities were tacked onto the GoldWord processor. Any tailor will tell you that tacking the new onto the old invariably leaves a few seams showing. Tech/Word does an admirable job on equations, but it just squeaks by on text processing.—Robin Raskin

TechWriter

TechWriter, a \$395 technical word processor from CMI Software, is reliable and relatively straightforward to use, even with its few idiosyncrasies. Although it won't do your calculations for you, the package offers a flexible and simple method for producing documents that contain equations-both mathematical and chemical—and it also has a large variety of commands.

Besides the standard ASCII character set, TechWriter supports three additional fonts. These fonts include the complete Greek alphabet, as well as an assortment of mathematical, scientific, chemical, textmarking, and script characters.

Among its array of commands, the program uses function-key combinations, Shift/Alt/Ctrl-key combinations, as well as Alt-number combinations. Command sequences often consist of several logical steps. For example, you define a block of text by using the begin block and end block commands. You can then move the block of text with the move block command and clear it with the clear block command.

The template that is included with the package is a vital guide to TechWriter's commands and special symbols. In case you forget how to select an alternate font, a hint on the template instructs you to type the standard character on the alphanumeric keyboard and then press F6 to toggle through the four options for that key. All of TechWriter's 270 special symbols are a single character in height and are clearly displayed on the screen in WYSIWYG format.

EQUATIONS FROM SCRATCH To format an equation that takes up more than one line or that includes an oversized character, you use a special equation block that adjusts the line spacing for oversized characters and protects the equation from being interrupted by a page break. Once you go through a few preliminary steps to define a block, TechWriter goes into Math mode, in which you simply enter your equation as it is to appear in print. What you see on the screen is what you'll get on paper. However, it is impossible to see a double bond on a chemical symbol on the screen: this symbol looks the same as a single bond.

One helpful feature is TechWriter's library of glossary, or macro, commands, activated in Math mode, that lets you draw commonly used oversized characters. Among the 20 glossary entries are the integral, radical, and summation signs; large brackets, braces, and parentheses; pi, 60and 30-degree lines; and the carbon ring.

Once you've made your selection by pressing the Gloss key and typing a one- or two-character specifier, TechWriter will ask you to define the character's dimensions. You can then accept the default or specify the appropriate number of lines and columns. The package also allows you to draw carbon rings, convert a single bond to a double bond or vice versa, and Tech-



Techlüriter

TechWriter, Version 3.0

CMI Software 621 Main St., #7A Waltham, MA 01254 (617) 899-7244 List Price: \$395

Requires: 256K RAM,

two disk drives, DOS 2.0 or later.

In Short: This is a versatile word processor with many symbols that can be used for writing equations or chemical formulas. It has an extensive command set and supports three alternative fonts. Not copy protected.

CIRCLE 635 ON READER SERVICE CARD

SPEED UP WITH...





"A feature-rich caching program with adjustable cache sizes and support for extended memory. Still the best caching software for your money. Not copy protected."

PC Magazine Nov. 24, 1987

NOT JUST ANY CACHE!

FLASH

This rock solid supercharged package accelerates all your disk accesses, increases your cursor speed and prolongs the life of your hard disk.

FLASH speeds up data-basing, word-processing, desk-top publishing, CAD-designing and accounting software by as much as 300% or more. Even 386 machines are not at full speed until they use FLASH. It boosts your performance tremendously.

FLASH ONLY \$69.95

FLASH FEATURES

- Speeds up disk accesses
- Uses EMS expanded memory
- ▶ Uses AT extended memory
- Uses any nonstandard memory boards
- Uses EMS & AT memory together
- Accesses up to 3 MEGS of RAM
- ➤ Buffers 26 Device Driven Drives
- Dynamic track reads
- Can glue files into buffer
- Speeds up cursor

INTRODUCING

Savior

SAVIOR makes the seemingly impossible, possible! It raises files from the dead!!

This miraculous package, by automatically "undeleting" files, takes all the worry out of accidental deletes, and saves. No matter how fragmented your file has become, SAVIOR returns the original file intact.

SAVIOR also possesses the ability to retrieve previous file versions. It can even revive files "lost" after storing other information on top of them.

NO OTHER PROGRAM ON THE MARKET WILL DO ALL OF THIS AND ONLY USE 5K OF RAM!

Every PC owner owes it to their PC to invest in SAVIOR

SAVIOR \$89.95 FOR FLASH OWNERS ONLY \$69.95

FREE UTILITIES

FLASH RAM-DISK is a Dynamically allocating RAM-DISK which shares memory with FLASH. When not in use, memory is not borrowed from FLASH. This maximizes memory utilization.

FLASH KEYS speeds up your cursor for word-processing and spreadsheet programs. Scrolling and editing become a breeze instead of a chore. You no longer have to wait for the cursor. YOU choose the cursor speed. Selecting rates up to 6 times faster than that of a normal cursor.

BACK-TO-DOS offers you the ability to make ANY program a pop-up program, regardless of size. BTD offers all this flexibility while only using 15K of your precious RAM.

FEATURES

- Make any program a pop-up utility
- Uninstall unwanted TSR's in a single keystroke
- Reinstall the same TSR's back with a single keystroke
- Only 15K of RAM is needed
- Even makes PC-DOS a pop-up utility

BACK-TO-DOS THE POP-UP MANAGER

BACK-TO-DOS \$69 9:6 FOR FLASH OWNERS ONLY \$59.9:6

SPOOL-MASTER

SPOOL-MASTER

offers all of the features of standard printer-spoolers plus much more. It functions as an extension to your printer's buffer. Thus allowing your program to continue processing while the printer prints.

FEATURES

- Redirect printer output to files
- ➤ Uses AT extended memory or EMS < expanded memory if FLASH is installed
- Controls page eject (form feed) from keyboard
- Spooler easily controlled by simple keyboard sequences
- User selectable buffer size

Only 8K of RAM is needed to put SPOOL-MASTER to work

SPOOL-MASTER \$69.95 FOR FLASH OWNERS ONLY \$49.95

For more information call (317) 253-8088 We accept

We accept MasterGard, VISA, COD & Chack, Please add \$4,00 for

hipping & hjundling in the USA, \$6.00 for Climada; \$15.00 to



Software Masters 6352 N. Guilford Ave Indols, IN 46220

Software Excitement's User-Supported Collection

For IBM PCs and Compatibles

OR

Ten or More **Small Quantities**

FREE Same-Day Shipping (orders of 5+)

Your Satisfaction Guaranteed!

	BL	ISINESS/ACCOUNTING/FINANCE/DBASE
i		Personal Finance Manager – Menu-driven savings, check, and investment tracker
Ī		E-Z Forms—Make generating any type of business form easy
		Portsworth Package - Monitors and evaluates your investment portfolio
		Easy Payroll System—All the features you need—even on-screen help
	2	Mr. Bill—A complete and evolved billing system for your business (2 disks)
ı		Stock Charting System—Creates high/low/ close, moving average, and other charts
ı		Finance Manager II—A powerful bookkeeping

PBase - Relational DBase with query language MailMaster - Full-featured mail list manager

3 PC-File+ -The most powerful DBase we have found (3 disks)

WORD PROCESSING PC-Write 2.71—The most complete and popular word processor (2 disks)

- Letter Writer Makes letter writing easier and more PC-Pad 1.31 - An integrated word processor and
- spreadsheet New York Word - Complete with mail-merge, splitscreens, and more

EDUCATION

- Facts—Teaches kids the states, presidents, capitals, etc. (CGA)*
- Typing Tutor—It's easy to improve your typing skills with this handy teacher!
- DOS Tutor -- This interactive tutor makes learning DOS easy for the new user BibleQ -Test your Biblical IQ in this fun setting
- Spanish I—Beginning Spanish for the student (requires BASICA or GWBASIC)
- PolyGlot Provides a learning environment for basic vocabulatory of several languages

Word Processor for Kids-Makes using the computer fun and educational (CGA)*

UTILITIES/APPLICATIONS

- MasterKeys -- Like Norton Utilities, only better! Desk Mates -- A disk full of Sidekick-like utilities Home Inventory-Keeps track of your personal
- HDMenu Puts the programs on your hard disk on menu. Has security features
- SimCGA—Allows a monochrome system to run most CGA programs
- Slic-Works—An all-in-one filer, letter writer, and communications program Banner Maker - Make your own custom banners
- with this easy-to-use package Fast Food - Evaluates the nutritional value of the products of most national fast food chains
- ELISA Insults-A hitarious version of the famous computer psychiatrist
- Database Publisher-Prints a catalog of up to
- GAMES

 Striker Helicopter attack simulation. Risk is also included (CGA)
- 3-D Packman is great! Also includes Kong and Spacewar (CGA)
- Q-Bert—Play the famous arcade hit on your com-
- puter. Other games, too (CGA)* Monopoly-Great color and sound (CGA)*
- JetSet A jet flight simulator
- Hopper-Great Frogger clone (CGA)* Diamond Master Baseball - Simulate the play-by-play of baseball
- 18 Hole Miniature Golf 3.0—Exciting game for all ages (CGA)*
- Wheel of Misfortune-Sorry, Vanna White not included with your order!

*Color Graphics Adapter card required.

Free catalog with order or request

SOFTWARE EXCITEMENT

"Service with Excellence" P.O. BOX 3072, CENTRAL POINT, OR 97502

No. of disks_ Shipping Info 1-4-add \$2

Cost of Disks \$ Shipping

5+-FREE UPS 2nd Day-add \$3

Total enclosed \$ MAIL ORDERS: Use separate sheet-include phon

(503) 772-6827 Mon-Fri 7am-10pm Sat-Sun 8am-8pm

SCIENTIFIC WORD PROCESSORS

Writer lets you draw horizontal, vertical, and angled lines and boxes.

PAGE-BREAK PROTECTION Another exceptionally nice feature of the program is its ability to protect a specified number of lines of a document as a sliding space. This protection could be used, for example, for a figure whose precise position in the text is not important but for which a page break would be unacceptable. The sliding space feature will print the figure on the current page if there is room or it will print it on the next page, pulling with it any lines of text that followed the figure.

On the negative side, *TechWriter* does not support paths, and simple directory features such as COPY or even DIR cannot be accomplished without exiting the document. Nor can you disable automatic backups of documents after a certain number of keystrokes have been made. Consequently, even if the changes made in a session are aborted, the original copy on the disk is still updated.

Even without its technical features, the word processor is very versatile, allowing for unlimited changes in formatting and providing for headers and footers and multiple indexes. Unfortunately, TechWriter's support of columns is weak, since gutter widths cannot be specified and only evenwidth columns are possible. The program automatically reformats documents most of the time, but it is advisable to use the repagination command when you insert text or change the page numbering. Also, there is no error message when a print request is made while the printer is off-line. And there is no graceful way to abort printing.

TechWriter's documentation is complete and well above average. Once you manage to find information on a particular subject, it is clear and well explained; however, you may have to do some searching since the information you need might be scattered in several places. In addition, the documentation does a poor job of assisting you with the choice of suitable drivers for the more than 100 printers that TechWriter supports. The package's concise Quick Study Guide, concise containing pertinent examples, will get you off to a flying start.

Overall, *TechWriter* is pleasant to use

and fully functional for most purposes. It is a good choice for users who are looking for a straightforward and painless way of creating technical documents.

—Caroline Halliday

Total Word

Lifetree Software's Total Word has a rich assortment of features, making it more than a typical word-processing program. It can capture and use graphic images, preview a full page, use different font styles and type sizes, and build equations or chemical diagrams using over 400 scientific characters. Plus, typical word-processing features are abundantly present in a mix of menus, function-key commands, and Shift/Alt/Ctrl-key combinations. Priced at \$495, *Total Word* is a very fullfeatured program.

One of the pleasures of *Total Word* is learning it. Lifetree has produced an excellent manual and on-screen tutorial program. The tutorial helps you explore most of *Total Word's* features in four lessons.

The main menu in *Total Word* has the look of Volkswriter, another of Lifetree's products. The top fifth of the screen lists 14 functions that are invoked by a single letter. These functions include retrieving,





Total Word, Release 1.0 Lifetree Software Inc. 411 Pacific St. Monterey, CA 93940 (800) 543-3873 (800) 831-8733 (in Calif.)

List Price: \$495

Requires: 480K RAM, hard disk drive, DOS 2.0 or later.

In Short: A very full-featured package, Total Word offers over 400 scientific characters for creating equations and chemical structures, a range of fonts and type sizes, the ability to capture and use graphic images from other programs, and powerful, elegant formatting features. In addition, it contains typical high-end word-processing features such as a spelling checker, a thesaurus, math functionality, nonprinting comments, and indexing. Not copy protected.

CIRCLE 634 ON READER SERVICE CARD

NO DEPOSIT NO RETURN

Lotus Symphony 2.0 Upgrades From Corporate Software



In one package, Symphony gave Miller five functions powerful enough to meet their growing computing needs. Without having to learn five separate packages.

20 Specialized Services
Making upgrades easy is just one of the
ways Corporate Software helps large
companies like Miller Brewing. We
inventory hundreds of products for
the IBM-PC and Apple Macintosh and
back them with the largest independent
support organization in the industry.

These resources help you evaluate, support, and upgrade products like Lotus Symphony Release 2.0 in the corporate environment. All at competitive prices.

To learn more about Corporate Software's 20 specialized services, call today. Then pick up your Lotus Symphony Release 2.0 upgrade. Or pick up a whole case.

1-800-426-7779

ATLANTA NEW JERSEY
BOSTON NEW YORK
CHICAGO MINNEAPOLIS
DALLAS SAN FRANCISCO
LOS ANGELES WASHINGTON, D.C.

LONDON

Symphony is a registered trademerk of Lotus Development Corporation. IBM-PC is a registered trademerk of International Business Hischines Corporation, Mischitosh is a regisrenal trademerk of Apple Computer, Inc.

TORONTO



CORPORATE SOFTWARE

Corporate Software Inc.

410 University Avenue

Westwood, Massachusetts 02090

creating, storing, and renaming a document and printing. The rest of the screen holds a list of files. You can retrieve these files by name or by pointing to them with the cursor and then pressing Enter. After you open a file you can use the program's scientific characters by calling up one of nine special, on-screen "keyboards." Pressing Alt-K pops up a menu window of keyboards across the top of the screen. The choices include Business/Bullets/Rules (Alt-2); Math/Logic/Sets (Alt-4); Subs & Supers/Math (Alt-5); Greek (Alt-6), and Organic Chemistry (Alt-0).

KEYBOARD DIAGRAMS When you select a keyboard, it appears at the top of the screen as a box diagram showing the alphabet keys as they appear on a typical keyboard. Each key box shows the appropriate letter and one or two symbols that can be printed by pressing the key alone or with the Shift key. For example, you can

type the small integral symbol by pressing the F key on the Subs & Supers/Math keyboard, then switch keyboards and type the not-equal symbol by pressing Shift-G on the Math/Logic/Sets keyboard.

Scientific characters can be used only if you have a Hercules board or an EGA, VGA, or MCGA board. To print the special characters, you need a Hewlett-Packard LaserJet or compatible or a PostScript printer.

Using the scientific characters to build often-used equations or drawings of chemical compounds can be done with macros. The macros menu will pop up if you press Alt-M. Recording a macro is as simple as pressing R, then running through the right keystrokes. Macros are used to record building-block pieces of equations or diagrams, making it simple to create complex formulas or structures. Macros also do more mundane work, like inserting a trademark symbol or the Italian lira sign.

CAPTURING IMAGES Creating a scientific document involves more than just typing equations or diagrams. You might also want to incorporate special graphics material from other programs. You can capture these images from the screen by using a Total Word utility program, called Snapshot. First you have to exit the main Total Word program and go to the \TO-TALPGM subdirectory to load Snapshot. Then you go to any other graphics program screen to capture your image using the Ctrl-Alt-Q combination. A thin frame will appear around the image to permit cropping. The cropped image can then be dropped into a text document at any point. It can extend from the left margin to the right margin or can be sized by percentages. If you choose a smaller size, the image can be placed flush-left, flush-right, or centered. You can also put a border around it, reverse the black and white portions, and adjust the balance of black and white

Facing

As the operator of a small business you are constantly being challenged to respond quickly. Easy and efficient access to your financial data is often critical to the success of your operation.

Bedford Integrated Accounting

has been designed to let you face your financial facts quickly. Through fully integrated general ledger, receivables, payables, payroll, inventory and jobcosting, your records are as current as the latest entry.

With Bedford, financial reports are available immediately on your computer screen. No more rustling through stacks of paper for details of that transaction, or waiting days, sometimes weeks to see your financial position. You get the facts you need when you need them.

Simply and comfortably.


If you find you're not able to respond as quickly as you would like, drop by your nearest Bedford dealer. They'll show you some facts about our \$249 software we're sure you'll have no problem facing.

making software comfortable™

CIRCLE 482 ON READER SERVICE CARD

bedford

Integrated Accounting Software



Bedford Software Corporation • 15311 N.E. 90th Street • Redmond, WA 98052 • (206) 883-0074





When you got your PC, it was love at first sight. How did it ever come to this? It's taken over your entire desktop. Your screen has disappeared beneath a thick layer of dust. The noise from your printer is driving you crazy. You just can't go on like this...

KENSINGTON







Don't do anything rash. Kensington can put you and your PC back on good terms.

1. Our **Universal System Stand** gets your CPU off your desk and out of your way. Adjusts to fit any PC up to 6½" wide. \$29.95

2. Our anti-static **Dust Covers** protect your computer, monitor, and keyboard from dirt and dust. \$19.95

3. Our Printer Muffler 80 and Printer Muffler 132 (for 80 and 132 column dotmatrix printers) reduce printer noise by 75 to 85%! Only \$69.95 and \$89.95

4. Our **Printer Muffler Stand** raises your printer and Muffler 4" for handy paper storage. \$29.95

5. Our Universal Copy Stand puts your notes next to your screen, directly in your line of vision. Attaches to either side of any monitor, \$29.95

6. And our **Keyboard Slideaway** gives you the extra room you need for your keyboard. Slides under your PC when not in use. \$49.95

For a free brochure on our full line of PC accessories, call 800-535-4242, 212-475-5200, or write Kensington, 251 Park Ave. South, NY, NY 10010.

KENSINGTON*

Tests Prove OTC Gives You 58% More Throughput Than Its Competition!

OTC 850XL - 1632 pages*



Many companies say they offer the fastest printer with the best value for your money.

At OTC, we decided to challenge those claims . . . and we won! We clearly deliver more throughput for your money.

We took five competitors and ran a Lotus™ 1-2-3 spreadsheet under the exact same conditions, to let

only delivered 58% more throughput than its closest competitor, but also

proved to be at least a 25% better value.

It's easy to make tall claims. But the others just don't stack up to Output Technology! Take a good look at who is standing tall above the rest . . . call OTC for a free copy of our Benchmark test today!

fBM, Genicorn, Alps, Okidata, Epson, and Lotus are trademarks of others and do not belong to OTC.



1-800-422-4850

MADE PROUDLY IN THE U.S.A.

Over 200 Service Centers Nationwide



E. 9922 Montgomery, Suite #6, Spokane, WA 99206 (509) 926-3855, 800-422-4850 Telex #15-2269 OUTPUTSPOK FAX #922-4742

Output Technology Corporation Europe BV - Saturnusstrast 25 - 2132 phone (31) 2503 32599 • Telefax (31) 2503 39555 • Telex 20000 REF MMC NLX505

with an exposure setting.

The graphic image itself will not appear on the document screen. You can view it at the graphics menu to be sure it's the right image, but it appears in the document as a command line. Through *Total Word*'s page preview function, you can see how much vertical space it will take up on a page or in a column, but the left/right size won't show, nor will the border.

Previewing a page is very useful for getting an overall feel for the look of a format, but unfortunately that's all. The type is generally unreadable, font styles won't show, and subtle changes in point size can't be made out. A close-up option in preview mode will display a portion of the page as it will print, but the type is very blocky. However, in this close-up view, you can see the scientific, boldface, and italic characters—all in relative size and readable.

ROBUST FORMATTING FEATURES

One of the more-powerful aspects of *Total Word* is its formatting abilities. You can change the format of a document line by line by using section layouts. Each section



• T³ • Total Word

If you need the extra functionality that scientific-technical word processors offer, in many cases you may have to sacrifice speed or standard WP features. For example, TCI Software Research's T³ (\$595) was one of the slowest programs we evaluated, but it is strong on alternate character sets, offering mathematical and chemical symbols as well as the Greek and Russian alphabets. If you need special symbols that T³ does not include, you can use its font editor to create them. Standard document control commands and a spelling checker, which typify corporate word processors, are also part of T3's repertoire.

Lifetree Software's Total Word (\$495), the successor to Volkswriter and Volkswriter Scientific, goes even further than T³ in bridging the gap between the worlds of corporate and scientific-technical word processing. The package has several alternate keyboards and a full range of typical word-processing features, including a spelling checker and a thesaurus, indexing, non-printing comments, mail-merge, and automatic hyphenation. Not

only does it give you access to over 400 scientific characters, but its Snapshot program lets you capture graphics from other programs, making it useful as a desktop publishing tool.

Groucho Marx's statement "I wouldn't want to belong to any club that would accept me as a member' could apply to our contention that Lotus Manuscript is a strong contender for Editor's Choice—despite the fact that Lotus no longer wants to market the package in this product category. In fact, had Manuscript not been between versions during our evaluation, it would have been an Editor's Choice. That Manuscript excels at handling large documents and could go up against any corporate-level word processor is undeniable. Moreover, its equation language, which lets you enter equations by using descriptive English-language keywords, is one of the most commonsense approaches to mathematical keystroking we've seen. If you're writing a long, highly structured document replete with equations, tables, footnotes, and indexes, Manuscript is worth considering.



Use DataSaver

standby uninterruptible power supply, and protect your microcomputer against costly data loss and hardware damage.

- Constant AC line protection against power disturbances and interruptions,
- Built-in spike/transient suppression and EMI noise filtering.
- Powerful sizes to protect any system from the earliest Apples to the latest PS/2's.
 International models, also.

For more information, call:

TOLL-FREE 800/332-3440.
In California, call 805/541-4160.
Or write to us at the address below.

GSA No. GS 00K-87-AGS5393 PS01

Dealer/VAR inquiries invited



layout lets you set line spacing, lines per inch, tabs and margins, justification, and the number of columns. Once you create a section layout, it can be used anywhere in a document; existing text can always be reformatted later if you want to apply a different layout.

By using section layouts—which are indicated in a status area at the bottom of the screen—you can instantly change groups of format parameters. For example, you might go from an indented, nonjustified line of text 75 characters wide, with 12 on 13 leading, to two columns of text 35 characters wide, right justified and with 12 on 12 leading, just by pressing three keys in rapid succession.

Besides creating a section layout, you can create a single page layout that specifies parameters for such elements as continuous paper form or single sheet, paper length, paper width, top and bottom margins, pagination, line numbering, and others. The page and section layouts are saved with the document, and you can have up to 255 different section layouts for each document.

By giving your document a file extension, you create a style sheet—a combination of section layouts and a page layout-that is available every time you start a new document with the same file extension. Style sheets make it incredibly easy to produce consistent-looking reports, scientific manuscripts, memos, letters, and legal documents. And yet, layouts can be changed for an individual document without affecting the style sheets.

Section layouts can also specify type styles. Total Word lets you control all the resident fonts, as well as fonts from cartridges and downloaded fonts that a printer contains. You can even create a new type style by choosing the size, weight, and style of the characters from the available typefaces and then selecting certain characteristics to emphasize, underline, change in color (if your printer has color),

and shadow. The type style can be changed at any point and for as much text as you wish, regardless of the prevailing type style in the section layout.

Total Word has a host of other features typically ascribed to quality word-processing packages: a spelling checker (with 170,000 words); a thesaurus (with 300,000 words, including synonyms and antonyms); indexing capability; mailmerge; a full range of editing, copying, moving, and deleting functions; searchand-replace; headers, footers, and footnotes; automatic hyphenation (in a userdefinable zone); a split-screen mode; basic math functions; word count, nonprinting comments, and on and on. In short, there is little if anything missing from this fullfeatured word-processing package.

-Henry Fersko-Weiss

WordMarc Composer

WordMarc Composer, from Marc International Software, is a comprehensive word processor designed for technical and scientific document preparation. With easy access to three different technical character sets and multilingual character formatting, the \$375 program also includes some of the most complete and precise documentation you'll find.

In addition to running on PC-compatible micros, WordMarc Composer is avail-

> WordMarc Composer, Version 86.0908C2

Marc Software

(415) 326-1971 List Price: \$375

Requires: 512K RAM, hard disk drive,

In Short: A comprehensive word processor

designed for scientific-technical documenta-

tion across a number of micro and minicomputer environments. However, its on-screen text-formatting interface may limit its appeal to nonscientific professional users. Not copy

CIRCLE 633 ON READER SERVICE CARD

International Inc.

260 Sheridan Ave. Palo Alto, CA 94306

LEARNING

WORDMARC

DOS 2.0 or later.

protected.





CIRCLE 722 ON READER SERVICE CARD

©1988 cc:Mail.

With LAP-LINK, They're All Talking.



The Standard in Accessibility Software for IBM and Compatibles, Laptops, and Apple Macintosh Computers.

Now you can take advantage of the best performance qualities of today's popular computer standards.

Because with Traveling Software's line of Accessibility products, you can connect and share files between practically every kind of personal computer on the market today.

All kinds of files. Like word processing and desktop publishing files. Spreadsheet files. Database files. You name it.

Just choose the LAP-LINK product that best fits your needs.

LAP-LINK transfers files between IBM and compatibles, laptops and desktops including the IBM PS/2. It installs in seconds, offers a split screen design, showing files in both computers, and can transfer them at incredible speeds of up to 115,200 baud. LAP-LINK comes complete with diskettes, documentation and a universal cable.

LAP-LINK received PC Magazine's Editor's Choice and "Best of '87" awards.

LAP-LINK Having all the file transfer features of LAP-LINK, LAP-LINK Plus also provides the option of direct disk drive and printer sharing between any two connected computers. It's like having a two computer network!

Everything you need to share files between any model of the Apple Macintosh (512, Plus, SE and Mac II) with an IBM or compatible laptop or desktop computer (including the IBM PC, XT, AT, and PS/2). It's easy to use, easy to set up and it's fast. Transferring files at an incredible 57,600 baud! LAP-LINK Mac is also fully compatible with both Macintosh Finder and MultiFinder as well as AppleTalk, TOPS, 3Com, and Novell networks.

So for the best Accessibility Software, stop by your local computer or software dealer today. Or call us at: 1-800-343-8080 or in Washington: 1-206-483-8088. Ask us about our FREE catalog.

LAP-LINK is surprisingly affordable at \$129.95, LAP-LINK Plus \$139.95 and LAP-LINK Mac \$139.95 (Suggested retail prices including cable).

Traveling Software

CIRCLE 222 ON READER SERVICE CARD

Traveling Software • 19310 North Creek Parkway • Bothell, WA 98011



FIND ANYTHING on your hard disk... in seconds!

In contents of all files—word processor, databases, source programs, accounting, random notes.

Instant Search. Alt+ Hot key from any program. Type word, word root, word proximity, number, or phrase, with wild cards.

F2 List of all files containing search term appears in seconds.

← Select file. Term appears highlighted in its surrounding text or data.

←† → Navigate.

F8 next hit or F10 next file.

Alt+p Cut-and-paste into your word processing document.

Search without indexing OR index once to make searches 50 times faster (while your best customer is still on the phone).

Automatic indexing. F9 World's fastest indexing and smallest index (15%). Up to 7,500 files, 30 megabytes. Folders, to organize your data.

Memory Lane, the essential companion to your DBMS or word processor for random information management and full-text retrieval.

Group L Corp., 481 Carlisle Dr.,			
Herndon, VA 22070 (703)471-0030			
Send copies of Memory Lane			
at \$149 each. VA residents add 4.5%			
☐ Check ☐ MasterCard			
□ VISA □ American Express			
Exp. Date			
Card No.			
Signature			
Name			
Street			
•			
StateZip			
Telephone			

Call 800 672-5300

CIRCLE 502 ON READER SERVICE CARD

■ SCIENTIFIC WORD PROCESSORS

able for a wide variety of Unix-based minicomputers, including ones from Sun, Apollo, AT&T, and Prime and the DEC VAX. Since the package includes telecommunications and file transfer capabilities, the PC version can send copies of a document directly to a minicomputer host.

That's the good news. Unfortunately, the screen interface, apparently written to accommodate a variety of video terminals (which makes it easier to move the software to other computers), is sadly lacking when compared with the current crop of WYSIWYG word processors. While this could not be overlooked if the package were targeted at corporate users, the package's strengths in scientific and technical document preparation make its interface tolerable.

THOROUGH DOCUMENTATION

WordMarc Composer's almost excruciatingly thorough documentation includes five manuals, each one representing a different level of expertise. A map in the front of each shows its position in the hierarchy and contains a brief description of all of the manuals. Novices will be taken smoothly through each step of using the program, but more-experienced users can skim the first two manuals and get right into advanced document preparation.

The technical reference manual tells you everything you want to know about the product. With detailed sections on the file formats used and on creating your own printer drivers (using English-language descriptions), you'll wonder if the source code for the product was included, too. And while Marc International offers technical support for \$50 a year (90 days free), you probably won't need it in light of the comprehensive documentation.

Installing WordMarc Composer is a snap. The installation program can be rerun at any time, to accommodate a change in monitors or a switch to either a different technical character set or another set of printer drivers. (Up to ten are available at a time, and over 170 drivers come with the program.)

In addition, the installation program is among the most intelligently written ones I've seen. Not only did it ask permission before making changes to my AUTOEX-EC.BAT and CONFIG.SYS files, but it

was also smart enough not to make changes where my current configuration was sufficient.

WordMarc Composer has three technical character sets available: Greek, chemical, and DecTech. In addition, the conventional English alphabet can be modified to reflect European punctuation with a few keystrokes. Any monitor can be used, with the exception that computers using monochrome monitors require an EPROM from the vendor to generate the technical characters (but the European punctuation is still available without an EPROM).

Unlike most mainstream editors and word processors, WordMarc Composer does not strictly follow convention in its use of the PC editing keys. While this may limit its appeal to some users, several templates, guides, and diagrams displaying the keyboard configuration are provided.

WordMarc Composer is not a WYSIWYG word processor—a shame, since it handles scientific and technical text so well. Almost all on-screen document-formatting capability revolves around the use of a "format line," which is a ruler line that controls all text following (until another format line is encountered). An unlimited number of format lines can be used to control any text of any size.

Users who are accustomed to typesetting environments may find this helpful, but it does disrupt the screen. There also is a preview capability, which will display a formatted document on the screen as an alternative to printing it.

UNINTEGRATED FUNCTIONS The processes of designating, moving, copying, and deleting objects while editing are not well integrated. Each one is separate and requires you to place your cursor at one end of a block of one or more characters, specify the operation (move, copy, erase), designate the remaining text, and press the "execute" key (Plus on the numeric keypad).

WordMarc Composer is also unable to perform point-and-shoot operations on text objects. Text objects as such (words, lines, sentences, and paragraphs) are unknown to WordMarc, and there is no way to designate a piece of text without moving the cursor over its characters or lines. Nor can you designate an object from its mid-



Five steps to instant programming.

Microsoft. QuickBASIC 4.0 is a revolution in BASIC programming. A revolution that earned *PC Magazine*'s Best of 1987 award and its Award for Technical Excellence for the last two years.

Instant programming means instant results.

With Microsoft QuickBASIC 4.0, you get a complete instant programming environment. Revolutionary technology lets you run, edit, debug, and then continue running your program. Without a time-consuming compile step.

So you get instant results and instant productivity.

Instant programming also means you're always ready to debug using a sophisticated collection of debugging tools. Control program execution easily with breakpoints. Use watchpoints and watch expressions to see data values as your program runs. Even change data values and continue running!

Advanced language extensions such as records, recursion, huge arrays, and FUNCTION procedures give the language more power and versatility, so you can really flex your BASIC muscles. And Microsoft QuickBASIC 4.0 still produces the fastest BASIC code around.

A great value gets better.

At \$99 Microsoft QuickBASIC 4.0 is a great value. And now it's even better because it includes our *Value-Pack Catalog* containing coupons worth more than \$600 on add-on packages and books. And if that's not enough, there's a 30-day money-back guarantee. You just can't lose.

Take the first step into instant programming. Just call us at (800) 541-1261, Dept.E21, for the name of your nearest Microsoft dealer and start your own revolution in instant programming with Microsoft QuickBASIC 4.0.

Microsoft QuickBASIC 4.0

dle. For instance, you must move the cursor to the beginning of a paragraph, specify the operation, and then move to the end.

Another annoying feature of editing a document with WordMarc Composer is its

Guarantee

please add 5% sales tax

default overstrike mode. There is no insert mode as it is known elsewhere. *Everything* can be overwritten almost all the time. To insert text, you must position the cursor, press the Ins key, insert the text, and press "execute." Then you are returned to overstrike mode. To insert text elsewhere, the process must be repeated.

What must also be noted is that a limited on-line help facility is available, and that WordMarc Composer has a very powerful macro capability. The Undelete function, in fact, is actually implemented as a macro.

In all fairness, Marc International has slated the release of a major upgrade, WordMarc Composer Plus, to be available

■ Unlike most word processors, WordMarc Composer doesn't strictly follow convention in its use of the PC editing keys.

by the time this review hits the newsstands. Some if not all of the weaknesses of the current product may be remedied in the new version.

WordMarc Composer Plus, according to the vendor, will include text-sorting capabilities; an on-screen calculator; an overstrike/insert mode toggle (relieving the current overstrike-only problem); an enhanced dictionary (over 100,000 words); a spelling checker that operates while you edit; 20 different additional type styles; the ability to integrate graphics, Lotus .PIC files, and PostScript files; complete Post-Script laser printer support, and automatic pagination and reformatting. The maximum right margin will be increased to 254 characters, line spacing will be able to be fine-tuned in increments of 1/100 inch, and extensive automatic date capabilities will be added. The new version will also let you convert documents to Ventura Publisher format.

Overall, the on-screen formatting interface is the only real stumbling block for this otherwise complete and comprehensive word processor. Despite this weakness, it is a strong contender in the scientific-technical document-preparation marketplace.—Richard Hale Shaw



To order, call Toll-Free:

CIRCLE 478 ON READER SERVICE CARD

1-800-634-8670

(In Florida call 904-878-8564), Visa / MasterCard / COD \$5.00 for

Shipping and Handling (\$8.00 for COD orders) Florida residents

MRROR II and Softkione are mademarks of SoftKlone Distributing Carp. / IBM is a registered trademark of International Business Machines Carp. / WordStot is a registere trademark of MicroRho: International Crossoals and Crossoals XVII are impossed trademark of Displac Communications Associates Inc. / Hayes is a registered trademark of Hoyes Microcomputer Products Inc.

336 Office Plaza Drive

Telex: 6714280 KLON

Tallahassee, Flonda 32301 Telephone: (904) 878-8564

MiRROR II is designed for use an IBM and 100% compositive microcomputers including the IBM PS/2 line; running MS-DOS / PC-DOS 2 0 or higher and is not copy

LAN WAR

AXON declares the LAN WAR for the benefit of those who demand flexibility, performance, and support —no matter how little it costs.

Flexibility and performance are provided by AXON XT and AT workstations and by two AXON LAN models!

The AXON Serial Network (\$100) uses the installed serial port of the computer. The AXON High Speed Network (\$200) is equipped with a 2 MB card. Both models come with the necessary hardware and software. Features include Disk Directory and Printer Sharing, File and Record Locking and Sharing, Electronic Mail, easy to use Pulldown Menus. Twisted Pair Wiring. NETBIOS Compatibility, and More.....

So, if you anticipate light traffic on a small network, buy AXON S100 for \$89 per node. For more power and speed, buy AXON S200 for \$249 per node.

Call the number below and AXON will tell you why flexibility, performance, support, and price will turn the LAN WAR in to your profit

AXON COMPUTERS, INC.

9025 Wilshire Boulevard, Suite 204 • Beverly Hills, CA 90211 CALL: 1-800-422-AXON





ou know what you're looking for in an accounting system. Power. Flexibility. Ease of use. Now Peachtree Complete II: The **Business Accounting System** offers more. More features. More

functions. And an enhanced user interface that not only looks great, but makes accounting easier and more efficient than ever before. All at a price that's substantially less than you'd expect. The first Peachtree Business Accounting System sold for \$4,800. Now at just \$199, Peachtree Complete II is a value you can't afford to ignore.

More Power, More Flexibility. We cut the price, but we certainly didn't cut corners. Today, Peachtree Complete II: The Business Accounting System is the most comprehensive accounting system you can buy at virtually any price. We've made enhancements to each of the eight modules that make up Peachtree Complete II. You can use them individually, or integrate them for maximum control and efficiency. You can even distribute them among separate computers. Over 250,000 Peachtree customers have already put these modules to work in their businesses.

- General Ledger
- Accounts Receivable
- Invoicing
- Accounts Payable
- Inventory
- Fixed Assets
- Job Cost

More New Features. Peachtree Complete II has a brand new look and an entire range of state-of-the-art features to make your accounting procedures easier and more effective than you thought possible. Peachtree's Complete II's latest features include:

Windows and Pop-Up Menus make it easy to see what you're doing and where you want to go next. When you get ready to make a choice, just "aim and shoot."

Smart HELP on-line, all the time. One keystroke gives you a pop-up rescue window full of context-sensitive information.

Quick and Easy Error Handling gives error messages in plain English along with suggested solutions. No more complicated error codes.

Enhanced Report Capabilities. Range printing allows you to print only what you need, only when you need it. A great feature for starting and stopping long reports. And now Complete II can produce over 450 reports.

Increased Numeric Capacities to \$999,999,999.99 in key areas. Plus, an unlimited number of companies.

ongoing Tax Updates. Complete II allows you to update your accounting tax files or you can order updates directly from Peachtree.

Service invoicing, the perfect addition to our product invoicing. Enter information free form on service invoices or store predefined paragraphs.

"... best documentation... superb manuals

... bead and shoulders above the manuals

for other low-priced systems . . . " *

More Confidence. Peachtree Complete II includes comprehensive documentation to get you started and help you along the way: a separate quick-start Installation Guide, Accounting Primer, eight-volume Reference Library, and extensive

MORE COSTS

PEACHTREE COMPLETE™ II:

Complete Accounting Is Still Just \$199.

COMPARE FEATURE FOR FEATURE

System-Wide Features

- Over 450 reports
 Unlimited number of companies and coasolidations
 Automatic menu-driven conversion of your existing Peachtree Business
 Accounting data files
 Increased numeric capacities to \$999,999,999 99 in key areas

- General Ledger

 Chart of Accounts includes 76 suggested and 26,000 user-defined
- accounts
 1 to 13 user-defined fiscal periods
 Repeating journal entries
 Financial statement comparisons may
 include current period and year-todate with budget and/or prior period
- comparison Reversing journal entries

Accounts Receivable/Invoicing Open item or balance forward

- Up to 14,400 customers
- Supports partial payments User-defined terms codes and aging periods Automatic transaction
- periods

 Automatic transactions with monthly, bi-monthly, quarterly, semi-annual, and annual frequency options

 Accounts Payable

 Up to 14,400 vendors

 Partial payments of invoices

 Cash requirements forecasting by due date.

- User-defined billing cycle on

- Checks printed with unlimited invoice listing on stub
 Ability to void and reprint checks

- Supports average, last purchased and standard costing methods

 Up to 19,500 inventory items (SKUs)

 Automatic price change on multiple items by percent or amount

- Fixed Assets

 Handles 13,000 assets and 15 methods of depreciation

 Updated to handle current tax laws

- Tracks costs and profitability on a job-by-job basis
 Compares estimated costs with actual costs for specific tasks

- COSE for species.

 Psyrol

 Built-in current year federal, state,
 city and county tax tables for all 50
 states with automatic calculation
 capabilities

 Automatic payroll processing supporting hourly, salaried, commission
 or draw-against-commission pay
 types types New tax laws incorporated into

- New tax laws incorporated into program Processes up to 3,900 employees Supports Cafeteria Pian User modifiable tax tables with updates published regularly by Brackmen Schwarm Printed and magnetic media W-2s generated automatically

Tutorials on each application-all at no extra charge! Plus, we stand behind all our products with a toll-free hotline for technical support (\$1 per minute, \$20 minimum) and an established network of support centers across the country.

More Satisfaction or Your Money Back. We stand behind all our products with a 30day money-back guarantee when you buy directly from Peachtree. If you're not satisfied, simply return the product in saleable condition within 30 days and receive a prompt refund. (A \$20 restocking fee applies to all returns.)



Less Money. Peachtree Complete II gives you more for less. More power, more flexibility, more features, more options, and more confidence for a low, low \$199. Call today to begin enjoying the benefits of Peachtree Complete II, the accounting system you can count on.

"The wide range of modules, low price,

and solid documentation make this a

top choice."

More Power with PDQ II and Timeslips. Extend the power of Peachtree Complete II with Peachtree Data Query II. PDQ II lets you transfer your valuable Peachtree accounting information to Lotus 1-2-3®, dBASE® and other databases and spreadsheets for fur-ther analysis. Plus, PDQ II allows you to create custom reports such as invoices and statements. All for just \$199.

And now Peachtree Complete II is compatible with Timeslips® III, a leading time and expense tracking program. With Timeslips III Accounting Link (TALT*), you can integrate your time and billing with your Peachtree accounting for total efficiency. Order Peachtree Complete II with Timeslips III now for just \$399 and receive TAL (reg. \$79.95) FREE. *InfoWorld, December 1987.

Hardware Specifications: Requires PC/MS-DOS version 2.0 or higher with 364K of usable memory and a minimum 10 MB hard disk. For use with the IBM® PC, PC XT, PC AT, Personal System/27M and compatibles. 394" media optionally available. Not copy protected.

Lotus 1-2-5 is a registered trademark of Lotus Development Corporation dBASE is a registered trademark of Aphion-Date Corporation. Timestips and Time-Link: Plus III are trademarks of North Edge Software Corp. IBM is a registered trademark and Personal System/Z is a trademark of International Business Machines.

**Call for international shipping rates.

CIRCLE 358 ON READER SERVICE CARD Call Now to Order or for a Dealer Near You

In Georgia, call 1-404-564-5800



To Order by Mail, Add \$12.50 Shipping and Handling** and Send to: (In Georgia, add applicable sales tax)

Peachtree Software

A Member of the Intelligent Systems Family 4355 Shackleford Road, Dept. PCM, Norcross, GA 30093



ODUCTIVITY

■ PC LAB NOTES: REFRESH UTILITY ■ BRIAN K. ROEMMELE

INSTANT SPEEDUP FOR YOUR PC

This simple software technique squeezes more speed from your memory. Postponing the refresh cycle lets your PC spend more time computing.

ou can learn a lot about how your PC works by studying the IC data books published by the manufacturers of its chips. While much of the material in such publications is agonizingly technical, you'll often turn up valuable tidbits that never found their way into IBM's Technical Reference manuals. I used this information, along with some further detective work (perusing the ROM BIOS listings), to develop a simple software technique you can use to speed up your computer.

Most PC compatibles today use VLSI (Very Large Scale Integration) chip sets, such as those produced by Chips and Technologies. A VLSI chip gathers the functions of many originally separate chips into one. In most cases, however, these large chips duplicate even some of the originally undocumented functions as well. What can complicate matters even further is that the VLSI chips may also include features that are not widely known.

You can look at a chip manufacturer's specifications and recommendations in two distinctly different ways. When designing a computer, it's a sound engineering practice to choose chips and components whose average ratings (as published by the manufacturer) meet your system's worst-case requirements. That way, when the system goes to production, all operations will be well within the capabilities of the chips.

But I spend most of my time finding the maximum limits of many chips in PCs. Since I'm dealing with an already-manufactured product, such as the IBM PC AT, I use the manufacturers' suggested maximum ratings for each chip as a starting point to experiment. Analyzing the original IBM PC AT in this way led me to discover that the CPU's crystal frequency

PRODUCTIVITY INDEX

PC LAB NOTES

How reducing your chips' refresh rate can boost computing speed.

UTILITIES

SETMODE makes it easy to set your video mode and COM port parameters.

ENVIRONMENTS

A look at the OS/2 1.1 Presentation Manager and its graphical interface.

POWER PROGRAMMING

Changing incomplete filenames to fully qualified drive-and-path form.

SPREADSHEET CLINIC

Undocumented Query key method that lets you edit records instantly.

USER-TO-USER

Preventing DOS's APPEND command from destroying files.

POWER USER

Finding current drive and directory from Clipper and dBASE III Plus.

LANGUAGES

A simple program to merge C and assembler code listings.

PC TUTOR

Understanding bad sectors on hard disks; patching REMOVE.COM.

CONNECTIVITY CLINIC

Finding ARCnet's station address with BASIC and Ethernet's with C.

could be increased by a huge amount with no adverse side effects.

Remember the V20? No, not the rocket. The redesigned and enhanced 8088 work-alike microprocessor from NEC. Just pop out the Intel unit, drop in the V20, and you could (and still can) realize anywhere from a 5 to 30 percent overall speedup in most applications. And testing the effect was easy-either you noticed a faster PC or you didn't. Needless to say, the V20 became a very popular upgrade (much to the dismay of Intel).

It's time now to add another speed booster to the list—though this time you do it in software. You can pep up the old PC again just by reducing the refresh rate. But before I show you how, let me tell you why it works.

REFRESH MY MEMORY PCs, XTs, ATs, and most compatibles use Dynamic Random Access Memory (DRAM) chips for their 640K main memory. DRAM is very popular among PC designers because the chips have a low cost per byte and tend to share timing and voltage requirements with most Intel chips.

DRAMs may be thought of as a vast array of capacitors laid out in rows and columns. The capacitors in the DRAM have two usable states: charged (a binary one) and discharged (a binary zero). Because of their design, these capacitors can hold their charge only for a relatively short period of time. If the charge goes away, so does the data. To recharge the capacitors, therefore, the DRAM must be accessed periodically. This access is called a refresh.

■ PC LAB NOTES

The system hardware performs a refresh on a regular cycle to keep the data stored in the DRAM valid. It's important that the refresh cycle take place before the DRAM begins to discharge, or the data stored there will become corrupted. Another type of RAM, Static Random Access Memory (SRAM), on the other hand, doesn't require any refresh cycle. (See the sidebar "DRAM Versus SRAM" for further information on this different type of memory chip.)

WAIT STATES Don't confuse memory refresh with a memory wait state. A wait state is a technique used to slow down the CPU when it can receive data faster than the memory can fetch it (the rated access time). The original IBM PC AT, for example, had an 80286 CPU running at 6 MHz. For many unfortunate reasons, IBM used a

wacky "piggyback" RAM arrangement custom-made for the AT. At that time, the 64K chips used to build the 128K piggyback RAM chips were available at only 200- and 250-nanosecond access speeds.

The 6-MHz AT has a clock cycle of ½ MHz = 167 ns. The installed RAM, however, was rated for a 200- or 250-ns. access time. To run at 6 MHz with no wait states, RAM with an access time of less than 167 ns. would have been required. So, the AT wound up with hardware that would produce one wait state for all memory on the system board to compensate for the fast CPU speed and slow RAM.

TIME TO REMEMBER The DRAM refresh cycle is performed automatically by a combination of two chips: the 8253 Counter/Timer and the 8237 Direct Memory Access (DMA) Controller. The hard-

ware for this process is shown schematically in Figure 1. The DMA controller performs the actual refresh by reading all the memory locations and recharging the capacitors. (The IBM PC AT DMA hardware is constructed a bit differently and uses an 8254 Counter/Timer chip, but for our purposes it is functionally equivalent to the PC.)

The 8253 Timer Chip contains three separate timers. Timer 0 produces the system "hardware timer tick" that drives the BIOS time functions. Timer 1 is responsible for controlling the length of the period between DRAM refreshes. Timer 2 can be connected to the PC's speaker to give it a primitive sound-producing ability.

The refresh timer counts down from a programmed value, placed there by the BIOS, until it reaches zero. At that point, it notifies the DMA to start the refresh cycle

DRAM VERSUS SRAM

Dynamic Random Access Memory (DRAM) chips are the popular choice for memory storage on PCs. That's partly because they're less expensive per byte than their logical competitor, Static Random Access Memory (SRAM) chips. The DRAM design essentially requires using one transistor per bit. The immediate benefits of this are higher memory density and better use of the chip's silicon real estate. SRAM, by contrast, requires about eight transistors per bit. This means that fewer bytes of storage can be constructed per chip. Further, the more complex circuit causes a larger power consumption per byte.

If DRAM chips pack more memory per square inch and use less power, why is SRAM still around? Part of the answer lies in examining how the DRAM's single transistor per bit works.

The transistor used in the DRAM acts much like a capacitor that can temporarily store a 1 or a 0. But because a transitor makes a lousy capacitor, it loses its charge rather rapidly. DRAM is nothing so much as a leaky bucket that must be constantly refilled.

A circuit using DRAM requires re-

fresh circuitry and some portion of the system's operating time to perform the refresh. In addition, the computer must deal with the delays encountered before DRAM can be read from or written to. Why, then, is DRAM still around? As in any design, power consumption, cost, and speed must all be considered individually.

SRAM, on the other hand, is a more complicated circuit. One bit of storage is implemented as a flip/flop circuit which can be set to a 1 or a 0. The flip/flop remains in position until power is completely removed or until it is changed by storing a new value. Unlike the DRAM, no refresh cycle is needed; thus, no wasted time. The SRAM chip can be thought of as an array of on/off switches. Contrast that with DRAM, which will be fully corrupted if left alone too long.

Could you replace DRAMs with SRAMs to increase performance? Unfortunately, no. DRAM chips are not interchangeable with SRAM chips. They have vastly different support circuit requirements, and the pin assignments of comparable chips do not reasonably coincide. Simply plugging in SRAMs to in-

crease performance is not possible.

To realize the best of both worlds, however, SRAMs are being designed into some PCs to complement DRAMs. When part of an original design, the individual characteristics of both types of RAM can be fully exploited. A few thousand kilobytes of SRAM are used to buffer large amounts of slower DRAM. The system can then match the high-speed I/O of the CPU with SRAM, while leaving the slower DRAM to catch up. In some cases new PCs are using SRAM exclusively to gain every edge in the race for higher performance.

The SRAM chips being manufactured today (for tomorrow's designs) promise lower power consumption, acceptable memory densities, and the ability to work with much faster CPUs. Exotic relatives of SRAMs are even finding their way into superfast 386-based systems.

The benefits of using SRAM and/or DRAM are beginning to converge. We'll see more PCs introduced using SRAM or SRAM and DRAM combinations, but it will be some time before the raw memory densities of cost-effective DRAM will be surpassed.—Brian K. Roemmele



"Of All the Comments We've Received on the Kaypro 286, this is the One We Like Best."

It's a fact. The KAYPRO 286 kicks...and kicks out all your old assumptions about the cost of truly advanced technology. Consider this.

At its top speed of 16 MHz, the KAYPRO 286 is faster, yet less expensive than most standard 386 systems.* And with the OS/2-compatible KAYPRO 286, adapting to rapidly changing standards doesn't mean reinventing the wheel.

Card-based system components - including the 80286 CPU - provide the

ultimate in <u>built-in non-obsolescence</u>.

Don't play catch up. Keep up with the better power machine...the "Best Buy" KAYPRO 286.

Your Authorized Kaypro Dealer is ready to give you all the details about the complete line of Kaypro desktop and laptop computers – and Kaypro's outstanding Credit and Leasing.

1 (800) 4KAYPRO

■ 8/10/16 MHz ■ OS/2 Compatible ** (*)
■ 40 MB Hard Disk ■ 1 MB RAM ■ Word

1 MB RAM ■ WordStar 4.0

Kaypro's Revolving Charge & Commercial Leanus

Trademarks OS'2 International Business Machines, WortStar Professional Release 4.0, MicroPro International





KAYPRU Lease-Link

UNLEASH YOUR 80386!

Your 80386-based PC should run two to three times as fast as your old AT. This speed-up is primarily due to the doubling of the clock speed from 8 to 16 MHz. The new MicroWay products discussed below take advantage of the real power of your 80386, which is actually 4 to 16 times that of the old AT! These new products take advantage of the 32 bit registers and data bus of the 80386 and the Weitek 1167 numeric coprocessor chip set. They include a family of MicroWay

80386 compilers that run in protected mode and numeric coprocessor cards that utilize the Weitek technology.

The benefits of our new technologies include:


- An increase in addressable memory from 640K to 4 gigabytes using MS-DOS or Unix.
- A 12 fold increase in the speed of 32 bit integer arithmetic.
- A 4 to 16 fold increase in floating point

speed over the 80387/80287 numeric coprocessors.

Equally important, whichever Micro-Way product you choose, you can be assured of the same excellent pre- and post-sales support that has made Micro-Way the world leader in PC numerics and high performance PC upgrades. For more information, please call the Technical Support Department at

617-746-7341

After July 1988 call 508-746-7341



MicroWay® 80386 Support

MicroWay 80386 Compilers

NDP Fortran-386 and NDP C-386 are globally optimizing 80386 native code compilers that support a number of Numeric Data Processors, including the 80287, 80387 and mW1167. They generate mainframe quality optimized code and are syntactically and operationally compatible to the Berkeley 4.2 Unix f77 and PCC compilers. MS-DOS specific extensions have been added where necessary to make it easy to port programs written with Microsoft C or Fortran and R/M Fortran.

The compilers are presently available in two formats: Microport Unix 5.3 or MS-DOS as extended by the Phar Lap Tools. MicroWay will port them to other 80386 operating systems such as OS/2 as the need arises and as 80386 versions become available.

The key to addressing more than 640 kbytes is the use of 32-bit integers to address arrays. NDP Fortran-386 generates 32-bit code which executes 3 to 8 times faster than the current generation of 16-bit compilers. There are three elements each of which contributes a factor of 2 to this speed increase: very efficient use of 80386 registers to store 32-bit entities, the use of inline 32-bit arithmetic instead of library calls, and a doubling in the effective utilization of the system data bus.

An example of the benefit of excellent code is a 32-bit matrix multiply. In this benchmark an NDP Fortran-386 program is run against the same program compiled with a 16-bit Fortran. Both programs were run on the same 80386 system. However, the 32-bit code ran 7.5 times faster than the 16-bit code, and 58.5 times faster than the 16-bit code executing on an IBM PC.

NDP FORTRAN-386th\$595 NDP C-386th\$595

MicroWay Numerics

The mW1167™ is a MicroWay designed high speed numeric coprocessor that works with the 80386. It plugs into a 121 pin "Weitek" socket that is actually a super set of the 80387. This socket is available on a number of motherboards and accelerators including the AT&T 6386, Tandy 4000, Compaq 386/20, Hewlett Packard RS/20 and MicroWay Number Smasher 386. It combines the 64-bit Weitek 1163/64 floating point multiplier/adder with a Weitek/Intel designed "glue chip". The mW1167™ runs at 3.6 MegaWhetstones (compiled with NDP Fortran-386) which is a factor of 16 faster than an AT and 2 to 4 times faster than an 80387.

Monoputer™ - The INMOS T800-20 Transputer is a 32-bit computer on a chip that features a built-in floating point coprocessor. The T800 can be used to build arbitrarily large parallel processing machines. The Monoputer comes with either the 20 MHz T800 or the T414 (a T800 without the NDP) and includes 2 megabytes of processor memory. Transputer language support from MicroWay includes Occarn, C, Fortran, Pascal and Prolog.

Monoputer T414-20 with 0 meg¹ ... \$995 Monoputer T600-20 with 0 meg¹ ... \$1495

Quadputer™ can be purchased with 2, 3 or 4 transputers each of which has 1 or 4 megabytes of memory. Quadputers can be cabled together to build arbitrarily fast parallel processing systems that are as fast or faster than today's mainframes. A single T800 is as fast as an 80386/mW1167 combination!

Biputer ** T800/T414 with 2 meg1\$3495 Quadputer 4 T414-20 with 4 meg1 ...\$6000

¹Includes Occam

80386 Multi-User Solutions

AT8th - This intelligent serial controller series is designed to handle 4 to 16 users in a Xenix or Unix environment with as little as 3% degradation in speed. It has been tested and approved by Compaq, Intel, NCR, Zenith, and the Department of Defense for use in high performance 80286 and 80386 Xenix or Unix based multi-user systems.

AT4 - 4 users\$795 AT8 - 8 users\$995 AT16 - 16 users\$1295

PC/AT ACCELERATORS

287Turbo-10 10 MHz					p.	o	.\$450
287Turbo-12 12 MHz	• •						.\$550
287TurboPlus-12 12 MHz				4			.\$629
FASTCACHE-286 9 MHz							.\$299
FASTCACHE-286 12 MHz							.\$399
SUPERCACHE-286 12MHz							.\$499

MATH COPROCESSORS

80387-20 20 Mi	łz	 		 -				6 10			\$725
80387-16 16 MI	łz		 	 	 						\$475
80287-10 10 MI	łz		 							J	\$295
80287-8 8 MHz					 						\$239
80287-6 6 MHz		 	 								\$155
8087-2 8 MHz .			 	 							\$154
8087 5 MHz		 				_	_				.399



The World Leader in PC Numerics

P.O. Box 79, Kingston, Mass. 02364 USA (617) 746-7341 32 High St., Kingston-Upon-Thames, U.K., 01-541-5466 St. Leonards, NSW, Australia 02-439-8400

PC LAB NOTES




Figure 1: This simple block diagram shows the fundamentals of the refresh circuitry.

and begins counting down again. Once it has been initiated, refreshing the DRAM assumes the highest priority: it takes precedence over all other system activities. Each refresh cycle exercises a single 64K block of system DRAM. So, a system with 640K of DRAM would require ten refresh cycles to refresh the entire memory space. This cycle is repeated continually as long as the system is operating.

TALK TO MY REGISTERS The DMA and 8253 Timer chips use registers to communicate with the outside world. The registers are mapped into the PC's input/output (I/O) address space, which allows us to access them directly with simple commands. This direct line of communication will let us alter the value of any writable register. (Some registers are "read-only" and don't allow this.) In most cases, a register's value can be read as well. (In the case of the timer chip, the register contains

When your basic quantum leap is just not enough:

Professional Basic Programming Library

PROBAS is a library of routines that kicks QuickBASIC and BASCOM into 5th gear and gives you powers and abilities far beyond those of mortal men. It's the greatest thing since sliced bread and if you don't get it today, your hard disk will crash in retaliation. So much for the hype. now down to brass tacks:

- 232 routines (226 in Assembly)
- 600 page 3-part manual
- Full-featured windowing
- Screen snapshots
- · Virtual screens in memory
- Lightning-fast file I/O
- Access EMS as files or arrays
- Full mouse support

Plus 200 essential services from directory and equipment routines to handy string, date, time, and input routines. Whether you are just starting out, or a programming guru, ProBas will help you generate faster, more efficient code, in far less - and we back that statement with an unconditional money-back guarantee! Thousands of programmers have benefited from PRoBAS and its shareware precursor, ADVBAS. For all versions of QuickBASIC and BASCOM including BASCOM 6.0 for OS/2. Just \$99.00!

ProBas.

The ProBas ToolKit is a collection of assembly and BASIC modules that use the PROBAS library to save you even more hours of grunt work. Call up a ring, bar, pop-up, or pulldown menu. Pop a mini-word processor with word-wrap in a window. Put a list or file directory in a highlight window. You get:

- Loads of Menu Generators
- Fast B-tree indexing
- Mini-editor with word-wrap
- Patch . EXE files
- Protected storage areas
- Display text files in windows
- Julian date routines
- Documented BASIC source

Plus calendars. BCD math routines, clock routines and much more. In addition to the disk and 3part comprehensive manual, you also get special access to the ToolKit SIG on our BBS system where ProBas programmers from all over the world share their favorite ToolKit modules. If you can't call to download new modules, disks of the latest uploads are available. The ProBas ToolKit is an ever-growing product that adds capabilities and helps conserve your most valuable asset of all-- time! Just 199.00!

CIRCLE 380 ON READER SERVICE CARD

TELECOMM TOOLKIT

The TELECOMM TOOLKIT is a collection of highlevel communications modules that plug into your code to provide popular file transfer protocols, terminal emulations, auto-dialing. phone data base, login scripts and more. Need to communicate with the world? Plug just the routines you need into your programs.

- Xmodem/Modem7/Xmodem-1k
- Ymodem (single and batch)
- CRC-16 and Checksum
- VT52, VT100, ANSI BBS etc. Auto Dialer & data base
- Script language support
- Full terminal program
- Documented BASIC source

The TeleComm ToolKit. Just \$75.00!



8008 SANDY SPRING ROAD . LAUREL. MD 20707

(301) 953-2191 or call our BBS at (301) 953-7738





"Best Buy" Only \$9.95 Curtis 5½ File, 50-Diskette Organizer.

The Curtis 51/4 File protects and organizes up to 50 51/4" diskettes and costs only \$9.95. The bronze-tint snap-lock cover protects diskettes and data from harmful dust and debris. Adjustable dividers and color-coded labels let you arrange your diskettes any way you want for easy access.

The Curtis 51/4 File has a special outside shelf for three more working diskettes, a sturdy built-in handle for portability—and the famous Curtis Lifetime Warranty. Keep diskettes clean and organized, find them fast, and keep your desk free of clutter. The Curtis 51/4 File. It's another "Best Buy" from Curtis—the experts in accessories.

Curtis products are available nationally from leading Dealers, Distributors, and Retail Chains. In Canada: Personal Computer Assoc. Inc., P.O. Box 235, Ajax, ONT, L1S 3C3, (416) 427-6612

For the Curtis dealer nearest you call (603) 532-4123

Bronze-fint snap-lock cover opens easily, keeps diskettes free of dust and debris.

Adjustable dividers, plus color-coded labels for customized filing and fast diskette access









Organizes up to 50 51/4" diskettes inside, holds 3 more working diskettes outside. Organizes important data, keeps workspace uncluttered.

Rugged built-in handle for safe, easy transport of diskettes. Anti-skid foot pads won't scratch your desktop.

One-stop shopping for Innovative Computer Accessories

CURTIS

30 Fitzgerald Drive, Jaffrey, NH 03452





Volume 7 Number 13 July 1988

BASICA 3.x Identifiers

This Help File lists standard identifiers for Advanced BASIC 3 x. Some of these commands will not work in Cassette or Disk BASIC, in the BASIC Compiler, or in previous versions of Advanced BASIC.

IBM-compatible computers require their own versions of BASIC, e.g., GW-BASIC. Most of the identifiers listed here will also correspond to these other BASIC versions, but some may not.

SYNTAX: BASICA [filename] [<inpuf] [>] [>outpuf][/F:files] [/S:bsize] [/C:combuffer] [/M:[max workspace][,max blocksize]] [/D]

filename = BASIC program file to load and run input = file or device for redirected input autput = file or device for redirected output

autput - file or device for redirected output files - number of files that can be open at once. Default 3. Maximum is number specified in FILES- line of CONFIG.SYS minus 4.

baize = buffer size for random files. Default 128 bytes. Maximum 32767 bytes. combuffer = receive buffer size for communications. Default 128 bytes. Maximum 32767 bytes.

max workspace sets space allocated for BASIC data and stack segments. Default 64K.

max blocksize reserves space for assembly routines above highest location BASIC can address (65536).

/D makes double-precision math functions resident.

BASIC identifiers are variables, functions, statements, and commands. Variables are available for your examination and use. Functions return a value based on zero or more arguments. Statements and commands both perform an action, but in general you use statements within programs and commands in direct mode.

BASIC Functions

Arguments for BASIC functions:

bytenum: A numeric constant, variable, or expression in the range 0..255.

dummy: Dummy numeric argument.

filenum: The number with which the file in question was

number: A numeric constant, variable, or expression. offset: An offset from 0 to 65535 in the current segment. Set the current segment with DEF SEG.

string: A string constant, variable, or expression.

ENVIRON\$ — String from BASIC's environment SYNTAX: ENVIRON\$(string)—or—ENVIRON\$(n) string = name of parameter to be retrieved (case sensitive)

Returns the value of the named parameter.

n = number of parameter to be retrieved (1..255).

Returns both the parameter and its value.

EOF — End of file SYNTAX: EOF(filenum) Returns -1 (TRUE) if at end of file, 0 (FALSE) if not.

EXP — Exponential operator SYNTAX: EXP(number)

FIX — Truncate number to integer SYNTAX: FIX(number)

FRE — Number of unused bytes in BASIC data area SYNTAX: FRE(dummy)—or—FRE(string) string = a dummy argument. FRE will compress the data area if you use a string variable as the argument.

HEX\$ — Convert number to hexadecimal string SYNTAX: HEX\$(number) number = -32768..65535 INP — Read a byte from a port SYNTAX: INP(n) n = 0..65535

INPUT\$ — Read a string of n characters SYNTAX: INPUT\$(n[,[#]filenum])

n = number of characters to be read from the file NOTE: If filenum omitted, reads from keyboard.

INSTR — Position of one string in another SYNTAX: INSTR([n], string1, string2) n = starting position for search in string1 (1..255). Default 1.

string1 = string to scan string2 = string to search for

INT — Convert to integer by rounding down SYNTAX: INT(number)

IOCTL\$ — Read control string from device SYNTAX: IOCTL\$([#]filenum) NOTE: Can be used to determine if an

IOCTL statement has succeeded or failed. **LEFT\$** — Leftmost bytenum characters of string.

LEN — Length of string SYNTAX: LEN(string)

LOC — Current position in file SYNTAX: LOC(filenum)

SYNTAX: LEFT\$(string,bytenum)

LOF — Length of file SYNTAX: LOF(filenum)

LOG — Natural logarithm SYNTAX: LOG(positive number)

LPOS — Position of printhead in print buffer SYNTAX: LPOS(n) n = printer number (1..3). 0 also valid for LPT1.

MID\$ — Extract part of a given string
SYNTAX: MiD\$(string,start[,length])
start = 1..255. Character position to begin extracting.
length = 0..255. Number of characters to extract.
Default remainder of string.

MKD\$ — Convert double-precision to string SYNTAX: MKD\$(double-precision)

MKI\$ — Convert integer to string SYNTAX: MKI\$(integer)

MKS\$ — Convert single-precision to string SYNTAX: MKS\$(single-precision)

OCT\$ — Convert number to octal string SYNTAX: OCT\$(number) number = -32768..65535

PEEK — Read byte from memory SYNTAX: PEEK(offset)

-Neil J. Rubenking



The Ones To Ask For

Curtis Electronic Surge Protectors are built to provide surge protection for any microcomputer for a lifetime. Constructed with precision, using advanced semiconductor technology, the Curtis Jewels prevent damage to microcomputer systems and data from powerline overvoltage.



"surges, spikes and glitches." Surge protection from the Curtis Jewels is your guarantee of the best line of defense for your valuable hardware and data, at a price that won't shock you. Get your computer the protection it deserves with Curtis — the experts in accessories

Curtis products are available nationally from leading Dealers, Distributors, and Retail Chains. In Canada. Personal Computer Assoc Inc., PO. Box 235, Ajax, ONT, L1S 3C3, (416) 427-6612

For the Curtis dealer nearest you call (603) 924-3823





CI IZTIC

30 Fitzgerald Drive, Jaffrey, NH 03452



■ PC LAB NOTES




Figure 2: The efficiency increase available by changing the refresh is easily calculated as illustrated above.

the value of the countdown timer, and the readings will be constantly changing.)

By storing a new value for Timer 1 of the 8253 Timer chip, we can increase or decrease the time period between refreshes. This is important because the refresh cycle can account for anywhere between 9 and 20 percent of the system overhead. Increasing the amount of time between refreshes gives us proportionately more time for computing, thereby boosting performance. The diagram in Figure 2 shows an example of how this works. By removing some of the system overhead, you can free up more time for the CPU to spend computing and, in turn, run your software noticeably faster.

SETTING THE TIMER When a PC is turned on, one of the first tasks the ROM BIOS performs is to set the refresh cycle timer and test all available system RAM. The procedure leaves the value 12h in I/O register location 41h, which is the location of the 8253 Timer register that controls the refresh frequency rate.

The designers of the PC determined its required refresh cycle by matching the RAM chip manufacturers' average cycle recommendation. This refresh value is based on a theoretical average condition that the manufacturers estimated would be

necessary for their DRAMs to operate reliably. But it's common practice in the electronics industry for manufacturers to publish underrated specifications for a chip. This allows the quality of chips to vary

■ It's important to note that the quality of the installed DRAM chips—and whether you're using a PC, XT, or AT—has much to do with how long you can put off refresh.

slightly while still meeting the specification.

Because of this conservative approach, it's not unusual to find that the time between refreshes can be substantially increased without any ill consequences. Of course, there is a limit to how long we can put off refresh, but it tends to be far beyond the manufacturers' stated maximum.

On one test machine, for example, I was able to stretch the refresh interval from its normal value to 1.001 seconds. This reduces the refresh overhead to less than 0.2 percent and results in an overall performance increase of almost 29 percent! An interval of 1.001 seconds is incredible when you consider that on most PCs the standard refresh cycle is performed once every 15 microseconds.

It's important to note that the quality of the installed DRAM chips-and whether you're using a PC, XT, or AT—has much to do with how long you can put off refresh. It also influences just how much of a boost in performance you'll see. I've done most of my testing on IBM PC ATs and AT compatibles. The CPU speeds and wait states varied. The DRAM chips were made by NEC or Toshiba and were rated at 100- or 120-ns, access time. ATs with 100-ns. RAM and CPUs over 8 MHz tend to show the largest increase in performance. The original IBM PCs may not be able to wait as long between refreshes as ATs, but they will still show a noticeable speedup.

WHAT IF? Going beyond the limit of your system will almost always result in a "PARITY CHECK 1 00000(S)" or "PARITY CHECK 2 00000(S)" error. If

PC LAB NOTES

this occurs, you waited too long to refresh, the capacitors lost their charge, and the data just faded away. When this happened, one of the parity chips detected the change in value and signaled the alarm. This type

of parity error isn't dangerous and can easily be cured—just turn off the PC, then turn it back on again.

The value stored in the parity chip is calculated every time the system reads or

writes to the DRAM. (See the sidebar "Parity Checking.") The PC uses "even" parity. This means that for each byte of storage, the 8 bits of the byte plus the one parity bit assigned to that byte must equal an even number. Parity checking is a crude but effective way for the system to be fairly certain that all data stored in the DRAM is valid. IBM's reason for implementing parity checking was mainly to detect a hardware failure of a RAM chip. When extending the refresh cycle, the parity chip is our safety net and warns us when we have gone a little bit too far.

THE QFRESH PROGRAM To experiment with the refresh rate on your machine, you'll need a text editor that can produce pure ASCII files to create the DEBUG script shown in Figure 3. Saving the listing as an ASCII text file will allow us to experiment with various values, without retyping the program each time. (If you

```
N OFRESH.COM
                    ; Name = QFRESH.COM
                    ;Start Assembler
A 100
MOV AL, 74
                    ;Select Timer #1 for a 16 Bit
                    : Number and to count down in binary
OUT 43, AL
                    :Insert the low byte value
MOV AL, LL
OUT 41, AL
MOV AL, HH
                    ; Insert the high byte value
OUT 41.AL
                    :Exit to DOS
INT 20
                    ;Stop Assembler's Auto line numbering
R CX
                    ; Call CX register
E
                    ;Tell how many bytes to write to disk
W
                    :Write the file
                    ; Quit DEBUG and exit to a DOS Prompt
Q
```

Figure 3: The DEBUG script file for QFRESH.COM allows you to experiment with alternative refresh values. See the text for an explanation of the parameters.



ANNOUNCING THE FIRST TIMED-RELEASE SOFTWARE.



Forget-Me-Not,
the first timed-release
software, directs your PC to
perform all kinds of tasks...minutes,
hours, days, weeks or months into the future.

With this breakthrough program, you predetermine what you want to happen and when. Then, at a precise point in time, Forget-Me-Not releases your commands and launches your computer into action.

Just exactly what will Forget-Me-Not do? First, it lets you automate all kinds of work (with your computer completely unattended) just by writing timed-release batch files.

Imagine: now you can have your PC print lengthy reports while you're enjoying dinner! You can back up file after file while you're away for the weekend. Download data...and have it printed and waiting for you when you arrive at work in the morning!

With Forget-Me-Not, you can also send reminder messages to yourself. It can read your daily appointment calendar from SideKick.[™] Or you can create reminders from scratch, using your favorite word processor.

This unique product will help you meet deadlines. Divide your time over key projects. Improve your time management skills. Keep others on schedule. Plus, you'll never miss a meeting, birthday or anniversary again!

Forget-Me-Not also adds a new dimension to your electronic mail system. You'll no longer have just two choices: sending mail "now" or "not now." You'll be able to write mail today for delivery while you're out of town next week. Send reminders to everyone working on a project.

Whatever you predetermine, it delivers.

Put Forget-Me-Not's power to work for yourself...or for your LAN. The possibilities are as unlimited as your creativity!

System requirements: 100 percent IBM PC compatibility, 128K RAM and DOS 2.0 or greater. IBM is a trademark of international Business Machines. SidelKick, Borland International. CIRCLE 319 ON READER SERVICE CARD Het product pick of 1988.

It automates: now you can keep your PC working, even when you're not.

It reminds: timed messages keep you on schedule, on deadline, on top of your work.

It networks: your electronic mail is delivered at the precise moment you choose, while you're away for days or weeks.

90-day unconditional money-back guarantee.

CALL NOW: 800/722-7853 (800/323-6406 in CA).

FORGET-ME-NOT.

Introductory offer: save \$20. Only \$59.95 (reg. \$79.95).

Name _____Phone ____

Address _______City, State, Zip ______

Add \$2 for US shipping (\$15 for foreign). In CA: 6.5% tax. ① My check (US) or money order is enclosed.

☐ Please bill my: ☐ MasterCard ☐ Visa ☐ Am. Ex. Card No. ______ Expires ____

Sterling Castle™

Signature

702 Washington St., Suite 174 Maring del Rey, Ca 90292

■ PC LAB NOTES

feel comfortable working with DEBUG, you can enter the statements directly.)

If you examine the DEBUG script, you'll see that its first line loads the AL register with 74h. When this value is output to I/O port 43h, it tells the 8253 Mode Control Register to select Timer 1 and to expect a 16-bit number. The refresh timer is now ready for us to program in a new refresh interval. The number is a 16-bit value, but it must be divided into a low byte and a high byte because the I/O register can only accept one 8-bit number at a time.

In the script, there are two labels shown as *LL* and *HH*. These labels represent the low and high byte of the 16-bit number destined for port 41h. *Don't type these labels as shown!* Instead, replace them with the hex numbers that represent the new refresh value. Start out by entering 30 where you see *LL* and 00 where you see *HH*.

Except for the two refresh value labels, type in everything exactly as shown in Fig-

 You can use the tests in the PC Labs Benchmark
 Series (available on PC MagNet) to gauge the level of performance gained from QFRESH.

ure 3. Be sure to press the Enter key at the end of each line, especially the last one, and to leave a blank line just above the RCX. There is no need to type in the semi-colons or the remarks that follow them.

The program should be saved on your disk as an ASCII text file called

QFRESH.SCR. Next, make sure DEBUG is in your current directory or in a directory listed in your PATH statement. Then create QFRESH.COM by entering the following command:

DEBUG < QFRESH.SCR

If you get no error messages, execute the program by entering the command

OFRESH

A refresh value of LL=30 won't cause a parity error on most PCs. You should also notice an increase in performance. Running almost any program will exercise the DRAM enough to cause any potential parity errors to surface. You can use the tests in the PC Labs Benchmark Series (available on PC MagNet) or another performance benchmark program to gauge the level of performance gained. Test programs, which calculate and display CPU speed in megahertz, will probably show a

PARITY CHECKING

In all the members of the IBM PC family (including clone cousins), a row of memory is made up of nine chips. Since memory is allocated in 8-bit bytes, you may wonder what the extra bit in the extra chip is for. That 9th bit is called the parity bit, and the data stored in that bit alerts us if an unauthorized change in the RAM occurs.

The bits in the parity chip are controlled by what is called the "74ALS280 Odd/Even Parity Generator/Checker." When a byte is written to memory, by loading a program or performing a calculation, for example, this chip determines whether the total of the bits in the byte is even or odd. If the result is odd, a 1 is stored in the parity bit. If the result is even, a 0 is stored. Because the PC stores the one-digit sum of the byte, the total of all 9 bits will always be even. This condition is known as even parity.

Whenever a byte is read, the Parity Generator/Checker recalculates the parity and compares it with the result previously stored in the parity chip's bit. If the two don't match, the dreaded NonMaskable Interrupt (NMI) is generated and you get a Parity Check Error message on the screen. This process is illustrated in Figure A. When this happens, you have little choice but to turn the machine off until the problem can be corrected.

Parity errors can be caused by various events. The most common cause by far is a machine language program that runs berserk and generates a spurious NMI. In most cases this won't actually corrupt any memory, but the CPU will nonetheless interpret the NMI error as being real. On the other hand, when one or more bits within a RAM chip or supporting circuitry fail, the NMI error is real and has the effect of preventing any further use of the machine.

Parity checking is a very simple form of error detection. It was probably IBM's intention, when designing the PC, to include both parity detection and correction facilities to convince distrustful mainframe managers to accept the PC as a viable machine. This would have been nothing new to them. In fact, they had

been accustomed to error detection and correction for years. But including a more involved procedure to be able to correct certain errors instead of merely reporting the fact would have been much more costly and, thus, lost out in the PC design.

There are quite a few methods for performing error correction. Most are based on fairly complex algorithms, although custom chips are available that will do it automatically. Unfortunately, the methods require more RAM to store the needed extra information.

In retrospect, it is understandable why IBM chose not to include error correction on PCs. The PC was not conceived as a serious business machine, and so no one thought it would ever need more than 640K. Today's "next-generation" PCs (PSs?) will need 3MB of memory just to get OS/2 up and flying. With all that operating system just sitting and waiting in RAM, ready to be corrupted, I think it will be none too soon before error correction becomes mandatory.

-Brian K. Roemmele

reading higher by 0.5 to 2 MHz. Obviously, the CPU's speed hasn't actually changed. Rather, such benchmarks determine the CPU speed by performing a series of calculations. Because the new refresh allows the PC to calculate faster, the benchmark believes your CPU clock speed has increased.

LIVING ON THE EDGE We started out with a relatively safe, low value for LL. The larger the LL value, the longer the PC will wait between refreshes. With this in mind, you can begin to try new values for LL. Try incrementing in steps of 10 or 20. Remember that LL is a hex number, and the maximum value is FF. Don't, however, use the value 00. This will produce no refresh cycle and a guaranteed parity error.

To experiment with different values, edit the QFRESH.SCR file and change the values of the *LL* and *HH*. Save the program as QFRESH.SCR and assemble

The new refresh allows the PC to calculate faster, making the benchmark believe your CPU clock speed has increased, though it actually hasn't.

again through DEBUG. Once you reach LL=FF, keep that value constant and start to increase HH. Begin with the HH=01 and work your way up.

At each increment level, run the PC Labs Benchmark Tests and take note of the changes in the readings. At some point

there will be no increase in performance, even though you may be a long way from reaching FF. This occurs when the refresh overhead has been decreased by such a large amount that any additional change doesn't produce a noticeable increase in speed. In some cases, disk performance will decrease substantially if you go too far beyond your system's optimal setting. Once you find you can increase the value without realizing any further return in performance, go back to the lowest number that created the highest performance. As one final test of your optimum values, leave your PC turned on but inactive for an extended period, say, overnight.

To make your performance increase automatic, enter your system's optimal values permanently in the LL and HH locations in the QFRESH.SCR file. Once again, use DEBUG to create the .COM file. You can run the final version of QFRESH by entering the name at the DOS





Figure A: Each time a byte of data is written or read, the Parity Generator/Checker monitors the process.

The state-of-the-



















-art of persuasion.

Today, having a good idea isn't good enough.



You also have to convince other people it's a good idea.

And nothing gives your ideas more power and impact than DRAWAPPLAUSE™ from Ashton-Tate.*

It's the state-of-the-art

presentation tool for IBM*'s new PS/2™ family and other 286/386 based computer systems. Because its amazing array of graphics capabilities takes you far beyond conventional business charts and graphs. To a whole new level of persuasion.

DRAWAPPLAUSE lets you integrate graphics, text and data. Quickly and easily. To produce dynamic overheads. Impactful full-color slides. Impressive printed documents. Everything you need to create winning presentations.

Without spending a cent or a minute on outside

graphic design services.

DRAWAPPLAUSE transforms dull numbers into powerful charts and graphs. At the touch of a key or the click of a mouse. It also lets you integrate text and graphics in seconds. And you can quickly change typefaces, type sizes, and colors to

create the exact visual effect you want.

DRAWAPPLAUSE also gives you a readyto-use library of professionally-drawn, full color pictures and graphic images. Everything from a house to a hamburger.

Easy-to-use drawing tools allow you to

customize charts and graphs. Or create your own original images. And bring them to life with a choice of over sixteen million colors.

You can also enhance your visuals with

some very special, special effects.

Like graduated backgrounds, shadows and halos to make words or images stand out. Everything you need to draw people into your presentation.

DRAWAPPLAUSE can also draw on other programs for input. Like Ashton-Tate's dBASE III PLUS™ and PRESENTATION PACK.™ Or Lotus® files and Harvard Graphics.™ You can

even import DIF and CGM files.

DRAWAPPLAUSE lets you project the most polished professional image possible. With 35mm color slides, overheads or hard copy you can produce yourself. Or we can process and ship to you. All that's required is a modem and our Ashton-Tate Graphics Service."



For more information about DRAW APPLAUSE or the Ashton-Tate Graphics Service, just call 1-800-437-4329, ext. 207.*

DRAWAPPLAUSE from Ashton-Tate.

When it comes to persuasive presentations, it deserves a standing ovation.



°In Colorado call (303) 749-4900, Ext. 207. Trademarks/owner: DRAW APPLAUSE, dBASE III PLUS, PRESENTATION PACK, Ashton-Tate Graphics Service, Ashton-Tate Logo/Ashton-Tate Corporation; IBM, PS/2/International Business Machines Corporation; Lotus/Lotus Development Corporation; Harvard Graphics/Software Publishing Corporation. ©1988 Ashton-Tate Corporation. All rights reserved.

■ PC LAB NOTES

prompt or by including it as the last item in your AUTOEXEC.BAT file. And before you trust anything, be sure to give a trial run to all of your applications to be sure everything is working as expected.

SLOW IT DOWN What refresh giveth, refresh also taketh away. If you need to *decrease* your system performance, you can put in 00 for *HH* and a value for *LL* in the 01h–11h range into the QFRESH.SCR

file. Create QFRESH.COM and rename it SLOWDOWN.COM. Because these values increase the number of refresh cycles, they reduce performance by about 5 to 15 percent. Why would you want to slow down your machine? Well, I can recall at least one occasion when I have saved myself from total insanity. I had a system that kept locking up with intermittent parity errors. The RAM was beginning to go south, but it still had *some* retention left. So I loaded a 01h in the low byte of Timer 1,


■ Before you run

QFRESH, be sure to give
a trial run to all of your
applications to be sure
everything is working as
expected.

which decreased the time between refreshes. That made the parity errors disappear long enough for me to finish my project.

COMPATIBILITY I've tested about 200 of the most popular software packages and have yet to find any incompatibilities. The software usually interprets the new refresh cycle simply as a faster CPU speed. With DOS systems reaching speeds of 25 MHz, most software authors are getting into the habit of not assuming CPU speed. On the hardware side, as I mentioned before, the RAM chips can make a difference. In most cases better quality means better results. All of the expansion cards that I have tested checked out fine with the new refresh. The list ranged from the standard assortment of memory and video cards to exotic zero-wait-state memory boards and network controller cards. I hope you find OFRESH as useful as I have and squeeze out every last drop of performance from your system.

Brian K. Roemmele is the president of Ariel Computer Corp.



CIRCLE 739 ON READER SERVICE CARD

TO KEEP YOUR DAYA, SAYA SAFE POWER SYSTEMS, UNC.

Software Breakthrough: the RANDOM information processor

New Concept

With all the software tools available, it is surprising that an important need has been overlooked—a way to deal with the countless bits of RANDOM information you spend hours with every day. Tornado will not only give you instant access to this important information ... it will help you make better decisions and even think more clearly. Try Tornado risk-free and discover the productivity software package for your PC that works wonders.



■ RANDOM Information

Did you ever realize that over half the information you deal with every day is the RANDOM type? Not databases—not spreadsheets—not long documents—but the information scattered around your workplace and in your head. Yet amazingly, until now there was no great software to help you the tools were either too structured or without organization. But now, at last, there is a quick and easy solution—Tornado—acclaimed by rave reviews and accepted by corporations nationwide. Whether you are a business executive, consultant, engineer, or in any other profession, you need Tornado—it will save you endless time and effort every day—guaranteed—or your money back. Here is how it works:

■ Information Windows

With Tornado, you process information in stacks of superfast "intelligent" windows -several on your screen at once. You type into the windows; interconnect and prioritize them; and scan through them in remarkable ways.

Free Form

Tornado is FREE-FORM. It works the way you think. To start a new window you just press N, and enter information. No file names. No extra keystrokes. To retrieve information you just press G (for Get), with any word or phrase—you'll watch Tornado zip through your windows like

lightning linking and opening those requested. You can even flip through your windows with the arrow keys and watch them instantly pile up and lift away. These are just three of 18 easy but powerful features.

Countless Uses

There are thousands of uses for Tornado. When Harry calls you on the phone, in two seconds flat you'll display the six windows on Harry before he finishes his first sentence! No more embarrassing pauses or scrambling for information. Tornado is so versatile you can: write and print a letter faster than ever; track things to do; edit electronic mail; and plan a project or event quickly and easily. You can even build a sophisticated "knowledge" base or an unstructured data base without programming. And that's not all. Track phone conversations, numbers, customers, and all your other RANDOM information. On a portable, Tornado is your ideal moving office. Best of all, you tailor Tornado to your own needs easily!

■ 25,000 Windows

Instead of one window or ten, imagine up to 25,000! It's like extra memory...for your brain! The uses are endless. If you can "type" it—you can "Tornado" it. And because it's memory resident (if you choose) you can quickly jump in from other programs—even move information between them. All this power, yet reviewers agree you can start "Tornado-ing" in 15 minutes—not 15 days.

■ Three Versions

Choose the Tornado that's right for you:

Mini Tornado—\$49.95—NEW! Lowest cost version limited capacity (up to 600 windows and 60,000 characters); does not have: cut & paste, window join, screen grab & put, time & date & sequence stamp, multiple forms, compound searches.

FEATURES: free-form & predefined windows, scrolling within window, import & export to files & screens, cut & paste, auto word wrap, time & date stamp, move & join & dup windows, mono or selectable color, definable Hot-key or non-resident, unloadable, LAN support, context help, extended ASCII, smart fully adjustable windows, parallel text processing, progressive resolution and "and-or-not" like searching without keywords, and more COMPATIBITLITY: IBM-PC NT AT PS2 and compatibles; mono, CGA, 80 col EGA, and Hercules displays; 60K minimum RAM CAPACITY: Up to 500 windows and 50K per pile - 50 piles. Not copy protected.

"Excellent Excellent Excellent Excellent"
PC World, Patrick Marshail

"one of the niftiest ... programs I've ever seen."
B) TF, Jerry Pournelle

"Excellent value" Into World, Review Board

"Editor's Choice" PC Magazine

Regular Tornado—\$99.95 Full version with all commands and full information capacity (up to 25,000 windows and 2,500,000 characters). Library Tornado—\$149.95—All commands, full capacity, plus "Library" of windows containing: free-form year logger, simple project planner, grid maker, city/state/area code/time zone translator, and more templates and references.

■ Productivity Tool

To reach your goals, you need tools that maximize your productivity and help you make your best decisions. Tornado fits the bill perfectly. In fact user surveys show you may well use Tornado more than any other software package! Order today risk-free.

(800) 342-5930

Technical questions & NJ: (201) 342-6518 24 hr. modem: (201) 342-8101

	□YES, send me	
	Mini Tornado	\$49.95
	Regular Tornado	\$99.95
	I ibrary Tornado	\$149.95
	Please add \$3.50 to help of shipping costs (\$10 outside Canada). NJ residents add No purchase orders. To o coupon or call (800) 342-	e USA & I 6% tax. rder, mail 5930
	Payment: VISA MC	CHECK
	Credit Card Expiration Card #	
	Not Copy Protected 30-Day Money-Back Gua	rantee
	Name:	
	Address:	
	City:	_
Ì	State: Zip:	
	Telephone:	
	□ 5-1.4" □ 3-1,2"	disk
		ROS ICS POB 174

Even the greatest perfor improved upon. Introduc



In athletics and in business, if there's one rule that leads to lasting success, it's this: You have to strive constantly to be better. Even when you're known far and wide to be the best.

That's the way it was with WordPerfect 4.2. We knew we had a winner, but we also knew that we wanted to do even better. And now the day has come.

Introducing WordPerfect 5.0,

our greatest achievement to date. WordPerfect 5.0 retains all the advantages and ease-of-use of 4.2, but with important

new work-enhancing innovations.

Innovations like integrated text and graphics. WordPerfect 5.0



WordPerfect 5.0 is compatible with most popular graphic formats and software programs, including HPGL Plotter and Lotus PIC files. And it allows you to scale, move or rotate most images. lets you "illustrate" a point anywhere in your document. So whether you want to place an image in mid-sentence, alongside a


paragraph or within a header or footer, the choice is yours.

And WordPerfect 5.0 lets

mances can be ing WordPerfect 5.0.



you create documents containing numerous type fonts and font sizes without having to change your margins, tabs or column definitions. You can also choose whatever



Parallel columns now extend past a page break automatically. And spacing can now be changed within a column.

typefaces
your printer
allows—
from an
assertive,
extra-large
times roman

bold to an elegant, extra-fine italic—and 5.0 makes all the necessary spacing adjustments

automatically as you go.

If you're interested

in a uniform look—in
newsletters, for example—WordPerfect 5.0
has a new Style feature
that lets you easily spe
WordPerfect 5.0's improved Preview
feature lets you see what your document
will look like before you print.

cify the format of your text. Styles are very flexible and can include size and font attributes, text, and other formatting specifications.

And WordPerfect 5.0 offers many other sophisticated advances. Like an improved Preview that shows you what your document will look like before you print; letting you see actual font sizes, proportional spacing and justification. It also lets you zoom in on details, display an entire page of text and graphics at once, or view facing pages together.

There's also the new Master Document feature, which allows you to combine files. So if you're compiling portions of a major proposal or putting together chapters of a book, you can assemble a table of contents and an index, gen-

> erate references and print the entire document easily.

Additions also include automatic referencing, automatic redline and strikeout, an alternative mnemonic interface, enhanced macro and macro edit-

ing capabilities, and improved parallel columns.

Check out all that the new WordPerfect 5.0 has to offer. It's the powerful performer from the company that's produced the number-one selling word proces-

sor for over two years running. For more information, write to WordPerfect Corporation, 1555 North Technology



Typefaces can be mixed at will up to 250 on a single page, depending on printer capabilities. And print sizes span a wide range.

Way, Orem, Utah 84057. Or call (801) 225-5000. (In Canada, 1-800-267-2499.)



WordPerfect Document Processing

pouments shown were printed on a Newlett Packard Laser-leff Series (I piniter WordPerfect is a registered frademark of prodPerfect Corporation All other brand and product names are frademarks or registered frademarks of their respective compenies. CIRCLE 513 ON READER SERVICE CARD New 4.0 Version!

Now directly import your dBase III files.

Master your mailings in minutes

LetterMaster[™]

Client Management / Mail Management

4:30 **Susan—Send our sales letter to all buyers of apples and cherries in Washington and oranges or bananas in Florida, in time for today's 5:00pm pick-up.—Mr. Wermer. **99

4:32 Mailing lists sorted.

4:33 Lists merged and purged.



Our new LetterMaster mailing software is a lifesaver. It sorts any list according to any criteria in its own internal database and our dBASE® III files.

LetterMaster merges lists and purges duplications in a matter of seconds. It's incredible! I can create instant custom mailing lists with a few keystrokes!

4:38 Personalized sales letters printed.

4:41 Labels printed.




With LetterMaster, all I do is name the list, name the letter, activate the printer, and "go do." It's that simple!

LetterMaster prints off any list onto leading brand address labels. It prints Rolodex cards and file folder labels, too.

4:45 Mailing complete and ready for pick-up.

5:00 ⁶⁶Susan—Good work on that_mailing.



Have an apple. - Bob 99

Charge to my		der purchase order ard
Send C.O.D		
Credit Card #		Expir Date:
Signature		
		n and make payment by credit i. dollars drawn on a U.S. bank
Name		
1 Address		Phone #
1 City	State	Zip
	Nescerch Develo	opment Systems, Inc.

LetterMaster operates with all the popular word processing programs. About the only thing it doesn't do is lick the envelopes!

System requirements for Single Uner: DOS 2.1 or higher: IBM PC or your IBM PS2, or 1800's companishe. 5128's BAM. System requirements for Nerwork: Work Station: DOS 3.1 or higher: 640K BAM, and combination of band, Roppy, or no date drives: Teaclessuit-Owners: Lener/Hatter-Olig Properties, Inc., Glass: IEA-Abbon-Yair Corp., IBM PC2 International Business Machines Corp., DOS/International Business Machines Corp., and Microsoft Corp.

CIRCLE 348 ON READER SERVICE CARD

Only \$149

Multi-user systems: \$349.00

LIMITED OFFER CALL FOR OUR FREE DEMO DISK




Research Development Systems, Inc.

1-800-338-9181



30 Day Money Back

COMMUNICATIONS AND VIDEO SETUP WITH SETMODE



Configuring your PC through the MODE command is tedious and tricky. Here's a resident utility that makes setting your video mode and communications port parameters easy.

setting up their machines to the ever-helpful Someone Else. Thanks to him, they never have to worry about such essential but unlovely details as data bits, stop bits, and video modes. But if Mr. Else ever gets sick and you have to configure anything but a plain-vanilla PC, you'll be glad you've got a program that gives you straightforward, comprehensible choices in place of the arcane syntax of the DOS MODE command.

SETMODE is a memory-resident utility program that gives you complete control over your communications ports and video modes. It provides the most-commonly-needed functions of the conventional MODE command and even provides access to information and features DOS ignores completely. Because it stays resident, you can make subsequent changes at a moment's notice. And since it's menu driven, setting up your system is simple.

The easiest way to get a copy of SET-MODE.COM is to download it from PC MagNet, as explained in the sidebar "SETMODE by Modem." If you want to type in the code yourself, the source code (SETMODE.ASM) and a BASIC program (SETMODE.BAS) that will create SETMODE.COM are listed here and are also available via PC MagNet.

USING SETMODE As a resident program, SETMODE must be installed before it can be used. You can do this either by entering

SETMODE

at the DOS prompt or by entering that command as a line in your AUTOEXEC .BAT file. No parameters are needed. Once installed, you invoke SETMODE by pressing the Alt-M key combination. (A later section in this article will show you how to change the default Alt-M hotkey if you wish.) When you do, a window similar to that shown in Figure 1 will appear on your screen, indicating the current settings of the communications ports and the current video mode. A moving-bar-style cursor will also appear (initially located on the video mode selector), showing the active field.

You use the Plus, Minus, and arrow keys to make any changes desired, and when you hit Enter, the window disappears and the new video mode becomes effective. The display is cleared and the cursor is moved to the top left corner. Because SETMODE does not work through DOS, however, the prompt that was originally on your screen won't be replaced and you'll find yourself staring at a blank screen. Don't be alarmed. Just press Enter once again, and your friendly DOS prompt will reappear. (If you're running a program when you pop up SETMODE, you'll have to perform some program function that up-



Figure 1: A single keystroke brings up this menu, which lets you configure your system with a simple moving bar.

UTILITIES

dates the screen. It's a good general practice, however, to make mode changes only at the DOS prompt.)

If you press Esc, the window is removed but the video mode will remain unchanged. Any new communications port settings you've made on the screen menu will still go into effect just as if you had hit Enter.

Unlike many pop-up utilities, SET-MODE is equally at home in graphics or in text modes. It does need to make slight adjustments, however. You'll notice its normal double-line border is replaced with a row of asterisks when you change into a graphics mode. This is because not all display adapters have the necessary screen fonts for the line characters in graphics modes. The display may also appear in different colors, depending on what type of adapter and display you're using. You'll also notice that the moving bar won't be visible in the three monochrome graphics modes (6, 15, and 17). When in these modes, you'll simply have to look at the numerical display indicator in the lower window to select a mode, moving from one to the other with the Left or Right Arrow key. Remember that the mode you select won't become obvious until you press Enter twice: once to effect the command, and again to return your DOS prompt.

VIDEO MODES Which modes are available depends on what adapter(s) and monitor(s) are installed in your system. If you've got a modest system with only a monochrome adapter and display, you'll have to be content with mode 7. With one of IBM's proud new VGA displays, you can pick from any of 15 available modes. A table of the modes supported by other adapters is shown in Figure 2. SETMODE automatically determines which modes are available for you and restricts your selections to the valid modes. (If you're wondering what happened to modes 8 through 12, they're reserved for the PCir and for performing several internal EGA functions.)

The most common modes are 3 for color text and 7 for monochrome text. Most programs can run only in these modes. If you inadvertently switch to one of the graphics modes and then run a text-oriented program (such as a word processor),

Mode		VGA	MCGA	EGA (color monitor)	EGA (mono monitor)	CGA	MDA
0	text	•	•	•	0	•	0
1	text	•	•	•	0	•	0
2	text	•	•	•	0	•	0
3	text	•	•	•	0	•	0
ā	graphics	•	•	•	0	•	0
5	graphics	•	•	•	0	•	0
5	graphics	•	•	•	0	•	0
7	text	•	0	0	•	0	•
13	graphics	•	0	•	0	0	0
14	graphics	•	0	•	0	0	0
15	graphics	•	0	0	•	0	0
16	graphics	•	0	•	0	0	0
17	graphics	•	•	0	0	0	0
18	graphics	•	0	0	0	0	0
19	graphics	•	•	0	0	0	0

Figure 2: Not all video modes are available with every display adapter. Here are the combinations that will work.

don't be surprised if your display switches back to a text mode. Well-written software that can't operate in graphics wisely adjusts the display during its initialization. If a program skips this vital step, it will likely display garbage on the screen.

If your system has more than one display card installed, SETMODE can switch the active adapter for you. The monochrome display can use modes 7 and 15. All other modes require a color monitor.


When browsing through the available video modes, you'll be able to see the available resolution with each mode in the window. For text modes, this is the number of rows and columns (some EGAs can display more than the nominal number of characters). For graphics modes, the number of picture elements (pixels) is given. The initial mode is indicated by an arrow at the bottom of the lower window. If you don't want to disturb the display, be sure to return to this mode before pressing Enter. Remember that when the mode is changed, the screen will be cleared.

To harness the full capability of your EGA or VGA display system, you'll want to combine SETMODE with a color pro-

gram such as SPECTRUM (see PC Lab Notes, June 23, 1987). With this duo, you'll have the power you need to experiment with more color options than DOS ever expected.


One limitation of SETMODE will become apparent when the program is activated in a graphics mode. Although the original text is restored, any graphics (such as a pie chart or picture) are lost. SET-MODE can save only the underlying character data. In fact, you'll notice further that the text is always restored in black and white. Although it would be theoretically possible to correct this problem, the wide variety of graphics modes would have made the resulting code extremely complex. Further, a very large amount of memory would have been required to save graphics images, and it's important for resident programs to use as little memory as possible. Character data is always preserved, however, even in graphics mode.

THE SERIAL PORTS In addition to switching video modes, the communication port protocol can be initialized or changed with SETMODE. When the pro-



At only \$299, DesignCAD is the simplest

way to get some very sophisticated results.



You can spend thousands of dollars for a CAD software package without getting the kind of power and performance that DesignCAD delivers for only \$299...complete! With the DesignCAD's easy-to-use, easy-to-learn single keystroke commands, you'll be producing ultrasophisticated results in no time at all.

The Features You're Looking For

The options you normally have to purchase separately with other CAD programs, aren't options with DesignCAD. They're built in.

- Expanded Memory Support
- Selection of Character Fonts
- · Symbol library with over 500 symbols
- · Bill of Materials utility
- Finest curve fitting in the industry
- Extensive snap features

- True Auto
 Dimensioning with
 several formats
- Extensive layering features
- Full zoom, pan and rotate capabilities
- · And many other features

In addition, DesignCAD's
extensive file transfer utilities
allow you to read and write
different formats. DesignCAD
allows you to: transfer documents to
and from IGES, DXF, HPGL, transfer
to GEM and Postscript, and to read ASCII
text files and X,Y Coordinate files.

DesignCAD re-defines Compatibility

Virtually any printer, plotter or graphics adapter compatible with IBM PC is compatible with DesignCAD. DesignCAD is also compatible with most other CAD systems, large and small.

For all of the capability, compatibility and ease-ofuse you need in a CAD system, get DesignCAD—only \$299! See your local computer dealer, or contact:



Small Business Computers, Inc.

327 S. Mill St., Pryor, OK 74361 (918) 825-4844 FAX 918-825-6359 Telex 9102400302

Call or write for a detailed brochure and a free demo disk.

CIRCLE 475 ON READER SERVICE CARD



■ UTILITIES

			PC Nagazine July, 1988	TEXT_LOOP:	HOV	SI, OFFSET WINDOW	:Fill in window text
					OR	AL, AL TEXT DONE	;Fill in window text :Is this the last string yet?
IOS SEG	SEGMENT ORG	AT RUMBH BRICH			HOV	DX, AX	;Get row/column for this string
QUIP FLAG	DW DRG	7 0 049H			CALL	DL, LEFT SIDE TTY_STRING	:Add in left edge of window :Put up the string
RT MODE OTUMAS	DB DB	3	:Current number of columns	TEXT DONE:	JRP	TEXT_LOOP	;Loop for all text strings
	Olea	0352H	•		CHP	ES:CRT MODE,19	;Is this mode 8-19? ;If not, can't point to it
REOR_POSE	ORA	8 DUP(7) #262H	;Current cursor location		JA CALL	A1DEO_COTOMM	;Get column for current mode
TIVE PAGE	089	5 65 o TH	#Active page for CGA and EGA	1	INC	DL DH.16	
Tga "	DB NW	?	;Last row number for EGA		MOV	AL, 30	;ASCII for up carrot ;Pointer to current mode
a info	TrB	2		GET_A_FEY:		_	
CS SEG	ENDS				CALL	SHOW_PORTS SHOW_MODE	Display comm port status:
350	SEGMENT	CS: SEG. DS:CS!	EG. ES:CSEG		CALL	CH, INVERSE REV BAR	:Inverse video for selected item
TART:	JMP	C120H INITIALIZE	Beginning for .CON programs :Initialization code is at end		XOR	AH,ĀH 16H	:Read & keystroke
			•		PUSH	AX	;Save the keystroke
Data area use	d by thi	5 Frigram			CALL	CH, HORNEAL	;Turn off reverse bar
CTELY	EQU		;Scan code for "M" key		POP	M	;Get back the keystroke
HIFT MASK	800 800	00001000B	: Mask for ALT key		CHP JNE	AH, 48H NOT UP	; Is it up arrow ?
a .	Eŷ"	16			CMP		es), e ; le there a COMM17 ; If not, don't go up
PAKECHE	DB		ej 1988 Ziff Communications Co."		J# DEC	ITEÑ ŜELECT	;Hove up to next item
	78 28	CR, IF, "PC Magaz CR, IF, "Hotkey :	rine ",254," Tom Kihlken" is Alt-MS".lAH		JWS MOV	GET X KEY ITEN BELECT, 4	
STATIFF MC:	DB	CR, LF, "Already		NOT UP:	JMP	GET_A_KEY	;And get another keystroke
DUGW TEXT	DB	1, 1, SETHODE		101_0/:	CMP	AH, 56H	;Is it down arrow?
	DB DB	4, 4, COMMUNICA			INC	NOT_DONN ITEM_SELECT	:Move down to next item
	DB DB	2, 5, "Port:", 8 16, 5, "1", 8			CMP JBE	ITEN SELECT, 4 GET Ä KEY	
	DB	23,5,-2-,6			JMP	ITEN SELECT, 0 GET X KEY	
	DB	37,5,-4-,0		NOT_DOWN:			
	DB DB	2, 6, "Bps: ", 8 2, 7, "Parity: ",	, 8		THE	AH, 4DH NOT_RIGHT	;Is it right arrow?
	DE	2, 8, pata bits 2, 9, stop Bits			CALL	AL, T SIDEWAYS	:Indicate moving to right :And move the bar
	DB DB	2,10,"DSR:",8 4.13."DISPLAY".		NOT_RIGHT:	CHP	AH, 4BH	:Is it left arrow?
	DB .	4.14. "Mode: ".8				NOT_LEFT	
	1•A	2,15,70 1 2 3 4	1 5 6 7 13 14 15 16 17 18 19-,0,0		MOV	AL, -1 Sideways	;Indicate moving to left ;And move the bar
TRIERI FUNTERI	58 58	2		NOT_LEFT:	-	AL, -+-	:Is it the plue key?
SY FLAG LORS	DB	Ø MORI:			JNE	MOT PLUS	Indicate increasing value
RMAL	DB	7			JMP	CHG_COIDE	,
IVERSE LDINTØ9	DD	?		NOT_PLUS:	CMP	AL, "-"	;Is it the minus key?
EFT SIDE ODE SELECT	58	7			HOV	NOT HINUS	:Indicate decrease value
APH TEXT TEN SELECT	DB DB	7		NOT MINUS:	JMP	CHC COMM	
ORT_SELECT	DB	•		RO. THEROS.	JE	AH,1	;Is it escape?
ORT ADDRESS OAPTER FLAGS	DH	?			CHP	AL, T3	;Is it carriage return?
APTER_TABLE	DB	54,54,54,54,54, 24,20,48,16,40	,54,54,25,00,00,00,00,20,40		JE JNP	EXIT OUT GET X KEY	Iquore any other keys
QUIP_TABLE	DB	16,16,32,32,32, 40,16,32,32,32	32,32,48,88,80,80,80,88,88,16,16	ESC_OUT:	HOA	AL.ES:CRT MODE	:Get starting video mode
		, , , , , , , , , , , , , , , , , , , ,		247th AIR-	HOV		; Nake it the selected mode
This is the m	ain rout	ine of the resid	ient partion of the code	EXIT_OUT:	XOR	DH, DR	Restore the window
тисов	PROC	NEAR		ROW LOOP:	HOV	SI,OFFERT WINDO	-
		CS:CSEG, D8:CSI	g, Es:Blos seg ;Cursor address for this page		WOW	CK,46 DL,LEFT SIDE	;Do all 40 columns
	PUCH	ES-[BX]	;Save the cursor location ;Get current mode	COL_LOOP:	LODSW		
	ABD	AL. 01111111B	: Mask the high bit		CALL	DISPLAT CHAR	steen for each eature
	MGV	HOLE_SELECT, AL	Store the initial video mode		LOOP	COL_LOOF	:Loop for each column :Move to next row
	MOV	GRAPH TEXT, 1 BX, 7097H	:Colors for mono mode		CMP	DE,18 ROW LOOP	:Loop for each row
	CHP	AL, 87H	;In mono text mode?		CALL	GET CURS ADDR	:Get cursor address for this page
	JE MOV	NOT COLOR_TEXT 8X,0503H	;Colors for graphics modes		POP	ES: (BX)	:Restore original cursor position
	MOV CHI	GRAPH_TEXT, 0	:In CGA text mode?		CHP	BL, HODE SELECT BL, ESICRT HODE	;Get starting video mode ;Has it changed?
	JA MOV	NOT COLOR TEXT			JE	SAME HODE	; If not, just return
	HOV	BH, ESTACTIVE_PA			XOR	CL, EQUIP TABLE	
	INT	AH,0 10H	:Read current colors :BIOS read char/attribute		AND	AX,ES:EQUIP FLA AL,11001111B	;Erase old video settings
	MOV	BL, AH BH, AH	;Foreground color ;Background color		OR	AL, CL	;Set new video equipment bits X;Write new equipment word
m mot on milit	NOR	BH, 1110111B	;Flip the color bits		HOV	AX, BX	
T_COLOR_TEXT:	HOV	COLORS, BX			INT	16H AH, 2	;Reinitialize video adapter
	HOV	DI, OFFSET WINDO	OW BUFFER !Compute center of screen		XOR	DX, DX	;Put cursor at home ;For page zero
	SUB	DL, 48	;We'll use 40 columns :Divide by two		INT	108	:BIOS set cursor function
	BHR MOV	DL,1 LEFT_GIDE,DL	This is column for left edge	SAME_MODE:	RET		
	XOR	DH, DH	First window in row 8	SETHODE	ENDP		
		COUNTER1,1					
	MOV	ADEN WINDOW	foren for Gindou				
	CALL HOV CALL	OPEN WINDOW COUNTER1,6 OPEN WINDOW	Open top window Open middle window				tcontin

SETMODE.ASM: The assembly language source code for SETMODE.COM.

CrystalPrint.

The Most Personal Page Printer Since the Ballpoint Pen.

Personal

Small. Lightweight. Fast. Quiet. As convenient and affordable as your personal computer. That's why you should investigate the CrystalPrint family of page printers today.

Personal Size

CrystalPrint page printers take 50% less space than the leading laser printer. And they weigh 30% less. That means they can be desktop close, even when space is precious.

Personal Productivity

CrystalPrint Series II_{ba} and CrystalPrint WP_{ba} page printers put six pages within arm's reach in a minute. There's no waiting. No ear-shattering noise. No traipsing around the office to a shared printer. Even the paper tray is conveniently front-loading to make you more efficient.



Professional Performance

CrystalPrint Series II
gives you full HP LaserJet Series II
emulation and fonts. CrystalPrint
WP comes with Qume/Diablo
emulation. HP or Epson emulation

HP Laserfet Series II footprint

CrystalPrint WP_{Im} page thin arm's reach in a ng. No ear-shattering and the office to a paper tray is convente you more efficient.

emulation. HP of Epson emulation for presentation graphics and desktop publishing is optional. Other emulation and font cartridges are available for both models. And both use a reliable liquid crystal shutter print engine to deliver crisp, clear text and graphics — print quality that rivals the most expensive page printers on the market, but at a much lower cost.

Personal Price

Here's the best part. At \$1999* for the CrystalPrint Series II and just \$1299* for the CrystalPrint WP, page printing is now closer to you than ever before, and as convenient as — well, reaching for your ballpoint.

For the location of the nearest CrystalPrint dealer, reach for your telephone, right now, and call (408) 988-5149.


Dealer inquiries invited. See how the CrystalPrint dealer program can benefit you.



Setting New Standards™

2551 Walsh Avenue, Santa Clara, California 95051

CrystalPrint footprint



When our engineers developed the first 2 MB diskette, some major projects had to be put on hold.

Unmowed lawns. Overgrown gardens. And unpainted fences. It wasn't pretty.

But, being the first company in the world to introduce the 2 megabyte diskette was worth it. According to our engineers. Six years and many, many

weekends of hard work finally paid off. In March, 1987, history was made.

We introduced a 3.5 inch diskette that could hold twice as much information as any other diskette for specific systems.

Its performance redefined



the word precision. Its reliability and durability were legend.

In short, it was the ultimate 3.5 inch diskette. But that still wasn't good enough.

That's why to this day, our engineers are still hard at work. On diskettes. Data cartridges. And other forms of magnetic media. Every day. Every weekend. Trying to improve. Reinvent. And make history all over again.

So, until then, you'll just have to settle for state of the art.

And hope you're not one of their neighbors. For more information, supporting the dream. call 800-888-1889, Ext. 75.



■ UTILITIES

IDEWAYS	PROC	NEAR	90.BT00 6FG		OR	DH, DH	;Get selected item ;Are we in video mode row?
	CHP		;Doing video modes?		J2	_	;If yes then use video bar
	HOV	BL. FORT_SELECT	; If yes then change the mode ; Get comm port number		NOV XOR	BH, BE	7BL has item number
	ADD MOV	BL, AL PORT_SELECT, BL	;Hove to next port		ADD	CL, BAR_SIZE(BX) DH, 5	;Get size of this bar
	CMP JA	BL, 3 SIDEWAYS	:Naximum of 3 ports		MOV MUL ADD	AL,7 PORT SELECT AL,17	
	SHL	BH, BH BX, 1			ADD	AL, CL AL, LEFT SIDE	
	CMP JE	WORD PTR EGI[BX	,8 ;1s there a card installed? ;1f no card move to next	REV LOOP:	MOV	DL, AL	
# MODE:	RET			tom a manual a	CALL	READ_CHAR	:Read current char at this position :Change the attribute
	CMP JE	ADAPTER FLAGS, 0 UNKNOWN ADAPTER			CALL	DISPLAY_CRAR	Then write the character again
	MOV	BL, MODE SELECT	;Get current mode		JNZ	REV_LOOP	
	MOV	BL, AL MODE_SELECT, BL	; Hove to next one	DONT_SHOW_IT:	RET		
	JA	BL, 19 CMG NODE	;Last mode is number 19	DOING_VIDEO:	CMP	MODE SELECT. 19	;Is this mode in normal range
	XOR	BH, BH CL, ADAPTER TABLE	I REI		JA CALL	DONT SHOW IT	;If not, just skip it ;Find column for this mode
	AND	CL, ADAPTER FLAGS	; Is this adapter installed? :If not, use next mode		MOV	DH,15 CL,2	:Video is on row 15 :Size of bar is two columns
PROWN_ADAPTER:		CHG_MODE	; II not, are next and		JHP	REV_LOOP	; size of bar is two columns
DENAYS	ret Endp			REV_BAR	ENDP		
		parameters of the	agrial ports	; VIDEO COLUMN	returns	the column posit:	on for the selected video mode
e comm		NEAR	· serie: ports	COLUMN DATA VIDEO COLUMN	DB PROC		15,0,0,0,0,0,10,21,24,27,30,33,36
		CS:CSEG, DS:CSEG		A TOTO COURING	ASSUME	CS:CSEG, DS:CSEC	
	HOV XOR	ви,ви	;Look at current port		XOR	ви,ви	1Get selected mode
	HOV	DX,ES:[BX]	;Get the card address		ADD	DL, COLUMN DATA [1	;Add in column of left mide
	HOV	AH, ITEM_SELECT	;Point to line control	VIDEO_COLUMN	RET ENDP		
	DEC JZ	AH CHG_BAUD	;Changing baudrate?	;			
	DEC JZ	AH CHG PARITY	;Doing parity change?	; OPEN_WINDOW d	raws a b	ox with the doub	le line border
	DEC JZ	AH CHG DATA BITS	;Changing data bits	OPEN_WINDOW	PROC	NEAR CS:CSEG, DS:CSEG	
	DEC J2	AH CHG STOP BITS	;Changing stop bits		OR J2	DH, DH	
	JHP	GET_A_KEY			YOU	AL, F ** 256+* **	
IG_BAUD:	CALL	READ_SET_BPS	;Read current baudrate	TAR TIME	CALL	OPEN_LINE	7Open a blank line
	CHP JWE	CL, 1 LOWER BAUD	;Going up?	TOP_LINE:	HOV	AL, 201	
	CMP	BX, 3 SHIFT DOMS	;At 38488 bps?		HOV	CX,187+256+285 OPEN_LINE	;Top line
IFT DOWN:	INC	31	;This is to get 57688 bps	WIN_LOOP2:	MOV	AL,106	
	SHR	BX,1 BX,BX	;Divide by two for new rate :Is divisor zero vet?		NOV	CX,186*256+" " OPEN LINE	:Middle lines
	JM2 MOV	SET MEN_BAUD BX, 304	Divisor for 100 bps		DEC	COUNTER1 WIN LOOP2	
	JHP	SHORT SET_HEM_B			NOV	AL, 200 CX, 180 = 256+205	
MER_BAUD:	SHL	BX,1	:Times two for new rate		CALL	OPEN_LINE	:Bottom line
	JMS CMP	BX,4 SMIFT_UP	1At 20080 bps?	OPEN_MINDOM	ENDP		
(IFT_UP:	DEC	3X	This is to get 18498 bps				***************************************
	CMP JBE	BX, 364 SET NEW BAUD	1At 300 bps yet?				reate one row of the window
T NEW BAUD:	HOV	bx,T -	;Set divisor to 1	OPEN_LINE	PROC ASSUME	NEAR CS:CSEG, D8:CSEC	3, ES:BIOS SEG
	CALL	READ SET BPS GET A REY	;Set the new value ;And get another keystroke		CALL	DL, LEFT SIDE SAVE CHAR	
G_PARITY:	IN	AL, DX	:Get current perity bits	HIDDLE LOOP:	HOY	COUNTER2, 38	
	NOV	BL, AL AL, 110001113	;Erase old parity bits		MOV	AL,CL SAVE CHAR	
	SHR	BL, 1 BL, 1	;Shift parity bits over		DEC	COUNTER2 MIDDLE LOOP	
Le herrie	SHR	BL,1			HOV	AL, CH	
G_AGAIN:	ADD	BL,CL	;Add in the change		INC	DH CHAR	
	TEST	BL, 666666111B		OPEN_LINE	ret Endp		
	JN2 Test	PARITY OK BL, #####11#B					
RITY_OK:	JHE	CBG_AGAIN	;Skip meaningless settings	;			screen and displays a new char
	SHL	BL,1 BL,1	; Move parity bits back left	SAVE_CHAR	PROC ASSUME	WEAR CS:CSEG, DS:CSE	
	SHL	BL, 1 AL, BL	:Replace other starting bits		PUSH	AX READ CHAR	:Save the new character :Read the existing character
G DATA BITS:	JMP	SHORT CHG_COMM_			CMP JE	GRAPH TEXT, 1 MODE TEXT1	
	IN	AL, DX	:Get line control register	MODE PERMI	MOV	AH, NÖRMAL	:Use normal foreground color
	AND	AH, 11111100B	¡Nave original line control ¡Mask out old data bits	MODE_TEXT1:	MOV	DS:[DI],AX	;And store it in the buffer
	ADD	AL, 06000011B	These are the new data bits		INC	DI	and back and a
	OR JNP	AL, AH SHORT CHG_COMN_I	; Fut back other starting bits RET		POP	AX GRAPH_TEXT, 1	;Get back new character
G_STOP_BITS:	IM	AL, DX	;Get line control register		je Test	HODE TEXT?	:Is this a high bit character
G COMM RET:	XOR	AL, 80008100B	Toggle the stop bit flag		JE MOV	MODE TEXT2	; If not, just continue ; If it is, reset it to """
	OUT	DX, AL GET A REY	;set new line status	MODE_TEXT1:	CALL		:Put up the new character
(COMM	ENDP	WEI_R_REI		CASIF CHAP	RET	mar mount	of one has contents
				SAVE_CHAR	ENDP		
		ing ber off and o					

"Simple To Use, Works Well And Best Of All Is Easy On The Budget"



Send facsimiles with your PC/XT/AT or compatible and one of Quadram's JT Fax products.

Helpful menus and loads of versatile features make JT Fax easy to use—like auto-conversion of word processing files to ASCII. And you can add your letterhead and signature to documents automatically with any JT Fax product.

Fax To Go

If you're on the go, consider the JT Fax Portable. It slips into your pocket and plugs into any MS DOS portable's serial port to let you fax from wherever you are.

Common Interface

The JT Fax half card internal shares a common software

interface with the JT Fax Portable and even the lightning fast JT Fax 9600, the lowestpriced 9600-baud adapter. With the LAN operating software, the JT Fax 9600 is perfect for shared use on a network.

So you can support dozens of word processing, spreadsheet, and graphics packages while sharing the same interface with others in your organization.

Unique Technical Approach

JT Fax was nominated for PC Magazine's Technical Excellence Award. And in selecting JT Fax Editor's Choice, PC Magazine said "An innovative approach is

QUADRAM OF An Intelligent Systems Company

the key to the success of JT Fax: it converts documents on the fly while transmitting them at half the speed of the other units. This approach keeps its cost down and saves file storage space, without degrading image quality and without delaying typical transmission times appreciably."



NOMINATED 1987

Call us at (404) 564-5666 for dealer information. Take a look at the JT Fax that meets your needs and see why JT Fax has been receiving such high praise. Quadram: One Quad Way, Norcross, Georgia 30093

Trademarks/owner: Quadram, Quadram logo, JT Fax/Quadram



WE DIDN'T INVENT REMOVABLE MASS STORAGE. WE SIMPLY PERFECTED IT.

was nothing more than documents and file cabinets. Businesses managed to keep track of information, but it wasn't easy. Then paper and steel gave way to computer-based systems like tape drives and floppy disks. An improvement, but primitive nonetheless.

ALONG CAME BERNOULLI, offering revolutionary internal and external mass storage solutions. Unlimited storage solutions with sturdy Bernoulli 5½" and 8" Drives, and handy 10MB and 20MB removable Disk Cartridges. Just one 20MB Disk Cartridge has the stor-

age capacity equivalent to 5,250 pages or 59 floppy disks.

Today, the armed forces and financial institutions use Bernoulli as a safe way to store data and a speedy backup system. Utilities and medical institutions take advantage of Bernoulli when transporting large amounts of data between locations.

Graphics, CAD/CAM and desktoppublishing users are increasing storage without constantly replacing or adding expensive hardware. And PC users of all kinds are downloading files on Bernoulli instead of bogging down their minis and mainframes.

iomega reigns supreme as the leader in removable mass storage.* No other removable mass storage device offers Bernoulli Technology"— the technology that makes head crashes virtually impossible. And no one can equal Bernoulli's long-standing reputation for customer service and support.

Add the versatility of single or dual drive, internal or external systems for IBM* PCs and compatibles, PS/2" Micro Channel," and Apple* Macintosh"— and you have the time-tested, reliable mass storage solution for every application.

IN THIS NEW ERA of removable storage, Bernoulli is the name you should know. Start today by calling 1-800-922-9400.**



BERNOULLY TECHNOLOGY "According to the 1987 DISK. TREND Report Jonega retains 96 6 to on a transferred to a

"According to the 1967 DISK. TREND Report Tomaga retains 96.6% of the over-5 MB removable drive market. IBM is a registered trademark, and PS/2 and Micro Channel are trademark to tribM Corporation. Apple Computer, inc. ""In Uten cast 1-800-922-3131.

■ UTILITIES

			terminated with a byte of zero	CHAR LUCE:	Nov ROR	CX,DX DX,DX	
ith_othin,	PPK	HEAR	EG, ES:BIOS SEG		DIV	BX AX.CX	
	LODGE		24, 24,200, 424		DIV	BX	
	JZ JZ	AL, AL TTY RET			XCHG ADD	AX,DX AL, "#"	;Convert this digit to ASCII
	ZHP	DISFLAY NORMAL TTY STRING			PUSH	DX	.beckup cursor position
TTT PETS	RE7				260%	DX,SI	
TTY STRIM.	ENDF				DEC	COUNTERT	;Display this digit
			*******************************		POP MOV	DX AX,CX	
			using a Bios function cal'		OR Jul	CX,DX CHAR LOOP	
TOPIA) N PMA.	中部でも	MEAR			31057	DE, SI	
	MON	AR, NORMAL	EG, ESTRIOS SEG	FILL BLANKS:	DEC	DI.	
DISPLAY CHAP	PUSH	DX			MOV	AL, " " DISPLAY HORMAL	
	PUSH	CX	:Get address of Blod cursor		DEC	DL	
	MOV	ES: BX1.5x	;Tell Blus where the cursor is		DEC	COUNTER; FILL BLANFS	
	NOV	BL, AH BH, ES: ACTIVE P.	;Get back the attribute AGE ;det active page	h. Brd SET:	POP	CX	
	HOV	CX 1	;Write I character		MOV	DX, BP	;Get back the post address
	INT	AH, 9 18H	:Write character and attribute		ADE	DX, 3 AL, DX	.Line control register
	POP	CX BX			PUSH	AN SI, OFFSET BONE	:Save starting status
	INC	DL	:Advance the cursor column		TEST	AL. #8991###	,Look at parity enable bit
DISPLAY NOPHAL	RET		:Done writing the character		JI AND	NO PARITY	;Look at parity bits
					SHR	AX,1	
BEAT CHAP TES	i's a cha	rarter from the	acteen .		SHR	AX,1 AX,1	
READ CHAP		NEAP	***********		HOV	SI, AX SI, PARITY_TABLE	971
_	ASSUME	CS:CSEG. DS:CS	EG, ES:BIOS SEG	No_PARITY:			
	MOA	ES: BXJ, DX	;Get address of BIOS cursor is ;Tell BIOS where the cursor is		NOV	DX,CX DL,4	
	MGN7 260V	BH, ES: ACTIVE P.	AGE :Get active page ;BIOS function to read chara *e:		ADD	DH,1 TTY STRING	Display parity continu
	INL	101	:Read the character/attribute		CALI.	_	:Display parity status
BEAD_CRAR	ENDP				POP	AX AX	;Get line control status again
		~~~~~~~~~~~			AND	AL, PERFERENCE	,Look at data bits
GET CURS ADOP	finds t	he address of th	he cursor for current video page		NOV	AL,35H DX,CX	:Convert it to ASCII code
GET CURS ASSP	PROC	NEAR			ADD CALL	DH, 2 DISPLAY NORMAL	
	ASSUNE	CS:CSEG, DS:CS	EG, Esiblos SEG AGE ;Get the current page number			_	
	ROR	BH, BH	(Convert to a word offset		POP	DX	:Get line control status again
	ADD		Times 'wo for a word OR POSN ;Add in base address		MOV	AL1- DL. eseselesh	.Assure one stop bit :Are two stop bits used?
ST CURS ADDR	RET				JE	ONF STOP	, at a tay water unwar
	2142.6			ONE STOP:	3 HC	AL.	
YES TAT	Dh	"Yes", 0			NOV	DR, CR DR, 3	
W TAT	DB	"No",#			CALL	DIGPLAY NORMAL	
N RE THI	DB	" None", #			1800	DX, BP	
UND THE EVEN THE	DB DB	" odd",#			ADD	DX, K	(Point to moder status register
SPACE TXT	08	"Space", 8			NOA	AL, DX SI, OFFSET NO TE	
MARR_TXT PAPITY_TABLE	DW	" Mark", 8 OFFSET ODD THT	, OFFSET EVEN_THT		TEST	AL, SPIPPSSON" NO DER	:Is bit five set? :If not, DSR is not on
	DM	OFFSET SPACE_T	NT, OFFSET HARE TET	# SIGR:	900V	SI, OFFSET YES T	TXT
		be correct sett	ings of all comm ports	N DIEKT	NOA	DX.CX	
;			tide of eff comm botts		ADD	DH, 4 DL, 3	
SHOW_PURTS	ASSUME	WEAR CB: GSEG, DS:CS!	EG. ES:BIOS SEG		CALL	TTY STRING	
	XON	BK, BX			POP	AX	
PRT LOOP:	NOV		Start with first comm port		VON	DK, BP DK, I	, wet bank the card adress
	NOV HILL	AL,7	(Seven columns per port column	Name of the last	OUT	DK, AL	,Restore the line status register
	SHP	AL,1		REKT PORT:	NOV	BL, CO INTER!	
	NOV		;Row/column for first item :Add in column of left edge		NOR	BH, BH	
		CL, AL	:And shift over to correct column		INC	BK	
	ADD	Ca pa-			CHP	BL, 8 PORT DONE	;Do four comm ports
	Non	DX,ES:(BX;	;Retrive the comm port address		JAE		
		DX,ES:(BX; BP,DX	;And save it here		MOV	COUNTER! BL	
	HOV OR INS	DX,EST(BX) BP,DX DX,DX GPT CAND	;And save it here ;Is there a card installed? ;If yes, display its status	FORT DONE:	MOV JHP		
	HOV OR INS HOW	DX,ES1(BX) BP,DX DX,DX GOT CAND SI,CFFSET MA TO DK,CK	;And save it here ;Is there a card installed? ;If yes, display its status	FURT DONE:	MOV	COUNTER! BL	
	MOV MOV OR JNS MOV MOV	DX,ES:(BX; BP,DX DX,DX GPT CAND SI,FFFSET MA TI DX,CX DI,2	;And save it here ;In there a card installed? ;If yes, display its status XI ;idet rew/column for this entry	SHOW PORTS	MOV JHP RET ENDP	COUNTERL, BL PORT_LOGP	
	HOV OR INS HOW	DX,ES1(BX) BP,DX DX,DX GOT CAND SI,CFFSET MA TO DK,CK	;And save it here ;Is there a card installed? ;If yes, display its status XT	SHOW PORTS ; REAL SET BEC	MOV JHP RET ENDP	COUNTERL BL PORT LOOP  he current baud r	ate and mets a new one
JOT_CARD:	MOV MOV OR JNS MOV MOV SUB CALL	DX,ES:(BX; BP,DX DX,DX GOT CAND SI, FFSET MA TI DX,CX D1,2 TTY STRING	And save it here its there a card installed: iff yes, display its status XT. Guet rew/column for this entry iDisplay "h/a" text ;And go on to nest port	SHOW PORTS: REAL SET BES	MOV JHP RET ENDP	COUNTERL BL PORT LOOP  he current baud r	
GOT_CARD:	HOV HOV OR JN2 HOW HOW CALL JMP	DX.ES:(BX) BP,DX DX,DX DX,DX GOT CARD S1.0FFSET MA TI DX,CX D1.0 TTY STRING MEXT PORT ALF- DX,CX	And save it here its there a card installed: iff yes, display its status  Truet rewrodumn for this entry iDisplay "h/a" text jAnd go on to nest port  :Put a zero in bps column	SHOW PORTS ; REAL SET BEC	MOV JHP RET ENDP I reads *. PROC ASSUME	COUNTERL, BL PORT LOOP  he current baud r  NEAP CS-CSEG, DS-NOT	ate and sets a new one
JOT_CARD:	HOV OR JN2 HOW MAD SUB CALL JMP HOV CALL HOV	DX, ES: (BX; BP, DX, DX, DX, DX, DX, DX, DX, DX, DX, DX	And save it here its there a card installed: iff yes, display its status XT; Get rewccolumn for this entry iDisplay "n/a" text jand go on to nest port iPut a zero in bps column iDisplay the zero	SHOW PORTS: REAL SET BES	MOV JMP RET ENDP FROC ASSUME 1MCV	COUNTERL BL PORT LOOP  THE CUTTERN DRUG T  WEAR CS-CSEG, DS-NOT AL, DN AM, AL	ate and sets a new one
GOT_CARD:	HOW HOW OR JNS HOW HOW CALL JMP	DX, ES:(BX; BP, DX DX, DX OFT CARD SI. OFFSET NA TI DI.; TTY STRING NEXT PORT ALL '8" DI.FILAY NORMAL DX, BP DX, J	And save it here : Is there a card installed? :If yes, display its status  7: det r.w.column for this entry :Display "n/s" text; And go on to nest port :Fut a zero in bps column :Display the zero :Point to line control register	SHOW PORTS: REAL SET BES	MOV JMP RET ENDP FROC ASSUME IN MOV	COUNTERL BL PORT LOOP  the current baud r  HEAP CSMCSEG, DS:NOT AL, DR AN, AL AL, 00H	ate and sets a new one  "HING, ES:NOTHING .Read the line status register
JOT_CARD:	HOW HOW OR JNS HOW HOW SUB CALL JMP HOW GALL HOW ADD CALL PUSH	DX, ES: (BX; BP, DX DX, DX,	And save it here its there its there a card installed; if yes, display its status **  ;fet r.wccolumn for this entry iDisplay "n/a" text ;And go on to nest port ;Put a sero in bps column ;Display the zero ;Point to line control register ;Pead the current baud rate ;Sawe it	SHOW PORTS: REAL SET BES	MOV JMP RET ENDP : reads *. PROC ASSUME IN HCV HOV OUT SUB	COUNTERN, BL PORT LOOP  the current baud r  WEAP CARCSEG, DS:NOT AM, AL AL, 508 AM, AL AL, 609 DX, AL DX, 3	ate and sets a new one  "HING, ES:NOTHING .Read the line status register
JOT_CARD:	MOV OR JN2 MOV MOV CALL JMP MOV CALL MOV ABD CALL PUSH CALL PUSH CALL	DX, ES:(BX; BP, DX DX, DX OFT CARD SI. (FFSET NA T) DI.; TTY STRING NEXT PORT ALL '8" DI.FLAY NORMAL DX, BP READ SET BPS BX READ SET BPS BX READ SET BPS BX	And save it here its there its there a card installed; if yes, display its status  7.  Control of the service o	SHOW PORTS: REAL SET BES	MOV JMP RET ENDP I reads * PROC ASSUME IN HCV MOV OUT	COUNTERL BL PORT LOOP  The current baud r  MEAP  OSSICES, DS:NO: AL, DR  AN, AL  AL, PBH  DX, AL	ate and mete a new one  "HING, ES:NOTHING .Pead the line status requeter .Save instal line status
SOT_CARD:	HOW HOW OR SUB CALL JMP HOW GALL HOW CALL POP CALL POP OR DUST CALL POP OR	DX, ES: (BX; BP, DX DX, DX DX, DX DX, DX DX, DX DX, DX DY CARD SI, FFEET MA TIDE; COLT.)  TY STRING MEXT PORT  AL. 18 DX, CX DIFFLAY NORMAL DX, BP DX, 3  READ SET BPS BX  READ SET BPS  BX BX BX BEAD SET BPS  BX B	iAnd save it here its there a card installed; iff yes, display its status  X7  iDispley "n/a" text iAnd go on to next port  iPut a zero in bps calumn  iDisplay the zero  iPoint to line control register iPead the current band rate iSave it iRestore original band settings iNow we have the bps in bX its it set to zero?	SHOW PORTS: REAL SET BES	MOV JMP RET ENDP FROC ASSUME IN MOV OUT IN ECHG OUT	COUNTERL BL PORT LOOP  MEAP COMMOSES, DS:NOT AL, DK AH, AL DX, 3 AL, DX BL, AL DX, AL DX, AL	THING, ENINOTHING.  Pead the line status requster  Save initial line status;  Get to low byte of divisor;  Write the high byte of divisor
⊋or_card:	HOW HOW OR SUB-CALL JMP HOW ADD CALL POP USH	DX, ES: (BX; SP, DX DX,	And save it here its there its there a card installed; if yes, display its status  7.  Control of the service o	SHOW PORTS: REAL SET BES	MOV JMP RET ENDP : reads *: PROC ASSUMY MOV OUT IN CONG OUT INC	COUNTERL BL PORT LOOP  MEAP CS-CSEG, DS:NO: AL, DX	HING, EXINOTHING  Pead the line status register  pawe initial line status  ;Get to low byte of divisor
JOT_CARD:	HOV HOV OR JW2 HOW SUB CALL JWP HOV CALL HOV ADD CALL PUSH CALL PUSH CALL PUSH OF CALL	DX, ES: (BX; BY, DX)  XY, DX  DX, DX  OFT CARD  SI. (FFSET NA T)  CC., TY  TY STRING  MEXT PORT  ALL '8"  DI./AL  NORMAL  DX, BP  READ SET BPS  BX  BX, BX  BX, BX  BY, BX  BY, BY  BY, BY  BY  BY, BY	iAnd save it here its there a card installed; iff yes, display its status  X7  iDispley "n/a" text iAnd go on to next port  iPut a zero in bps calumn  iDisplay the zero  iPoint to line control register iPead the current band rate iSave it iRestore original band settings iNow we have the bps in bX its it set to zero?	SHOW PORTS: REAL SET BES	MOV JMP RET ENDP FROC ASSUME IN MOV MOV SUB IN MCV MOV SUB XCHG ASSUME XCHG XCHG	COUNTERN, BL PORT LOOP  THERE CARCEGG, DS:NOT AL, DX AL, DX, AL DX, AL DX, AL DX, AL DX, AL DX AL, DX BL, AL DX AL, DX BH, AL	HING, EXINOTHING  Pead the line status register  gave initial line status  ;Get to low byte of divisor  ;Mrite the high byte of divisor  ;Get to high byte of divisor
ಷ <b>೧</b> ಸ್ಕ್ <b>୯</b> ೩೫ರಿ 1	MGV NOV OR JN2 MGV OR JN2 MGV SUB MGV CALL JMP MGV CALL PUSH CALL POP UR JJ JJ NOR MGV UR JJ NOR MGV DIV	DX, ES: (BX; BY, BP, DX DX, DX DX, DX DX, DX DX, DX OFT CARD SI. (FFSET NA T) OL.; TTY STRING MEXT PORT ALL. **  ALL. ** DY, **  ALL. ** DY, **  ALL. ** DY, **  ALL. ** DY, BP  READ SET BPS  BX  READ SET BPS  BX  BX, BX  MC, BPT  BX, BX  MC, BYT  BX, BX  MC, BYT  BX, BX  BX	And save it here its there a card installed; if yes, display its status XT; det r.w.column for this entry iDisplay "n/a" text And go on to nest port; Put a sero in bps column; Display the zero iPoint to line control register image the current baud rate; Saws it iMember original baud settings; Now we have the bps in bX; it set to zero?	SHOW PORTS: REAL SET BES	MOV JWP RET ENDP Treads '. PROC ASSUNY IN MOV MOV SUB IN WCNG OUT INC UCHS OUT INC UCHS OUT INC UCHS OUT INC UCHS OUT INC UCHS OUT INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC UCHS INC INC UCHS INC INC UCHS INC INC INC INC INC INC INC INC INC INC	COUNTERN, BL PORT LOOP  He current baud r  HEAP CSA-CSEG, DSINO? AL, DW, AL, DW, AL, DW, AL D	THING, ENINOTHING.  Pead the line status requster  Save initial line status;  Get to low byte of divisor;  Write the high byte of divisor
GOT_CARD:	MGV MOV OR JN2 MGV MGV MGV GALL PUSH CALL PUSH CALL PUSH MGV GROW MGV	DX, ES: (BX; BY, BP, DX DX, DX DX, DX DX, DX DX, DX OFT CARD SI. (FFSET NA T) OL.; TTY STRING MEXT PORT ALL -8- D1./K DY,	And save it here its there a card installed; if yes, display its status XT cet r.w.column for this entry iDisplay "n/a" text ;And go on to nest port ;Put a sero in bps column :Display the zero :Point to line control register ;mead the current baud rate :Sawe it :Hestore original baud settings :Now we have the bps in bX :Is it set to zero? :If yes, just sk.p it	SHOW PORTS: REAL SET BES	MOV JMP BET ENDP ENDP ENDP END ASSUME IN WOV SUB IN ENG OUT INC UT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC OUT INC INC INC INC INC INC INC INC INC INC	COUNTERL BL PORT LOOP  MEAP CG.CSEG, DS:NO: AL, DR AK, AL DX, AL DX, AL DX AL, DX AL, DX BL, AL DX AL, DX BL, AL DX AL, DX BL, AL DX BL, BL B	wind, ExiNOTHING.  Read the line status register.  Gave initial line status:  ;Get to low byte of divisor.  ;Mrite the high byte of divisor.  ;Bark to line status register.  ;Get back original line status.
JOT_CARD:	MOV MOV OR JANA MOV OR JANA MOV SUB MOV GALL JMP MOV CALL MOV CALL PUPP OF GR JANA MOV CALL POP OR JANA MOV JANA MOV	DX, ES; [BX; 9P, DX DX,	And save it here its there a card installed; if yes, display its status XT; det r.w.column for this entry iDisplay "n/a" text And go on to nest port; Put a sero in bps column; Display the zero iPoint to line control register image the current baud rate; Saws it iMember original baud settings; Now we have the bps in bX; it set to zero?	SHOW PORTS: REAL SET BES	MOV JWP RET ENDP Freads *: Freads *: Freads *: Freads *: Freads *: HeV HeV OUT INC OUT INC OUT INC	COUNTERL BL PORT LOOP  MEAP CS-CSEG, DS:NO: AL, DK AL, DX	Ate and sets a new one  WHING, ESINOTHING.  Pead the line status requster  Save invt.al line status;  Get to low byte of divisor;  White the high byte of divisor;  Get to high byte of divisor;  White the high byte of divisor;  White the high byte of divisor;  Bank to line status register.



# "Unlimited"

un·lim'i·ted, a. [L. limitus]: The ability to expand your personal computer's storage capacity beyond your wildest imagination.

Up until now, the concept of unlimited PC storage capacity was about as practical as cramming all your office files into your briefcase. Storage capacity could only be stretched as far as the fixed capacity of your hard disk. Or to the limit of your patience for shuffling through stacks of floppies.

But imagine instead that you could insert and remove hard disks as easily as a VCR cassette—your PC's storage capacity would then be virtually limitless.

That's exactly the idea behind the Tandon Personal Data Pac, the world's first and

only

portable, Winchester hard disk.
Just attach a low-cost Ad-PAC drive receptacle to your PC, and its powers of memory are totally transformed. You can choose from a of self-contained.

number of self-contained, portable Personal Data Pacs that can be inserted and removed as easy as a floppy. Now a whole business worth of software and data can fit neatly into your briefcase. Ready to go any-

briefcase. Ready to go anywhere your business

And when you are done for the

will take you.

day, your entire information base can be simply locked away where only you can get at it.

If you want to share your software and data with others, the Tandon Personal Data Pac offers you the cheapest and most reliable "network" possible. Simply

transfer what you need from one Pac to another, and turn a shared PC into a dedicated workstation, just for you.

If your travels with the Data Pac take you on a bumpy road, don't worry. Your software and files will be safe and secure inside the


Pac's rugged housing. It can even take a trip in the mail or an occasional fall off your desk.

See your Tandon
Dealer today or call us
at 1-800-556-1234,
ext. 171 (in California
1-800-441-2345,
ext. 171) and learn
the new definition for
personal computing.

The possibilities are limitless.



We're redefining personal computing.



# What's black & white & read all over?

## The new Mitsubishi*mp286L laptop personal computer.

Until now, thinking portable meant thinking compromise. In readability. Or speed. Or power. Or expandability. Or all of the above.

But now the mp286L eliminates the compromises.

Its big, bright, black and white "page white" backlit 11" display is easy on the eyes. It's readable from several feet away. In virtually any light.

A powerful 80286 processor clocks in at 12MHz, and that's probably

faster than the desktop computer you're now using.

The 20MB internal hard disk and options including a math co-processor, internal modern, extended memory, and numeric keypad, put to rest once and for all the popular notion that you can't take it with you.

With the mp286L, you can even move up to MS OS/2."

But best of all, you don't have to compromise quality: the mp286L is built like a Mitsubishi: built to work long and work hard.

The mp286L is assembled in the U.S. for assured delivery and availability. Mitsubishi resellers are experienced specialists who provide systems support, training, and applications assistance you can count on.

Call toll-free: 1-800-556-1234 extension 25 (in California, 1-800-441-2345 extension 25) or write: Mitsubishi Electronics America, Inc., Computer Systems Division, 991 Knox Street, Torrance, CA 90502 for the authorized mp286L reseller nearest you.

Because the best choice in a laptop computer is right here in black and white.



MS OS/2 is a trademark of Microsoft Corporation. © 1988, Missubishi Electronics America, Inc.



## UNLOCK ITS FULL 386 POWER WITH SCO XENIX 386 - NOW!

Under DOS, the COMPAQ DESKPRO 386/20[™] is a powerful single-tasking, single-user system that can run thousands of DOS applications. In 16-bit, 8086 mode.

One at a time.

When OS/2™ software becomes available, this computer can become a multitasking, singleuser system running in 16-bit, 286 mode that can also single-task those DOS applications under OS/2.

One at a time.

With DOS or OS/2, it will support one user—for the cost of the entire system.

Under SCO" XENIX* 386, however, the COMPAQ DESKPRO 386/20 becomes a powerful multitasking, multiuser system that can run thousands of proven XENIX applications. In full-tilt, 32-bit, 386 mode.

Many at a time.

Using SCO VP/ix," it can multitask all the same DOS applications under SCO XENIX.

Many at a time.

With SCO XENIX 386, this powerful computer can support multiuser configurations of 16, 32, or even more workstations with such blazing performance that individual users will believe they have the whole system to themselves—at an unbelievably low cost per user.

And the best news is that you can unlock the full power of the COMPAQ DESKPRO 386/20 today because you can get SCO XENIX 386—now!

SCO XENIX System V and the SCO XENIX family of software solutions is available for all industrystandard 8086, 80286, and 80386-based computers, and the IBM® Personal System/2™ Models 50, 60, and 80.



(800) 626-UNIX (626-8649) (408) 425-7222 FAX: (408) 458-4227 TWX: 910-598-4510 soo sacz uucp:...decvax!microsoft!soo!info

## UTILITIES

READ_SET_BPS	HINDS				PUSH PUSH PUSH	DX BP	
COLOR TABLE RES_TÄBLE	DW DW DW	OFFSET RES 2, 0	3,2,2,3,2,1,2,2 PFFSET RES 1, OFFSET RES 2 PFFSET RES 3, OFFSET RES 3 PFFSET RES 2, OFFSET RES 5		HEUG HEUG HEUG HEUG HEUG	SI DI DS ES	
	DW	OFFSET RES 4, 0	OFFSET RES 6, OFFSET RES 6 OFFSET RES 7, OFFSET RES 5		POP	DS AX.BIOS SEG	;Set DS to CSEG ;ES points to BIOS data area
es_1 es_2	DB DB	*25x40 *,# *25x80 *,0			MOV ASSUME	ES,AX DS:CSEG, ES:BIG	·
ES ⁻ 3 ES ⁻ 4	D16	"328x288",0			CALL	SETHODE BUSY FLAG	;Do the window
ES 5 ES 6	DB DB	"328x288",0 "640x350",0			POP	ES DS	;Restore all registers
LES 7 TEXT TXT	DB DB	"549×480",0			ASSUME	DS:NOTHING, ES:	NOTHING
GRAPH TXT	DB Dh	"Graph", 8		1	POP	SI BP	
KONO TXT NUTXT	DB DB	"Hono ", 8			POP	DX CX	
					POP	BX	
			s mode number and resolution		POPF IRET		;Now were all done
TION THO SE		CS:CSEG, DS:CSE	NG, ES:BIOS_SEG :Get selected mode	NEWINT&9	ENDP		
	MOV	DH, 14 DL, LEFT SIDE	;Put text on row 16	; Here is the c	cde used	to initialize s	
	ADD	DL.9		EVEN		CS:CSEG, DS:CSE	G, E8:CSEG ;Align the buffer
	VON	AL,BL CL,10	;Current mode into AL	WINDOW_BUFFER INITIALIZE:	LABEL	BYTE	twendin oue parties.
	XOR DIV	AR, AH	;Divide by 10	1-11111111	NOV	DX, OFFSET COPYR	right ;Do first helf of copyright
	MOV	BH, AH AL, AL	;Save remainder for next digit ;Is first digit a zero?		INT	21H	
	HOY	TWO DIGITS	; If not, display it normally ; Make first digit a space		MOV	AX,1A00H	:Read display combination code
WO_DIGITS:	ADD	AL, "8"	:Convert digit to Ascii		CMP	AL, 1AH HO VGA	;Is VGA or MCGA present?
	CALL		;First digit of mode number		HOV	AH, 00168000B	;Set bit for MCGA adapter ;Is it model 36 with mono?
	ADD CALL	AL, "0" DISPLAY_HORMAL	;Second digit of mode number		JE CMP	SET BITS BL, JCH	;Is it model, 30 with color?
	JA	BL, 19 NOT_IN_TABLE	;Is this mode in table?		JE	SET BITS AH, 80010000B	:Set bit for VGA adapter
	ADD XOR	DL,3 BH,BH	;Skip three spaces		CMP JE	BL, 7 SET BITS	:1s it VGA mono?
	CHP	SI, OFFSET TEXT_ BL, 7	TXT		EWE DI	BL, T SET BITS	;Is it VGA color?
	JE Jb	TEXT HODE NOT EGA NODE		NO_VGA:	XOR	DH, DH	
OT_EGA_HODE:	SUB	BL,5			CALL	AH, ØBBH LOOK FOR CARD	;Look for a color adapter
	JBE	BL, 3			JNE OR	NO_COLOR DH,000000148	;Set bit for color adapter
TEXT_HODE:	HOV	SI, OFFSET GRAPH	_	go cotor:	HOV	AH, OBOH	;Look for mono adapter
	INC	TTY_STRING	;Show text/graph mode ;Skip a space		JHE	NO MONO	and his fee to the
	MOV MOM DEC	AL, COLOR TABLE ( SI, OFFSET BW_TX AL		NG_MONO:	OR	DH,00000001B	;Set bit for mono adapter
	JZ MOV	SHOW COLOR SI, OFFSET COLOR	THE		HOV	ADAPTER_FLAGS,D	
	DEC J:	AL SHOW COLOR			INT	al,10H 10H al,10H	;BIOS get EGA info function ;Did BL change?
HOW COLOR:	HOV	SI, OFFSET MONO_	TXT		JE	NOT_EGA	; If not, no EGA present
_	CALL	TTY_STRING	:Show color/bw mode selected :Skip a space		PUSH	ES AX, BIOS SEG	
	SHL	BX,1 SI,RES TABLE(BX			MOV	ES:BIOS SEG	
NOT_IN_TABLE:	CALL	TTY_STRING	;Display resolution of this mode		MOV	AH, 00000100B	;Set bit for EGA color Pr018B ;Is an EGA mono attached:
SHOW MODE	RET ENDP				POP	ES ES:CSEG	
-					JZ MOV	SET BITS AH, 7003120PH	;Set bit for EGA mono only
			ger key to pop up.	LET RITE:	OR	ADAPTER_FLAGS, A	Н
HEWINT09	STI		HING, ES:NOTHING ;Allow other interrupts	; Search for an	NOT		; Nodify to avoid false match
	Pushf Push	AX	:Must save processor state		NOV	BX, BX AX, CS	;Start search at segment zero ;Compare to this code segment
	CMP	AL, SEH AL, HOTKEY	;Get the scan code ;Is it the hot key?	MEXT SEGMENT:	INC	вх	:Look at next segment
INTO9_EXIT:	JE POP	TRIGGER AX	; If yes, check the mask ;Restore the processor state		MOV	AX, BX ES, RX	:Until reaching this code segment
PRIGGER:	POPF JMP MOV	CSIGLDINTSS AH, 2	;Continue with ROM routine ;Get keyboard status		NOV		setup to compare etrings
e et a seriem El P	INT	16H AL, 8FH	;BIOS keyboard service ;Test only for shift keys		MOV MOV REP	DI,SI CX,16 CMPSB	:16 bytes must match :Compare DS:SI to ES:DI
	THE	AL, SHIFT HASK IL 189 EXIT	:Does it match out combination?		OR JNZ	CX, CX	;Did the strings match? :If no match, try next segment
	CMP JNS	CS:BUSY FLAG, 0 INTO EXIT	:Is SETHODE already active? ;If active, then exit	ERR EXIT:	HOV	DX, OFFSET INSTA	
	INC	CS: BUSY_FLAG	:Its active now	MATERIAL A V	INT	21H AK, 4C01H	Display error message
	NOV	AL,61H AH,AL	These instructions reset KB	NOT_INSTALLED:	INT	218	Exit to DOS
	OR	AL, 80H 61H, AL			Assume Hov	ES:NOTHING AX, 3589H	;Get keyboard vector
	JIP	AL, AB SHORT KB_DELAY			INT	21H WORD PTR  OLDIN	T89], BK ;Save segment
D_DELAY:	OUT	61H,AL			HOV	WORD PTR   OLDIN DX, OFFSET NEWIN	T09+2],ES ;Save offset
	MOV	AL,20H	:Reset the interrupt controller		INI	AX, 2509H 21H	;DOS function to change vector
	STI	26H, AL	towner com surmirabe constatte.				
	PUSH	вх	;Must preserve all registers				(SETMODE.ASM contin

## LAN's Best Friend

Dependable UPS systems from American Power Conversion support the new UPS monitoring functions of:

- ✓ Novell's SFT Level 2 NetWare™
- 3 Com's 3S/400 server
- Banyan's VINES™



## Here's the American Power Conversion Advantage:

- Systems allow automatic, secure network shutdown during extended power outages.
- No supervisor intervention is required.
- Ideal for file servers which are sometimes unattended or attended by untrained personnel.
- Complete power protection from blackouts, sags, noise, and surges.

## A broad range of UPS products covers all networking requirements:

330 XT
450 AT
For AT type servers, 3 Com servers, and CAD workstations
For SFT Level 2 and VINES file servers
For large file servers with multiple hard drives
For multiple PC's or very long backup power duration.

International models available. Inquire about our UPS application handbook.



2 Columbia Street # P.O. Box 3723 # Peace Dale, RI 02883 # Tel. (401) 789-5735

## UTILITIES

Deallocate our copy of the enviors and stay resident. Leave code and	ment, Terminate space for buffer resident.		XOR PUSH TIME	BI, BI DS AL, AL	OTHING, ES:NOTHING  Look at offset zero
HOV AX,DS:[SB2CE HOV BS,AX HOV AM,49H INT 21R HOV DX,OFFSET WI CL,4 SHR DX,CL HOV AX,3186H INT 21H	;Get segment of enviormment;Put it into Es;Pelease allocated memory  HOOW BUFFER + 48*18*2 + 15  Thift four to divide by 16 ;Convert size to paragraphs ;Return success status	DELIAY:	HOV HOV JHP HOV JHP	DS,AX CH,[SI] AL,55H [SI],AL SHORT DELAY AH,[SI] [SI],CH DS AL,AH	;Load the segment register ;Store the initial value ;Write pattern of ones and zeros ;A short delay ;Read the byte we just wrote ;Restore the initial value ;Did it match?
This routine examines memory to lo		LOOK_FOR_CARD	ret Endp Ends End	START	(SETMODE ASM end

gram is popped up, you'll see the current settings for up to four serial ports in the middle window (most PCs have only one or two installed). If you have an internal modem, it too will count as a serial port. Missing (or incorrectly installed) ports are indicated by "n/a" in the bps column.

To change a setting, use the Up and

Down Arrow keys to position the moving bar on the desired item. If more than one port is installed, the Left and Right Arrow keys are used. Press either the Plus or Minus key to change the item's value.

Four parameters can be set for each port: bits per second (bps), parity, number of data bits, and number of stop bits. Al-

though the RS-232 standard defines the technical details of the electrical interface, it allows many variations of the basic data format. Which settings will work is generally determined by the device which is connected. For example, most modems work at 1,200 or 2,400 bps, serial printers generally run at 9,600 bps. Both the PC

```
180 REM - BASIC PROGRAM TO CREATE SETMODE.COM
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                3D,
5,
00,
30,
5,
21,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 . BA, DE, . 2, 4, BB, B6, . 1A, 8, 8, 8, 89, CD, BC, 2, 26, 31, 8, 8A, 26, AB, 26, AB, 26, CD, 6, C3, 6F, 6E, 53, 76, D7, 5, 89, 16, 75, E, 86, 32, 33, D2, EB, CB, 83, C2, EB, D1, 88, C6, 2, EB, D1, 88, C6, 24, EB, D1, 88, C6, 24, EB, D1, 88, 
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      32, FF, 1
11, 2A, C
6, FE, C
86, F, S
8, 8, 97, E
26, 28, 1
28, 8A, E
28, 8A, E
28, 14, 2, E
84, 2, E
85, 65, 6, 6
1, 63, 0D, 5, 6
18, 61, 63, 0D, 5, 6
21, 88, D1, 7, F3, E
8, 18, 21, 88, D1, 77, F3, E
8, 88, C4, 1
1, 2, 7, 42, 2
88, EE, 18, 18, 18, 2
11, 2, 7, 42, 2
11, 2, 7, 42, 2
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11, 2, 7, 42, 1
11
                118 CLS:PRINT "Creating SETHODE.CON"; OPEN "EETHODE.CON" AS 81 LEN = 1 128 PIELD 41, 1 AS AS: CHECKSUM6=8
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               850 DATA 36,
860 DATA C6,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  ### JB, 3D, 869 DATA C6, 8, 899 DATA 3E, 3B, 899 DATA 3E, 3B, 999 DATA 3E, 2C3, 926 DATA 3E, 2C3, 926 DATA 3E, 2C4, 926 DATA 3E, 2C4, 926 DATA 3E, 2C4, 926 DATA 3E, 3E, 978 DATA C1, AC, 999 DATA C1, AC, 999 DATA C1, AC, 991 DAT
                                                                           FOR 1 = 1 TO 131

LIMESUME=8: LOCATE 2,3: PRINT "Countdown: ": 131 - I;

FOR J = 1 TO 16: READ BYTES: CHECKSUME=CHECKSUME+VAL("48"+BYTES:

LIMESUME-LIMESUME+VAL("48"+BYTES:
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     A98
646
99
4CF
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     68A
848
7DA
575
7E2
                                                                                                        IF (BYTE < 256) THEN LEST AS-CHRS(VAL("AR"+BYTES)): PUT #1
                                                                                     READ LINETOTS: LINECRECK# - VAL("AH"+LINETOTS;
READ LINECHEES - LINECHECK# = VAL("AH"-LINETOTS; 200 IF LINECHEES - LINECHEES 
                                                                              IF LIMECHECKS = LIMESUMS THEM GOTO 228
LOCATE 4,2: PRINT "Error in line 8"; 268 + 18 * I: GOTO 268
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                5E7
676
4P3
74A
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   01.
6.
65.
53.
EA.
E9.
CF.
F7.
C6.
D6.
59.
38.
88.
PE.
86.
32.
86.
38.
4A.
78.
38.
4A.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          1836 DATA 8.
1846 DATA 8.
1858 DATA 72.
1868 DATA 2.
1878 DATA 26.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 405
460
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 626
62F
7E7
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            68,
88,
88,
C2,
88,
75,
75,
2,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   1078 DATA 26,

1888 DATA 2,

1898 DATA 83,

1188 DATA D2,

1118 DATA 0,

1129 DATA 36,

1130 DATA CA,

1146 DATA 32,

1150 DATA 8,

1160 DATA 83,

1180 DATA 3,

1180 DATA 3,

1180 DATA 3,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               77,
74,
71,
73,
88,
CA,
C5,
F0,
58,
B0,
FE,
5,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               9D9
733
739
9A3
72D
AE5
8B7
8C5
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     20, A.
22, 4.
C1. B.
FE, E.
5, A8.
88, 84.
58, 24,
31, F6,
88, D5,
88, D1.
3, EE.
1EC, 86.
2, 1,
3A.
7,
10, 28,
32, 38,
32, 38,
34, 18,
26, 29,
9,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         5,
4,
4,
0.6,
12,
7,
8,
8,
8,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     80, C6,
2, E0,
D1, 80,
A8, 20,
90, FE,
43, 80,
E0, 30,
42, 42,
3, 2,
7, 52,
7, 52,
7, 52,
21, 20,
30, 30,
35, 30,
67, 29,
16, 3A,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            81A
9A3
7CE
972
566
AFF
8E7
99
298
378
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   1180 DATA C2,
1190 DATA 83,
1200 DATA 88,
1210 DATA 8A,
1220 DATA 2,
1230 DATA D0,
1240 DATA 2,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 00,
3,
1,
7,
78,
78,
78,
8,
26,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      32,
32,
34,
70,
21,
C2,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               316
343
358
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    EC,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          1328 DATA 8A,
1338 DATA A,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            1E,
32,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             B6.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         58,
3E,
4.
4.
1.
75,
88,
3B,
F1,
56,
CD,
74,
EA,
65,
1,
FB,
2,
09,
24,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           536
6AA
5C9
6PK
6D7
72A
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          80,
EB,
07,
3,
71,
22,
33,
86,
52,
PE,
BA,
8,
CJ,
CD,
CD,
CD,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     CA,
3,
88,
7,
84,
C3,
9,
9A,
56,
33,
1,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              13,
72,
72,
72,
72,
10,
90,
22,
88,
10,
88,
11,
6,
38,
88,
10,
88,
10,
88,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  C2,
5,
0,
BZ,
736,
2,
61,
55,
28,
74,
88,
21,
21,
21,
21,
21,
21,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 653
88p
7p8
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 A1B
75D
497
745
896
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       4C7
748
680
45E
627
5ED
62E
643
5CJ
5CC
7AE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               64E
594
512
73C
76E
662
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        1468 DATA 88, FB,

1478 DATA 3D, 80,

1488 DATA CE, 23,

1498 DATA 84, 12,

1588 DATA 41, 2,

1528 DATA 1A, RE,

1538 DATA 3D, 11,

1548 DATA 89, 12,

1558 DATA 81, 2C,

1568 DATA 88, 4,

1578 DATA 88, 4,

1578 DATA 88, 4,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 688
48A
688
782
528
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       9EC
784
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           83F
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       683
886
996
856
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 442
74D
```

**SETMODE.BAS:** A BASIC program that will automatically create SETMODE.COM.

## UTILITIES

and the remote device it is communicating with must use identical settings. For a more detailed discussion of RS-232 communications, see the sidebar "Speaking the RS-232 Language."

SETMODE also displays the current state of the Data Set Ready (DSR) line. This value is read from pin 6 of the standard 25-pin connector. A "Yes" indicates the attached device is connected and powered up (although not necessarily online). If you have an internal modem, the DSR should always be active. A "No" is a sign that no connection has been made or the remote device is not operating. You can use this feature to determine if your equipment is attached and working properly. Normally the DSR indication should be on when equipment is attached properly.

WORDS OF CAUTION Since SET-MODE deals directly with the machine's hardware, it is a very powerful program. While nothing you can do with SET-MODE can damage your hardware, if you use the program incorrectly you can send

SHIFT_MASK Value Table						
		Shift (• = f	t key 'ressed)			
SHIFT_MASK value	Alt	Ctri	Left Shift	Right Shift		
0						
1				•		
2			•			
3			•	•		
4		•				
5		•		•		
6		•	•			
7		•	•	•		
8	•					
9	•			•		
A	•		•			
8	•		•	•		
С	•	•				
D	•	•		•		
E	•	•	•			
F	•	•	•	•		

Figure 3: The combination of shift keys needed to pop up the program corresponds to a unique SHIFT_MASK value. Use this value when altering the program's default activation keys as explained in the article.

your hardware into a tailspin. To prevent this from happening, you'll have to follow a couple of simple rules.

First, although SETMODE has enough smarts to keep you from switching to a video mode that isn't supported by your equipment, it won't prevent you from switching modes at the wrong time. To avoid problems, change modes only when at the DOS prompt rather than while running another program. Most software can't tolerate a video mode change and will revolt, either by doing nothing or by displaying garbage on the screen. When in doubt, selecting mode 3 for color monitors and mode 7 for monochrome should put things back to normal. These are the standard text modes and can be used by most software.

A second possible problem could arise if you pop up while a file transfer (which uses the serial port) is in progress. When SETMODE reads the communication port settings, it could interfere with the port's operation. Worse yet, if you changed the protocol parameters during a file transfer, the carrier signal could be disrupted. Again, making changes only when at the DOS prompt is recommended.

YOUR PERSONAL HOTKEY You can change the default Alt-M hotkey combination in one of two ways. If you have the program source code and an assembler, you can easily modify the equates for SHIFT_MASK and HOTKEY. Also change the text at label "COPYRIGHT" to display the new hotkey. Then reassemble and link the program and use EXE-2BIN to convert the resulting executable file into the .COM format, as usual.

If you're starting with the .COM version of SETMODE, you can use DEBUG to make the changes. Values for the shift mask and scan codes can be found in Figure 3 and Figure 4, respectively. Notice the values are all in hexadecimal notation. The following example illustrates how to change the hotkey to Ctrl-X:

DEBUG SETMODE.COM
E 14C "Hotkey is Ctrl-X"
E 807 2D ;Desired Scan code
E 818 04 ;Desired Shift Mask
W

Be sure to enter *exactly* 16 characters (excluding the quotation marks) in the line

## **Keyboard Scan Codes** for Alternative Hotkeys

Key	Scan code in hex	Key	Scan sode in hex
Esc	01	Z	2C
11	02	×	2D
@2	03	Ĉ	2E
#3	04	ľv	2F
\$4		В	
%5	05 06	N	30
6	07	M	32
8.7	08	<,	33
*8	09	>.	34
(9	0A	2/	35
)0	OB	Right Shift	36
	oc	PrtSc*	37
+=	OD	Alt	38
Backspace	0E	Spacebar	39
Tab	0F	CapsLock	3A
Q	10	F1	3B
W	11	F2	3C
E	12	F3	3D
Я	13	F4	3E
T	14	F5	3F
Υ	15	F6	40
Ü	16	F7	41
Ĭ	17	F8	42
0	18	F9	43
Р	19	F10	44
a	14	NumLock	45
n	18	ScrollLock	46
Enter	1C	7 Home	47
Cirl	1D	8 Up Arrow	48
A	1E	9 PgUp	49
S	1F	-	44
D	20	4 Left Arrow	4B
F	21	5	4C
G	22	6 Right Arrow	4D
Н	23	+	4E
J	24	1 End	4F
К	25	2 Down Arrow	50
L	26	3 PgDn	51
**	27	0 ins	52
16.7	28	. Del	53
~'	29	SysReg	54
Left Shift	2A	F11	57
1	2B	F12	58

Figure 4: If the key combination used to activate the program is not to your liking, it may be easily changed to another setting. You may choose a new hotkey from the table above and then substitute the scan code for the key in the program as directed in the article. This ability to change keys adds to the SETMODE program's flexibility.

## The Most Important Question You **Should Answer Before Buying Any Single** User Accounting Software Program.

As your business grows you need to add more integrated terminals to your system. Will your accounting software program have upgradeability to 3.1 DOS with complete record and file locking functions?

Multiuser processing is a completely different environment than the single user. The vast majority of single user accounting software programs are incapable of upgradeability to complete record and file locking functions. COUGAR MOUNTAIN'S ACT 1 was designed from inception to have upgradeability to 3.1 DOS, giving you unlimited growth potential. All data files are automatically upgradeable to the multiuser version.



ONLY

Plus \$11.50 Shipping & Handling





Here's more reasons why ACT 1 has become the industry standard and why thousands of users are selecting, and changing to, ACT 1.

## GENERAL FEATURES

"LOOKUP" Windows throughout. Menu driven with 2 help references Multi company and report generator. Sample data files included. Complete audit trail. All modules can post to multiple profit centers. Fully integrated with single source entry. Date sensitive user-defined fiscal calendar

User defined financial reports. User can design checks, invoices, statements & W-2s. User defined chart of accounts, account numbers & stock numbers up to 15 alphanumencs.

## GENERAL LEDGER

Allows for multi company ledgers. Unlimited multi-level accounts for departmentalized reporting.

Allows recurring journal entries User can process transactions 2 periods into next

Allows budgeting.

## ACCOUNTS RECEIVABLE

Open invoice and/or balance forward. Allows unapplied payments.

Handles recurring accounts receivable. Supports partial payments & finance charges. Allows unapplied credit memos.

Up to 5 user-defined aging periods. Mailing labels & reports with 7 different sorts.

## INVENTORY

Supports: LIFO, FIFO, weighted averages & standard cost.

Supports markup, margin or list

Allows up to 4 places to right of decimal for unit cost & price.

Supports service or product oriented businesses. User defined tax tables including multiple sales taxes. Prints packing slips.

Prints invaices.

Alerts user to customer exceeding credit limit. Sales history reports.

Automatic updating of inventory daily. Allows return credit memos.

## ACCOUNTS PAYABLE

Can post to 200 general ledger expense accounts per

Automatically prepares payments. Supports partial and handwritten checks. Processes credit and debit memos

Computes discounts and records discounts taken.

## PAYROLL

Generates automatic payroll. Provides up to 8 user-defined rates. Allows post facto payroll.

Allows distribution of payroll expenses to user-defined departments

Benefits and deductions are calculated on fixed 270110008

Hourly amounts, percentage of gross or variable. Allows additions to gross which may be taxable,

nontaxable or partially taxed. Handles 401K & cafetena.

All tax tables easily updated by the user. Handles payroll draws, per diem pay, contract & piece work, hourly and salary Handles tip accounting

Prints checks and W-2s.

HARDWARE REQUIREMENTS
IBM PC* or competible HARD DISK REQUIRED.

## TO ORDER CALL (800) 344-2540 8:00-5:00 MST Monday-Friday

## UNCONDITIONAL 30 DAY MONEY BACK GUARANTEE

applicable on all products bought directly from COUGAR MOUNTAIN SOFTWARE.

Products must be returned in resaleable condition. Restocking fee applicable.

ACT 1 series is UPGRADEABLE to ACT 2 series which is multiuser for LANS & Networks. Data files are automatically upgradeable.

Trademarks:

IBM - International Business Machines MS - DOS Microsoft, Inc. PC - DOS IBM

Technical support is available via our Toll-Free Telephone Number.

Training seminars available.

To order by mail send \$139.50 plus \$11.50 S&H to:



2609 Kootenai, Box 6886, Boise, Idaho 83707, 208-344-2540



## LOOKS LIKE A JOB FOR SMARTCOM III.



The best qualified communications software. Put it to work for you. Call (800) 635-1225 for your nearest Hayes dealer.

Hayes.

## SETMODE BY MODEM

The programs published in PC Magazine are available by modem from PC MagNet, an on-line service through which readers can discuss the columns with the editors.

To join PC MagNet, set your communications software for either 300 or 1,200 bps, 7 data bits, even parity, 1 stop bit, and full duplex. You can use any of more than 300 local access phone numbers, including: Boston, (617) 542-1796; New York, (212) 422-8820; Chicago, (312) 693-0330; or San Francisco (415) 956-4191. To find the number nearest your dialing exchange or for 2,400-bps service, connect with PC MagNet and type GO PHONES. For Customer Service, call (800) 848-8990; in Ohio and outside the United States, call (614) 457-8650.

When you connect with PC Mag-Net, press Ctrl-C. At the USER ID prompt, enter 177000,5000. Enter PC*MAGNET at the PASSWORD prompt and enter Z10D8813 at the ENTER AGREEMENT NUMBER prompt.

PC MagNet costs \$12.50 an hour for 1,200/2,400-bps service and \$6 for 300 bps, via MasterCard, VISA, or American Express. There is no additional charge for downloading source code or compiled programs from PC MagNet. These programs can be copied, but are copyrighted and are made available only for noncommercial use. You may make copies for others as long as no charge is involved, but making copies for any commercial purpose is strictly prohibited.

SETMODE.COM is already compiled and ready to run. SETMODE BAS will automatically create SETMODE.COM when run once in BASIC. SETMODE.ASM allows you to modify the program, but requires you to use a macro assembler (IBM or Microsoft, Version 2 or later) and the following commands:

MASM SETMODE; LINK SETMODE;

EXE2BIN SETMODE SETMODE.COM

Photocopy this page. Trim and hole-punch the copy and add it to your DOS manual.



## SETMODE Command

Tom Kihlken

1988 No. 13 (Utilities)

Purpose:

Provides menu-driven setup and change of video modes and communications parameters.

Format:

[d:][path]SETMODE

Remarks:

SETMODE is a memory-resident utility that may be loaded either at the DOS prompt or by being included as a line in an AUTOEXEC.BAT file. It takes no parameters. Its default hotkey is Alt-M, and it will pop up in either text or graphics mode.

The SETMODE window displays the current settings (bps, parity, data bits, stop bits) for up to four installed serial ports. Settings can be changed by moving the bar menu highlight to the desired parameter with the cursor arrow keys and using the Plus or Minus key to increment or decrement the value. Pressing either Esc or Enter removes the SETMODE screen and implements any communications parameter changes. The status of the Data Set Ready (DSR) line is also shown in the window, though it cannot be changed through SETMODE.

The current video mode is also displayed in the SETMODE pop-up window and can be changed by moving the menu bar to the desired mode and pressing Enter. Note that modes not supported by the display adapter(s) in the user's system cannot be selected. When a video mode change is made, the screen is left blank; pressing Enter a second time will restore the normal prompt.

Note: Although SETMODE will pop up over most existing applications, video mode changes should normally be made only from the DOS prompt, as many programs will crash if the mode is changed while they are running. Similarly, changes in communications protocols should not be made while a file transfer is in progress. Text characters beneath the SETMODE window are preserved if the mode is left unchanged, but graphics images are not.

Instructions for changing the default Alt-M hotkey are contained in the article.



## UTILITIES

that begins with "Hotkey is." If necessary, you should pad the string with blanks. It would be a good idea to keep a copy of the original program before modifying it with DEBUG. If you make a mistake, just enter "Q" to quit DEBUG and start over.

seen what SETMODE does, let's take a look at how it works. From a programming standpoint, the logic is fairly simple. There are two main sections: the initialization routine and the resident portion. The very first instruction of the program contains a jump to the initialization portion, which can be found at the end of the program. Since the initialization routine is only

needed once, it is later overlaid by the window buffer.

As usual, the first step is to determine if the program is already installed. Loading multiple copies of the same resident program would cause havoc with the system. A search through the computer's memory will reveal any existing copies, and if one is found the program simply terminates with an exit code of 1. Otherwise the installation continues by testing for the various display adapters (I'll explain how this is done shortly).

Two more steps are required before the program is ready to become a resident part of your system. First, the keyboard interrupt vector must be intercepted, to permit detection of the hotkey combination. DOS

provides function calls that make this easy. Function 35h returns the current vector, and we save this address so we can JMP to it later. The new segment and offset are then placed into the vector table with function 25h. Second, before terminating, we release the memory occupied by our copy of the environment. We'll have no need for it and DOS can make use of it later.

The special terminate-and-stay-resident function is then used to return control to the operating system. A return code of 0 is passed back to indicate the installation was successful. The amount of memory reserved is just enough for the resident code and the window buffer. The window buffer is sized to hold the underlying display of 18 rows of 40 columns. Two bytes are re-

## SPEAKING THE RS-232 LANGUAGE

Getting the protocol values correct is one of the most troublesome chores when communicating with serial devices. The data being transmitted consists of a series of carefully timed electrical signals. These signals are generated by a universal asynchronous receiver/transmitter (UART), which, in the IBM PC, is an Intel 8250. This chip converts a single byte of data into the required electrical pulses and provides several control signals that may be read and set by the system microprocessor.

Although the RS-232 standard has specified most communications parameters, there are still many possible protocols available. Both transmitter and receiver must obey the same timing rules for a successful transfer of data. To fully understand the required settings, here is a short course in asynchronous data transmission.

In asynchronous communications, the transmitter can send a word whenever it wants: it does not have to be locked in step with the receiver. Each word transmitted consists of a start bit, data bits, and framing bits. The exact format can be controlled by the communications software and is commonly known as the protocol. The layout of the series of

pulses is shown in Figure A below.

The start bit is used to indicate when a word of data is about to arrive. When no data is flowing, the line is held in a mark state. Since an asynchronous system allows words to arrive at any time, a start bit is required to synchronize the timing of both systems. The data bits follow immediately thereafter, each one spaced one bit time apart. The common data formats utilize 7 or 8 bits in each word, though the UART itself allows anywhere from 5 to 8. If you hear about file transfer programs that can't send "high" bit characters, it's almost certainly because they use a 7-bit data format.

Following the data, the parity and stop bits are added. Logically enough, the stop bit marks the end of a word and returns the line to the idle state. The parity bit is generated by the UART hardware and can be used to detect transmission errors. This bit can be used in any one of five distinct ways: even, odd, mark, space, and none. When even parity is used, the parity bit is adjusted so that each word contains an even number of 1bits. Odd parity is just the opposite. With mark parity the bit is always set, and with space parity it is always zero. No parity indicates the bit is missing entirely. Although parity allows the UART hard-




Figure A: A series of signals such as these are generated by the UART to transmit each byte through the serial port.

quired for each character—one for the character itself, the second for the attribute.

The resident code consists of two main procedures: the interrupt service routine for the keyboard, and the SETMODE routine itself. The purpose of the keyboard handler is straightforward. It examines every keystroke, comparing the scan codes with the selected hotkey. When a match is found, it checks the state of the shift, Ctrl, and Alt keys to determine if the correct one is also depressed. If not, control is passed to the original keyboard routine. When the correct hotkey combination is found, the keyboard is reset and all the registers are pushed on the stack (interrupt routines must always preserve the processor state).

The main logic routine SETMODE is then called.

The first step in building the window is to save the cursor location (we'll be moving it about the screen to read and write characters). Then the underlying characters are read from the screen as the window is constructed. First, the border is drawn and the center filled with blanks. The text is added next. The two routines SHOW_ PORTS and SHOW_MODE are then called to fill in the current settings of the system. The last step before soliciting a keystroke is to place the moving bar on the current item. Creating the moving bar is accomplished by reading the affected characters from the screen and writing them back with a new attribute.

ware to detect line errors, it is in fact seldom used. Instead, more-advanced error detection and correction is done through software. When software error detection is used, the parity bit is normally omitted to reduce transmission overhead.

The number of bits per second indicates the speed of the data link. To send a byte of data normally requires about 10 bits (including the start and stop bits), so the effective throughput for a 1,200-bps signal would be 120 bytes per second. Not long ago 1,200 bps was considered high speed. Today, 9,600-bps modems are available, and PC-to-PC communications using a direct connection can run even faster. On the PC and AT the maximum rate supported by the basic input output system is 9,600 bps. The new PS/2 machines have increased this to 19,200 bps. SETMODE allows you to set values up to a maximum of 115,200 bps, which is the absolute highest rate that can be programmed into the UART. Your modern probably won't be able to run that fast, but it is possible for it to conduct PC-to-PC communications at that speed. You'll need a high-performance communications software package and a null modem cable to connect the two serial ports.

To program the desired line settings, SETMODE must correctly set the internal registers of the UART. These registers are mapped into ports that are accessible to the central processor with IN and OUT instructions. Each communications adapter is assigned a unique series of port numbers, which are defined by the base address of the first register. The base address of each installed adapter can be found in the BIOS data area starting at address 0040:0000. Normally, the first serial port adapter is installed at address 3F8h and the second at 2F8h. If you've ever had to move a jumper on a serial port adapter board, these are the values that are affected.

When the UART starts sending, the data is transmitted on one of the 25 pins of the RS232 connector (the AT utilizes a 9-pin connector). A second pin is used for incoming data. Other pins can be used for various control signals but are not required for simple communications. The only one of interest here is the data set ready (DSR), which is an input to the PC. A modern raises this line to indicate it is ready to receive data. SETMODE reports the state of the data set ready line with either a Yes or a No.

—Tom Kihlken

The BIOS read keyboard routine is used to wait for the next keypress. When it arrives, we compare it with the seven possible command keys (Plus, Minus, Esc, and the four cursor arrows). If it doesn't match, we simply ignore it and wait for another key. Otherwise, the moving bar is erased (it will be replaced shortly) and the appropriate logic routine is called to process the command.

When an arrow key is pressed, several checks need to be made before moving the bar. Before a new video mode can be chosen, the bits in ADAPTER_FLAGS are ORed with a table to determine if the required adapter is present. If the result is zero, the mode is skipped and the bar moves to the next selection. The result is that only modes supported by the available hardware are allowed. A similar test is made when moving from one communications port to the next. The bar can be moved only if a valid port address is found in the BIOS data area.

When Enter is finally pressed, the original window is copied back to the screen. Next, the selected video mode is compared with the starting mode. If it's different, a mode change is required. To cause a mode change requires reprogramming a number of registers in the CRT controller chip. Gathering all the required data to do this for each adapter would have been a programmer's nightmare; luckily, the BIOS provides services that make it easy. The desired mode number is placed in register AL, AH is set to zero, and an interrupt 10h is executed. An extra step is required to accommodate multiple display adapters.

The BIOS maintains a word at address 0040:0010 that contains the equipment list. Bits 4 and 5 specify what type of display is attached. The initial value for these is read from the DIP switches on the motherboard when the machine boots. Normally, with only one display adapter, they need never change. But when two adapters are present, the equipment list must correctly indicate which display is active. SETMODE uses the OR instruction to place the correct value into this word each time it changes the mode.

## THE PROGRAMMER'S NOTEBOOK

When programing in assembly language, there are always a number of interesting

## UTILITIES

problems that must be solved, a couple of which are illustrated by certain details in SETMODE.

When a window is popped up over an existing program screen, the current screen display must be preserved so that it can be replaced when the window is removed. There are two common (and lightning-fast) methods of doing this. One method utilizes the display adapter's ability to store and display more than one page. The other method involves reading and writing the character/attribute data directly from display memory. However, SET-MODE uses a different method, which, although much slower, has the advantage of working equally well in graphics and text modes.

The three SETMODE windows always occupy 18 rows of 40 columns each. The computer's Basic Input/Output System (BIOS) routines are used to read and write to the screen. These routines are designed

to work in any of the available video modes. To read (or write) a character, the cursor is placed on the desired row/column and interrupt 10h is used to read (write) the data. Actually, I use a shortcut to save the time required to move the cursor. Instead of executing a BIOS function to move the cursor, the desired cursor location is written into the BIOS data area. (The read/write character functions always use the cursor location stored in memory, not its actual physical location.)

I mentioned above that the BIOS read character function works even in graphics modes, and this is not exactly true. It works only if normal character data is being displayed.

If a graphics display is present, the BIOS cannot read it. For this reason, graphics displays are not fully restored when a window is removed. The alternative is to store the entire graphics memory. I did not use this technique since it would

require considerably more memory.

How SETMODE knows which display modes it can and cannot use is another programming detail of interest. The answer lies in the initialization routine. Six display options can be recognized: the monochrome display adapter (MDA), the color/graphics adapter (CGA), the enhanced graphics adapter with color monitor (EGA), an EGA with a monochrome display, the MCGA found on the new Model 30, and the new video graphics adapter (VGA). Each of these adapters can support only certain modes. Most other adapters emulate one of these and don't require any special consideration. The ADAPTER_ FLAGS byte has a bit that is set for each adapter in the machine. When switching modes, if the required adapter bit is not set, the mode is not allowed.

Now for the problem of finding the system's adapter(s). To determine if the MDA and CGA adapters are present, the

## Rapid lists. Rapid labels.

1	ime We'll Save With RepidFile per Hmoth		
	Served and Totaled by Department		
Беразтиших	7ssh	Hours Saved	
Account sag	Accounts Twossvable & Dunning Latters	01	
	Cash receipts	1.0	4
	Involcing		
	**Total Hours Saved for Accounting	364	
Administration	Wos-profit contributions	21	
	Personnel files	\$25	
	Pre-Frinted forms - Delume Computer Forms	335	
	Notary card falo	_15	
	""Total Hours Saved for Administration	496	
Operations	Coot estimation	245	
	Job cost tracking	287	
	Safety/occident history	24	
	Vohizin first management	_19	
	**Total Hours Saved for Operations	375	
Salos	Client file	07	
	Convention registration	145	
	Expense reports	127	
	Form letters (mail marge)	345	
	Mutling labels - Avery Leser lebels	42.0	
	Wmiling labels - pas fed	423	
	Prior quotation	_142	
	**Total Hours Neved For Sales	1,707	
	**Total Hours Saved for Dur Company	2, 942	
	This Report Created Veire Repidfile		
	the supplied of the same of th		

Window: Comples Internations 110 West Mastings Vancouver, B.C V62 183 CASADA	1
Ne. Elizabeth Carroll Creative Director Carroll & Hendic Calligraphy C 261 Newton Avenue Aspen, Colorado 42111	10.
Mr. C.J. D'Angelo Marketing Manager Bonan Tent in Modern Times 553 Burton Street Los Angeles, California 9950)	
Mr. Tom Duwling Graphic Artist Carlbbana Boat Designa 105 South East Flace Cape Coral, Ploride 31904	
Mr. Devid Printron Art Director Bessed Book of the Wouth Club 34 Mountain Street Berhely, Chlifornia \$4704	
Mr. Mark McDonough Conductor of Calligraphy Audiophile Compact Disk Supply Sural Houte 5 Holme, New York 41531	' 1
Mr. Bent Schmidt-Hielsen Pen & Ink Strategic Planner Pagyrns Paper & Copy Service 1111 Invernate Wood	

*In Colorado call (303) 799-4900, Ext. 0274. RapidFile runs on IBM* PC or 100% compatible. Trademarks/owner: RapidFile, dBASE, MultiMate Advantage II, Framework, Ashton-Tate, Corp.; PFS: Professional File/Software Publishing Corp.; IBM/International Business Machines Corporation. RapidFile is written in MMSFORTH ©1984 Miller Microcomputer Services.

adapter's video buffer (at segments B000h and B800h) is examined. First, the byte at offset 0 is read and stored. Next the binary value 55h is written to the same location. After a short delay (to allow sufficient time for the display memory to react) the byte is read and compared with 55h. If it matches, a video adapter is assumed to be installed. The original value is then restored so that the display remains unaltered.

The method outlined in the IBM BIOS Interface Technical Reference manual is used to test for the presence of a MCGA, VGA, and EGA. First, to test for the VGA, we issue INT 10h with AX equal to 1A00h. This function reads the display combination code. If AL is not still equal to 1AH on return, there is no MCGA or VGA in the system. Otherwise, the value returned in register BL determines which display is in use. Similarly, to determine if an EGA is present, the EGA information function is used (INT 10h is issued with

AH equal to 12h and BL equal to 10h). If, on return, BL is still equal to 10h, there is no EGA in the system.

Another interesting problem arose in connection with displaying the bps setting of the serial ports. This value is set by loading a divisor into the UART's registers. The UART converts the divisor into bps using the equation

## bps = 115200 / divisor

For a 16-bit processor, division with a number of this magnitude is no problem as long as the result is no greater than 65,535 (64K). But what if the bps rate is set greater than this? A divide overflow would result, producing a type 0 interrupt. This would then require special consideration, since it occurs from within a resident program. A little high school algebra eliminates the problem completely, however. Since we know all a normal bps rate is a multiple of 10, we divide the numerator by

10 and thus use 11,520 instead of 115,200 in the above equation. To produce the correct answer, the result is then simply multiplied by 10, i.e., a zero is appended to it.

One last consideration is needed in the above operation. Suppose the bps divisor was set to zero? (Inadvertently dividing by zero has long been a trouble area when evaluating mathematical equations.) The result of the division would be undefined and an interrupt 0 would be executed. To preclude this possibility a special test is made, and if SETMODE finds a divisor of zero, the division is simply not performed.

If your experience with the MODE command has been one of love and hate—with more of the latter—you now have an alternative. SETMODE can at least give you a fighting chance in the war between you and your peripherals.

Tom Kihlken is an occasional contributor to PC Magazine.

## Rapid letters. Rapid File.

## Calligraphers Guild of America

22 William Penn Avenue - Pittsburgh, Peransylvania 90002

March 1, 1988

FIGURE
FIGURE
ACCRESS
CITY, STATE

LIPCOUN

Dear FIRSTHAM

The pleased to showmen that the Calligraphers Unied will no Looper have to pe through the toolook meet of writing its members by hand.


From now on, all one mallion teach will be done by Regulating.

The now on, all one mallion teach will be done by Regulating.

The now on, all one mallion teach will be streamed report, and as you can one from the act and a population of the streamed report, and as you can one from the act and a proposed and the streamed report, and the stream of the streamed report, and the stream of the streament of the stream of the

## CIRCLE 519 ON READER SERVICE CARD

Ashton-Tate logo/ Ashton-Tate Corporation; Lotus, 1-2-3/Lotus Development ©1988 Ashton-Tate Corporation. All rights reserved.



If you work with lists, mailing labels, form letters or reports, you should be working with RapidFile.™ It'll make quick work of all these tasks on your PC. Call (800) 367-8126, Ext. 0274* for more information or the name of the dealer nearest you.

ASHTON •TATE*

## **GENERIC ANNOUNCES NEW LEVELS OF CADD SOFTWARE**



## BECAUSE ONE SIZE NEVER FITS AL

It's gotten to the point where software is either too underpowered to get the iob done or too complicated to use.

That's why we've developed new Generic CADD Levels software. Three different programs for IBM® PCs and compatibles that let you choose the level that fits your needs exactly.

What if your needs change? Just move up to the next level. Since every level works the same way. once you learn one it's easy to learn the next one.

## GENERIC CADD LEVEL 1™

is just right if you're getting into CADD. It's an amazingly powerful package for only \$49.95*. Yet it's simple to use and it can run

on a two-floppy system.

## GENERIC CADD LEVEL 2™

adds enhanced editing capabilities like automatic English or Metric dimensions, extension lines. arrows, and single line snaps and trims—all for \$99.95*. Level 2 is perfect when you need a little more performance.

## GENERIC CADD LEVEL 3™

is our fully featured package. Its advanced features include hatches and fills. poly line snap and trim, dynamic drag, macros, and EMS support for bigger drawings. This professional program has everything you need if you work with CADD every day. And you

*Suggested retail price

get all these features for just \$199.95*

## Send for our free **CADDalog™**

To find out more about our new Levels softwareas well as other Generic products—call or write for our free CADDalog.

## Call 1-800-228-3601.

Or write Generic Software. 8763 148th Avenue NE. Redmond, WA 98052.

© 1988 Generic Software, Inc. Level 1, Level 2, Level 3, Generic CADD, and CADDelog are trademarks of Generic Software, Inc.








CIRCLE 506 ON READER SERVICE CARD

## ■ ENVIRONMENTS ■ CHARLES PETZOLD

# INTRODUCING THE OS/2 PRESENTATION MANAGER



Here's a first look at OS/2 1.1, whose graphics-based interface sets standards for ease of learning and use for the next generation of application programs.

"The time has come," the Walrus said,
"To talk of many things:

Of messages and window procs,
Resources, menus, strings,

And how to use a dialog box
To make your programs sing."

Presentation Manager has arrived.
Paraphrasing Lewis Carroll on this occasion is certainly appropriate. The Presentation Manager is a wonderland of new ideas and concepts that, initially, can be disorienting and even a little scary. This is a system with its own architecture, its own vocabulary, its own Weltanschauung.

In this issue's column we'll take our first brave steps through the looking glass into the OS/2 Presentation Manager.

WHAT IT IS The Presentation Manager is part of OS/2 1.1, which is scheduled for retail availability from IBM in October 1988. Other computer manufacturers (such as Compaq and Zenith) are expected to license OS/2 1.1 from Microsoft and adapt it to their own hardware.

As with OS/2 1.0, Microsoft has made a preliminary beta-test version of the operating system available to programmers as part of its \$3,000 OS/2 Software Development Kit (SDK). The beta version of the Presentation Manager was originally scheduled for shipment in December 1987 but was not shipped until April 1988. The Presentation Manager program that I'll show in this issue (and those in the next couple of Environments columns) is based on this April beta-test release. Keep in

mind that there undoubtedly will be some changes in the Presentation Manager over the next few months that may affect these programs.

The Presentation Manager is a graphics-based multitasking windowing environment that looks and feels much like its DOS counterpart, *Microsoft Windows*, Version 2.0. This type of graphical interface (sometimes also called a "visual interface") incorporates menus, dialog boxes, scroll bars, buttons, and other objects that facilitate user input through the key-

board or a pointing device such as a mouse. The menu and dialog box interface is consistent across applications. Users often find that such an interface is easy to learn and use.

Figure 1 shows a typical Presentation Manager display. (It looks better in color.) The screen serves as a desktop. Each program occupies a rectangular area (called a window) on the desktop. The program is identified by a title bar across the top of the window. To the left of the title bar is a small box that invokes the drop-down sys-




Figure 1: A typical Presentation Manager display.

## ENVIRONMENTS

tem menu. The options on the system menu are generally the same for all applications. To the right of the title bar are two arrows. The arrow pointing up is used to "maximize" the window so that it fills the whole screen. The arrow pointing down is used to "minimize" the window so it occupies a small area at the bottom of the screen. The entire window is surrounded by a sizing border for changing the size of the window.

Below the title bar is the applications main menu (if the program uses a menu). Each option on the main menu invokes a drop-down menu. Some menu items invoke a dialog box, which is a smaller window containing "controls" such as buttons, check boxes, text entry fields, and list boxes.

The Presentation Manager (and programs running under it) occupy one OS/2 session. You can run OS/2 1.0 full-screen applications in other sessions and switch among the sessions. Most OS/2 1.0 applications will also run in a window under the Presentation Manager.

You can think of OS/2 1.1 as supporting two distinct and very different environments. The OS/2 kernel (which is part of both OS/2 1.0 and OS/2 1.1) is mostly for traditional character-mode applications that display output in a teletype fashion or use the full screen. The Presentation Manager is a more modern graphical windowing environment.

WHERE IT CAME FROM Of course, graphical windowing environments are not new. They were first developed in pioneering work done at the Xerox Palo Alto Research Center (PARC) beginning in the mid-1970s with machines known as the Alto and Star.

Windowing environments entered the personal computer arena in January 1983, when Apple Computer introduced the Lisa. The Lisa flopped, but a year later Apple introduced the Macintosh, which has proved to be very successful.

On the DOS and PC front, two graphical windowing environments were released in 1985: Microsoft Windows (originally announced by Microsoft in November 1983) and Digital Research's GEM. Windows was more successful than GEM in attracting PC software develop-

ers, but *GEM* met with some success on machines other than the PC, such as the Atari ST. Windowing environments have also shown up on other low-end personal computers, such as the Commodore Amiga and the Apple IIGS.

On the higher end of the small computer spectrum, workstations such as those developed by Sun Microsystems also run graphical windowing systems. Sun's major environments are called *SunWindows* and *SunView*. *SunView* runs under Unix on Sun's new 80386-based machine.

In the 1990s the typical computer display will present a graphical windowing environment. All the systems I've mentioned look a little different, yet from a user's perspective they are fundamentally quite similar. You can sit down with an application under any of these environments, use the mouse to explore the menus, and soon begin working.

This is quite surprising—somehow the computer industry has settled upon something like a standard in user interface design. Despite the recent bizarre look-and-feel lawsuit initiated by Apple (whose lawyers apparently believe the graphical interface was invented in Cupertino, California), windows are here to stay.

IBM in particular has big plans for the

Presentation Manager. The Presentation Manager forms one of the cornerstones of Systems Application Architecture (SAA), which is an attempt to standardize user interfaces and application program interfaces (APIs) across IBM's entire line of computers. If this comes to pass (and some people feel it is crucial to IBM's long-term survival), the Presentation Manager interface will be a common sight to users of all IBM computers.

How does it know? The first time I saw a windowing environment, I was baffled by how it worked. One common demonstration showed how a window could be resized by the user. The strange thing was that some applications would adjust the contents of the window to the new window size. An analog clock would grow or shrink to the largest size the window could accommodate. A window displaying text would use a different right margin for word wrap.

I knew that the logic for resizing the windows was obviously built into the operating system rather than being duplicated by each application. That made a lot of sense to me. But after the window was resized, how did the program know that the window size had changed?

```
BOXES1.C -- OS/2 PM program that draws nested boxes in client window
               (c) 1988, Siff Communications Company
               PC Magazine * Charles Petzold, 4/88
#define INCL WIN
#include <os2.h>
#include <stddef.h>
#define NUMBOXES 58
                          /* number of boxes to draw
#define INCREMENT 28
                         /* rotate each 1/20th of side */
HRESULT EXPENTRY ClientWndProc (HWND, USHORT, MPARAM, HPARAM);
int main (void)
     static CHAR szclientClass [] = "Boxes1" ;
     HAB
                 hab ;
     DMH
                 hmq ;
     HWND
                 hwndFrame, hwndClient :
     QMSG
     hab = WinInitialize (8) ;
     hmq = WinCreateMsgQueue (hab, 8) ;
     WinRegisterClass (
                    hab,
                                         /* Anchor block handle
                    szClientClass,
                                         /* Name of class being registered */
                    ClientWndProc,
                                         /* Window procedure for class
                                                                        (continues)
```

Figure 2: The BOXES1.C program draws a series of nested rectangles in its window.

```
/* Class style
                     CS SIZEREDRAW,
                                                                              */
                                          /* Extra bytes to reserve
     hwndFrame = WinCreateStdWindow (
                    HWND DESKTOP,
                                          /* Parent window handle
                                                                              */
                    WS VISIBLE
                                         /* Style of frame window
                            FS SIZEBORDER
                            FS TITLEBAR
                            PS SYSMENU
                           PS HINMAX,
                                         /* Client window class name
                    szClientClass,
                                                                              +/
                    szClientClass,
                                         /* Title bar text
                                         /* Style of client window
                    ØL,
                                                                              +/
                    NULL,
                                         /* Module handle for resources
                    .
                                         /* ID of resources
                    &hwndClient) ;
                                         /* Pointer to client window handle */
     while (WinGetMsg (hab, &qmsg, NULL, 0, 0))
          WinDispatchMag (hab, agmag) ;
     WinDestroyWindow (hwndFrame) ;
     WinDestroyMsgQueue (hmq) ;
     WinTerminate (hab) ;
     return 0 ;
MRESULT EXPENTRY ClientWndProc (HWND hwnd, USHORT msg, MPARAM mp1, MPARAM mp2)
     static SHORT xClient, yClient;
     HPS
                  hps;
     POINTL
                  apt1[5] ;
             sRep, sSide ;
SHORT
switch (msg)
     case WM SIZE:
          xClient = SHORT1FROMMP (mp2) ;
          yclient = SHORT2FROMMP (mp2) ;
          break ;
     case WM ERASEBACKGROUND:
          return TRUE ;
     case WM PAINT:
         hps = WinBeginPaint (hwnd, NULL, NULL) ;
          aptl[\theta].x = aptl[1].x = \theta;
          apt1[2].x = apt1[3].x = xClient - 1;
          aptl[\theta].y = aptl[3].y = \theta;
          aptl[1].y = aptl[2].y = yclient - 1;
          for (sRep = 0; sRep < NUMBOXES; sRep ++)
               aptl[4] = aptl[8];
               GpiMove (hps, aptl);
               GpiPolyLine (hps, 4L, aptl + 1);
               for (sSide = # ; sSide < 4 ; sSide++)
                    aptl[sSide].x = ((INCREMENT - 1) * aptl[sSide].x +
                                         aptl[sSide + 1].x +
                                              INCREMENT / 2) / INCREMENT ;
                    aptl[sside].y = ((INCREMENT - 1) * aptl[sside].y +
                                         aptl[sSide + 1].y +
                                              INCREMENT / 2) / INCREMENT ;
                    }
          WinEndPaint (hps) ;
         break ;
     default:
          return WinDefWindowProc (hwnd, msq. mp1, mp2) ;
return FALSE ;
                                                                      (Figure 2 ends)
```

Think about it. Suppose you're running a DOS spreadsheet program in character mode on an EGA. Suddenly some deviant RAM-resident program calls interrupt 10h in the PC's BIOS to switch to a 43-line mode. Will the spreadsheet program suddenly use 43 lines? Of course not! The program has no way of knowing the video mode has been changed unless it checks the BIOS.

But these windowed programs apparently knew when the window was resized without being involved in the resizing itself. The programs were getting information from the operating system through some mechanism that didn't fit into the framework of any programming language or operating system architecture with which I was familiar.

IT GETS A MESSAGE! It turns out that the question "How does it know?" is an important one. The answer is central to the architecture of windowing environments in general and the Presentation Manager in particular. It's actually quite simple: the Presentation Manager sends a "message" to the application. In this particular example, the message says: "Hey, app, I've just allowed the user to change the size of your window. You might want to take that into account the next time you redraw the window contents."

A Presentation Manager program learns of many external events through messages. Keystrokes are translated into messages; so are mouse events. When a user makes a menu selection, the menu sends a message informing the program of the selection. When the user pushes a button on a dialog box, the button sends a message saying it was pushed. Basically, all that a Presentation Manager program does is receive messages and process them.

Of course, this sounds very strange initially. How can a menu "send a message"? What's really going on? What does that mean in terms of code?

Maybe it's time to look at some code. Figure 2 shows a small Presentation Manager program called BOXES1. Like most Presentation Manager programs, it is written in C. When compiled, BOXES1 displays the series of nested rectangles shown in Figure 3. BOXES1 adjusts their size and



You've known Genoa as a developer of high performance graphics chips, and a leading manufacturer of graphics boards and tape backup. Soon you'll be able to depend on us for all your PC graphics add-on hardware.

Over the next year, we'll be unwrapping a series of graphics products. Each is designed to give you the most reliable, yet innovative engineering features. And above all, the highest performance possible.

Our SuperVGA HiRes family, featured here, is the first in our new product series. SuperVGA HiRes offers breathtaking color and resolution. From 16 colors in 1024x768. Up to 256 colors in 800x600. You'll see more of your spreadsheets at once with SuperVGA HiRes. 132 columns and 60 rows. You'll do Windows or OS/2. In fact, every SuperVGA HiRes feature is designed to turn your IBM PC/XT/AT and PS/2 models 25 and 30 into real graphics engines.

## Delivering SuperVGA HiRes now!



- 100% IBM VGA compatible
- Advanced features
  - -1024x768 in 16 colors and 800x600 in 256 colors/Model 5200
    - -512x512 in 256 colors/Model 5100
- 132 columns text
- For both analog and TTL displays

If you're looking for PC graphics add-ons, take a look at Genoa first. Our new line of products is starting delivery now!

For the Genoa dealer nearest you or to add your name to our mailing list contact: Genoa Systems Corporation, 73 E. Trimble Road, San Jose, CA 95131. Fax: 408/434-0997. Telex: 172319. Or phone: 408/432-9090. In the UK, contact Genoa Systems Limited, phone: 01-225-3247. In the Far East, contact Genoa/Taiwan, phone: 2-776-3933.

CIRCLE 239 ON READER SERVICE CARD



**Delivering PC Graphics** 

408/432-9090

## ENVIRONMENTS

shape to the window size. Figure 4 shows multiple copies of BOXES1 running under the Presentation Manager, each in a different size of window.

THE HEADER FILES At first glance, BOXES1.C does not even look like a C program. Presentation Manager programs tend to be API-intensive. They use lots of special data types, identifiers, and functions that aren't part of C at all.

Near the top of BOXES1.C is the preprocessor statement

## #include <os2.h>

This statement brings in 12 more C header files besides OS2. H that total about 256K.

The header files include function declarations for all 220 function calls in OS/2 1.0 (functions with the Dos, Vio, Kbd, and Mou prefixes) and for another 520 function calls added by OS/2 1.1.

These 520 new functions calls are mostly for the two major components of OS/2. The first component is devoted to the windowing and user interface functions. (This is the component that was derived largely from *Microsoft Windows* 2.0.) The 250 functions in this component begin with the prefix Win.

The second major component of the Presentation Manager is a device-independent graphics system called the Graphics Programming Interface (GPI). GPI is derived largely from IBM's Graphical Data Display Manager (GDDM) and the 3270 Graphics Control Program (GCP). The 230 GPI functions have the prefix Gpi.

Presentation Manager functions names use mixed upper- and lowercase and are often quite descriptive. OS/2 trivia: The longest OS/2 function name is 30 characters long. There are three functions of this length:

GpiDeleteElementsBetweenLabels GpiQuerySegmentTransformMatrix GpiQueryViewingTransformMatrix

BOXES1.C uses a small fraction of these 740 function calls, specifically the 12 Win functions and 2 Gpi functions shown in Figure 5. I'll describe these 14 functions in more detail below.

The header files also define many new data types and structures. These use uppercase identifiers. Figure 6 shows the Pre-

sentation Manager data types used in BOXES1.C.

Some of these new data types are rather simple and self-explanatory. (For example, SHORT is a signed short integer.) But

using these data types rather than normal C data types should allow programs to be more easily ported to the 80386 version of OS/2 and also to be ported to versions of the Presentation Manager that run on ma-




Figure 3: BOXES1 running under the Presentation Manager.




Figure 4: Multiple copies of BOXES1 running under the Presentation Manager.

## ENVIRONMENTS

chines other than personal computers.

The header files also define lots of identifiers that lessen the use of numeric constants in your programs. I've counted (not by hand!) about 2,400 #define statements in the 13 OS/2 header files. Those used in BOXES1 are shown in Figure 7.

Most OS/2 identifiers begin with a short prefix (such as FS) that indicates a large group of identifiers ("frame styles"). You aren't required to use these identifiers, of course. For example, you could use the number 35 rather than the identifier WM_PAINT. But which would you prefer to remember?

The header files also define some helpful macros. Two of these macros, SHORTIFROMMP and SHORT-2FROMMP, are used in BOXES1.C.

The distinctive "look" of Presentation Manager C code also results from the prevalent use of a variable naming convention called "Hungarian notation" in honor of the legendary Microsoft programmer, Charles Simonyi. Basically, the first few lowercase letters of a variable name identify the type of the variable. SHORT variables are given a prefix of s (for example, sRep and sSide in BOXES1.C); HWND variables are given a prefix of hwnd (such as hwndFrame and hwndClient). Again, you aren't required to use Hungarian notation, but it's a big help in eliminating code errors before they become bugs.

PROGRAM ENTRY POINT As with a normal C program, the entry point to a Presentation Manager program is a function named main. The code shown in the main function of BOXES1.C is fairly normal. You'll see similar code in virtually every Presentation Manager program.

The WinInitialize function at the beginning of main registers the program with the Presentation Manager. You call WinInitialize before calling any other Presentation Manager function. The function returns a number known as an "anchor block handle." This handle uniquely identifies your program. Before the program terminates (at the end of main in BOXES1.C), the call to WinTerminate releases the anchor block handle.

The WinCreateMsgQueue function creates a "message queue." The Presentation Manager uses the message queue to

store messages for all windows created by the thread that calls the function. The function returns a handle to the message queue. Before the program terminates, it calls WinDestroyMsgQueue to destroy the message queue. MORE THAN ONE WINDOW The WinCreateStdWindow function creates a standard application window. Until now I've been using the word "window" rather loosely to refer to the area that an application occupies on the screen. Actually,

Function name	Description
GpiMove	Move current position for subsequent graphics drawing
<b>GpiPolyLine</b>	Draw series of lines starting at current position
WinBeginPaint	Get presentation space handle during WM_PAINT message
WinCreateMsgQueue	Create a message queue
WinCreateStdWindow	Create a standard frame window with child windows
WinDefWindowProc	Default message processing
WinDestroyMsgQueue	Destroy a message queue
WinDestroyWindow	Destroy a window and its children
WinDispatchMsg	Send a message to window procedure
WinEndPaint	Release presentation space handle during WM_PAINT message
WinGetMsg	Get the next message from the message queue
WinInitialize	Initialize Presentation Manager facilities for use by program
WinRegisterClass	Register a window class based on a window procedure
WinTerminate	Release Presentation Manager facilities before program ends

Figure 5: The Presentation Manager functions used in BOXES1. The function calls used in BOXES1 illustrate the new declarations supporting the two major components of OS/2: the Graphic Programming Interface and the windowing and user interface.

Presentation		
Manager data type	C data type	Description
CHAR	signed char	Signed 8-bit value
XPENTRY	pascal far	Exported entry point
IAB	void far *	Handle to an anchor block
IMQ	void far *	Handle to a message queue
IPS .	void far *	Handle to a presentation space
WND	void far *	Handle to a window
MPARAM	void far *	Message parameter
MRESULT	void far *	Message result
POINTL		Graphics point structure
MSG		Queue message structure
HORT	signed short	Signed 16-bit value
SHORT	unsigned short	Unsigned 16-bit value

Figure 8: The data types used in BOXES1 and other Presentation Manager programs make these programs easier to port to different versions of OS/2.



# Our Standard Is Loaded.

When people asked for a 24-pin dot matrix printer that could handle just about anything, we went straight to work.

And we came back with four of them.
The Toshiba P321SL, P321SLC, P341SL and
P351SX. And we put in more useful features

than any other printers in their class. Our fanfold bypass, for instance.

lets you print single sheets without having to unload your continuous form paper from the built-in tractor. And our simplified front panel makes printing as easy as touching a button.



There's even an optional automatic envelope feeder on our P351SX. All of which improve

the way you handle paper. To improve the way you look on paper, our multistrike film ribbon produces dark, crisp type, no matter which model you buy. Our 360x360 dpi graphics offer a higher resolution than most laser printers. And you can do it all in color with our P321SLC. Or our P351SX with its optional color kit.

Also standard is a wide array of resident fonts and emulations for virtually all software. Not to mention our unsurpassed 24-pin print quality. All with a speed of up to 360 cps for draft and 120 cps for letter quality.

So call 1-800-457-7777 for the name of the Toshiba printer and computer dealer nearest you.

You'll find our input does wonders for your output.







P321SL/P321SLC

P341SL

P351SX

In Touch with Tomorrow
TOSHIBA
Technic Appendix for Information Swatering Disease

## **■ ENVIRONMENTS**

WinCreateStdWindow creates several windows, and what we think of as a program's main window on the screen really comprises these several windows. A window, as we'll see, is more precisely defined as an object that processes messages.

The title bar is a separate window. The program's menu bar, the system menu box at the left of the title bar, the minimize and maximize arrows to the right of the title bar, and the sizing border are all separate windows. A dialog box is a window. So is every button, scroll bar, and text entry field in the dialog box.

The WinCreateStdWindow function always creates a "frame window," which is the base on which the other windows are assembled. The creation of other windows is governed by the presence of identifiers beginning with FS ("frame style") in the second parameter to the function.

The FS_SIZEBORDER identifier indicates that the Presentation Manager should create a sizing border. This window is the same size as the frame window, but only the outer edges of the window are made visible. The FS_TITLEBAR identifier causes a title bar window to be created. The WinCreateStdWindow parameter described by the comment "title bar text" is the text that appears in the title bar. The

FS_SYSMENU identifier directs the Presentation Manager to create a system menu; likewise, the FS_MINMAX identifier causes the creation of the minimize and maximize arrows.

Each of these windows processes keyboard and mouse input in its own unique way. By pressing the mouse button while the mouse pointer is positioned over the title bar, you can move the application's window around the screen. By pressing the mouse button while the pointer is positioned over the sizing border, you can change the window size. The WinCreate-StdWindow function also creates an important window-the "client window." This window encompasses the entire area bounded on the left, right, and bottom by the visible part of the sizing border and on the top by the system menu, title bar, and minimize and maximize arrows.

The WinCreateStdWindow returns a handle to the frame window. You use this handle—a unique ID number—to refer to the window in subsequent Presentation Manager functions. In BOXES1.C, this handle is stored in hwndFrame. The function also returns a handle to the client window, which is stored in hwndClient.

Toward the end of main, before the program terminates, BOXES1 calls Win-

DestroyWindow to destroy the frame window. Destroying the frame window also destroys the other windows that were created with the frame window during the WinCreateStdWindow function.

THE MESSAGE LOOP Like all Presentation Manager programs, BOXES1 creates a message queue by calling the Win-CreateMsgQueue function. A program must create a message queue before it creates a window. The presence of the message queue is what truly differentiates a Presentation Manager program from an OS/2 kernel program. The message queue is used mostly for storing keyboard and mouse input to all windows created by the program. This code in main

While (WinGetHag (hab, &qmag, NULL, 0, 8))
WinDispatchHag (hab, &qmag) ;

is called a "message loop." During the WinGetMsg call the Presentation Manager fills in the fields of the QMSG structure with the next message from the message queue. The WinDispatchMsg function then sends the message to the window to which the message is addressed. The window then processes the message by a function known as the window procedure.

THE WINDOW PROCEDURE Every window has a window procedure (sometimes called the window proc) associated with it. When we say that "a message is sent to a window," we mean that this window procedure is called with parameters that describe the message. When we say that "a window processes a message," we mean that this window procedure interprets the message and acts upon it.

Where are these window procedures? In the case of BOXES1, the window procedures for the frame window, title bar window, sizing border window, system menu window, and minimize/maximize window are located in the Presentation Manager. The window procedure for the client window is located right in the program. It is the function named ClientWnd-Proc ("client window procedure").

How does the Presentation Manager know that the function ClientWndProc is the window procedure for the client window created in the WinCreateStdWindow function? That's the purpose of the Win-RegisterClass function. This function reg-

	Presentation	Manager	Identifiers	Recognized	by OS/2	
--	--------------	---------	-------------	------------	---------	--

Identifier	Description
CS_SIZEREDRAW	Class style: Invalidate window when size changes
FALSE	0
FS_MINMAX	Frame style: Include minimize/maximize menu in standard window
FS_SIZEBORDER	Frame style: Include sizing border in standard window
FS_SYSMENU	Frame style: Include system menu in standard window
FS_TITLEBAR	Frame style: Include title bar in standard window
HWND_DESKTOP	Handle to the desktop window occupying the screen background
TRUE	1
WM_ERASEBACKGROUND	Window message: Return TRUE if frame window should paint itself
WM_PAINT	Window message: Update invalid area of the window
WM_SIZE	Window message: The window size has changed
WS VISIBLE	Window style: Show window after it is created

Figure 7: The identifiers defined by the header files reduce the numeric constants in OS/2 programs. BOXESI uses those listed above.

# Ahead of Ahead of Its kind.



Introducing the Panasonic® Laser Partner®

11 pages per minute (all originals, text) • Two paper cassettes • Optional envelope cassette • 11 built-in fonts. Call for information or dealers: 1-800-PIC-8086.



CIRCLE 119 ON READER SERVICE CARD

## If you can see the difference, you must be looking at the price.

stop asking

Hewlett-Packard Company 18110 S.E. 34th Street Camas, WA 98607

## Dear Reader:

This letter was printed on two of the finest printers available today. One half on a laser printer, the other on the new HP DeskJet Printer. But which one printed which half? Hard to tell, isn't it?

Small and quiet enough for your own desk, our HP DeskJet Printer gives you clean, crisp text and graphics. Just like a laser. You get perfect printing from A to Z. Look for yourself.

AABBCCDdzer JjKkLlMm NnOoPpQC VVWWXXYYZZ

So which half is from the laser printer and which from the HP DeskJet Printer for under \$1,000? Not sure? That's the point. To see the difference you've got to look at the price. So call for the name of your local dealer and a free brochure on the new HP DeskJet Printer at 1 800 752-09 00 Ext. 908A.

Sincerely,

HEWLETT-PACKARD COMPANY

Greg Wallace Greg Mallace

Laser Printer

HP DeskJet Printer

The New HP DeskJet Printer. Laser-Quality Output for Under \$1000.





## ENVIRONMENTS

isters a window class with the name of "Boxes1." The window class name is then passed as a parameter to the WinCreateStdWindow function. The client window is said to be "based on" this class. All windows based on a particular class are associated with the same window procedure. The window procedure is specified as a parameter of WinRegisterClass.

When discussing the message loop, I said that the Presentation Manager stores messages that represent keyboard and mouse input in the message queue. These messages are retrieved from the queue by calling WinGetMsg and then sent to the appropriate window procedure by calling WinDispatchMsg.

But in other cases the Presentation Manager calls the window procedure directly. This is how the operating system communicates important events to the program-it sends the window a message by calling the window procedure. And this is what is so unusual about Presentation Manager architecture in comparison with traditionally structured operating systems. We're accustomed to calling operating system functions from our programs. But in the Presentation Manager, the operating system calls us!

PROCESSING MESSAGES Presentation Manager programs are "message driven." They sit around waiting for messages. Only when a window gets a message does it interpret and process it.

ClientWndProc processes messages sent to the client window. When the Presentation Manager calls a window procedure, it passes four parameters to it. The first parameter (hwnd) is a handle to the window. The second parameter (msg) is a number that identifies the message. The mp1 and mp2 parameters are "message parameters." These provide information specific to the particular message.

A window procedure generally processes messages using a switch statement. The Presentation Manager header files define identifiers beginning with the letters WM ("window message") to determine the message being sent.

In BOXES1, ClientWndProc processes three messages-WM_SIZE, WM_ ERASEBACKGROUND, and WM_ PAINT. After it processes one of these, the window procedure returns FALSE (0). All messages not processed by a window procedure must be sent back to the Presentation Manager via the WinDefWindowProc function. This function performs default message processing for all messages a window procedure chooses not to process.

You'll recall that we began with the question, "How does a program know when the user has resized its window?" The answer: the Presentation Manager sends the window a WM_SIZE message. That is, the Presentation Manager calls the



## **USE THIS PASSWORD AND** SELL YOURSELF ON CHAIRMAN. Conduct electronic surveys, get questionnaires answer-ed online, send price and delivery information to sales-

If you have a PC and a modern, call (516) 462-6638 and use the password on this page. See for yourself what the first true multiuser bulletin board software can do.

Find out why CHAIRMAN™ is the choice of hundreds of organizations, including PC Magazine—for its own popular Interactive Reader Service (up to 2,500 calls a day). PC Magazine writes about CHAIRMAN: "For flexibility, speed, ease of setup, security, and company support, you can't go wrong.'

## SET UP YOUR OWN BULLETIN BOARD

With CHAIRMAN's unique multiuser capability, six callers can simultaneously access a bulletin board on one PC.

CHAIRMAN is the perfect answer for anyone who wants to distribute data on a timely basis, collect data from numerous sources, or do both. It handles electronic mail

needs at a fraction of the cost of the expensive services, such as MCI Mail.™ The Source.™ and Compuserve.™

people, find out support call details without tying up your staff, transfer binary and ASCII files, send software updates to your users, etc.

Combine CHAIRMAN with DMA's FORMULA IV. PC Magazine Editor's Choice in DBMS, to use your bulletin board for interactive database applications. CHAIRMAN is available in six-user, two-user, single-user, and network versions. A two-user demo is available for \$25 + \$5 S&H.

For more information, call (212) 687-7115 or write to: DMA, 545 Fifth Avenue, New York, NY, 10017. Ask about our volume discounts.

THE FIRST TRUE MULTIUSER **BULLETIN BOARD** 

Me Mr. M. San ap



# IBC has your computer replacement batteries.

In fact, that's our specialty. We are the world's largest supplier of computer batteries for IBM AT, PS2, and all other computers. So when your battery does start to die, IBC is ready to save your day. And keep you from being stranded. By delivering your replacement battery within 24 hours. All you have to do is pick up the phone and call us.

When do you need a new battery? Well, you can tell that time is running out when the clock and calendar begin to slow down. If you have an IBC battery on hand—and it makes sense because the shelf life of our batteries is 10 years—your battery slowdown won't slow you down! With an IBC battery handy, you don't miss a beat when your present battery starts to go.

But do you have to wait until

you're in an emergency situation to
order your PC AT
battery? Not at all.
In fact, you can
save the hassle of
downtime and
reconfiguration
by changing your

battery once a year. And in the process, avoid the frustration of an idle computer while you wait for a new battery.

So put us on your emergency phone list. And when your vital signs are fading, give us a call. Remember, we're your source for computer batteries. We want to keep you running!

## ORDER NOW! 800/654-3790 (US) 800/225-9359 (CA) Price only \$27.50

- •Dealer inquiries welcome.
- •Corporate discounts available.

Tadiran, Panasonic, Varta, Saft, and Rayovac batteries are available for IBM AT, PS2, Compaq, AT&T, and all other clones and com-

> patibles. Checks, money orders, and credit cards welcome. Add \$3.00 for shipping and handling. (\$14.00 for overnight shipping.)

## IBC

Your number one source for all computer batteries.

## International Battery Corporation

16735 Saticoy Street, Suite 111 Van Nuys, CA 91406 818/781-7515, FAX 818/781-7804

All trademarks acknowledged

## CIRCLE 269 ON READER SERVICE CARD

## ENVIRONMENTS

window procedure with the msg parameter set to 7, which is the value that defines the identifier WM_SIZE. The old size of the window (in units of pixels) is encoded in the message parameter mp1. The new size of the window is encoded in mp2.

ClientWndProc processes the WMLSIZE message by extracting the new width and height of the window from mp2 using the SHORT1FROMMP and SHORT2FROMMP macros. The new width is saved in the variable xClient and the height is saved in the variable yClient. These two variables are defined as static because they must be used later while processing subsequent messages.

The first time ClientWndProc receives a WM_SIZE message is during the call to WinCreateStdWindow. The Presentation Manager creates the client window and then informs ClientWndProc of the window size by sending it a WM_SIZE message. ClientWndProc receives other WM_SIZE messages whenever the user changes the size of the window.

PAINTING THE CLIENT One of the most important messages processed by a window procedure is WMLPAINT. It informs the window procedure that the window needs to be repainted. More specifically, the message indicates that an area of the window on the screen has become "invalid" and no longer displays what the program originally put there.

How does part of a window become invalid? This can happen in several ways. When the window is first created, the whole area of the window is invalid and must be painted. When part of a window is moved off the screen, or when one window overlaps another, the Presentation Manager will usually not attempt to save the hidden area of the window. And when that area is moved back into view, it is an invalid area. This causes a WM_PAINT message to be sent to the window procedure so that the window can be updated.

A window procedure also receives a WM_PAINT message when the window changes size. The WM_PAINT message occurs after the WM_SIZE message. Thus, by the time the window procedure begins painting the window, it knows the new window size and can paint based on that size. This is what BOXES1 does.

# 34,001-2-3s.



## Lotus' 1-2-3' from Software Spectrum. More than 34,000 of our customers count on it.

At Software Spectrum, we'd like to think we've done our part to help establish Lotus 1-2-3 as the undisputed standard in business management software.

You see, we've sold more than 34,000 copies of 1-2-3 to corporate and government users. And although we don't sell or trade by mail order, our high volume allows us to sell each copy at a much lower price.

Right now, for example, we're offering Release 2.01 of 1-2-3 for just \$279. But

there's more to Software Spectrum than a bargain price. Because from same-day shipping to knowledgeable, professional salespeople, you'll find Software Spectrum is the most reliable, responsive source in the industry.

So if you'd like to become more productive with numbers, join the millions of smart businesspeople who use Lotus 1-2-3. Or, better yet, join the 34,000 really smart people who bought their 1-2-3 from Software Spectrum. Just call 1-800-624-0503* to find out more or to open a corporate account.

## SOFTWARE SPECTRUM

10420 Miller Road, Dallas, Texas 75238, (214) 349-0400. *In Illinois, Indiana, Michigan or Wisconsin call 1-800-445-6454.

Lotus and 1-2-3 are registered trademarks of Lotus Development Corporation.

# A Computer "Book" That Will Never Be Outdated

The problem with most books about public domain and shareware software is that they are usually outdated before they leave the printer.

To overcome this problem, we put the definitive Guide to Public Domain and Shareware Software on disk. This makes it easy for us to keep it updated monthly, and you can get free updates by returning the disks to us.

The Public (Software) Library has for years been acclaimed by the national press as the most up-to-date, best organized library of PD/shareware available and this is reflected in the Guide.

But the Guide is much more than a catalog of the disks in the PsL. It is arranged by subject, from Accounting, Communications and Database to Statistics, Utilities and Word Processing.

Each section leads you to the specific type of software you need to solve your problems and then presents reviews of each of those programs.

Then you can order the disks for only \$5 each. Public domain programs require no other fee. The registration price for shareware programs is normally in the range of \$5 to \$50.

You can order the Guide now for just \$10, or you can find out more about the PsL by calling or writing for a FREE sample of our monthly newsletter and complete listing of disks in the library.

## PUBLIC (software) LIBRARY

P.O. Box 35705 - PG Houston, TX 77235-5705 713-721-5205 or 713-721-6104 MC/Visa Accepted

# Three ways to build better Turbo Pascal programs...

# NEW! POWER SCREEN \$129

Screen I/O manager.

Features: 

screen painter 

virtual screens

◆ data validation ◆ context sensitive help

◆ unlimited screens ◆ definable keys

◆ & much more!

# POWER TOOLS PLUS \$129

Full featured function library.

Features: ◆ TSR support ◆ direct video access ◆ VGA and EGA support ◆ windows and menus ◆ DOS memory allocation

◆ interrupt service routines

◆ & much more!

## ASYNCH PLUS \$129

Asynchronous communication manager.

Features: ◆ speeds to 19.2K baud ◆ XON/XOFF protocol ◆ hardware handshaking ◆ XModem file transfer ◆ I/O buffers up to 64K ◆ & much more!

We're Blaise Computing, manufacturers of high quality function libraries designed to reduce the time and technical expertise required for serious applications development.

All of these packages include Peter Norton's Online Instant Access Program, a comprehensive user reference manual with extensive examples, and full sample programs.

Satisfaction guaranteed or return within 30 days for a full refund.

We have a full line of products for C and Pascal. For a free brochure or to order call

800-333-8087!

## BLAISE COMPUTING INC. 2560 Ninth Street, Suite 316 Berkeley, CA 94710 (415) 540-5441

**CIRCLE 116 ON READER SERVICE CARD** 

PRODUCTIVITY

## **■ ENVIRONMENTS**

**PROCESSING WM_PAINT** Usually the processing of the WM_PAINT message begins with a call to WinBeginPaint:

hps = WinBeginPaint (hwnd, NULL, NULL) ;

This function returns a handle to a "presentation space." You need this handle to display anything on the window's surface. The presentation space handle is the first parameter to all the GPI graphics-drawing functions. GPI will clip graphics output on the window's surface—you can't draw outside your window even if you try.

A window procedure wraps up WM_PAINT processing with a call to WinEndPaint:

WinEndPaint (hps);

This has the effect of validating the entire surface of the window.

**DRAWING LINES** BOXES1 processes the WM_PAINT message by drawing a series of rectangles in its client window. The two functions it uses are GpiMove and GpiPolyLine.

You specify a coordinate point in GPI functions using a POINTL structure. The POINTL structure is defined in an OS/2 header file as follows:

typedef struct _POINTL
{
 LONG x ;
 LONG y ;
}
POINTL ;

Thus a POINTL structure has two fields, called x and y, that are signed long (32-bit) integers. By convention, when you define a variable of type POINTL, you give the variable name a prefix of ptl:

POINTL ptlLowerLeft;

Again by convention, the variable name for an array of POINTL structures begins with the letters aptl.

By default, the GPI coordinate space has an origin at the lower-left corner of the window. Values of x on the horizontal axis increase to the right; values of y increase going up. The units are pixels. (You can also use a coordinate system based on inches or millimeters if you wish.)

The GpiMove function does not draw anything. Instead it sets the "current posi-

# How To Run Backwards & Forwards At The Same Time.

If your search for a totally compatible, high performance graphics card has felt a little like going in all directions at once, why not stop and take a breather. Because not only will VEGA VGA run all *current and future* VGA programs, it's also compatible with EGA, CGA, MDA, Hercules and even OS/2. Guaranteed.

Notice we said guaranteed. That's because of one simple fact: VEGA VGA is compatible, on a hardware level, with the IBM VGA. Just the sort of innovation you'd expect from the leader of the pack in graphics technology, Video Seven.

But VEGA VGA does much more than just keep pace with your software. It gives you the best business graphics available, in effect bringing PS/2-level performance to a regular PC. That means going well beyond standard VGA, with 800 x 600 resolution and up to 256 on-screen colors. What's more, VEGA VGA runs on any IBM PC monitor—analog,

digital, color or monochrome. Finally, we protect your investment with toll-free technical support and a full five year limited warranty.

So don't wait. Visit your nearest Video Seven dealer today and find out more about VEGA VGA. It could take you in the best direction of all—to the top.

Video Seven Inc., 46335 Landing Parkway Fremont, CA 94538. 1-800-238-0101 (in California, 1-800-962-5700.)

The following are registered and unregistered trademarks of the companies listed. Video Seven VEGA VGA, Video Seven Inc.; EGA, CGA, MDA, PS/2, OS/2, International Business Machines Corporation; Hercules, Hercules Computer Technology, Inc. Analog monitor needed to support 262,144 palette and 256 colors. Variable frequency monitor required for greater than

640 x 350 resolution. Video Seven reserves the right to change specifical

VIDEO SEVEN

We make a clear difference.

## **■ ENVIRONMENTS**

tion" to the point indicated by the POINTL parameter to the function. The GpiPolyLine function then draws a series of lines (in BOXES1, four lines) starting from the current position.

ONE WINDOW TO ANOTHER Messages also allow windows to communicate among themselves. In BOXES1 this occurs with the WM_ERASEBACK-GROUND message. The frame window sends this message to the client window. The message essentially says, "I (the frame window) have just received a WM_PAINT message. Do you want me to paint my window, thus effectively erasing the background of the client window?"

The client window can respond to this message in one of two ways. If the client window procedure returns FALSE (a zero value), the client window is essentially saying, "No, thanks. I'll erase the background of my window myself." If the window procedure returns TRUE, it's telling the frame window, "Sure. Go ahead."

If the client window does *not* process the WM_ERASEBACKGROUND message, then the message is passed to the WinDefWindowProc function. In response to the WM_ERASEBACKGROUND message, WinDefWindowProc returns FALSE to ClientWndProc and ClientWndProc then returns FALSE

to the frame window. The default processing of WM_ERASEBACKGROUND is for the frame window not to color itself when it gets a WM_PAINT message.

TERMINATION We've seen how the structure of BOXES1 allows the program to adjust the contents of its client window based on the size of the window. Whenever the size is changed by a user, ClientWndProc receives a WM_SIZE message followed by the messages WM_ERASEBACKGROUND and WM_PAINT. Whenever part of the window becomes invalid for other reasons, the client window receives WM_ERASEBACKGROUND and WM_PAINT messages and simply recreates what was there before. The program is structured around the processing of these messages.

All other messages to the client window are processed by WinDefWindowProc. One example of how this works is seen during the termination of a program.

A Presentation Manager program can be ended by selecting the Close option from the system menu. The frame window processes the command and then sends a WM_CLOSE message to the client window. If the client window procedure chose to process the WM_CLOSE message, it could ask the user for confirmation if any work had not yet been saved to disk. Win-

DefWindowProc processes the WM_CLOSE message by placing a WM_QUIT message in the program's message queue.

You'll recall this message loop in main:

while (WinGetHsg (hab, &qmsg, NULL, 0, 0))
WinDispatchHsg (hab, &qmsg);

For most messages the WinGetMsg function returns a nonzero value. For the WM_QUIT message, however, WinGetMsg returns zero. This causes the loop to end. The program then calls WinDestroyWindow, WinDestroyMsgQueue, and WinTerminate and terminates normally.

**TWO MORE FILES** Two other files are required for compiling BOXES1. One of these files is the "make file" shown in Figure 8. You compile and link BOXES1 with the command

MAKE BOXES1

MAKE reads the make file and compares the date and time of the file indicated to the left of the colon (the target file) with the date and time of the file or files to the right of the colon (the source files). If any of the source files have been changed more recently than the target files, MAKE runs the indicated command.

Presentation Manager programs often use MAKE because the compiler switches available are more complex than normal and (as we'll see in the next issue) creating a Presentation Manager program usually requires a few additional steps beyond just compiling and linking the C source code file.

Another file required for Presentation Manager programs is in the "module definition file." The BOXES1.DEF file is shown in Figure 9. This file is read by LINK when linking the program and contains information that LINK needs to construct the .EXE file. Note in particular the EXPORTS statement in BOXES1.DEF—this statement must list all the window procedures in the program.

NEXT STEP: A MENU In the next issue we'll upgrade the program to include a menu and call the program BOXES2. The menu will allow selecting colors for the background and for the lines displayed in the client window.

```
#-----
# BOXES1 make file
#-----
boxes1.obj : boxes1.c
cl -c -G2sw -W3 -Zp boxes1.c

boxes1.exe : boxes1.obj boxes1.def
link boxes1, /align:16, NUL, os2, boxes1
```

Figure 8: The BOXES1 make file.

```
; BOXES1.DEF module definition file
;

NAME BOXES1 WINDOWAPI

DESCRIPTION 'Draws boxes in client window (c) 1988, Ziff Communications Co.'
PROTMODE
HEAPSIZE 1024
STACKSIZE 8192
EXPORTS ClientWndProc
```

Figure 9: The BOXES1.DEF module definition file.



# Introducing the database designed to please a bunch of perfection ists.

We're not easily satisfied at WordPerfect, a fact that's worked to our advantage. After all, it was our high standards that helped us to produce the world's leading word processor.

But those same high standards made it difficult to find an acceptable database for use at our headquarters. So we built our own.

Introducing DataPerfect*2.0, the WordPerfect*compatible database that's now available for perfectionists everywhere.

Our people wanted power, speed and easeof-use. DataPerfect is powerful enough to create accounting and payroll applications, allowing simultaneous network access to all records and files. It offers rapid look-up capabilities, even when thousands of records are involved. Providing the speed to manage our huge databases efficiently. And, with DataPerfect's menu-driven system, we can now define a database in a matter of hours.

We think DataPerfect is the database for the most hard-nosed perfectionists. So if your standards are as high as ours, it's made to order for you.

For more information, call or write WordPerfect Corp., 1555 North Technology Way, Orem, Utah 84057. (801) 225-5000.

## DataPerfect from WordPerfect

# The best thing next to an IBM PC. Or any PC.



## The economics of IBM ASCII displays.

The affordable Models 310 and 410, when equipped with cartridges, offer PC terminal function for all multi-user PCs. That includes the IBM* RT-PC™ computer and the IBM PS/2™ family.

What's more, Models 310 and 410 offer many popular emulations. Optional cartridges provide features such as concurrent DEC™ and PC connectivity, and auto dial. Both models come with a 3-year warranty. Add an IBM Maintenance Agreement, and you'll get five years of IBM service for just \$54.

## The ergonomics of IBM ASCII displays.

They're not only economically attractive, they're easy to look at. Flat 14" screens offer non-glare viewing. Green or amber/gold

short-persistence phosphors produce crisp character resolution. And each model uses the advanced 102-key IBM keyboard.


## "Want more information? Just ASCII."

For a free brochure and to find a distributor near you, call 1-800-IBM-7257 ext. 89. Or call your IBM Marketing Representative.



## **■ POWER PROGRAMMING ■ RAY DUNCAN**

## KEEPING FILENAMES FULLY QUALIFIED



Programs that use incomplete filenames and let users change drives and subdirectories can be trouble. This routine converts incomplete file specifications into fully qualified filenames.

n MS-DOS system can contain many files with the same name and extension, provided the files are in different locations. MS-DOS requires only that each file be uniquely specified by the combination of a drive, path, name, and extension, in the form

## d:\path\name.ext

The path can consist of one or more directory names, starting with the disk's root

directory and separated by backslash (\) characters. A file specification of this sort, which unambiguously identifies one file out of all the files in the system, is called a fully qualified filename.

If you had to enter fully qualified names whenever you wanted to work with a file, your patience would be exhausted in about 5 minutes—especially if you are in the habit of organizing your files in a neat, multilevel tree directory structure. Fortu-

nately, MS-DOS uses the concepts of a "current disk" and a "current directory" for each disk in the system. Whenever you enter a filename that omits the drive specifier or does not include a full path, MS-DOS fills in the missing information according to your current disk and directory.

The ability to use "locality" as an implicit part of a filename is a tremendous convenience from the user's point of view, but it can be a nasty trap for the program-

```
DATA
                QFM.ASH --- qualify file name
        title
                55,132
                                                                   TEXT
                                                                           segment word public 'CODE'
 QFN.ASH -- Qualify File Name
                                                                           assume cs: TEXT, ds:DGROUP
 Copyright (C) 1988 Eiff Davis
                                                                           public qfn
                                                                                                    ; make visible to Linker
 by Ray Duncan Feb. 1988
                                                                           proc
                                                                                                    ; qualify file name
                DS:SI = filename address
 Call with:
                AX = length
                                                                           push
                                                                                                    : save registers
                                                                           push
                Carry = clear if filename OK
                                                                           push
                DS:SI = qualified filename
                                                                           push
                     = length
                                                                           push
                Carry = set if bad filename
                                                                                   flen, ax
                                                                                                    ; save length and
                                                                           DOV
                                                                                   fname, si
                                                                                                    ; address of filename
                Registers other than DS:SI
                and AX are preserved.
                                                                                                    ; make DGROUP addressable
                                                                           BOV
                                                                                   ax,ds
                                                                                                   ; with ES register
1
                                                                                   40,00
DGROUP
       group
                                                                                                   : save current drive ...
                                                                                   ah,19h
                                                                                                   ; fxn 19h = get drive
DATA
        segment word public 'DATA'
                                                                                                   ; transfer to MS-DOS
                                                                           int
                                                                                   21h
                                                                                   cdrive, al
                                                                                                   ; save it
cdrive
                                ; current drive
                '\',64 dup (8) ; current directory
cpath
                                                                                                   ; save current directory ....
                                                                                                   ; DS:SI = buffer
        đb
                                ; target directory
tbuff
                64 dup (#)
                                                                                   si, offset DGROUP: cpath+1
                                                                           mov.
                                                                                   ah,47h
                                                                                                   ; fxn 47h = get directory
                                                                           NOV
                                ; qualified pathname
                1X1/1
                                                                                   d1,#
                                                                           BOV
                                                                                                   ; drive = current
        ďЪ
                64 dup (#)
                                                                           int
                                                                                   21h
                                                                                                   ; transfer to MS-DOS
        dw
                                ; filename address
fname
                                                                                                    ; did caller specify drive?
flen
        άw
                                ; filename length
                                                                                                                           (continues)
```

**Figure 1:** The source code for QFN.ASM, a subroutine that converts an incomplete file specification into a fully qualified filename.

## POWER PROGRAMMING

mer. Suppose, for example, you prompt the user for a filename and he enters

## mvfile.dat

Opening the file is no problem: MS-DOS will know that you mean myfile.dat in the current directory of the current drive. Filenames with "relative paths" like

d:subdir\myfile.dat or even

## d:..\subdir\myfile.dat

are no trouble either: MS-DOS can still find the file for you.

Suppose, however, that you also provide the user with a way of changing the current directory and/or current drive from within the program. If you store away one of these incomplete filenames for later use and the user subsequently switches to a new drive or directory, your program may not be able to open the file anymore or (worse yet) may open the wrong file.

■ The ability to use "locality" as an implicit part of a filename can be a nasty trap for the programmer.

Obviously then, what we need is a subroutine to convert an incomplete file specification into a fully qualified filename that can be safely used at any time during a program's execution. The OFN. ASM listing in Figure 1 is such a routine.

USING THE OFN ROUTINE OFN is called with the address of a file specification in registers DS:SI and the length in register AX. If the file specification includes a drive code. OFN makes sure that the drive exists. If no drive code is present, OFN adds the identifier for the current drive. Similarly, if a full path is included, QFN makes sure that the path actually exists. If the path is incompletely specified or missing altogether, QFN expands the path using the current directory of the current or specified drive.

If the drive and path components can be successfully resolved to an actual, valid disk and directory in the system, OFN returns the Carry flag cleared (0). The address and length of the fully qualified filename are returned in registers DS:SI and AX, respectively. If the drive or path do not exist, QFN returns the Carry flag set (1). The contents of registers other than DS, SI, and AX are always preserved.

QFN does not make any attempt to determine whether a particular file existsonly whether the specified or implicit location for the file is feasible. Thus, the rou-

	TOV	di, fname cx.flen	; get address of name ; get length of name		30	qfn3	; loop if '\' found
	MOA	cx, tten	1 dec faudru of name	qfn4:	prop	81	recover starting address
	cmp	cx.2	; if drive, length must	drugs	Participal Control	-4	of path portion
	carp	CAYE	: be >= 2 chars.	1			t or hace horezon
	11	gfn2	: too short, no drive				; copy path to local buffer
	, -	draw	,				; and make it ASCIIE
			: check for drive delimiter		mov	di.offset DG	
	cmp	byte ptr [di	,		BOV	cx.fname	: calculate path length
	ine	ofn2	: no delimiter, jump		aub	cx.si	, carcarace pacts rengen
	,	4	, and and an analy of the		jz	afn6	; jump, no path at all
	DOV	dl.[di]	; get ASCII drive code		CMD	cx.1	; root directory?
	OF	d1,28h	: fold to lower case		70	qfn5	; jump if root
	sub	dl,'a'	convert it to binary		dec	CX	: else discard last '\'
	DOV	ah, seh	: fxn #eh = select drive	1	400		, , /
	int	21h	transfer to MS-DOS	afn5:	rep mo	ovab	: transfer path and
				dens.	xor	al.al	; append null byte
			; get current drive to	-	stosb	,	t -theme was also
			: make sure drive selected				
	mov	ah,19h	: fxn 19h = get current drive				; now make target directory
	int	21h	: transfer to MS-DOS				; the current directory
	cmp	dl.al	current = requested?		mark.	dx.offset DG	
	10	gfn1	; jump if select succeeded		mark.	ah, 3bh	; fxn 3BH = select director
	jmp	qin8	; exit, select failed		int	21h	transfer to MS-DOS
					je	qfn8	jump, no such directory
qfn1:	add	d1,2	; bump pointer past drive				
	sub	cx,2	; and decrement length	qfn6:			; build up full pathname
qfn2:			; save current directory		100	ah, 19h	; get current drive
•			; again for new drive		int	21h	: transfer to MS-DOS
			; DS:SI = buffer		add	al,'A'	convert binary to ASCII
	mov	ai, offset DG	ROUP:cpath+1		man.	qbuff, al	; store ASCII drive code
	mov	ah, 47h	; fxn 47h = get directory				
	10000	d1,8	; drive = current				; get current directory
	int	21h	; transfer to MS-DOS		BOV	d1,0	; DL = # for default drive
							; DS:SI = buffer address
			; scan off path if any		BANK .	si, offset DG	ROUP:qbuff+3
	push	d1	; save start of path		mov	ah, 47h	; fxn 47h = get current dir
	mov	al,'\'	; path delimiter		int	21h	; transfer to MS-DOS
					jc	qfnB	; jump if error
qfn3:	MARKETAN	fname, di	; save path pointer				
	mov	flen,cx	; save path length				; point to path component
	Joxx	qfn4	; jump if none left			di, offset DG	ROUP:qbuff+3
	repne	scasb	; any '\' left in path?				(Figure 1 comm

It's small, dependable and very affordable. But this time, it's called Spark," the incredible laptop computer from Datavue."

This 9 lb. machine runs at 9.54 MHz and is

packed full of features. Like 384K of memory, 3.5" microdrive, super-twisted crystal

LCD screen, IBM compatibility, and a built-in handle.
Other models are also available


with 640K memory, dual disk drives, long-life battery and back-lit screen.

History does repeat itself. Spark proves it. For more information contact us at One Meca Way, Norcross, GA 30093 (404) 564-555.



CIRCLE 313 ON READER SERVICE CARD

# It's been 33 years since you could get a deal like this.



## ■ POWER PROGRAMMING

```
ah, geh
                byte ptr [di], 0; is current directory
                                                                             mov
                                                                                                       ; fxn 0EH = set drive
                                 ; the root directory?
                                                                             int
                                                                                      21h
                                                                                                       : transfer to MS-DOS
                qfn7
                                 ; yes, jump
        30
                                                                             pop
                                                                                                       ; restore length
        xor
                al, al
                                 ; seen for null byte at
                                                                                                       ; and Carry flag
        mov
                cx,-1
                                 ; end of path name
                                  ; and append backslash
        renne scasb
                                                                             pop
                                                                                      0.8
                                                                                                       : restore other affected
                byte ptr [di-1], '\'
                                                                             pop
                                                                                                       ; registers
        MOV
                                                                             pop
                                                                                      dx
qfn7:
                                  ; now append filename
                                                                             pop
                                                                                      CX
                                   to drive and path...
                                                                             pop
                                                                                      bx
                                  : filename address
                si.fname
                byte ptr [si], '.
                                                                                                       ; back to caller
        cmp
                gina
        10
                                 ; exit if directory alias
                cx, flen
        DOV
                                 ; filename length
                                                                     qfn
                                                                             endp
        rep movab
                                 ; copy it
                                                                     makelc proc
                                  ; set DS:SI = address
                                                                                      near
                                                                                                       ; string -> lower case
        mov
                 si, offset DGROUP:qbuff
                                                                                                       ; DS:SI = address
                            ; and AX = length of
                 ax,di
                                                                                                       ; AX = length
        sub
                 ax, si
                                 ; fully qualified filename
                                                                             push
                                                                                      bx
                                                                                                       ; save BK contents
                                                                                                       ; BX will be pointer
                                 ; fold filename to lower
                                                                                      bx,bx
        call
                makelc
                                                                             MOL
                                 ; case to make it pretty
                                                                                                       ; change A-E to a-E
                                                                     mlc1:
                                 ; Carry = false to
                                                                             cmp
                                                                                      byte ptr [bx+s1], 'A'
        elc
                                 ; indicate success
                                                                             1b
                                                                                      mlc2
                                                                             cmp
                                                                                      byte ptr [bx+si],'S'
                                 ; jump to common exit
                                                                                      mlc2
        7mp
                gin9
                                                                              ja
                                                                             OF
                                                                                      byte ptr [bx+si],28h
afn8:
                                 ; come here if any
                                                                     mlc2:
                                                                             inc
                                                                                      bx
                                  ; error detected ...
                                                                                                       ; advance through string
                                                                                      bx, ax
                                                                                                       ; done with string yet?
                                  ; Carry = true to
                                                                                      mlc1
                                                                                                       ; no, check next char.
        stc
                                  ; indicate error
                                                                             pop
                                                                                      bx
                                                                                                       ; restore BX and ; return to caller
                                 ; save Carry flag
; save final length
        pushf
gin9:
        push
                                                                     makelc endp
                                  ; restore original directory
                                                                     TEXT ends
                dx, offset DGROUP: cpath
        mov
                ah, 3bh
                             ; fxn JBM = select directory
; transfer to MS-DOS
        MOV
        int
                dl.cdrive
                                : restore original drive
        mov
                                                                                                                           (Figure 1 ends)
```

```
name
                 trygfn
                                                                    msg3 len egu $-msg3
                 TRYOFN -- QFN demo
        title
                55,132
                                                                     DATA
        page
; TRYOFN.ASH --- demo of QFN routine
                                                                             segment word public 'CODE'
                                                                     TEXT
; Ray Duncan, February 1988
                                                                             extrn qfn:near
                                                                             assume cs: TEXT, ds:DGROUP
                 ødh
                                 : ASCII carriage return
CE
        eau
11
                 Øah
                                 ; ASCII line feed
                                                                     main
                                                                                     near
                                                                             proc
        equ
                                 ; standard input handle ; standard output handle
stdin
        equ
                Ø
                                                                             mov
                                                                                      ax, DATA
                                                                                                       ; make our data segment
stdout
                                                                                                       ; addressable...
       equ
                                                                             mov
                                                                                      da.ax
                                 ; standard error handle
stderr
       equ
                                                                             nov
                                                                                      es.ax
                                                                                                       ; display prompt...; address of message
                                                                     main1:
DGROUP group
               DATA
                                                                                      dx, offset DGROUP: msq1
                                                                             mov
                                                                                                      ; length of message
        segment word public 'DATA'
                                                                             mov
                                                                                      cx, msgl len
                                                                             mov
                                                                                      bx, stdout
                                                                                                       ; standard output handle
1buff
        db
                88 dup (8) ; input buffer
                                                                             MOV
                                                                                      ah, 40h
                                                                                                       ; function 48h = write
                                                                             int
                                                                                      21h
                                                                                                       ; transfer to MS-DOS
mag1
        db
                er, lf, lf
                 'Enter filename:
        db
                                                                                                       ; get a filename...
magl_len equ $-magl
                                                                                                         address of buffer
                                                                                      dx,offset DGROUP:ibuff
cx,64 ; maximum entry length
                                                                             1007
msg2 db
                cr,lf
                                                                             DOV
                 'The full pathname is:
                                                                                      bx, atdin
                                                                                                         standard input handle
        db
                                                                             DOV
msg2_len equ $-msg2
                                                                                      ah,3fh
                                                                                                       ; function 3fh = read
                                                                             MOV
                                                                             int
                                                                                      21h
                                                                                                       ; transfer to MS-DOS
                cr.lf
msq3
                 'Bad filename!'
                                                                                                                              (continues)
```

**Figure 2:** The source code for TRYQFN.ASM, a program that demonstrates the QFN routine.

# New... SuperProject Software What The Experts Have To Say:

Aerospace: "SuperProject is the best. Earned Value Reporting and Work Breakdown Summarization give me complete project control and the graphics make impressive presentations." Barry Feeley, Technical Manager, Ford Aerospace.

Construction: "The familiar SuperCalc® and 1-2-3 menu system makes it really easy to learn and use. It handles multiple projects, networking and flexible report writing. The multiple resource calendars and histograms manage resources very efficiently." Ted Ritter, CEO, O'Connor Construction Co.

Data Processing: "The Outliner allows me to quickly sketch critical schedules from the top down. Expert is way ahead of the pack." D.W. Nesper, Regional Consulting Manager, Wang Labs.

The SuperProject® Family—Plus, Expert and Expert/2—is the most advanced PC project management software available. The smallest to the largest and most complex projects imaginable are easily handled thanks to its virtual memory management skills.

Newly released SuperProject Expert/2 running under OS/2, gives you true multitasking. For example, this enables you to enter data in the foreground while outputting a report in the background.

And only Computer Associates gives you PC and mainframe project management. Develop your project planning on a PC and then upload to a

mainframe with CA-PLANLINKS™. You can then consolidate that project with others via CA-TELLAPLAN™ and take advantage of its resource pooling and presentation graphics.

#### The SuperProject Series

		ECT						
FEATURES	PLUS	EXPERT	EXPERT 2					
PERT Count Diagram w CPM	les	les	Yes					
Outline Work Breakdown Chart	les	les	Yes					
Resource Histogram	Yes	tes	Yes					
Resource Leveling	les	Yes	Yes					
Tasks Per Project (Max)	1,560	1,560	Unlimited					
Mainframe Lude	Yes	Yes	Yes					
1 alendars	les	Vies	Yes					
Export Import (Partial or All)	Yes I	tes	Yes					
Multi Project Resource Pauling		lus	Yes					
Built-In Graphics Output		les	lies					
Setworking		Yes	Yes.					
Plotter Support		Yes	Yes					
Milherisk is			ties					

Exporting only 2 When LAN Mer, is available

For your free demo diskette or more information, call 800-533-2070 (Ad 54907).

M Canada: 1-800-663-6904

Computer Associates 1240 McKay Drive, San Jose, CA 95131

© 1988 Computer Associates International, Inc.




Sallaga

- World's leading independent software company.
- Broad range of integrated business and data processing software for maintrame, mid-range and micro computers.
- Worldwide service and support network of more than 70 offices.

Absolutifing + Upimodifieetr + KDBMS + Graphics + Project Management + Misc. - + 4 London - Vonding

# TAP THE HIDDEN POWER IN YOUR PC



Every DOS system—versions 1.0 through 3.3—can run faster and more effectively with the undocumented tricks and practical utilities included in this powerful book-and-disk package. Paul Somerson, PC Magazine's Executive Editor, has gathered together 1, 200 pages of ingenious tips—help that no PC owner should be without. Included is a disk with over 200 ready-to-run utilities. Increase your computing power with:

- Many new DOS enhancements
- Utilities that automate hard disk and file management
- Techniques to streamline screen and printer control
- Easy-to-use programs for pop-up calendars, phone dialers, card files, appointment books, and graphic enhancers
- Tips on taming DEBUG, ANSI, and EDLIN
- Advanced batch file techniques.

 Environment and memory wizardy

"An impressive collection of the very best PC power-user tips and sercrets. Highly recommended."

-Peter Norton

"A fabulous work, in a league by itself. It has found a permanent spot in my reference library.... A must buy!"

-John Dvorak

CIRCLE 505 ON READER SERVICE CARD

Available wherever computer books are sold, or call toll-free (800) 223-6834, extension 9479. In New York State, Alaska, or Hawaii, call (212) 492-9479.

#### ■ POWER PROGRAMMING

```
ax.2
                         ; anything entered?
                         ; empty line, exit
                                                                                       main1
                                                                                                        ; get another filename
                                                                              jmp
                                                                      main2:
                                                                                                        : display error message...
                         : call OFW routine to
                                                                                                        ; address of message
                           validate and qualify
                           the filename...
                                                                              MOV
                                                                                       dx, offset DGROUP: mag3
                                                                              mov
                                                                                      cx, msg3_len
                                                                                                       ; length of message
BUD
        ax, 2
                          ; AX = length (decrease
                                                                              MOV
                                                                                      bx.stdout
                                                                                                        standard output handle
                                                                                                        : function 46h = write
                                                                                       ah. 48h
                         : to remove CR-LF)
                                                                              BOY
                                                                                                        transfer to MS-DOS
                          : DS:SI = addr of filename
                                                                              int
        si, offset DGROUP: ibuff
                                                                              imp
                                                                                      main1
                                                                                                        : get another filenam
mov
call
                         ; go qualify filename
te
        maina
                         ; jump if bad filename
                                                                     main3:
                                                                              MOV
                                                                                       ax, 4cffh
                                                                                                        ; terminate with
                                                                              int
                                                                                      21h
                                                                                                        : return code = #
push
        ni
                         ; save qualified filename
push
        ax
                         ; address and length
                                                                      main
                                                                              endp
                         ; first display title ...
                                                                      TEXT
                                                                              ends
        dx,offset DGROUP:msg2
mov
                         ; message length
        cx,msg2_len
bx,stdout
mov
                                                                     STACK
                         : standard output handle
                                                                              segment para stack 'STACK'
mov
                            function 48h = write
int
        21h
                         : transfer to MS-DOS
                                                                              db
                                                                                      128 dup (?)
                         ; get filename length
                                                                     STACK
                                                                              ends
pop
                         ; get filename address
pop
        bx, stdout
                            standard output handle
                                                                              end
                                                                                      main
DO'V
        ah, 48h
                          : function 46h = write
                         ; transfer to MS-DOS
int
        21h
                                                                                                                             (Figure 2 ends)
```

```
C>TRYQFN <Enter>
Enter filename: foo.dat <Enter>
The full pathname is: c:\word\pc\foo.dat
Enter filename: c:.\foo.dat <Enter>
The full pathname is: c:\word\foo.dat
Enter filename: c:.\ <Enter>
The full pathname is: c:\word\
Enter filename: <Enter>
C>
```

Figure 3: A sample session with the TRYQFN demo program.

tine can be used to generate fully qualified names of files that are going to be created, or to evaluate drive/path combinations without any filename at all. If you supply QFN with only a drive identifier, it will return the drive and the current path for that drive. If you provide QFN with a partial or relative path terminated by a backslash, it will return a fully qualified drive and path combination.

HOW QFN WORKS The first thing QFN does, after saving the various registers and putting away the address and length of the supplied filename, is to use interrupt 21h functions 19h and 47h to obtain and save the current drive and directory. This is because we're still going to let MS-DOS do the hard work of inspecting the directory structure and evaluating such horrid possibilities as

z:dir1\..\dir2\..\myfile.dat

Thus, QFN starts by picking off the drive code (if any is supplied) and calls interrupt 21h function 0Eh to select that drive as the current drive. Unfortunately, function 0Eh is the direct equivalent of one of the more brain-damaged CP/M functions: it does not return an error code. The only way to tell whether function 0Eh succeeded is to follow it with a call to function 19h and see whether the drive we asked for actually became the current drive.

Next, QFN extracts the path component by scanning for the last backslash character, copies the path into a local buffer, adds a terminating null byte, and calls interrupt 21h function 3Bh to make it the current directory. We allow MS-DOS the fun of figuring out relative paths (which do not begin with a backslash) and the meaning of any dot (.) or double-dot (..) aliases that the path contains. If the call fails, we know that the path is invalid—some directory named in the path does not exist.

Once we get this far, the rest is simple. We call interrupt 21h functions 19h and 47h to get the current drive and directory, format them together in an ASCII buffer, and append the original filename. We fold the drive code, path, and filename to lowercase characters for visual consistency. Last, we restore the original path and drive and return the address and length of the fully qualified filename to the calling program.

By asking MS-DOS to figure out any complexities in the original path, and then retrieving the cleaned-up path, we've avoided a lengthy and messy coding problem. Of course, there may be MASM connoisseurs out there who will say the code for the QFN routine is lengthy and messy enough as it is. At first glance, there are certainly portions of it that appear redundant or unnecessary. There are three reasons for this:

- 1. I wanted to supply a routine that would also handle drives and/or partial paths without a filename.
- 2. I am a strong believer in having a common cleanup and exit point, for the sake of code integrity. Thus, I'm always willing to insert a little extra code elsewhere in order to simplify code at the exit point.
- 3. A backslash in an MS-DOS path has two totally different meanings, depending on its position. If the backslash occurs at the start of the path, it is the "name" of the

TAKE THE NORTHGATE THRUPUT TEST!

Find out if your zipps tast hard drive system is REALLY in the fast lane Send us \$5.00. REALLY in the last lane. Send us \$5.00 cash, check or money order and we'll send you the THRUPUT test program. In seconds you lik know, how your sys-tem compares to Northgate systems. And when you buy a Northgate system, we'll refund the \$5.00! NO PHONE REQUESTS PLEASE

AND NORTHGATE'S 80286

Now, with Northgate Super 286

**Turbo Throughput** 

800,000 Bytes Per Second Data Turbo Speed Hard Drive Controllers

TRULY A COMPLETE, READY TO USE SYSTEM YOU GET ALL THESE QUALITY FEATURES:

> 65MB Miniscribe Hard Drive, Formatted and Partitioned 32.5MB in C and D Partitions • Turbo Throughput 16-Bit Hard Drive RLL and 1:1 Interleave Controller • 12MHz Intel Processor • 6 16-Bit, 2 8-Bit Expansion Slots • 1.2MB (Reads & Writes 360K Disks) AND 1.44MB Drive (Reads & Writes 720K) • 200 Watt Power Supply • 2 Parallel, 1 Serial Port • Full Size (Not Baby Size) Case with Keylock. Turbo On/Off, Indicator Lights • 14 Inch Tilt/Swivel Flat Screen Amber Graphics Monitor with 1000 Line Resolution Capability for CAD . Hercules Compatible Graphics Card • Latest Version MS-DOS 3.3 with GWBasic including hardbound manuals for both (Northgate is a Microsoft OEM Licensee).

> > AND NOW, TO GIVE YOU EVEN GREATER PERFORMANCE...

#### DRIVE CACHING AND VOPT™ OPTIMIZER ARE INCLUDED!

Installed on your hard drive is Northgate's exclusive Insta-Cache™ Hard Disk Caching program. Once a file is read it's in cache. Retrieving it again is 0-wait. No hard drive access is needed. This is an \$80.00 value, yours at no extra cost. AND...WE ALSO GIVE YOU THE BEST DISK OPTIMIZER PROGRAM EVER-VOPT™ BY GOLDEN BOW SYSTEMS. CLEANS UP FRAGMENTED SECTORS AUTO-MATICALLY EVERY TIME YOU START YOUR SYSTEM, A \$50.00 VALUE, AGAIN YOURS FREE WITH THE NORTHGATE 286.

SYSTEM OPTIONS - PHONE FOR CURRENT PRICING, EGA, EGA + MFM HARD DRIVES, ESDI & SCSI TO 300MB STREAMING TAPE BACKUP HARD DRIVE BACKUP FROM \$389 MEMORY EXPANSION CARDS CO-PROCESSORS.

Omnikey/102

is available

with all Northgate

Complete

Systems!

400% Faster Performing WORLD CLASS QUALITY Features Unmatched Anywhere


The Bottom Line

throughput on all the (21) machines in this review, (Feb. 16, 1988) WAS THE FASTEST...

65MB Hard Drive System you get:

### Computing Power

Transfer Rate • RLL Encoded Hard Drives • 1:1 Interleaving World's Highest Performance AT Class Computer System!



Most computers look similar. Most vendors advertise processor speed and 28MS hard drive access. There is little to distinguish one from another. Thus everyone tends to assume all computers are alike.

NOT SO. Northgate is truly a different System. And because it is, the computer buyer gets far greater computer value for his money. That's why Northgate has soared in popularity. Those who know choose Northgate. They know they get value through performance that's demonstrated every time they turn on the system. They know all parts are World Class, not the ordinary "off the items others use to keep costs down.

Northgate pioneered RLL Hard Drive and 1:1 Interleaving in its 286 systems. To our knowledge, no com-petitor even offers these vital performance features. Call them. We did. Only Northgate gives you this unique throughput-enhancement.

If Northgate pricing seems higher, don't be deceived by Bare Bones Prices you see in others' ads. Northgate's System is complete
—IT'S THE 286 SYSTEM YOU WON'T OUT-GROW! We encourage you—Shop Around, Call all the Others and Compare.

#### ALL THIS PLUS...The Computer Industry's Most Meaningful Service and Warranty Policy...

30-Day Compatibility Warranty:
Northgate guarantees its systems will operate any standard, commercialy available DOS programs written for use on IBM Compatible Computers. If, on consultation with Northgate, a program cannot be made to operate satisfactorily, owner may return the system, complete and unaltered for a prompt and full refund including all freight costs.

One-Year Overnight AT NORTHGATE
EXPENSE Parts Replacement Warranty:
Northgate Computer Systems warrants that all systems sold
by Northgate will be free of defects in workmanship and
materials for one year from date of shipment.

In the event of failure of a part that disables the system Northgate will ship, the same day if notified by 12 Noon Central Time, a new replacement part. Customer must phone Northgate Customer Service for diagnosis of the failure
 Shipment of the replacement part will be by overnightexpress service—Aft NORTHGATE'S EXPENSE—for next

day delivery depending on the carrier's ability to provide such service in owner's geographic area.

Owner must return any replaced part, complete and unaltered, and pay return shipping costs, to be received at Northgate within two weeks after receiving the replacement

Northgate's Customer Service department will provide full

instructions on making the repair or replacement and will consult with customer on the phone to assure repair is properly completed and the system is again operating.

In the case of a complete system returned for repair under warranty, customer pays freight to Northgate and Northgate pays return freight by whatever service the system is sent to Northgate.

In the event of a part replaced under warranty, the new part carries a NEW ONE-YEAR GUARANTEE FROM SHIP DATE! NOTE: Many computer vendors extend only the parts manufacturer's warranty which may be as little as 30-days. All products sold by NORTHGATE are fully guaranteed by Northgate for one year from date of shipment.



13895 INDUSTRIAL PARK BLVD., SUITE 110 PLYMOUTH, MINNESOTA 55441

HOURS: Mon.-Fri. 8 A.M.-7 P.M. CST, Sat. 9 A.M.-3 P.M.

USE OUR TOLL FREE ORDER LINE

VISA MC COD TERMS: Credit Card, Pre-Payment [allow 2] weeks for personal checks to clear) Wire Transfer and Purchase Orders for Rated Accounts. We also ship to APO and FPO. All shipments are FOB Minneapolis, MN

ALL CORPORATION AND BRAND NAMES IN THIS AD ARE THE PROPERTY OF THEIR RESPECTIVE OWNERS. NORTHGATE IS NOT RESPONSIBLE FOR ERRORS OR OMMISSIONS IN THIS ADVERTISEMENT. • PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE. • TURBO THROUGHPUT, INSTA-CACHE AND NORTHGATE ARE TRADENAMES OF NORTHGATE COMPUTER SYSTEMS. COPYRIGHT 1995. NORTHGATE.

#### Database Add-In for 1-2-3 Has More Capabilities Than Rivals

The king of the crowded forest of Lotus 1-2-3 database add-ins is unquestionably @BASE...

@BASE was developed by Personics Corp. of Concord, Mass. makers of the popular SeeMORE utilities that add additional columns to the screen displays of Lotus 1-2-3 and

With @BASE, it's possible to build colossal 32 M-byte databases in the standard dBASE III Plus format without ever using dBASE itself. Users can convert a normal 1-2-3 database instantly into a dBASE-compatible file, as well as set up dynamic links that will import updated information from dBASE records every time a worksheet is recalculated

A database can be sorted alphabetically, numerically or chronologically on as many as 128 levels. In fact, @BASE will pack and sort records as much as three times faster than dBASE...

Data can be analyzed with a cross-tabulation module to provide lightning-fast reports in response to such questions as: "What sales people in each division earned more than \$20,000 in commissions this month?"

In addition, records can be entered or examined in a form view, where each record occupies an individual screen. Alternatively, of course, the user can choose the usual one-record-to-a-line format

We tested the current \$195 release of @BASE along with a beta copy of the Option Pac, which will retail for \$89.95. Together, these two relatively inexpensive products provide truly remarkable unctionality.

In addition to the indexing feature, the Option Pac will join files to make relational databases, create computed or derived fields, sort a database without rearranging the records on disk, and automatically keep files in the correct sorting order during record entry or updating. See our ad on page 17

As a borrus, dBASE data can be turned into 1-2-3 graphs with practically no effort at all.

Personics has developed a series of @DB functions to perform calculations and evaluate records within @BASE...Each of these functions use one or more arguments to identify the database, record or field to be acted upon. Some functions allow criteria to be established, such as selecting a subset of records.

The 200-page manual for @BASE is excellent...The program adds less than 80K bytes to the RAM overhead of 1-2-3. For those who use both dBASE and Lotus 1-2-3, @BASE is practically a requirement.

#### @BASE

A database add-in for Lotus 1-2-3 that will access and create dBASE files without the use of dBASE itself. A superior product in every respect.

Price: \$195 From:

Personics Corp. 2352 Main St., Building 2 Concord, MA 01742

(617) 897-1575


(800) 445-3311 X1103



### Discover SimpLAN

The Intelligent Printer Sharing Network

\$259



- o Low cost network for sharing printers and plotters
- o Easy to install, simple to use
- o User transparent operation
- o All applications run without modification
- o Automatic document separation and paper management
- o Large number of users can be accomodated

For additional information, contact your dealer or call toll free: 800-445-6190 , or 408-746-2965 (inside California)



1026 W. Maude Ave., Suite 305 Sunnyvale, California 94086 Fax: 408-746-2803

PRODUCTIVITY

#### POWER PROGRAMMING

root directory and is followed immediately by the name of another directory with no intervening delimiter. If it occurs in any other position, it is simply a delimiter that separates two other directory names and has no intrinsic significance at all.

TRYING THE OFN ROUTINE The program TRYQFN. ASM in Figure 2 demonstrates the use of the QFN routine. It prompts the user for a filename, qualifies it with the drive and full path, and displays

The program TRYQFN .ASM demonstrates the use of the OFN routine. It prompts the user for a filename, qualifies it with the drive and full path, and displays the result.

the result. The demo program may be terminated at any time by pressing the Enter key alone in response to a prompt or by hitting Ctrl-C ( °C).

To assemble the files TRYOFN.ASM and QFN.ASM into object modules and then link the modules to create the executable program TRYQFN.EXE, enter the following commands:

MASM /Zi TRYQFN; MASM /Zi QFN; LINK /CO TRYQFN+QFN;

The /Zi and /CO switches can be omitted if you don't want to poke around in QFN's innards with CodeView. A sample session using the TRYQFN program is displayed in Figure 3.

THE IN-BOX Please send your comments and suggestions to me at any of the following e-mail addresses:

BIX: rduncan PC MagNet: 72241,52 MCI Mail: lmi

PC



# Enjoy a big Mac without eating anything.

What's this stack of DOS software doing next to a Macintosh® II? Waiting to be thrown out, right?

Wrong.

And while we're on the subject, what on earth is Lotus 1-2-3° doing on these Mac screens?

Would you believe it's running?

That's right, 1-2-3 now runs-very smoothly and very quickly-on the Mac II and SE.

So does SideKick. dBASE III PLUS. The Norton Utilities. Microsoft® Flight Simulator. And all the DOSware we're aware of.

Including the programs—and data files—you assumed you'd have to eat in order to enjoy the fruits of Macintosh.

#### Teach your old DOS new tricks.

With SoftPC*software, running your

favorite DOSware on your Mac is as easy as opening a window. And just as transparent.

You can open several DOS windows at once. Or both DOS and Mac windows. Then you can jump back and forth between them. Even cut and paste.

Remember, you're on a Mac now, so you can do new

things with your old DOSware.

But if you feel nostalgic, you can always put your new Mac on a LAN with your old PCs.

(Shhhh. With SoftPC, your LAN can't tell the difference.)

Food for thought. SoftPC is either the best thing to CIRCLE 496 ON READER SERVICE CARD happen to DOS or the best thing to happen to Macintosh.

For sure, it's the best way we can think of to spend \$595.

You'll only have to spend it once. Because SoftPC is designed to take advantage of the latest technology.

Even technology that isn't here yet.

Fortunately, SoftPC is here now. Your dealer will be delighted to give you a demonstration.

Just ask for a big Mac with plenty



Softsel.4



SoftPC even runs on your accelerated Mac SE.

### BUYING THE RIGHT PRODUCT AT



#### NEC JC-1402 Multisync II

\$589

#### MONITORS

Amdek
Video 210A 12" Amber 89.00
Video 410 12" A/G/W (ea.) 135.00
Video 432 PS/2 A/W VGA 169.00
Color 722 Dual Mode RGB 449.00
Color 732 12" PS/2 VGA 499.00
Magnavox
7BM623 12" TTL Amber 85.99
CM8762 14" Comp/RGB 279.00
9CM053 14" Hi-Res EGA379.00
8CM873 14" Multimode EGA . 449.00
9CM082 14" VGA ColorCall
7BM749 14" Flat VGA White Call
NEC
1501 Multisync-Plus 999.00
2001 Multisync-XL 20" VGA . 2099.00
Packerd Bell
PB-1418F 14" Flat TTL A/G/W 129.00
PB-1422EG 14" Hi-Res EGA 359.00
Polariod
Palette EGA Plus 2499.00
Princeton Graphics
Max-12 12" TTL Amber 149.00
HX-12E 12" EGA
Ultrasync 12" VGA579.00
Seiko
CM 1430 14" VGA689.00
Thomson
4120 14" RGB/Composite 229.00
Zenith
ZMM-149 4" PS/2 Amber 209.00
ZCM-1490 14" VGA Ang 699.00
ZUM-1490 14 VGA Ang 699.00

#### MULTIFUNCTION CARDS

AST	
Six Pak Plus 576149.0	0
Advantage/2 PS/2 Board 309.0	0
Hot Shot 286 Board 399.0	0

Boca Research	
Top Hat 128K Expansion	99.00
Boca Multi-EGA	.169.00
Bocaram/AT O-4MB Card	. 149.00
DCA	
Irma 2.2 3278 I/O	.749.00
Everex	
EV-159 Ram 3000	99.99
EV-657 Micro Enhancer II	.149.00
EV-673 Everex Evga Adapter	.279.00
5th Generation	
Logical Connection 512K	.389.00
Hercules	
In-Color Card	. 189.00
Graphics Card	.149.00
Graphics Card Plus	
DEAssociates	
IDE-5251 Emulation Board	. 579.00
Intel	
Inboard 386/AT & 386/PC	Call
4020 286 Board w/512k	
8087 Co-Processor	
80387-16 Co-Processor	. 529.00
NSI	
Smart EGA Plus	. 219.00
Quadram	
Quad 386-XT PC Upgrade	.799.00
Model-30 Quadboard PS/2	.319.00
The Complete PC	
Complete Answ. Machine	
Complete Hand Scanner	.219.00
Tseng Labs	
EVA 480 EGA Adapter	. 219.00
Video-7	
VEGA EGA Deluxe Adapter .	. 229.00

	VEGA VGA Video Adapter299.00
ı	Zuckerboard
١	Monochrome Graphics Card 79.99
ı	AT-Primary Memory Board 99.99

#### STORAGE DEVICES

ATD
Tandy 20MB Hard Card 499.00
Everex
Stream 60-8 Ext. Tape-Backup 739.00
Stream 60 PS/2 Tape-Backup 1299.00
lomega
51/4" Bernoulli Box II 999.00
Irwin
110D 10MB XT Tape-Backup .219.00
Miniscribe
8425 20MB 31/2" 40msec 349.00
0425 ZUMB 5 72 4UIIISEC 349.00
3053 44MB 51/4" 25msec 669.00
6085 70MB 51/4" 28msec 889.00
Mountain
20 MB Drivecard
30 MB Drivecard
50MD Drivecard
50MB Drivecard
1D-4440 40MB Ext. PS/2 A1599.00
60MB Mountain Tape 999.00 Dual 5.25" Beta Bernoulli 1899.00
Dual 5.25" Beta Bernoulli 1899.00
PC-TOO
TD4000 40MB Tape-Backup 349.00
Plus Development
20MB Hard Card 599.00
40MD Hard Card
40MB Hard Card779.00
Racore
Jr. Expansion Chassis299.00
Seagate
ST-225 20MB 1/2 Height 249.00
ST-238 30MB 1/2 Height 289.00
ST-251 40MB 1/2 Height 449.00
Service of the servic
Sony 3½" 720K Floppy Drive109.00 Sysgen
3 1/2" / 201K Floppy Drive 109.00
Bridge-File PS/2 Drive 249.00
Bridge-Tape 40MB Backup 499.00
Durapak Single 15MB 999.00
Smart Image 60MB Tape479.00
QIC - File 60MB Tape599.00
QIO THE COME Tape 1111111000



HERCULES
Color Card \$119







**COMPUTER MAIL ORDER** 

### THE RIGHT PRICE ... EVERYTIME!

#### **COMPUTERS**

AST
Premium 286 Model-140 Call
Compaq
386 Deskpro's & Portables Call
IBM
PS/2 Model 30, 50, 60, 80 Call
NEC
Powermate II 40MB 2299.00
Multispeed EL-21499.00
PC-TOO
512K 8 MHz 1.2MB 80286 899.00
Toshiba
1000, 1100 + , 1200, 3120 Laps Call
WYSE Model 50 60 Terminals Call
Model 50, 60 Terminals Call



#### MODEMS

Anchor
1200E External129.00
ATD-Zuckerboard
1200 Baud Nude 1/2-Card 79.99
Best Products
Smart 2400 1/2-Card w/Soft 149.00
Everex
Evercom 920 1200 Baud Int 89.99
Evercom 940 2400 Baud Ext 199.00
Hayes
Smartmodem 1200 Ext 289.00
Smartmodem 2400 Ext 439.00
Practical Peripherals
Complete Telecom Pak 69.99
2400 Stand Alone 189.00
U.S. Robotics
2400 Baud Direct Int179.00
2400 Baud Direct Ext 189.00



**EPSON** LQ-1050 24 Wire 330 CPS \$699

#### PRINTERS

Brother
M-1509 180cps, 132 col 389.00
HR-40 40cps, Daisywheel 669.00
FAX-100 Fascimile Machine .979.00
Canon
PC-25 Personal Copier 899.00
Citizen
Premier-35 35cps, Daisywhl479.00
Epson
LX-800 150cps, 80 col179.00
FX86E, 240cps, 80 col Call
FX-286E, 240cps, 132 col Call
LQ-500 180cps, 24-Wire Call
LQ-850 330cps, 80 col Call LQ-2500 334cps, 24-Wire Call
LQ-2500 334cps, 24-Wire Call
Howlett-Dackerd
2225 Think Jet
NEC
P2200 Pinwriter 24-Wire 379.00
P660 Pinwriter 24-Wire 469.00
P760 Pinwriter 132 col 639.00 LC-890 Postscript Laser 3399.00
Okidata
- III-
ML-320 80 col. 300cps 379.00
ML-292 80 col. 240cps 389.00 ML-390 24-Wire 270cps 519.00
ML-293 132 col. 240cps 529.00
ML-393 24-Wire 450cps 999.00
Panasonic
KX-P1080i 144cps, 80 col179.00
KX-P1091i 194cps, 80 col209.00
KX-P1595 240cps, 132 col 479.00
Sharp
FO-300 Facsimile Machine . 1349.00
Star Micronics
NX-1000 140cps, 80 col 179.00
NX-1000 140cps, 80 col 179.00 NX-15 120cps, 132 col 319.00
Toshiba
P321-SL 216cps, 24-Wire 499.00
P321-SL 216cps, 24-Wire499.00 P351-SX 300cps, 24-Wire999.00
In the U.S.A. and in Canad

#### SOFTWARE

Aldus Pagemaker Ver. 3.0569.00
Ashton Tate
d-base III +
Multimate Advantage II279.00
Borland
Quattro
Central Point
Copy II PC
PC Option Board Deluxe 129.00
Computer Associates
Accpac Easy Accounting 79.99



5th **GENERATION** Fastback Plus \$84.99

The second secon
Fox Software
Fox Base + Development219.00
IMSI
Page Perfect Desktop 339.00
Optimouse w/Dr. Halo79.99
Logitech
Hi-Res Buss Mouse
Lotus Development
Lotus 1-2-3
Meca
Managing Your Money 119.00
Microrim
R:Base For DOS
Microsoft
Microsoft Mouse Bus/Ser109.00
Norton Software
Utilities 4.054.99 Software Publishing Group
PFS: First Choice89.99 Word Perfect Corp.
Word Perfect 5.0NEW
Xerox
Ventura Publisher 1.1 519.00

#### Call toll-free: -800-233-8950.

Outside the U.S.A. call 717-327-9575 Fax 717-327-1217 Educational, Governmental and Corporate Organizations call toll-free 1-800-221-4283 CMO, 101 Reighard Ave., Dept. B1, Williamsport, PA 17701

OVER 350,000 SATISFIED CUSTOMERS + ALL MAJOR CREDIT CARDS ACCEPTED • CREDIT CARDS ARE NOT CHARGED UNTIL WE SHIP. POLICY: Add 3% (minimum \$7 00) shipping and handling. Larger shipments may require additional charges. Personal and company checks require 3 weeks to clear. For faster delivery, use your credit card or send cashier's check or bank money order. Credit cards are not charged until we ship. Pennsylvania residents add 6% sales tax. All prices are U.S.A. prices and are subject to change and all items are subject to availability. Defective software will be replaced with the same item only. Hardware will be replaced or repaired at our discretion within the terms and limits of the manufacturer's warranty. We cannot guarantee compatibility. All sales are final and returned shipments are subject to a restocking fee. We are not responsible for typographic or photographic errors.

### A lot of computer for your money



INCREDIBLE SYSTEMS PRICE REDUCTION!



#### Bentley-286/12

12MHz 80286 processor, IMB RAM, 1,2MB floppy drive. dual floppy/hard drive controller, 200-watt power supply, and keyboard.

• With 40MB HD Seagate, 30ms ......\$1545

• With 70MB HD MiniScribe, 28ms ...... \$1815

#### Bentley-286/10

10MHz 80286 processor, 512KB RAM, 1.2MB floppy drive. dual floppy/hard drive controller, 200-watt power supply, and keyboard.

• With 40MB HD Seagate, 30ms ...... • With 70MB HD MiniScribe, 28ms ......\$1699

#### Bentley Computers ... The Price/Performance Leaders!



Monographics Card Text mode: 80 col x 25 lines; graphics mode: 720 x 348; parallel \$65

Samsung 12" flat screen with tilt and swivel base

\$95

Mono Combo Monographics card and monitor

\$139

\$349

\$469



**EGA Card** 640 x 350, 256KB

\$129 display RAM.

EGA Combo

EGA card and monitor

Color Card 640 × 200 color graphics card .

\$59

Color Monitor

EGA Monitor

high-resolution

14" tube, 13" diagonal

14" tube, \$239 **CGA** monitor

Color Combo \$289 CGA card and monitor



Mice-Indispensible for desktop publishing applications, mice provide easy cursor movement for a variety of software packages.

Bus Mouse . . . . . . . \$89 Logitech C7 \$79 Serial Mouse . . . . MS Bus Mouse . . . . \$119 Genius GM-6+ Serial Mouse . . .



2400 Baud



Modems-All Bentley modems are compatible with all popular communication standards and have auto answer, auto redial, and auto voice/data switching. External modems include LED status indicators and require modem cable for hookup. 300/1200 Baud

Internal Modem . . . . \$69 300/1200/2400 Baud Internal Modem . . . \$139 300/1200 Baud External Modem ...

External Modem ...\$159

#### More memory, more power...



XT-MFC-A six-function expansion card: 384KB RAM, serial port, parallel port, game port, clockcalendar with battery backup, and utility software.

Only .....\$199



MEM-576-Memory expansion card that fits in a short slot and supports either 64KB or 256KB chips. Comes with 0KB, expandable to 192KB, 284KB or 576KB

Only ......\$35 AT Version

Orchid Tiny Turbo-80286 processing speed for your PC. Only .....\$299

AT-MFC-for IBM PC AT® Up to 1.5MB memory expansion, serial & parallel port. Comes with OKB.



EMS-Expanded-Memory-Specification card compatible with the Lotus/Intel/ Microsoft memory specification. Comes with 0KB, expandable to 2MB. Includes utility software. PC Version

Only .... \$99 Only .....

Coprocessors 8087-3 (5MHz) \$129 8087-2 (8MHz) \$150 80287-6 (6MHz) \$219 80287-8 (8MHz) ... \$269 80287-10 (10MHz)...

AT I/O-Serial port and parallel port. Only .....

PC I/O-Serial port. parallel port, game port, and clock-calendar with battery backup.

Only ......\$65

plus a one-year warranty!



Bentley-286/8

Base System ...

8MHz 80286 processor, 512KB RAM, 1.2MB floppy drive, dual floppy/hard drive controller, 200-watt power supply, and keyboard.

• With 20MB HD Seagate, 65ms ......\$1095

• With 40MB HD Seagate, 30ms ......\$1295

Bentley Turbo-10

Base System ...

Turbo-charged XT-compatible 8088 processor running at 10MHz, 640KB RAM, one 360KB floppy drive and controller, eight expansion slots, 150-watt power supply, and keyboard.

• With 40MB HD MiniScribe, 61ms ......\$859

#### Enhance your Bentley-286 with our popular AT add-on products!

#### Hard Disk Drives

High Quality • High Storage Capacity

Low Price • High Performance

**One-Year Limited Warranty** 

For Your Bentley-286

40MB Seagate (30ms)......

**43MB** MiniScribe (25ms).......

70MBMiniScribe (28ms) ......



#### PC Hard Disk Kits-

Quality 30MB and 40MB hard disk kits for the IBM PC and compatibles. Each kit includes a half-height Winchester hard disk, hard disk controller, cables, software, mounting hardware and complete illustrated installation manual

******* DESI	a compress	**********	-	В	1.04	2 60	MA W	 62	•	5.0	 DUA	юв	м	-	٠			
20MB	MiniScribe	(65ms)																.\$279
30MB	MiniScribe	(65ms)				4		 U	ě		 g	۰	0	0 4		e	0	.\$339
40MB	MiniScribe	(61ms).	6		٠	a	4	 n	п		 4	4		0 4			,	.\$399
20MB																		0000



#### 360KB Diskette Drives-Convenience and compatibility.

For PCs . . . . . . . . \$99



Internal Tape Backups-Avoid disk swapping: use streaming tape for your IBM PC®, AT®, or compatibles.

For the PC

.\$389 For the AT....\$757



#### **Computer Products**

1700 Still Meadow Cove Round Rock, Tx. 78681 Amazing prices on quality computers and add-on products. Free UPS ground shipping in the continental U.S.A. Thirty-day, money-back guarantee (does not include return freight). No surcharge for MasterCard, VISA, COD, or cashier's check. Fortune 1000, university, and institution purchase orders accepted with approved credit. Prices are subject to change without notice. One-year limited warranty

Sales Hours: Mon.- Fri. 8 a.m.- 9 p.m. Sat. 9 a.m. - 5 p.m.

Tech. Support: Mon.- Fri. 9 a.m.- 5 p.m.

Order Toll Free 0-234-44

Tech Support: 512-250-8202

### Advanced Revelation: **Building PC Applications** dBase III And The Others Simply Cannot Handle.

#### Discover The Advanced Revelation^m Difference

Building a comprehensive personnel/payroll system to manage 15,000 employees on a 24-user 386 PC network is not the kind of application you would want to tackle with an ordinary DBMS product best suited for building phone lists.

Nor would you want to rely on a traditional DBMS, to take on the challenge of building a materials handling and order shipping control system to be accessed in 120 manufacturing locations worldwide.

That's because it takes more than just a DBMS to build a solid PC application

It takes a complete application building environment that includes not only a superior database, but also professional programmers tools and an easy-touse Application Processor¹

#### And that's the Advanced Revelation difference.

Since 1982 Advanced Revelation has been the only complete application development environment for IBM PCs and compatibles that offers these three critical application building blocks:



#### Advanced Revelation's **Application Processor** puts the end user in control

Most applications must be ultimately maintained by the users; able to write reports without any programming expertise. Customize their application by adding new fields of information, define new edit patterns, add entirely new windows.

Advanced Revelation's Application Processor offers a complete set of menu and window-driven tools for producing any application without coding or programming.

Pop-up windows offer options and HELP throughout the entire process.

Whenever a user builds screens, menus or windows. Advanced Revelation automatically builds and updates the central data dictionary and produces

Advanced Revelation's Programmer Tools for the professional application builder

Professional programmers require an advanced set of tools that permit efficient design of a complete application from database implementation to data entry and inquiry screens.

Advanced Revelation's Professional Programmer Tool Kit provides the tools you need to create even the most challenging applications. Like MRP and payroll/ personnel systems. A task no traditional PC DBMS can perform.

Tools like a powerful programming language with complete dictionary integration, with dozens of database, string and threedimensional dynamic array handling functions. A language so powerful that users have written such comprehensive utilities as word processors and spread sheets -- applications normally written in the Clanguage.

#### Advanced Revelation's **Dictionary Driven** Database centralizes intelligence

A solid PC application must be built around a superior data-



noud Revelution's dictionary builder all specify the names, output formats, ed



Windows can be created and customized with Advenced Revelation's sesy-to-use-painter.

base. One where all the information is centralized for ease of update and ease of maintenance.

Advanced Revelation's relational DBMS truly centralizes the intelligence of your application through an active data dictionary. One that manages every element of the application information including field lengths, edit patterns, field descriptions and formulas, assuring that application maintenance is easily performed.

Advanced Revelation's unique variable length record architecture (providing maximum record length of 65,500 characters; up to 32,000 fields per record) delivers efficiency in storage as well as substantial improvements in database flexibility.

With Advanced Revelation's exclusive linear hashing retrieval technique, your application building and database design capabilities are unsurpassed. Even if your application contains 100,000 records, and has 24 users on a LAN, your retrieval time still can be one-half second.

#### Experience the Advanced Revelation difference yourself. Send for your demonstration system today

In less than two hours, your fully functional Advanced Revelation demonstration system will guide you through development of a complete customer, invoice and product tracking system.

If you have never built an application before - fear not. And if you consider yourself a programming "connoisseur" - you are in for a development session you will never forget.

Simply call toll free 800-327-0216

3633 136th Place, SE Bellevue, WA 98006 Two Park Ave., N.Y., NY 10016

Offices: New York, Boston, Philadelphia, Atlanta, Chicago, Los Angeles, San Francisco.

NOTE Advanced Revelation is compatible with the IBM PC-AT IBM PS/2, Compaq and other 200 percent IBM Compatibles.

Advanced Revelation and Application Processor are trademarks of Cosmos, Inc., a subsidiary of Revelation Technologies, Inc. offsee III is a registered trademark.

#### ■ DOUGLAS COBB AND STEVEN COBB

# SPREADSHEET CLINIC



Editing records using an undocumented Query key function; calculating grand totals of worksheets with multiple sections; entering an actual monthly calendar series in 1-2-3.

#### A DATE SERIES MACRO

Because different months have different numbers of days, you can't use 1-2-3's /Data Fill command to create a series of dates exactly 1 month apart. Of course, you can enter a monthly date series manually. However, I prefer to use the macro shown in Figure 1.

The first statement in this macro allows you to specify the length of your series, which is stored in the cell MONTHS (B16). The macro then solicits the month, day, and year components of the first date in the series, storing your responses in the cells named MONTH (B14), DAY (B15), and YEAR (B16).

The next statement in the macro enters the serial value of the date described by the values in MONTH, DAY, and YEAR into the cell in which you have positioned the cell pointer. For example, if the cell pointer was on cell A21 when you invoked the macro, 1-2-3 would enter the function

#### @DATE (YEAR, MONTH, DAY)

into cell A21. If you specified 1 as the month component, 1 as the day component, and 88 as the year component, this function would return the value 32143—the serial date value of January 1, 1988.

After entering this date, 1-2-3 moves the cell pointer down one cell (to cell A22) and executes the statement in cell B7, which commands it to enter another @DATE function by typing and pointing. This function should return the serial date value of the day exactly 1 month later than the date whose serial value was returned by

the function located in the previous cell. Each of the {Up} commands in this statement causes 1-2-3 to point to the previous cell—in this case, cell A21—as it builds the formula.

The +31 portion of the first argument of the @DATE function assures that when the previous date is in December of one year, the function will return a date in the next year. The +31 portion of the second argument of the @DATE function assures that the function will return a value for a date in the next month. The third argu-

ment, \$DAY, assures that the function will return the value of the same day in each month.

To continue the example, 1-2-3 would enter the function

@DATE(@YEAR(A21+31),@HONTH(A21+31),DAY)

into cell A22. Since the function in cell A21 returned the value 32143—the serial date value for January 1, 1988—this function would return the value 32174—the serial date value for February 1, 1988.

The next statement in the macro copies

```
B
    \d
                         (GetNumber "Enter number of months: ", MONTHS)
                         (GetNumber "Enter intial month (1-12): ", MONTH)
                         (GetNumber "Enter day of month (1-31): ",DAY)
                         {GetNumber "Enter intial year (87=1987, etc.): ", YEAR}
                         '@DATE(YEAR, MONTH, DAY)
                         (Down)
                         @DATE(@YEAR({Up}+31),@MONTH({Up}+31),$DAY)
                         /c {Down }. {Down MONTHS-3}
                         {Up}
                         /rfd4(End)(Down)
18
                         /rv{End} (Down)
11
12
13
    MONTHS
    MONTH
14
15
   DAY
    YEAR
```

Figure 1: This macro enters a series of month-spaced dates into a worksheet column.

Figure 2: Two modifications needed by the macro shown in Figure 1 to make it work in all cases. The label shown above as "(a)" replaces that in the original B7. The label shown as "(b)" above goes into a new row inserted between the original rows 7 and 8.

#### ■ SPREADSHEET CLINIC

the function that 1-2-3 just entered into the remaining cells of the range you wanted to fill. Since the year and month arguments reference the previous cell, the result of each function will be a value in the month after the month represented by the result of the previous function. Since the day component is an absolute reference to the cell named DAY, however, each date value will represent the same day of its month.

The final statements in the macro assign the D4 format to the cells into which it just entered @DATE functions, then replace those functions with their current results.

> Jack McKinley Denver, Colorado

Mr. McKinley's macro works well in most situations. But it will not generate a correct series when you specify the value 31 as the day component of the starting date, nor when you specify a day component of 29 or 30 and the series spans the month of February.

To make this macro work correctly in all cases, you must insert a new row between rows 7 and 8, and replace the entry in cell B7 with the label identified as "(a)" in Figure 2. You must then enter the label identified as "(b)" into cell B8. Together, these labels construct a formula that adjusts properly for the different number of days in each month.

#### **QUERY FIND TRICK**

When you issue the /Data Query Find command, 1-2-3 highlights the criterion-matching records, beginning with the matching record closest to the top of the database. (The Cursor Up and Down keys move the highlight to other criterion-matching records.) When you press Enter or Esc, 1-2-3 returns the cell pointer to the cell on which it was positioned when you issued the command.

In many cases, however, I want the cell pointer to stay on one of the highlighted cells when I cancel the /Data Query Find command. It's a nuisance to have to write down the address of the cell and return to it with the {Goto} command—and I've found an easier way.

If you press the Query key (F7) while 1-2-3 is in the FIND mode, 1-2-3 cancels the /Data Query Find command and returns you to the READY mode. Instead of

```
A B

1 \q {Let POSITION, @CELLPOINTER("address")}

2 {Esc}q

3 {Goto}{POSITION}^-

4

5 POSITION
```

Figure 3: This Symphony macro cancels a {Menu} Query Find command and positions the cell pointer on a cell of the last record that was highlighted.

returning the cell pointer to its original cell, the program leaves the cell pointer in the record that was highlighted when you pressed F7. Specifically, it puts the cell pointer on the cell that contains the underline cursor. Unless you pressed the Right or Left Arrow keys while 1-2-3 was in the FIND mode, this will be the leftmost cell of the record.

Unfortunately, *Quattro* does not support this useful behavior of the Query key. Perhaps Borland's programmers weren't aware of this feature, or else thought it was a bug.

Israel Kehaty Corvallis, Oregon

This previously undocumented function of the Query key was new to us and will benefit many 1-2-3 users. The feature would be even more useful in Symphony than in 1-2-3, since Symphony does not allow you to edit records while it is in the FIND mode. However, Symphony does not have a Query key.

Fortunately, you can use a macro like that in Figure 3 to duplicate this action of the Query key. You should invoke this macro after issuing the {Menu} Query Find command, using the Cursor Down and Up keys to highlight the record you want, and using the Right and Left Arrow keys to position the underline cursor on the appropriate field of that record.

The first statement in this macro takes the absolute address of the cell in which the underline cursor was positioned when you invoked the macro and enters it into the cell named POSITION (B5). The next statement cancels the {Menu} Query Find command, returning the cell pointer to the cell on which it was positioned before you issued the command. The final statement moves the cell pointer to the cell whose address is stored in POSITION—the cell on which the underline cursor was positioned when you invoked the macro. To understand how this final statement works, see the following submission by Donald Fields.

#### SAVING A CELL LOCATION

The set of macros presented by John Gufstason (Spreadsheet Clinic, April 12, 1988) that save the current position of the cell pointer works well, but I wish to suggest using a slightly different technique. Rather than enter the address of the current cell into a cell of the "return" macro, I put it into a cell outside the macro and access it with a subroutine call, as shown below in Figure 4.

The statement in the "save" macro enters the absolute address of the current cell into the cell named LOCATION (B3). The first part of the statement in the "return" macro tells 1-2-3 to press the Goto key. While the prompt "Enter address to go to:" is visible at the top of the screen, 1-2-3 reads the second part of the statement, {LOCATION}. This subroutine call tries to execute the commands in the cell named LOCATION.

In this case, the LOCATION cell sim-

```
A B

1 \s {Let Location,@cellPointer("address")}

2 
3 Location

4 
5 \r {Goto}{Location}^
```

turns you to the READY mode. Instead of | Figure 4: This macro uses a subroutine call to access the saved address.



There's a bit of the "master" in all of us. It shows up whenever you're called upon to create a work of art. Whether the subject is a three-dimensional drawing, a spreadsheet or a flock of birds on a summer sky, the impression you want to leave is professional, accurate and exactly as you first imagined it.

Bright beautiful colors. Ultra-fine resolution. Compatibility with state-of-the-art software. You'll get all of this and more with AST-VGA and AST-VGA Plus; two new full-range graphics

adapters from AST.

AST-VGA is designed to take advantage of IBM® PCs, XT™s and compatibles. In addition to register-level VGA graphics and OS/2™ compatibility, drivers for Microsoft® Windows™ and popular application programs such as Ventura Publisher,™ AutoCAD™ and GEM™ are included. AST-VGA provides 16 colors at 800 x 600 and 256 colors at 600 x 400. All at a price that's as attractive as the screen you'll see on your computer.

AST-VGA Plus is a high-performace 16-bit graphics adapter that takes advantage of the extra speed of IBM AT®s and compatibles, including compatibles running at 12.5 MHz. With 16 colors at 800 x 600 and 256 colors at 640 x 480, it's easy to see why AST-VGA Plus is a must for sophisticated CAD/CAM applications.

Of course, both boards offer downward compatibility through EGA, CGA, MDA and Hercules® to insure your prior software investments. And 132-column support provides ease-of-use for all of your spreadsheet artists.

Interested in making a good impression? Call AST at (714) 863-0181 and ask for Operator Number AA22, or send in the coupon.

☐ AST-VGA Plus ☐ Please have an AST		call me.	
Name	_		
Title			
Company			
Address			
Crty	State	Zip	
Phone ( )			
Send to: AST Research Irvine, California 9271			PC 7/88



#### Times Have Changed.

AST markets products worldwide—in Europe call: 44 1 568 4350; in the Far East call: 852 0499 9113; in Canada call: 416 826 7514. AST and AST logo registered trademarks AST Research, Inc IBM and AT registered and OS-2 and XT trademarks international Business Machines, Corp. Vicrosoft registered and Windows trademark Microsoft Corp. Hercitles registered trademark Hercules Computer Technology. AutoCAD trademark AutoDesk. Ventura Publisher trademark Xerox Corp. GEM trademark Digital Research, Inc. Copyright © 1988 AST Research, Inc. All rights reserved.

CIRCLE 166 ON READER SERVICE CARD

### Avery desktop Laser Printer Labels, quaranteed to feed automatically from your paper tray without melting or peeling off inside your HP." Apple," or other popular laser printer. Ask for Avery Laser Printer Labels (Product code #'s 5160 through 5165) wherever computer and office supplies are sold. Or call 1-800-535-3232 ext. 30 for a free sample pack or the dealer nearest you.

#### ■ SPREADSHEET CLINIC

ply contains the label form of the absolute address of the cell on which the cell pointer was positioned when you invoked the "save" macro. Thus, *1-2-3* types that address to the right of the prompt. Since the cell below LOCATION is blank, the program returns to cell B5 and executes the final part of the statement, ", which presses Enter. This completes the Goto command, moving the cell pointer to the cell whose address is stored in LOCATION.

Donald Fields Louisville, Kentucky

The only precaution you must observe in using these macros is to make sure that the cell below the one containing the subroutine is blank or contains the {Return} command.

#### CALCULATING GRAND TOTALS

Many of my 1-2-3 worksheets are divided into multiple sections, like the one shown in Figure 5. To calculate a "grand total" for these worksheets you can use the simple formula +B7+B13+B20, which adds the results of the @SUM functions in the cells B7, B13, and B20. If you have to add or delete sections of the worksheet, however, you will then have to edit the formula so that it includes the subtotals for the added sections and excludes the subtotals for the deleted sections.

Recently, I've found a better way to

	A	В
1	SECTION 1	
2	Entry 1a	977.45
3	Entry 1b	088.85
4 5	Entry 1c	580.96
	Entry 1d	722.15
6	-	*******
7	Subtotal 1	3,169.41
8		
9	SECTION 2	
15	Entry 2a	458.85
11	Entry 2b	964.15
12	_	
13	Subtotal 2	1,423.00
14		
15	SECTION 3	
16	Entry 3a	242.51
17	Entry 3b	648.46
18	Entry 3c	269.73
19		
26	Subtotal 3	1,160.70
21		
22	GRAND TOTAL	5,753.12
23		

Figure 5: You can use the formula @SUM(B1..B21)/2 to calculate the grand total for this worksheet.

calculate a grand total for a worksheet of this sort. Instead of using an addition formula, I now use an @SUM function to calculate the total of the entries in each section plus their subtotals, then divide by 2. For example, to calculate the grand total for the worksheet shown in Figure 5, I'd use the formula @SUM(B1..B21)/2. Since the @SUM function includes both the individual values and the sum of those values, its result is exactly double the true grand total. Consequently, dividing by 2 returns the correct answer.

Unlike the simple addition formula, this one does not need to be edited when I add or delete sections from the worksheet.

■ The @SUM function is a better way to calculate a grand total of a worksheet with multiple sections.

When I insert new sections, 1-2-3 expands the @SUM range to include them; when I delete sections, 1-2-3 contracts the @SUM range. The extra row at the top and at the bottom of the @SUM range assures that 1-2-3 will adjust the formula properly when I add a new section above the first section or below the last one, and when I delete the first or last sections.

Alan Tiet Los Angeles, California

Mr. Tiet's technique can come in handy in a number of different situations. Note, however, that it will return an incorrect result if, when you make your worksheet changes, you include a section for which you do not calculate a subtotal.

#### CONTRIBUTE TO THE CLINIC

Share your latest spreadsheet discovery through *PC Magazine*'s Spreadsheet Clinic. We'll pay you \$50 or more for anything we print, *plus an extra \$25 if you submit your letter on a disk*, together with a printout. Mail your contributions to Spreadsheet Clinic, *PC Magazine*, One Park Avenue, New York, NY 10016.

## GERENTS BIGBLUE FOR A LITTLE GREEN.



#### APPLE MACINTOSH AND COMPAQ, TOO.

Short-term projects can be long on problems if you don't have the computer equipment you need. That's why renting PC s and peripherals from GE for presentations, trade shows, training sessions or seasonal expansion makes so much sense. Our vast inventory of IBM, Compaq, Apple, quality compatibles and related equipment is ready for overnight shipment. So, anything you need can be there fast. From a sea of Blue to a bushel of Apples, one phone call is all it takes. Call 1-800-GE-RENTS.

#### **ORDER NOW AND SAVE 15%!**

Rent a PC or peripheral from GE Rental/Lease before October 31, 1988, and we'll take 15% off your first rental order. So, renting from GE becomes more than just a great decision. It's a great bargain, too. Call today— 1-800-GE-RENTS, Dept. L.

### Call 1-800-GE-RENTS, Dept. L. Or Mail This Coupon.

- ☐ Yes! I'm interested in learning more about your offer of 15% off my first PC or peripheral rental. I understand I am not obligated in any way.
- ☐ Please send your FREE catalog of GE Rental Lease products and services.

Name ______

Company .....

Address ____

 City
 _______ State
 _______ Zip

 Phone
 _______ Ext. or Dept
 _________

GE Rental/Lease

Send to GE Rental Lease PO Box 105025 Atlanta GA 10445

BM is a resistered trademark of the International Busines Working Corporation Macantock and Apple are trainered trademark of Apple Company in a registered trademark of Company Computer Corp

# Were 20 acoun hot dates tor evelopers.

September 14th-16th Ashton-Tate Developer Conference Century Plaza Hotel, Los Angeles

Ashton-Tate* invites you to join us for our second national Developer Conference, A MEETING OF THE MINDS II, in Century

City, Los Angeles.

It's a conference designed to help you discover the state of the art in application development. You'll get a head start with new products and programming techniques that will save you precious time and increase your productivity in developing applications.

Choose from a wide range of in-depth technical sessions and code clinics. Explore

new ideas with Ashton-Tate product specialists, leading industry experts, and corporate and government developers. And check out the latest additions to the Ashton-Tate product line, including dBASE IV Developer's Edition,™ SQL Server, dBASE DIRECT/36,™ dBASE DIRECT/38,™ Framework,* dBASE Mac RunTime,™ Full Impact,™ and the rest of the Ashton-Tate product family.

Attendance will be limited, so register early. Call (800) 343-4546 for a detailed brochure and registration packet. In California, call (800) 843-3103.

MASHTON·TATE®

Trademarks owner dBASE IV Developer's Edition, dBASE DIRECT 36, dBASE DIRECT 38, Framework, dBASE Mac RunTime, Full Impact, Ashton Tate logo/Ashton Tate Corp. © 1988 Ashton Tate Corporation. All rights reserved

#### ■ EDITED BY SALVATORE P. RICCIARDI

### USER-TO-USER



Automating program development using batch files; using the DOS APPEND command with BASICA; setting a brighter graphics palette.

#### BRIGHTENING UP GRAPHICS

The default color palette used in mediumresolution color modes creates, on my monitor, a less than appealing display. To correct this, and brighten things up a little, I wrote a small TSR program, INTENSE .COM, that forces the brighter color palette to be used. Interrupt 10h function 0Bh is used to select the color palette used in graphics mode. When loaded, INTENSE

N INTENSE.COM A 100 JMP 010F CMP AH, ØB JNZ 010A BL, 10 OR JMP 0000:0000 AX.3510 MOV INT 21 MOV [010B],BX MOV [010D],ES MOV DX, 0102 AX, 2510 MOV INT AH, 49 MOV BX, [002C] MOV MOV ES, BX INT 21 MOV DX, 010F INT 27 RCX 33 W Q

Figure 1: The DEBUG script used to create the program INTENSE.COM.

intercepts this call and changes the requested palette to include the brighter colors.

> Dwayne Budzak Edmonton, Alberta Canada

The CGA medium-resolution colors are quite murky—it's a mystery why they were chosen as the default. But this small TSR can fix that oversight.

To create INTENSE.COM, type the IN-TENSE.SCR DEBUG script file (Figure 1) using a pure-ASCII text editor such as WordPerfect's Program Editor, or the DOS command

#### COPY CON INTENSE.SCR

Be sure to hit the Enter key at the end of each line, especially the last one, and a blank line above RCX. Then, get back to DOS and type

#### DEBUG < INTENSE.SCR

to create the executable file.

The program INTENSE should be loaded only once, preferably in your AU-TOEXEC.BAT file, before any programs using the medium-resolution graphics mode are run.—Robert L. Hummel

#### USING APPEND WITH BASICA

I have discovered a problem that occurs when using the DOS 3.3 APPEND command and BASICA. If I have APPEND loaded and execute the demonstration BASIC program shown in Figure 2, the file FILEA.TXT, located in a directory that is included in my APPEND path, will be overwritten by the BASIC program. Al-

10 OPEN "TMP FILEA.TXT" FOR OUTPUT AS 01 20 PRINT 01, "Creating \TMP\FILEA.TXT" 30 CL(SE 48 SYSTEM

Figure 2: A sample BASIC program that demonstrates a potential problem using APPEND with BASICA.

though the program should create a new file in the \TMP directory, it doesn't.

If there is no existing file named FILE-A.TXT along an APPEND path, then things will work as expected. Otherwise, important data is at risk.

Dave Bartholomew Oakland, California

The APPEND command carries with it several caveats that users need to be aware of—this is one of them. APPEND loads as a TSR and monitors all DOS file open requests. When a file open request is processed and the file cannot be found, APPEND then steps in and attempts to find a file of the same name in any of the subdirectories in its "path." If it finds one, it substitutes it for the requested file. The calling application never even knows that this has happened.

This substitution, however, can be dangerous in certain situations. The problem lies with the way BASICA determines whether it should try to open an existing file or create a new one. The same BASIC language statement, the "OPEN" statement, is used for both.

When BASICA processes the "OPEN" statement, it uses a two-step approach. First, it assumes that the file exists and at-

#### ■ USER-TO-USER

tempts to open it using the DOS open file handle function. Then, if the file does not exist, it creates it using the DOS create file handle function.

This process works just fine without APPEND. With APPEND loaded, however, instead of failing because the requested file doesn't exist, the open file handle function can be satisfied by any file of the same name anywhere in the APPEND path. This makes deliberately creating a new file difficult if one with the same name already exists somewhere in the APPEND path-because BASIC will never get to step two of its two-step sequence for opening a file.

The best solution is to not use the AP-PEND command. And you don't have to if your application supports subdirectories. APPEND's main purpose is to provide subdirectory access to applications that were written before DOS 2.0. But if you must use APPEND, try the following.

If the intent is to create a brand-new

file, precede the OPEN statement with an OPEN "filename" FOR INPUT statement. If this call fails (trap the error using ON ERROR), you can assume the file does not exist in the current directory or in the APPEND path. If the call succeeds, a file with that name exists somewhere in the APPEND path, and caution is needed.

What if you want to update the file \TMP\FILEA.TXT if it exists, but create it if it doesn't? Unfortunately, with AP-PEND loaded, there is no way of knowing whether a successful OPEN has opened the requested file or one somewhere in the APPEND path. The BASIC program must take responsibility for retrieving the AP-PEND path from the DOS environment and searching through it for files of the same name before attempting to open the file. To make this step possible, the AP-PEND command provides the /E option, which causes the APPEND path to be placed in the DOS environment. From there, it can be retrieved using the BASIC ENVIRON\$ command.

The DOS reference manual's explanation of APPEND implies that reading a file, then writing it, may not write the file in the expected directory. It also cautions against using the DOS APPEND command along with the APPEND command from either the IBM PC Network Program, Version 1.00, or the IBM PC Local Area Network Program, Version 1.10. Users of APPEND would be wise to read the DOS manual section on APPEND thoroughly before using it in their applications.

-Salvatore P. Ricciardi

#### "SMART" BATCH FILES

Integrated environments are great—they include an editor, a compiler, a linker, and even a make facility. And while many popular languages have this support, there are still some that do not. If you're using one of these (such as MASM or IBM CO-

#### BSI HIGH PERFORMANCE COMPUTERS



For orders only, call toll free:

1-800-872-4547

BSI customer support center: (818) 442-7038

**Dealer Inquiry Welcome** 



9440 Telstar Ave , Suite 4 El Monte, CA 91731 Tel: (818) 442-0020

IBM/PC AT, XT are trademarks of International Business Corp.

- Laptop portable AT
- CRT portable AT & XT
- LCD portable XT
- Desk top AT & XT

are available, please call for prices. All BSI systems are backed by a limited warranty.





#### BSI 386 System


- 16 MHz microprocessor
- 2 MB 32-bit memory on main board
- One 32-bit expansion slots Socket for 80287 math co-processor
- Floppy/hard disk controller
- One 1.2 MB floppy disk drive
   40 MB hard disk drive
- Enhanced 101-key keyboard
   Monochrome graphics card with printed
- port Serial/parallel port
- 200 Watt power supply

\$ 3,150.00

#### LCD Portable 286 AT

- 6/12 MHz 80286 processor
- 640K memory on main board
- New supper twist LCD with backlit and Reverse; 640 X 200 dots; 80 X 25 characters
- Monochrome/color graphics card for external monitor
- Socket for 80287 math co-processor
- Floppy/hard disk drive
- Serial/parallel/clock-calendar
- One 1.2 MB floppy disk drive
  20 MB hard disk (40 MB option)
- 12 function AT style keyboard

S 1.895.00



The more you look into 386 compatibles, the more you realize that well thought-out design innovations (that really work) are few and far between.

That's why our engineers set out to design the GV-386. They realized they could unlock more of the chip's potential, if only they could speed up data retrieval, without affecting system reliability.

#### **INNER POWER**

Here's how they did it: a high-speed RAM cache

circuit—a full 64K of superfast memory—that puts your most frequently accessed data right at your fingertips. If you're ever involved in processing complex databases, long spreadsheets, or detailed engineering drawings, you'll see the value of this innovation in a second...literally.

Best of all, the cache circuit actually makes the GV-386 more reliable than other high-speed machines, by sparing integrated circuits from harsh overloading.

Our BBS is on-line 24 hours Call The Soft Stop at 918-252-9137

Prices subject to change

#### GV-386 Specifications

- Available with 16MHz or 20MHz CPU
- Zero Wait States
- 64K Cache (keyboard enabled)
- IMB RAM on-board, expandable to 4MB
- ☐ Socketed for 80287 or 80387
- ☐ I/O Bus runs at 8MHz for hardware compatibility
- ☐ Six 16-bit slots; Two 8-bit slots
- Price: 20MHz systems start at \$2,750; 16MHz systems as low as \$2.375

#### **QUALITY THROUGHOUT**

Of course, our most important criterion when designing our super compatible wasn't speed—it was quality. Take a look inside the GV-386 and you'll see it everywhere: from the highest quality components available to the intelligent use of special CMOS RAM to store system set-up information. On the outside, the fit and finish of the GV-386 would make Big Blue green. Even the user's manual has impressed users and reviewers alike.

We'd like to tell you more about what went into the GV-386. Give us a call and we'll give you the whole story. We'll also tell you about our exclusive 30-Day Compatibility Guarantee, our full One-Year Warranty and our toll-free support service.

The GV-386 from PC Designs. With design innovations this advanced, at this price, it's an open and shut case.



Call us now at 1-800-32-BIT PC

(800-322-4872)

2500 N. Hemlock Circle, Broken Arrow OK 74012

• 918-251-5550 (Fax. 918-251-7057)

19 Rector Street Suite 2705 New York NY 10006

• 212-514-7280 (Fax 212-797-3973)

#### **■ USER-TO-USER**

BOL/2) or simply prefer another editor, you can still move fairly quickly between the basic components of program development by using "smart" batch files.

For example, after invoking MASM use the following batch file:

ECHO OFF
REM SMART.BAT
ECHO %0 %1 > C.BAT
ECHO LINK %1; > L.BAT
ECHO EDIT %1.ASM > E.BAT
MASM %1;

You can quickly reedit the source program if necessary by executing the batch file E.BAT, and then recompile by executing C.BAT. After a successful compile, LINK is at your fingertips with L.BAT.

The batch files are created by redirecting the output of ECHO to a drive/directory in your PATH. The batch files are smart in that they remember the program name that you last worked on. The batch

ECHO OFF

REM A BATCH FILE THAT REMEMBERS YOUR LAST COMMAND ECHO %0 %1 %2 %3 %4 %5 %6 %7 %8 %9 >REDO.BAT

Figure 3: A batch file that remembers your last command.

file variable "%0" is useful for specifying the name of the batch file being executed. For example, to create a batch file that can be reexecuted quickly, use the command shown in Figure 3.

> Brian E. White Richmond, Virginia

All programmers find the edit-compilelink process fatiguing. But if you can't—or won't—use an integrated environment, these batch files really help.

To create a batch file that links as well

Salvatore P. Ricciardi is a technical editor on the staff of PC Magazine.

as compiles, add the following line to the end of SMART.BAT.

LINK %1;

—Salvatore P. Ricciardi

#### SHARE YOUR SECRETS

Reveal your latest DOS and systems discoveries through User-to-User, and we'll pay you \$50 or more for any submissions we print, plus an extra \$25 if you submit your letter on a disk. If you send a disk, please include a printout. Mail your contributions to User-to-User, PC Magazine, One Park Avenue, New York, NY 10016.

#### Sure it's Insured? Most computers are not insured. And ordinary policies may exclude or limit the coverage Mannin a you need. Do you have the ready cash to replace stolen or damaged equipment? You will if you have SAFEWARE's comprehensive Computerowners coverage. It provides full replacement of hardware, media and purchased software for just pennies a day! Your protection includes theft, fire, accidental damage, natural disasters like earthquakes, and more. Even costly power surges are covered. Just select your system value and premium from the table below. Use the coupon or call for immediate coverage or more information. Up to \$2,000 \$ 39 1-800-848-3469 \$ 2.001-\$ 5.000 5 69 Local 1-614-262-0559 \$ 5,001-\$ 8,000 \$ 89 On CompuServe.

\$ 8,001-\$11,000 \$109
\$11,001-\$14,000 \$129
Call for rates on higher amounts

10 DAY TRIAL. Review your policy for 10 days after you receive it. Satisfaction guaranteed or your money back.

Name
Address
Phone (Daytime)

Card #

Total value of hardware, media and purchased software \$

(Insure to full value)

Your signature

#### LANSHARE



#### **POWERFUL!!**

- Centralized LAN SUPPORT and CONTROL software
- Access any workstation's display and keyboard across the network
- Perfect for LAN administration and support
- Provides extensive security options
- Multiple connects allow group authoring of documents, spreadsheets etc.
- Can be used with asynch remote control software
- Uses less than 12K of workstation memory

#### COMPATIBLEII

- All IBM NetBios-compatible LAN's
- IBM PC LAN or Token Ring
- AT&T Starlan
- Novell systems

\$259.95

3-Com and others

System Support Pak

Allows remote LAN Administration and Support on any size network, any number of servers. Other configurations available.



#### MicroNet, Incorporated

2356 Parkside, Boise, ID 83712

CALL (208) 384-9137

CIRCLE 728 ON READER SERVICE CARD

Mail to SAFEWARE, The Insurance Agency Inc. P.O. Box 02211 Columbus, 0H 43202


CIRCLE 374 ON READER SERVICE CARD

### INTRODUCING THE G/ETHERNET LAN: RY STAND

Plug-compatible with other Ethernet® LANs.

### VERY FAS

And outperforms the competition every time.



You want standards. Now the developer of G/Net,™ one of the most popular PC LANs in the industry, has introduced G/Ethernet. It meets all the specifications of the IEEE 802.3 networking standard. And because it follows the standard, G/Ethernet is plug-compatible with most Ethernet cards.

You want speed. With Gateway's G/Ethernet, you get the fastest Ethernet on the market today. As much as 339% faster, and that's without the added cost and complexity of special file server cards. We engineered G/Ethernet to its maximum capacity so that it's capable of handling heavier network loads than most other Ethernets.

You also want expansion capabilities. So G/Ethernet is fully compatible with Gateway's complete line of wide area communications products. Using our multi-user gateways, you can connect G/Ethernet users to a variety of micro, mini, and mainframe resources virtually anywhere in the world. And you can easily bridge G/Ethernet to any number of Advanced NetWare ** based LANs using G/Remote Bridge.™

And you've always wanted support. With G/Ethernet. you get more than just a great LAN. You also get the best support service in the business from a total communica-

*Performance scores based on 10 node LAN tests using Novell PERFORM2 benchmark program. Your actual performance will vary with size of LAN, configuration, and applications. G/Net, G/Ethernet, and G/Remote Bridge are trademarks of Gateway Communications, Inc. Ethernet is a registered trademark of Xerox Corp. NetWare is a registered trademark of Novell, Inc. EtherLink and EtherLink Plus are trademarks of 3Com Corp. EtherCard PLUS is a trademark of Western Digital Corp. PS/2 is a trademark of 1BM Corporation. Copyright © 1988 Gateway Communications, Inc. All rights reserved.

tions solutions company - support enjoyed by over 100,000 satisfied G/Net users. G/Ethernet is available from your local Gateway reseller right now, with virtually

all versions of Novell Advanced NetWare. And because we were the first LAN vendor ever to run NetWare, nobody supports NetWare better than we do. We've got what you want. And we've got


proof. Call today for our FREE G/Ethernet Performance Comparison Testing Report. See for yourself how G/Ethernet outperforms the competition.

1-800-367-6555 (714) 553-1555 in California



2941 Alton Ave • Irvine, CA 92714

NOW AVAILABLE IN MICRO CHANNEL FOR IBM PS/2"COMPUTERS



Whether voure a novice or an expert, R:BASE is now your best choice for orderentry and inventory control, personnel and payroll, or any other database applica-

But you don't have to take our word for that:

"It combines the ease of use a novice requires with the sophistication and power a professional demands. R:BASE for DOS is clearly the best general-purpose PC DBMS available today."

NOBODY LIKES

DOING THINGS

THE HARD WAY.

So R:BASE uses its

to let you do everything,

advanced technology

even create complete

applications, without

-PC Week

learning any commands.

Screens, forms and reports are all laid out visually, so what you see is what you get.

For data management on the fly, R:BASE uses PBE (Prompt By Example) instead of QBE (Query By Example) because queries aren't all you need to do. Just select tasks and R:BASE does them, helping you with menus, prompts and on-line help.

To automate your database needs, you can record all your keystrokes in the interactive mode, then play them back later.

Or use our second-generation application generator to quickly and easily create user-friendly

We're talking about the DBMS you've been hearing about.

The PC database management system that "leapfrogs into the next generation," the "most powerful, easiest to use DBMS ever made for a PC."

But it's not the PC database system that may ship at the end of July. It's here. Now.

#### MEET THE NEW DBMS STANDARD.

Meet R:BASE.®

WYSIWYG screens forms and reports.

You'll have to see it to believe it.



#### R way

#### IF YOU DON'T WANT TO READ ALL THAT. READ THIS:

Easy-to-use Prompt-By-Example (PBE) does everything because queries (QBE) aren't all you need to do.

WYSIWYG screens, forms and reports.

Automatic applications for novices and quick prototypes for power users with no programming, no commands.

Really easy SQL that even novices can use with menus, prompts and on-line help.

LAN's are free for up to 3 users, with full concurrency control down to the item level.

Real OS/2 means that R:BASE is the only PC DBMS that gives you multi-tasking, automatic caching, etc.

Share micro data by importing/exporting dBASE, Lotus, Lotus, Multiplan, ASCII files or import from pfs:file and

Share mainframe data from SQL/DS, Ramis II, SAS, etc. through Lotus' The Application Connection."

Companion products include: network six-pack and unlimited LAN versions; runtime; business graphics; Program Interface to C, Pascal and FORTRAN, English as a query language.

### IT'S SHIPPING NOW.

applications without learning a single command or writing a single line of program code.

#### IS R:BASE FAST? IT SCREAMS!

We rewrote R:BASE in C and optimized it for speed.

Then made it smarter, so database operations like SORT, VIEW and CROSSTAB are up to 20 times faster because R:BASE automatically chooses

the fastest way to get the information you need.

And our built-in intermediate code compiler adds another giant burst of speed.

MORE POWER THAN YOU MAY EVER NEED.

> With no programming, novices

and experts can quickly and easily include advanced features like data validation. Computed values and conditions. Look-up capabilities. Even relational links for order-entry or invoicing systems so that data is entered into or retrieved from multiple files.

Or you can work directly with R:BASE's extensive programming language, or easily build on the code produced by our application generator.

R:BASE supports up to 80 tables (data files) in a database. Provides scores of scientific and business functions, powerful commands, password protection and keyboard macros. Has a *really* easy to use SQL that can be used with menus, in command

embedded in custom programs.

Includes an intermediate-code compiler that generates fact eff

mode, or

R:BASE

compiler that generates fast, efficient code. Offers a runtime package. And more.

> LAN'S, OS/2" AND A WHOLE LOT MORE.

R:BASE for DOS comes out of the box with support for up to 3 LAN users (more available), with concurrency control down to the item level. And R:BASE for OS/2 has the same features and facilities with the added bonus of multi-tasking—so anyone can do several things at once—and even faster performance.

The

EXPRESSway to Information Management

With all this, R:BASE for DOS (1-3 users) is just \$725; R:BASE for OS/2 (multi-tasking) is \$895. Check it out with your nearest dealer, or contact: Microrim, Inc., P.O. Box 97022, Redmond, WA 98073.

What are you waiting for? Call 1-800-624-0810 today.



From Alaska and Canada, call 1-206-867-1800 Department PCM788 Microrim and R-BASE are trademarks of Microrim, Inc. Other products and services mentioned are not ©Microrim 1988 CIRCLE 176 ON READER SERVICE CARD

### NOW... 20 MHz DATA 286

Station of the

SI: 22.5 (V 3.0)

REGARDLESS OF WHICH SYSTEM YOU WANT... IF YOU CARE WHAT YOU ARE GETTING ...



ASK

Speed of CPU... Rating ?/ Running at?

Walf States? Switchable?

is memory "paged"?

HD controller?

What type interface used, ... SCSI, ESDI, ST506/ST412?

What is the data transfer rate 1

Does your EGA offer 640 x 480 resolution?

Whose Floppy Drives are used? All are not

Do you have a toll-free tech assistance line? is your 30-day money-back guarantee

Can you ship now, or are you quoting on semething not yet out? DATAWORLD'S **ANSWERS** 

We have 80286-10 running at 10 MHz, and 80286-16 running at 16 or 20 MHz

0/1 switchable on most systems

Mon-paged is faster

4st aveilable

We have them all,

You can get well over 400,000 bits/se without using RLL.

Our 12 MB Floppy Drive: will read and write to your 360 diskettes.

We can ship;

DATA-286 20MHz

80286 running at 20/10MHz. Phoenix or Award BIOS 1 MB of RAM expandable to 16 MB (2 MB on board) W.D. 1:1 interleave dual hard disk controller 101-key keyboard with "click". Socket for 80287 EMS 4.0 support for memory over 1 MB. Real time clock
Monographics card w/parallel port. TTL Monitor included.\$1555.00

DATA-286 10MHz 80286 running at 10/6MHz. Phoenix BIOS 512 KB of RAM expandable to 16 MB (1 MB on board)


One 1.2 MB floppy drive. Dual floppy drive controller 101-key keyboard with "click". Socket for 80287 Real time clock with battery back-up. 200W power supply

Monographics card w/parallel port, TTL Monitor included \$895.00

DATA-286 12 MHz AVAILABLE








M SE SE SE

### 80286CPU 12/8MHz • 0/1 Wait • 512 K RAM (Exp to 1024 K) • 5 Exp slots • Phoenix BIOS • 1 2 MB Floppy drive • 20 MB Hard Disk Drive • 200W P/S • Supertwist backlit LCD 640 x 200 25 lbs. • Par. Ser. Game Ports • RGB



#### Portacomp II

80286CPU 12/BMHz ● 0/1 Wait ● Click K/B ● 512 K RAM (Exp to 1024K) ● 4 Exp slots ● Phoenix BIOS ● 720 KB Floppy drive ● 20 MB, 39ms, Hard Disk Drive ● Supertwist backlit LCD 640 x 400 ● 20 lbs ● RGB Output . Opt Ext 5%" Drive

Prices subject to change. No charge for credit card, check, COD. 30 day moneyback guarantee (Shipping charges non-refundable).


Dealer/overseas inquiries welcome

In-Calif. 1-800-722-7734 Out-Calif. 1-800-722-7702



#### ■ EDITED BY CRAIG L. STARK

### POWER USER



Identifying the current drive and subdirectory in Clipper and dBASE III Plus; creating concordance files in WordPerfect; checking single-word spelling in Microsoft Word.

#### SPEEDING UP WP

While putting WordPerfect's dictionary and thesaurus on a RAMdisk speeds up their use, the WP manual overlooks the speed advantage you can gain by copying WP.EXE and the necessary auxiliary files to the RAMdisk as well. Loading becomes nearly instantaneous, even using WP/R, and more important, moving through long documents is significantly faster.

The copy of WP on my RAMdisk requires its own {WP}SYS.FIL, which you must create using WP's setup command (WP/S). I store this new file in the WP directory on my regular hard disk under the name {WP}DSYS.FIL, and I have my AUTOEXEC.BAT rename it {WP}SYS.FIL when copying this and the other needed files to the RAMdisk.

In the setup file, I specify that the automatic backup files reside on the hard disk, since a system crash would destroy them if I put them on the RAMdisk.

Joel Samoff Palo Alto, California

Readers should note that this plan requires a large RAMdisk. The overflow files ({WP}.TVI, {WP}.BVI) for large documents can total nearly the size of your work file. If, after all of the WP files are copied to the RAMdisk, the remaining disk space is greater than the size of your work file, you should have no trouble.

-Neil J. Rubenking

#### CONCORDANCE CONSTRUCTION

When indexing a large document, the concordance feature of WordPerfect makes it unnecessary to mark each occurrence of a word manually. Creating the concordance file directly from the primary document is fast and easy with the two macros shown in Figure 1.

To add a word to the concordance file (created as document 2), simply place the cursor on the first letter of the word and press Alt-I. To add text longer than one word, first block the text and then press Alt-Y. The macros automatically append the word or phrase you chose to the end of document 2.

Having these two macros, I can now go through a hard copy of a document and highlight what I want indexed. My secretary simply scrolls through the document and invokes the appropriate macro at the points I marked. I can later edit the concordance file and eliminate duplications by sorting the file.

> Nick Dimas San Antonio, Texas

Do remember to save the file you create in document 2. You will definitely want to look it over before using it, because it's likely to have a few stray characters. For example, if you choose the last word in a sentence, the period will appear in the

<ctrl-f10></ctrl-f10>	Begin macro definition
<alt-i></alt-i>	Attach this macro to Alt-I
<alt-f4></alt-f4>	Block on
<ctrl-right></ctrl-right>	Mark the current word
<left></left>	Don't include the space after it
<ctrl-f4>2</ctrl-f4>	Copy the block
<shft-f3></shft-f3>	Switch documents
<home><home><down></down></home></home>	Go to the bottom
<ctrl-f4>5</ctrl-f4>	Retrieve the word
. <end><cr></cr></end>	To end of line, then a carriage return
<shft-f3></shft-f3>	Back to Doc 1
<ctrl-f10></ctrl-f10>	End macro definition
<ctrl-f10></ctrl-f10>	Begin macro definition
<alt-y></alt-y>	Attach this macro to Alt-Y
<ctrl-f4>2</ctrl-f4>	Copy the block
<shft-f3></shft-f3>	switch documents
<home><home><down></down></home></home>	Go to the bottom
<ctrl-f4>5</ctrl-f4>	Retrieve the word
<end><cr></cr></end>	To end of line, then a carriage return
<shft-f3></shft-f3>	Back to Doc 1
<ctrl-f10></ctrl-f10>	End macro definition

cordance feature of WordPerfect makes it | Figure 1: The two macros used to create a concordance file for words and phrases in WordPerfect.

### Zero. Learning Curve



"The best editor by far for MVS programmers."

AT&T. White Plains, NY

"This product is superb! There is absolutely no learning curve if one is already familiar with IBM's mainframe ISPF."

Reader's Digest, Pleasantville, NY

"SPF/PC is probably the most outstanding utility we have."

USAF, Pentagon, Washington, D.C.

"With 15 years of mainframe programming, I find SPF/PC to be the friendliest software on the PC."

> Dun & Bradstreet, Basking Ridge, NJ

"Your product allows our programming staff to move from our IBM mainframe to PC's very easily, saving us time and money."

Certified Grocers of California, Los Angeles

Want more proof? Call or write for a free demonstration diskette.

SPF/PC, so much like the mainframe you'll forget you're editing on a PC.



Corporation
1900 Mountain Blvd., Oakland, CA 94611

Telepone: (415) 339-3530 Telex: 509330 COMMAND TECH

#### ■ POWER USER

concordance file. But the editing is easy, much easier than creating the concordance without help.—Neil J. Rubenking

#### SINGLE-WORD WORD CHECKING

In the Power User of December 8, 1987, Jim Levitt suggests using Microsoft Word's Library Run command and running WORDFIND to check the spelling of single words. However, if you highlight the word and hit Ctrl-F6, the thesaurus will not only tell you if you misspelled the word but will list words that are similar to it. Also, if you are unsure how to spell a word, you can type as much as you know and hit Ctrl-F6.

Dan Nebres Everett, Washington

You can indeed use the thesaurus as a quick and dirty spell checker, but it's not really designed with that purpose in mind and will often find a root word when what you really want to know is the right spelling for the suffix. (Is it ignoring or ignoreing? Either one will find Ignore in the thesaurus.) I prefer to spell-check the entire document at once, after I've finished writing it. But for those who can't wait, WORDFIND is often the better choice in Word, Version 3.1.

If you decide to upgrade to Word, Version 4.0 (and you should), you won't find WORDFIND on your disk. Instead, you can check a single word by hitting Alt-F6 to start the spelling checker, then using the new Lookup choice on its main menu. This is still nowhere near as slick as, for example, the spelling checker in WordStar, Version 4.0—which will look up words and insert them in the text for you without ever leaving the document—but it's definitely a step in the right direction.

—M. David Stone

#### dbase call home

dBASE III Plus does not include any builtin function you can use to identify the current DOS drive and directory. Fortunately, however, DOS's interrupts 21h and 47h provide this information directly.

Enter the DEBUG scripts shown in Figures 2 and 3 with any word processor that produces a pure ASCII output. Be sure to end each line with a carriage return, including the blank line after RETF. To create the .BIN files, make sure DEBUG is on the DOS path and issue the following commands:

DEBUG < GETDRIVE.SCR DEBUG < GETDIR.SCR

Then, inside your dBASE III Plus program, you can CALL for this data with

STOR " " TO curdrive, curdir LOAD getdrive LOAD getdir CALL getdrive WITH curdrive CALL getdir WITH curdir RELEASE MODULE getdrive, getdir

> Kevin Owens Lake Charles, Louisiana

N GETDRIVE.BIN A100 MOV SI, BX MOV AH, 19 **INT 21** ADD AL, 41 MOV BYTE PTR [BX], AL INC BX MOV BYTE PTR [BX], 3A INC BX MOV BYTE PTR [BX], 0 RETF R CX 13 W 0

Figure 2: The DEBUG script shown above produces GETDRIVE.BIN, which can be CALLed from dBASE III Plus to identify the DOS default drive.

N GETDIR.BIN
A100
MOV SI,BX
MOV DL,0
MOV AH,47
INT 21
RETF

R CX
9
W

Figure 3: A DEBUG script for GETDIR.BIN. LOAD and CALL this binary from dBASE III Plus to identify DOS's current directory.



### Choose your favorite. \$525

We're not selling printers, but a new networking device that'll make it seem like you have an extra one. Or two or three.

The Buffalo® SX can actually multiply the effectiveness of laser printers, dot matrix and daisy wheel printers, modems, and plotters. Anyone can send work to any printer-even when it's busy-and go back to work immediately. So it can save you thousands of dollars on extra printers you don't buy.

#### All the right connections

The Buffalo SX is an intelligent buffer, switcher and interface converter all in one. It allows several PC users to select any output device connected to the network.

There are ten ports – five parallel and five serial. Five can handle either input or output. So you have lots of options. Seven PCs sharing three peripherals. Two PCs sharing eight peripherals. Or any combination between.

But that's only the beginning. You can link more SXs together to share a set of peripherals with any number of PCs (of course, when you get up into the dozens, you might need another laser).

#### Power windows & automatic transmission

To set up the SX, just plug it in and define the ports using the switches and software provided. Concise documentation tells you how. If you have a question, call our toll-free support line.

When someone's ready to print, they simply use the handy little menu that pops up on screen with the names you've chosen. Call your printers Martha, Chatterbox, Relic, whatever.

The SX does the rest. It handles interface conversions, making parallel and serial machines

work together. Yes, it even lets IBM® PCs, Macintoshes® and HP 3000s share a laser with no fiddling. And PCs can exchange files with communications software.

Best of all, it stores print jobs in its large buffer and feeds data to the printers automatically. So people can use their computers within seconds. ("Large" means a standard 256K memory, expandable to one full megabyte)

#### Free software bonus

Order now and receive \$100 worth of productivity tools free:

O HyperKey™ Keyboard Enhancer—increases speed and accuracy dramatically. Instant on- off for repeat keys!

O HyperDrive™ Disk Caching—makes applications run 3-5 times as fast. Fully utilizes Above™ Board memory.

O Print Booster™ for 1-2-3®—frees your PC about four times faster when printing graphs.

#### All you stand to lose are long coffee breaks

If you've tried a printer buffer, you know how limited most are. The SX is different. It's the slickest productivity booster this side of a \$10,000 LAN. It's so dependable, it comes with a full one-year warranty. Plus this money-back quarantee.

Order a Buffalo SX. Try it for 45 days. If you can part with it, send it back for an immediate refund. No questions asked. And you can keep the productivity software.

We're certain you won't give it up once you've tried it. We think you'll add more. Ask about our other low-cost buffer/ switchers too. There's one for every application imaginable.

> Call now. Use Visa. MasterCard or American Express. You'll save hours of frustration. Plus the cost

Just one of dozens of network configurations possible with the versatile SX.



Buffalo Products, 2805 19th Street SE, Salem, OR 97302 (503) 585-3414 Call Toll Free

(800) 345-2356

BUFFALO

### ERASE. ARE YOU SURE?

each day. To erase or not to erase. To save or not to save, when saving means overwriting the previous version of a file. If you answer yes and you're wrong, countless hours of work will be wiped out by a single keystroke! And there won't be anything you can do about it, unless you're backed up.

Disk failure, theft, power surges—any of these can sneak up on you when you least expect it. However you look at it, backing up important files is essential. And nothing will make a believer out of you like finding out, just once, that you weren't as sure as you thought.

#### MaynStream: A Sure Thing.

MaynStream is a file-by-file backup system that protects information on your drive by copying it onto a special tape and restoring it from the tape to any drive you specify, on command. With MaynStream, backup is a breeze. You'll see all the options you need right on the screen. In seconds, you can easily customize the backup process to work the way that's best for you.

#### **Backup Is Just The Beginning.**

MaynStream's pull-down menus make it remarkably easy to back up, restore, assign names to frequently backed-up groups of files, select optional password protection, and more! And context-sensitive, on-screen help is just a keystroke away.

And, because MaynStream is completely portable and compatible with all PC and PS/2 systems, you can use a single MaynStream to back up all the personal computers in your office—whether you have a classic PC or compatible, or a PS/2 Model 30, 50, 60, or 80! Plus, MaynStream is Novell-approved, and works with all popular LANs including Novell, 3COM, and IBM's PC Net.*



MaynStream is also offered for internal installation in the PC or compatible, and in the PS/2 Models 60 and 80. Plus, it comes with a number of faceplates designed to match today's most popular computers.

MaynStream, from Maynard Electronics. Backed by our 1-year warranty and Technical Support Team. In these uncertain times, it's one thing you can be sure of.



MaynStream is available in 20, 60, and 150MB cassette or cartridge models and foreign language versions.

Call us today for the name of your nearest authorized dealer or more information on today's leading tape backup system.



#### POWER USER

Mr. Owens's excellent utilities are much faster and easier than the programming approach I've used in the past to get this

GETDRIVE returns the current drive as a 2-byte string: the drive letter plus a colon. GETDIR returns the current directory without its initial backslash. For example, if your computer is set on a subdirectory called \PC\UTIL, a CALL to GETDIR will return the 7 bytes PC\UTIL. Moreover, if you are on the root directory, GETDIR will return a null string (zero length). So in order to produce the same results as the DOS CD command, you must add the leading backslash, thus:

#### dos cd=curdrive+"\"+curdir

Unfortunately, dBASE versions before III Plus cannot CALL binaries. The programming alternative involves RUNning CD and redirecting its output to a temporary text file; APPENDing this text file into a two-field database; and then STORing the contents of its one record to a pair of memvars.

Users of Wordtech Systems' DBXL or Quicksilver may use these binaries as is, but FoxBase Plus, Version 2.0, employs DOS registers differently, and these routines will not run properly without change. The newest FoxBase (Version 2.1) has direct functions to derive both the current drive and the directory. Clipper users should see the submission from Sean Stephens that follows.—Brad Stark

#### CURRENT DR/SUBDIR IN CLIPPER

Clipper has no function for determining the current drive, and this information can be critical when, for example, the user is logged onto one drive but is executing a program from another, or when he must copy files between two drives.

I use the DOS internal VOL command, Clipper's SAVE SCREEN, and substring-

```
SAVE SCREEN TO o scr
CLEAR
1 VOL
SAVE SCREEN TO n scr
cur drv=SUBS(n scr,AT('d',n scr)+12,1)
*cur drv is letter of current drive
REST SCREEN FROM O SCT
RELE n_scr,o_scr
```

Figure 4: A Clipper routine that stores DOS's current drive to a memory variable.

```
SAVE SCREEN TO o scr
@ 0,0
RUN cd
SAVE SCREEN TO n scr
ptr=1
dos cd=SPAC(0)
DO WHIL SUBS(n scr,ptr,1)>" "
dos cd=dos cd+SUBS(n scr,ptr,1)
 ptr=ptr+2
ENDDO
REST SCREEN FROM o scr
RELE n scr,o scr
```

Figure 5: An alternate routine that finds both drive and subdirectory.

ing to provide the current drive letter (see Figure 4). Clipper saves screens as alternating characters and attribute bytes. I locate the d from the word drive in VOL's output, then count over 6 letters and 6 attribute bytes to locate the drive letter. This is stored to the memory variable CUR_DRV as the character A, B, C, or whatever.

> Sean Stephens Houston, Texas

Usually, you need both the drive and current subdirectory, so here are a couple of approaches to that end.

Users of Clipper's newest ("Summer '87") version can STORE the current subdirectory directly with this undocumented function built into the program's EX-TEND.LIB:

<memvar>=CURDIR("<DriveLetter>")

The DriveLetter in this case can be supplied using Mr. Stephens's routine.

Figure 5 is a takeoff on his creative idea, substituting DOS's CD for VOL. This has the advantage of providing both the drive and subdirectory in one step, and it can be used with older versions of Clipper.—Brad Stark

#### SHARE YOUR POWER

Tell fellow users about your latest technical tips for hardware and software applications (other than spreadsheets, networks, languages, or DOS) through Power User, and we'll pay you \$50 or more for your trouble, plus an extra \$25 if you submit your letter on a disk. If you send a disk, please include a printout. Mail your contributions to Power User, PC Magazine, One Park Avenue, New York, NY 10016.

"A Word Crunchers Dream"



#### IN FULL TEXT RETRIEVAL

SEARCH 5000 TEXT FILES IN 5 SECONDS

#### RATED 9.3 By INFOWORLD

Find any info created by all the popular word processors or ASCII files in seconds. Highlights

#### Comprehensive Searches

Create a search request with any combination of AND, OR, NOT, and WITHIN (WITHIN refers to proximity) Search information on a 20MB Hard Disk in seconds. Works with public data bases like Dow Jones and CompuServe as well as other programs such as LOTUS or dBase III

- Wild Cards
- Highlight
- Mark & Save On-Line Help

**ZyINDEX Personal** searches 500 files

\$ 95

**ZyINDEX Professional** searches up to 5000

\$695

\$295

**ZyINDEX Plus** searches up to 15,000 files with

LAN capabilities ZYFEATURES

\$ 95 thesaurus/macros/field search

Call for Demo Diskette (312) 632-1100

FOR ORDERS AND INFORMATION (800) 544-6339



3105-T N. Wilke Road • Arlington Hts., IL 60004



#### IBM COMPATIBLE

#### PERSONAL SYSTEM/2 Model 30 w/2 floppy.....\$1250 Model 30 w/1 floppy & 20 mg. .....**1795** Model 50.....2695 Model 60 - 40/70 ..... 3425/ 3650 Model 80 - 40 ......4375 70.....**4875** 115 .....**8195**

90 day warranty through Bulldog

386 Desk Pro 40/60/130 \$4495/5450/6950 286 Desk Pro 12 mhz......1695 Compaq II Model IV.....2879 Compag Port. 386 Model 40/100 5699/7199 Compaq III 20mb/40mb.....3595/ VGA Monitor......**549** 

VGA Card......469 90 day warranty through Bulldog

To day traited they did to day	
MATH COPROC	ESSORS
803-87-20	\$750
803-87-16	475
802-87-8	249
80287-10	299
8087-3	119
8087-2	149
256K Chips	Call
64K Chips	Call

#### TURBO XT

8 mhz, 1 floppy, 640K, AT style keyboard, game port, clock calendar, monographics card, mono monitor......\$750 Color System add \$150 w/20mb add \$279, w/30 mb add \$299 90 day warranty through Bulldog

#### Club AT

10 mhz, 1 mb Ram, 1.2 floppy.......\$1095 Club 386 16 mhz, 1 mb Ram, 1.2 floppy.....\$1850

#### Wyse AT Systems

8 mhz, 1.2 floppy, 1 m.b. Ram, serial/ parallel port, clock calendar, DOS.....\$1235

12 mhz - 0 wait state, 1.2 floppy, m.b. Ram, serial/parallel port, clock 

Wyse 386 system, 1.2 floppy, 1 m.b. Ram, serial/parallel port, clock calendar, DOS ......\$2635

All Wyse Systems carry a 1 year manufacturers warranty — parts and labor.

#### LAPTOPS

NEC Multispeed EL	1549
NEC Multispeed HD	2299
Toshiba 1000	750
Toshiba 1200	2349
Toshiba T1100 Plus	1150
Toshiba 3100	3095
T3200	.3795
T5100	4895
Zenith 183 w/20 mb	2050

GRAPHICS CARDS	•
ATI VGA	\$269
EVEREX MICRO ENHANCER	135
GENOA SUPER HI RES	
HERCULES GRAPHICS	181
HERCULES IN COLOR	
ORCHID DESIGNER VGA	
PARADISE Auto Switch 480	
PARADISE VGA Plus	
QUADRAM EGA PLUS	169
QUAD PRO SYNC	209
SIGMA COLOR 400	299
NEC GB-1	
NEC MVA	795
STB CHAUFFEUR HT	
STB Multi Res. II	
VEGA DELUXE	
VEGA VGA	265
MILIEPT CHINICPTION DOAC	1000

AST Advantage w/128K	.\$229
AST Advantage w/128KAST Advantage Premium w/512K	449
AST 6 PACK PLUS w/384K	205
AST 6 PACK PREMIUM w/256K	199
AST 5251-11 PLUS Enhanced	589
AST RAMPAGE 286	375
AST RAMPAGE 286-2	
for MODEL 50/60	459
LACT DAMBACE 996 9	
for model 50/60AST HOTSHOT	459
AST HOTSHOT	355
EVEREX MINI MAGIC w/o K	59
FAST 88/V20 w/Switch	89
INTEL Above 286 w/512K	369
INTEL Above PS286 w/512K	399
INTEL Inboard 386 w/Adapter	1040
INTEL Inboard 386 for PC w/mb	699
INTEL Above Board II	
for PS/2 w/o KIRMA BOARD II	259
IRMA BOARD II	699
ORCHID JET 386 w/adapter	975
ORCHID PC Net Starter Kit	735
ORCHID Tiny Turbo 286	269
ORCHID Ramquest 50/60 w/2mb	659
ORCHID Twin Turbo	389

#### MICE & MISC

GENIUS MOUSE GM6+	\$59
MICROSOFT w/windows	145
MICROSOFT MOUSE	
w/PC paint brush	119
MOUSESYSTEMS MOUSE	89
LOGITECH MOUSE C7 Plus	74
LOGITECH HI RES	99
KODAK DATA SHOW w/Cooling Fa	n750
MICROFAZER II w/64K	

Sales Hot Line 1-800-438-6039



**COMPUTER PRODUCTS** 

We accept VISA, 3241-E Washington Road • Martinez, Georgia 30907 MasterCard,

For returns call: (404) 860-6899 In Georgia call: (404) 860-7364 nerican Expre

Policy: Add 3% instamum \$10) shipp and handling Larger shipments may quire additional charges. Personal a company checks require 2 weeks to cle For faster delivery use your credit card send cashier's check or bank money or Georgia residents add sales tax. All pr are USA prices and are subject to che and all stems are subject to availa Defective software will be replaced with same item only. Hardware will be replace or repaired at our descretion within terms and limits of the manufacturer's w menty. We cannot guarantee compatil All sales are final and returned shipm are subject to a restocking fee. All returned be assigned an RMA number for turn authorization. Call (404) 860-689

### IN LOW PRICES

Plus Hard Card 40..

Plus Hard Card 20 Priam 60 mb AT.....

PRINTERS	
EPSON	
LX 800 180 CPS, 30 NLQ	189
FX 86E 240 CPS, 40 NLQ	
FX 286E 240 CPS, 40 NLQ	
LQ 500 180 CPS, 60 NLQ	
LQ 850 330 CPS, 88 NLQ	
LQ 1050 330 CPS, 88 NLQ LQ 2500 324 CPS, 108 NLQ	849
EX 800 300 CPS, 60 NLQ	
Special Tractor for LQ1000	
OKIDATA	
320 300CPS, 62 NLQ	339
321 300 CPS, 62 NLQ	465
390 24 pin 270 CPS, 90 LQ	.465
391 24 pin 270 CPS, 90 LQ	.639
182 Plus 180 CPS, 30 NLQ	
192 Plus 200 CPS	
193 Plus 200 CPS	
293 Plus 240 CPS, 100 NLQ	
294 Plus 400 CPS, 100 NLQ	
393 450 CPS, 120 LQ	
TOSHIBA	
321 SL 216 CPS, 72 NLQ	469
351 SX 350 CPS, 100 NLQ	
341SL 216 CPS, 72 NLQ	.615
NEC	
2200	.339
P6/P7 <b>465</b>	619
P5XL/P9XL <b>850</b> /1 3550/8850 <b>775</b> /1	1030
PANASONIC	1020
1080i Model II	100
1091 Model II	209
1092	
1524	
1592	.415
1595	
3131/3151 <b>285</b>	/439
	5565
HEWLETT-PACKARI	
Laser Series II	1650
<b>DICONIX</b> 150	325
OTC 850 CPS	
• • • • • • • • • • • • • • • • • • • •	

the state of the s	-
Seagate 20mb w/contr. ST225	\$269
Seagate 30mb w/contr. ST238	289
Seagate 30 mb for AT ST4038	465
Seagate 40 mb for AT ST251	369
Seagate 80 mb ST4096	
CMS 51/4" ext. 360K for PS/2	
CMS 51/4" ext. 1.2 mb for PS/2	259
Toshiba 31/2" 720K int	
Toshiba 31/2" 1.44 mb int	
Toshiba 51/4" 360K int	
Toshiba 51/4" 1.2 mb int	110
Micropolis 70 mb	695
BERNOULLI PLUS	3450
BERNOULI BOX II 51/4"	
20 mb internal	955
20 mb external w/card	
dual 20 mb external w/card	
Cat the Court of t	005

.679

525 769

Priam 43 mb AT6	49
MODENS	
Everex 1200 int./ext79/1	15
Everex 2400 int./ext139/2	49
Hayes 1200/2400279/4	19
Migent Pocket Modem1	25
Practical Peripherals half card	
2400 w/Procomm1	59
US Robotics 2400 direct internal1	
Ventel Half Card 1200 w/Crosstalk2	
Vental Half Card 2400 w/Crosstalk 3	
Ventel 1200/2400 Plus 239/3	59

AMDEK		
410\$145	,	
Color 722	5	
PRINCETON		
MAX12149	•	
HX12419	,	
HX12E 449	,	
HX9415	j	
Ultrasync529	,	
IBM		
Mono 8503\$199	)	
Color Display 8512449	•	
Color Display 8513515	,	
Color 85141150		

00101 002 11111111		
Magnavox RGB	80	25
	NEC	
NEC Multisync	II	589
NEC Multisync	Plus	389
	GS1	
NEC Multisync	XL 19" <b>2</b> 0	)7

	4			=
SUF		IA.	н	E

Aldus Pagemaker	\$459
Chartmaster	
Clipper	379
Corefast	99
Crosstalk XVI	99
D Base III	379
DBXL	125
Enable 2.0 w/Perspective	370
Fastback Plus	105
Foxbase +	
Freelance Plus	320
Framework II	270
Harvard Graphics	270
IBM Display Write IV	280
Lotus	200
Lotus Hal	40
Managing Your Money 4.0	105
Microsoft Word 4.0	229
Microsoft Excel Microsoft Windows 386	329
Microsoft Windows 386	135
Microsoft Works Multimate Advantage II	129
Multimate Advantage II	269
Multiplan	135
Office Writer 6.0	239
Peachtree II Complete	149
PFS Prof Write	119
PFS Prof File	145
PFS 1st Choice	89
Quantro	149
R Base for DOS	439
Revelation	469
Super Calc IV 1.0	269
Symphony 1.2 Ventura Desktop Publishing	439
Ventura Desktop Publishing	499
Word Perfect 5.0	199
Wordstar 2000 + 3.0	239
Wordstar Pro 4.0	209
TAPE DRIVES	
Everex 60 m.b. int.teac	\$EEO
Everex ou m.o. int.teac	\$330
external teac	045
Genoa Galaxy 60 mb internal	799

external teac 645
Genoa Galaxy 60 mb internal 725
external 799
Achives 40 mb internal 339
Sysgen Quic 60 internal 705
external 755
Maynstream 60 PS/2 w/card

ORDER DOG

Prices Subject To Change For Orders Call: 1-800-438-6039



BULLDOG

**COMPUTER PRODUCTS** 

For shipping & technical call: (404) 860-6905 or (404) 860-7364

### SCSystems 1-800-669-9933

Serving Computer Buyers For Eight Years

Para Asistirle En Espanol Llame Al Tel 1-800-842-1777

#### InComm 1200B Int Modem \$62

w/Software

Samsung 14" RGB Monitor \$215

> 640 x 230 .51 Dot Pitch

#### Color **Graphics Card** \$44

**Parallel Printer Port** 

#### HARDWARE

#### **ACCESSORIES** CopylIPC Brd ..... \$ Call

Master	piece +	• • • •			. 95
	COI	MPL	JTE	RS	
MEC					

Multispeed		,				 	\$	1	429	
Multispeed	EL	n		b	۰	 		1	635	
Toshiba										
T-1100 S/T	wist		- 4	÷	0	 		1	659	
T 9100/90								- 4	Cal	i

#### BOARDS

		_
AST Adv	Prem Imb\$	41
AST 6Pac	Prem 1mb	52
AST Sixpa	ac	11
Hercules (	Grph +	18:
	re 286	
Intel Inbo	ard 386 '	96

#### **EGA BOARDS**

ATI EGAWonder\$	178
Genoa SuperHiRes+	173
Orchid Designer	249
Paradise 480	15
Paradise VGA +XT	259
Paradise VGA Prof	38
Vega VGA	259

#### **EGA MONITORS**

Magnavox	Т	-			,			\$ Cal
Princeton U/Sync	۰	a	n	 - 41		,	,	509
NEC Multisyne 2.						,		619
Samsung								359

#### HARD DRIVES

Plus Ha	rdea	rd 20		 ٠	 			\$ 539
Seagate	125	Wicon	t.		 . ,	,		321
Seagate	138	w/con	t.		 		4	411

#### **KEYBOARDS**

Keytronics										
Keytronics	5153		~		,			a	0	269

#### MICE

Logitech	68
MS Bus Mouse	Call
Ontimouse w/DrHalo	92

#### MODEMS

Hayes 1200\$	Cal
Hayes 1200B	Cal
Incomm RPC1200	62
Incomm RPC2400	147
Incomm T1200	-7€
Incomm T2400	167
Incomm T2400EC	224
USRobotics S1200PC	114
USRobotics S2400PC	160

Amdek 41	0	۰	 n	п						\$	145
Princeton	MAX18	5		n	41	1 4			6		Call
Samsung	RGB			b				۰	0		215
Samsung	Amber	0	 0	p				۰	a		82
	200	_			-	-	-	-	-	-	

ELink ELink				
B ELin ELink				

#### **PRINTERS**

itizen	
120D	& Cal
180D	
MSP-15E	
MSP-40	
Itoh	
PW 1550S+NLQ	. 506
PW 8510S+NLQ	. 401
ProWriter 310	479
ProWriter 315	. 586
ProWriter C715	925
ProWriter Jr.+	. 255
StarWriter D10	. 754
JetSetterLaser	
EC P5XLP	. 013
EC P2200	. 33:
anasonic	
1080I M2	. 179
1091I/M2	. 199

NX-1000.		, .		, ,			٠				
NX-1000	Co	lo	r		ę					,	ı
NX-15						,	,		٠	,	
Toshiba											
321SL						v					
94107											

Hayes 1200\$	
Hayes 1200B	Call
Incomm RPC1200	62
Incomm RPC2400	147
incomm T1200	76
ncomm T2400	167
Incomm T2400EC	224
USRobotics S1200PC	114
USRobotics S2400PC	160

#### MONITORS

Amdek 410 \$	145
Princeton MAX15	
Samsung RGB	
Samsung Amber	82

		_	-	_		_		_				_	
3C501	ELink												
3C503	<b>ELink</b>	11								۰	٥		359
3C505	B ELin	k	P	i	ls		,		,	,			645
26'592	Flink.	/N	EC.	9									422

uzen	
120D	Call
180D	499
MSP-15E	
MSP-40	
Itoh	
PW 1550S+NLQ	506
PW 8510S+NLQ	401
ProWriter 310	479
ProWriter 315	586
ProWriter C715	925
ProWriter Jr.+	255
StarWriter D10	754
letSetterLaser	

### 1092I ..... Call

#### 500 Call 351SX ..... 1005

#### SOFTWARE

#### **ACCOUNTING** DacEasy .....\$ Dollars & Sense ..... Managing Your \$..... 119

#### COMMUNICATION

COMM	114	•	Α	Λ	`	_	-	3	4		1	4	4	Λ	•		
Carbon Copy				,											\$	1	0
CrossTalk XV	71					۰	0	10		b		и					8
ProssTalk 4		,								,		,				1	14
SmartCom II					,				-			4					8

#### DATABASE

Clipper \$	37
Data Perfect	25
DBase III	Ca
DBXL Diamond	10
Fox Base +	19
Paradox 2.0	Ca
Q and A	
Relate & Report	10

#### DESKTOP PUBLISHERS

Pagemaker											
PFS First											
Ventura	 	4		۰	ın		0	-	e		49

#### **GRAPHICS**

Chartmaster	÷		-		a	á			_	6	\$	199
Printshop						,						35
Signmaster.	,	,		,		,						Call

#### INTEGRATED

	_	
Ability Plus	8	139
First Choice		74

#### LANGUAGES

MS C Compiler	٠,	 	 .\$	Call
MS QuickBasic				
MS Quick C				
Turbo Basic				
Turbo C				
Turbo Prolog	4.0	 . 4	 n 16	59

#### **SPREADSHEETS**

Lotus 12	3										0	0	a	۰			s	Call
Plan Per	fe	20	Ė		,						a		9			a		165
Quattro					٠				b	۵	a		л	ů.	۵	a		119
Surpass	9.4		4 1	,			4	,	,	R	ø		D	4	D	o		329

#### UTILITIES

CopyIIPC			,	,		,	,								D.			9	8	19
Desqview						4				m				_						72
Duet									9	13		è	q			9	4			48
Fastback	Ph	18	a	4					10	ь		٠				0	4	0		87
Formtool			b									u	9	b		-		b		55
Mace			,	٠				9	а		0	D	۰		٥	0		٥		52
Norton Ac	iva	เกเ	N	2(	d			,							٠		,			74
PC Tools I	)el	u	(4	9	٠							,			a					39
Sideways	Pe	in	ŀ																	20

#### WORD PROCESSING

MS Word v4.0	Cal
Word Perfect 5.0	192
Wordstar ProPack	Cal
Wordstar 2000	Cal

No Charge for Mastercard or Visa





#### Call For Items Not Listed

#### SCSystems

Hilli Maripina Hwy. Ste. R. Nogalov, 37(4563).

Order Line 800-669-9933 Status Line 602-275-1395

Espanol 800-842-1777 FAX No. 602-273-0043

Order Line for Europe & Mexico 602-287-5347

TERMS: No charge for Visa or Mastercard. We do not charge your card UNTIL WE SHIP your order. Manufacturers warranty applies in all cases, all warranties are handled by the manufacturers. We accept Purchase Orders from authorized companies only, for 3.5% above cash price. No COD orders. No refund on opened software. All prices are subject to change. Allow 14 days for personal/company checks. Anzona orders add 6.7% tax.

179

Call

Call

#### EDITED BY ROBERT L. HUMMEL

### LANGUAGES



A simple program to merge C and assembler code listings; creating custom character fonts in BASIC; real-time programming without interrupts in Turbo Pascal.

#### BASIC

#### CREATING CUSTOM FONTS

One of the powerful capabilities of the Epson FX series of dot matrix printers is their ability to download and use custom character fonts. These new characters replace those in the existing set. Greek letters or special symbols, for example, may be included in a document.

Custom characters are defined in terms of the printhead pin numbers needed to produce them. The printhead can be visualized by setting up a 12 by 7 grid on a piece of graph paper. The x-axis defines the width of the character and is labeled from 1 to 12. On the y-axis the scale represents the printer pin numbers in powers of 2 and ranges from 2¹ through 2⁷. This is shown in the diagram "Sample Firing Pin Pattern."

When defining your own character set, remember that the same pin cannot be used on two adjacent columns. This would

# Sample Pin Firing Pattern 128 64 64 16 18 128 19 10 11 11 12 The pin firing pattern for the CHR\$(248) degree symbol.

```
The following program utilizes the DOWNLOAD CHARACTER
DEFINITION function of the Epson FX-88 printer and
adds a new character to the print set.
                                                                                                                                                                                                                                                                                                           220 LPRINT CHR$(27): "4": CHR$(0): CHR$(241), CHR$(241):
 28 · 38 · 49 · 50 · 68 · 78 ·
                                                                                                                                                                                                                                                                                                           230 [PRINT CHRS:139];
248 [PRINT CHRS:8]; CHRS:8]; CHRS:134: CHRS:8]; CHRS:34]; CHRS:8];
258 [PRINT CHRS:258]; CHRS:8]; CHRS:34]; CHRS:8], CHRS:34); CHRS:8];
                                                                                                                                                                                                                                                                                                            278 * Character #234 = Lower case sigma (partial derivative)
                                Reset & copy standard ROM CG into Download CG:
                                                                                                                                                                                                                                                                                                            318 LPRINT CHR$(27): "4"; CHR$(8); CHR$(234); CHR$(234);
  ## LPRINT CHR$(27); "0"; CHR$(#); CHR$(#);
## LPRINT CHR$(27); ":"; CHR$(#); CHR$(#); CHR$(#);
188 'Download info according to page 3-38, 39 of manual: 120 'Character #248 = Degree sign
                                                                                                                                                                                                                                                                                                            338 LPRINT CHRS(139):
338 LPRINT CHRS(8): CHRS(8): CHRS(4), CHRS(14): CHRS(144): CHRS(2):
348 LPRINT CHRS(144): CHRS(66): 'HRS(68): CHRS(8): CHRS(8): CHRS(8):
                                                                                                                                                                                                                                                                                                           350 ' Character #233 - Theta
  155 LPRINT CHR$(27); "6"; CHR$(8); CHR$(248); CHR$(248);
168 LPRINT CHR$(139);
178 LPRINT CHR$(8); CHR$(96); CHR$(144); CHR$(96); CHR$(96);
                                                                                                                                                                                                                                                                                                           400 LPRINT CHR$(27); "6"; CHR$(0); CHR$(23); CHR$(233);
410 LPRINT CHR$(139);
420 LPRINT CHR$(0); CHR$(0); CHR$(140); CHR$(40); CHR$(140); CHR$(130);
  188 LPRINT CHRS(#); C
                                                                                                                                                                                                                                                                                                           430 LPRINT CHR$(16); CHR$(100); CHR$(86); CHR$(40); CHR$(16); CHR$(0);
                              Character #241 - plus/minus
                                                                                                                                                                                                                                                                                                                                       Character #251 = Delta
  288
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  (continues)
```

Figure 1: These routines show how to define and download custom characters to an Epson or IBM graphics printer.

#### LANGUAGES

```
460 "
                                                                              596 LPRINT CHR$(139);
496 LPRINT CHR$(27); "4"; CHR$(8); CHR$(251); CHR$(251);
                                                                              688 LPRINT CHR$(138); CHR$(68); CHR$(138); CHR$(48); CHR$(146); CHR$(8);
500 LPRINT CHR$(139);
                                                                              619 LPRINT CHR$(138); CHR$(8); CHR$(198); CHR$(8); CHR$(8);
516 LPRINT CHR$(4); CHR$(8); CHR$(20); CHR$(32); CHR$(60);
                                                                              788 LPRINT CHR$(8); CHR$(8);
526 LPRINT CHR$(128); CHR$(68); CHR$(32); CHR$(20); CHR$(8); CHR$(4); CHR$(6)
                                                                              718 LPRINT CHR$(27); "4"; CHR$(1); CHR$(8);
530 *
       Character #228 - Upper case Sigma
500 LPRINT CHR$(27); "A"; CHR$(0); CHR$(228); CHR$(220);
                                                                                                                                            (Figure Lends)
```

cause jamming of the pins and possibly damage the printhead. The BASIC program listing (Figure 1) shows several examples for downloading custom characters using simple LPRINT commands.

> Ron McCormick Tampa, Florida

After running this program, any of the six new characters that have been defined may be printed by using the appropriate CHR\$() values. Additional custom letters and symbols may be defined using the techniques that are described by Mr. Mc-Cormick—but there is another method to consider.

Most dot matrix printers allow you to send graphics images directly, which can be done on the fly each time the special symbol is needed. For example, type in the following command string on one line:

```
LPRINT CHR$(27) "L" CHR$(8) CHR$(8) "''" STRING$(4,
```

It will print the CHR\$(248) degree symbol, but without adding it to the current set of resident characters.

The CHR\$(27) "L" sequence initializes double-density graphics, and the CHR\$(8) CHR\$(0) pair tells the Epson printer that 8 bytes of graphic data are to follow. (Two bytes are sent to accommodate long graphics strings—hence the use of the first number plus 256 times the second number.) The remaining bytes are the graphics data, which in binary represent the degree symbol. The data follows an organization similar to that used for the downloadable characters.

Note that since the printer is in graphics mode, it will print only as many bits as you tell it to. Therefore, you may need to specify a few extra CHR\$(0) bytes to maintain the correct spacing between characters. PC Magazine's CALC calculator (Utilities, March 29, 1988) will prove invaluable when converting the various binary bit patterns to decimal CHR\$() values.

With patience (and a thorough reading of your printer's owner's manual), these techniques could be applied to any printer that is capable of loading custom fonts or accepting graphics commands.

-Ethan Winer

#### **TURBO C**

#### MERGING CAND ASM LISTINGS

Sometimes the only way to trace a difficult bug in a C program is to study the machine language instructions generated by the

/* if backlog in .C file */

/* write the lines and catch up */

/* write ';' to merge file */
/* put .C line after it */

/* write corresponding C line */

```
/* merge.c
 . DESCRIPTION: merges a 'c' source file with an asm file
                                                                                             if(run_count < line_count)
                                                                                                 for( ; run_count < line_count; run_count++)
                                                                                                     write_merge_line();
#include <stdio.h>
#define LIMEBUFFER 286
                                               /* length of input line */
                                                                                                 write_merge_line():
#define NAMESISE 88
                                               /* DOS file/path length */
                                                                                                 run count++;
                                               /* declare file pointers */
FILE *p_to c, *p_to asm, *p_to_mer; char line_buffer[LINEBUFFER];
                                                                                        fclose(p_to_c);
fclose(p_to_mer);
                                               /* line buffer */
                                                                                                                           /* close all files */
char file_c[MANESIZE], file_asm[MANESIZE], file_mer[MANESIZE];
int argo;
                                                                                     /* write merge line()
* reads a line from the C source, and writes it out preceded by
char *argv[];
   int line count, run count = 0;
                                                                                      write merge line()
   if (argc != 2)
                                      /* print the usage message */
       help_me();
                                                                                         fgets(line_buffer,LINESUFFER,p_to_c); /* get .C file line */
   stropy(file_o,argv[1]);
                                                                                         fputs("; ",p to mer);
fputs(line buffer,p to mer);
                                      /* setup the .C filename */
  atreat(file_c, ".c");
   if(!(p to c = fopen(file_c, "r")))
    file_error(file_c);
                                               /* open the .C file */
                                                                                      /* help me
   stropy(file_asm,argv[1]);
                                          /* setup the .ASH filename */
   strcat(file_asm,".asm");
                                                                                      help_me()
   if(1(p_to_asm = fopen(file_asm, "x"))) /* open the .ASM file */
        file error(file_asm);
                                                                                         printf("MERGE: a program to merge a 'c' source file and an ASN file\n");
                                                                                         printf("USAGE: merge filename \n");
printf("where filename is the name of the files to merge\n");
printf("Do not type in the period or extension.\n");
                                          /* setup the .NER filename */
   strcpy(file_mer,argv[1]);
   streat(file_mer, ".mer");
   if(!(p_to_mer = fopen(file_mer,"w"))) /* open the .MER file */
    file_error(file_mer);
                                                                                      /* file_error
                                                                                       . DESCRIPTION: prints out error message and name of the
                             /* read each line of the .ASM file */
   while (fgets(line buffer,LIMEBUFFER,p_to_asm) )
                                                                                                       file that could not be opened
       if(strncmp(line_buffer, "; Line", 6))/* if "; Line" not found */
                                                                                      file error(name)
                                             /* write it to merge file */
            fputs(line_buffer,p_to_mer);
                                          /* get next line */
                                                                                         printf("MERGE: ERROR IN OPENING FILE: ta \n", name);
                                       /* "; Line" was found */
```

Figure 2: MERGE.C is a handy little utility that allows C code to be mingled with the compiler's assembly output.

### **■ COPY PROTECTION**

RUN YOUR PROGRAM ON ANY HARD DISK

# UNLOCK Masterkey Removes **Copy Protection from** 180 PC Programs

The new UNlock MasterKey "copying" disk by TranSec and best selling UNlock Album D+ allow you to quickly and easily make unprotected DOS backup copies of more than 180 popular original PC programs.

Your original disk is unchanged and the unprotected backup copies perform exactly the same as the original, as do copies of these copies.

UNlock copies run on any hard disk, including Bernoulli Boxes. No original key disk is required in Drive A. You can also run on a RAM disk and conveniently copy DOS 5 1/4" programs to 3 1/2" diskettes.

Take protection off programs not listed by using generic routines.

New UNlock MasterKey is TranSec's most comprehensive copy protection removal program. It unlocks all the programs in TranSec's Albums A+, B+ and D+...and more than an additional 130 programs. It is intended for the user who wants the best and most comprehensive copy-busting program available.

Master Key has the ability to break more than 180 specific menu listed programs. In addition you can take protection off programs not listed in the menus by using generic routines for the PROlock protected programs.

With UNlock MasterKey an analyzer will tell you if the disk is protected by either PROlock or SUPERlock, so that you can simply apply the proper UNlock liberating routine. Even many programs using hardware protection schemes can be unlocked.

While other copiers will make copies of some programs, only UNlock removes copy protection. Backups can't require tedious uninstalls, and reorganizing your hard disk doesn't result in your software calling you a thief! To order call 1-800-423-0772.

UNLOCK MasterKey Add \$5.00 ship/handling Foreign orders \$10.00

MasterKey unlocks the programs in Albums "A" Plus and "D" Plus and those below:

Aldergraf (2.2) • Autocad Etn & Wtn (2.5x) • Bancstar • Basic-2C Runtime Package (2.00.04 & 12/12/86) - Balance of Power '85 - Cadkey (2.11.01, 3.01) - Cadvance (1.10, 1.20, 1.30) Computer Aided Planning (CAP) 12/15/86 - Cadvance DXF Translator - CAP (3.00) -Chessmaster 2000 ('86) • Courtracting System (2'2) • CP2A (5.8) • DAM Busters ('86) • Data Highway Diagnostics (1.3) • Database Manager II (2.0, 2.02) • Diagram Master (5.1) • Diagraph (3.3, 3.4.1, 3.5) • Discovery Litigation Support (2.3, 2.3e, 3.0) • Disk Optimizer (1.4, 1.5) • Erunacad (1'10B) • Escribien (2, 2.0A) • Financial Analysis for Farmers (6.0) • Financial Profiles (1.5, 2.2, 2.3) • Fund Master-TC (3.5) • GSS Arab World (1.36A) • Harmony (2.35, 3.00) • IBM Drawing Assistant (1.0) • IBM Graphing Assistant (1.0, 2.0) • IBM Planning Assistant (1.0) • ICSI Interactive IQ Program (1.11) • Insearch (1.02) • Insmark (4 03E) • Interceptor IV (1.0A,1 0B) • Intercom 102 (2 30S,4 14) • Kampfgruppe ('85) • Maintenance Analysis System (4.00) • Magnatype (1.4) • Mapmaster (6.0) • Mean 18 Golf ('86') • Minitab (5.1.1) • Multilingual Scholar (2.9) • Multilingual Scribe (2.9) • Paradox (1.0) PBS (1.0) • PC Emulator (1.03) • Petrocalc (85) • PCATE (3.3n-4) • PC FOCUS (1.5, 2.0, 4.5) PC Information System (9.21) - PCLINK (1.0) - Pfs:Access (84, C) - Pfs:File (Tandy B, C) Pfs:Graph (Tandy, B) - Pfs:Plan (Tandy, B, C, 2.00) - Pfs:Report (Tandy, 1.00, 1.00.00, B. C) • Pfs:Write (Tandy, 1.00, 1.01, C, 2.00) • Picture Perfect (3.3, 3.5) • PLC-2 Ladder Logistics (2/11/87) • Pluto ('84) • Print Master (1.1P) • Print Shop (Early '85, Late '85, '86) • Pro-Cite (1.2) • Quicken ('84) • Real CICS (1.10) • Real Estate Appraisal System ('87) • Redboard • Residential Appraisal Processor (R8C) • Screenio for Cobol (2.0) • Sidekick (1.56B) • Sketch Processor (S5K) • SmARTWORK (1.0 r.8-10, 1.1, 1.2 r 3.,7) • Softbol II Runtime System (2.11 ) (11) • Softbridge Financial Planner (2.1) • Spectra Business Systems (3.01) - Spotlight (1.0) - SPSS Statistics for the IBM PC (1.1) - Star Trek: The Kobayashi Alternative - Superpage - Ststat (2) - Tango PCB Layout System (3.03, 3.04) Tango Route (1.10) - Techsonix Digitizer (2.6M) - Taylor Allen Bradley Programmer (6.19) T-Bond Trading System ('84) - Tencore Authoring Sustem (3.00 Beta) - Toatex (1.5) - Type 1 (Broderbund) ('87) • Universal Life Pers. Prop. System (6.4N) • Versatile Report System (2.31) • Video Store Manager ('86) • What's Best (1.1) • Westinghouse Numa Logic (2.1, 3.0) GENERIC PROLok Unlocker - GENERIC PROLoik Classic - GENERIC SUPERLok Unlocker - GENERIC HardDisk SUPERLok - GENERIC EVERLOCK Unlocker

We liked UNlock MasterKey, from TranSec Systems, because it doesn't copy software, it removes copy protection and that's what we want. We also like the speed at which it removed the copy protection and the informative documentatin that accompanied the package. Unlock MasterKey is simply the most elegant of those we tested and it is well worth its \$159.95 price



UNlock MasterKey **EDITOR'S CHOICE NOVEMBER 24, 1987** 

JANUARY 12,1988 • PC MAGAZINE

### **BEST OF 1987 AWARD UNlock MasterKey**

For 1987 PC Magazine's authors and editors chose the most significant contributions and most favored products of the year. They called UNlock MasterKey unlocking tools the ultimate equalizer for removing copy protection.



Guaranteed to work only with listed programs:

### GAMEMASTER¹⁵ \$39.95*

Unlocks Over 60 Games Call for Complete Listing

Advanced Flight Trainer '87 Ancient Art of War '87 California Games'88 Chessmaster 2000 All Gauntlet '87 Gunship 8/87 3D Helicopter (Sierra) All Indoor Sports Karatoka Larry in LLL '87 Mean 18 '86,87 Search & Destroy

Test Drive EGA '87 Where in Europe Carmen'88 Where in USA Carmen '87 Where in World Carmen'87

### UNLOCK \$79.95* Album "D" Plus

dBASE III & dBASEIII Plus (1 0

Framework I & H (1) 1 0:

Chipper (thru winter 85) • Fastback (5.3).

Chartmaster (6.1.6.2) • Signmaster (5.1)

Dollars & Sense (2.0)

Microsoft Word of 15202016

Lolus 1-2-3 -1 A 1A' 20 2011

Symphony (1.1.1.2)

Lotus 1-2-3 Report Writer -1 0a DoubleDOS At

Harvard Total Project Mgr -1 10

Mng Your Money (Alo -Think Tank (2.0.2.1)

California Games 88 - Rad-Warrior 87

Cadkey +2 11 01+ * Cadkey 3 01

Cadvance 1 10 1 20 1 30 - Cadvance (2 01) CadvanceTranslator + 20-

Cadvance Database Extracter

Harmony : 2 35 3 00 - Multilingual Scribe : 29

Multilingual Scholar (2.9)

SmARTWORK - 1 0 r b 10 1 1 1 2 r 3 7

System Writer 8 Video Store Manager 86 Westinghouse Numa-Logic V 2 1 3 0

*Add \$4 00 ship/handling Foreign orders \$10 00

### CHOICE OF THE CRITICS!

PERSONAL. "UNlock has two particularly endearing characteristics. It COMPUTING works, and works simply. I was able to quickly produce unprotected copies ... These copies performed flawlessly, as did copies of these Christopher O'Malley

BYTE "UNlock ... It's menu-driven and works fine on the program its supposed to work on: Lotus 1-2-3, dBASE III, Framework, Symphony, Paradox and several others. Jerry Pournelle

"Because copy protection can interfere with the ability to back up a hard disk, business oriented users may prefer programs like TranSec's UNlock series" Winn L. Rosch More than 50.000 Copies Sold!



ORDER TODAY TOLL FREE:

1-800-423-0772





# A.SYFLOW

n on-screen flowchart processor that knows about flowcharts - not just An on-screen howenest processor that makes you do most of the work. EASYFLOW is a powerful full-screen graphics program dedicated to flowcharts and organization charts. With it you can quickly compose charts. More important, you can easily modify charts so they are always up to date.


- ► Automatic: Fully automatic text centering within shapes, both horizontally and vertically. Fully automatic line routing & re-routing.
- Fast: Written in assembly language for speed.
- Large: Charts up to 417 columns wide by 225 lines high. Chart too large for your printer? EasyFLow automatically breaks the chart up & prints it in page size pieces.
- Standard: All standard flowcharting shapes included. Custom shapes can be ordered.
- User friendly: Don't take our word for it. PC Magazine* says "EASYFLOW lives up to its name. It's hard to imagine any easier and more flexible way to produce basic and even complex flowcharts".
- ► Mouse: Optional but fully supported.
- ► It prints: On most popular matrix printers including IBM, Epson, Toshiba, HP LaserJet, LaserJet-Plus and many others.
- ▶ It plots: On HP7440, 7475, 7550, 7570, 7585B and compatible plotters.
- ► It works: We are contractually prevented from mentioning the name of the "big eight" accounting firm that purchased a world-wide site license, but we can tell you that they spent months evaluating all available flowcharting packages before choosing EasyFlow.
- ► Rush delivery: Order by noon today (eastern time) and we'll have it to you by courier tomorrow**. Rush delivery charge is \$15.00 (instead of \$2.00) and is available only in USA & Canada.
- ► Documented: 100 page manual plus over 150 screens of context sensitive help.

EASYFLOW works on IBM PC's, IBM PS/2 and compatibles. Requires 384 K memory, DOS 2.0 or higher and an IBM CGA/EGA/VGA or Hercules monochrome compatible adapter card.

Order direct for only \$149.95 + \$2.00 S&H (USA/Canada), \$10.00 (foreign), Payment by M.O., cheque, VISA, Mastercard or Company PO.

March 10, 1987 issue, page 278

Rush orders are shipped by Purolator Courier and normally arrive the next business day to most locations. Remote destinations take longer



The chart fragment above was produced on an HP LaserJet-Plus and is actual size and unretouched. Publication quality charts like this can be produced using only minutes of preparation time and seconds of print time. CIRCLE 201 ON READER SERVICE CARD

HavenTree Software Limited PO Box 1093-P

Thousand Island Park, NY 13692

Order Desk: 1-800-267-0668 Information: (613) 544-6035 ext 49

Telefax(G3): (613) 544-9632

### LANGUAGES

compiler. While Turbo C can generate an assembler listing from a C source file, it can't put the two together in one file. To solve this problem, I wrote a C program, MERGE.C (shown in Figure 2), that creates a single "merged" listing of the original C source code and the compiler's assembler output. The result includes the C code as comments embedded in the assembler source.

To use MERGE, create an assembler listing from your C source code file by using the standalone Turbo C compiler with the -S option. Using the program HEL-LO.C (see Figure 3) as an example, the command line would be

TCC -S HELLO.C

This generates the assembler source file, HELLO.ASM. Next, create a merged C and assembler listing, HELLO.MER, as shown in Figure 4, by executing MERGE.

MERGE hello

Dean Johnson Oxnard, California

Now, here's a productive use of C! Not only can MERGE aid debugging efforts. but a "merged" listing can be very useful for learning how C is translated into machine language by the compiler.

The limitations of MERGE require that only one .C file at a time be used to generate a merged listing. Since #include references are, of course, only used by the compiler, they will not be listed. Also, since Turbo C will rearrange code for maximum speed or size, the generated assembler may not be in logical order if optimization switches are used.

I took the liberty of modifying MERGE .C slightly to include the globalization of the line buffer, filename buffers, and file pointers (to get them off of the stack); the creation of the write_merge_line() function instead of inline code; and a slight streamlining of the program logic. Micro-

#include <stdio.h> printf("Hello, world\n"):

Figure 3: The simple "Hello, World" program used to produce a merged listing.

```
name
                           hello
         segment byte public 'code'
 text
                  _data, bss
assume cs: text, ds:dgroup, ss:dgroup
dgroup
        group
 text
         ends
         segment word public 'data'
 data
 de
                  label
                          byte
 data
         ends
                  segment word public 'bss'
 bas
ЪФ
                  label
                           byte
 bss
                  ends
         segment byte public 'code'
 text
        HELLO.C -- Hello, world */
7 /*
  #include <stdio.h>
; main()
; { .
main
         proc
                  near
         printf("Hello, world\n");
;
         mov
                  ax, offset s@
         push
         call
                  near ptr _printf
         pop
  }
@1:
         ret
 main
         endp
         ends
 text
         segment word public 'data'
data
s@
                  label
                          byte
         ďb
                  72
         db
                  101
         db
                  108
         db
                  108
         db
                  111
         db
                  44
         db
                  32
         db
                  119
         db
                  111
         db
                  114
         db
                  108
         db
                  100
         db
                  10
         db
 data
         ends
         segment byte public 'code'
 text
                 _printf:near
         extrn
         public
                  main
 text
         ends
         end
```

Figure 4: This merged listing shows the original C code (highlighted) and helps demonstrate what goes on when the HELLO.C program to the left is merged with the compiler's machine language output. Listings of this type can help show what goes on inside a C program.

# "YOU That's what PC Magazine had HAVE A to say about PC-File+, and now this powerful CONING" database

program is even better: **NEW!**Graphs to help you make your point. Includes: pie, bar, line, scatter, and smoothed average. **NEW!** 8087/80287 math coprocessor support for lightning fast operation. **NEW!**Expanded record and field lengths hold more data.


With PC-File+ version 2.0 you get these and 26 other additions to the database that is already the favorite of over half-a-million users.

Why do people like PC-File+ so much? It's affordable (just \$69.95). Technical support is excellent (just call). And its features (on-line help, 10 sort levels, labeling, and mail merge, just to name a few) rival those of products that cost 5 times as much.

So treat yourself and give PC-File+ a try today. Call 1.800.JBUTTON for the name of the dealer nearest you. (In WA: 206.454.0479.)

PC-File+. Just \$69.95 for a product that should cost hundreds.

"Affordable, high performance software is possible. All it takes is true commitment to customers."—Jim Button



CIRCLE 494 ON READER SERVICE CARD

### LANGUAGES

soft C users can produce a similar merged listing by compiling with the /Fa and /Fs options.—Richard Hale Shaw

### TURBO PASCAL

### REAL-TIME CLOCK DISPLAY

The program shown in Figure 5 exploits the fact that many programs spend most of their time waiting for keyboard input. If your program follows this pattern, it is very easy to create a real-time clock display without having to patch the BIOS clock interrupt vectors. Naturally, a program that is heavily bound up in non-keyboard tasks cannot use this technique.

To make use of the program's idle time,

■ It's easy to create a realtime clock display without patching the BIOS clock interrupt vectors.

I created a function called KeyInCoprocess. This function constantly checks for a pressed key. If no key is pressed, it calls the coprocess, in this case the Clock routine. When the user presses a key, the loop

ends and KeyInCoprocess returns the key as the function result. Actually, you could call a different coprocess from this routine—for example, print spooling or spreadsheet recalculation. The only limitation is that the coprocess must be liberally sprinkled with "IF KeyPressed THEN EXIT" statements, to prevent long waits at the keyboard. [The coprocess would also require a method for returning to the exact location and state from which the EXIT occurred.—NJR]

You now must throw out the normal Pascal Read procedure and instead use a procedure called NewRead. The main difference between the two is that NewRead gets characters from the keyboard using

```
PROGRAM Coprocessor_Clock;
 (SV-,C-) (NOTE These two compiler switches are ESSENTIAL\)
 AnyString = STRING[255];
 PresentColor.
  PresentBackGround : Byte;
                                         (global variables for colour control)
                                         (global variables for clock control)
  Bour, Min. Sec
                       : Byte;
: Anystring;
  Thestring
                                         (global variables for main program)
  Count
  PROCEDURE SetColor(P, S : Byte);
    PresentColor := F:
                                     (remember the colour settings)
    PresentBackGround := B:
    TextColor(F);
                                     (and implement them)
    TextBackground(B);
 EMD:
 PROCEDURE Clock;
                                     ( clock display )
    RegPack = RECORD
                   CASE Integer OF

1 : (AX, BX, CX, DX, BP, SI, DI, DS, ES, Flags : Integer);

2 : (AL, AH, BL, BH, CL, CH, DL, DH : Byte);
    ColumnHold, RowHold, ColorHold, BackGrndHold : Byte;
    Tup : STRING[2]:
    Time : STRING[0];
    Regs : RegPack;
  BEGIN
    WITH Begs DO
                                  {get time from mados} (call the clock interrupt}
      BEGIN
         AR := $2C;
         HsDos (Regs);
         {did the time change ? }

If (CH <> Bour} OR (CL <> Min) OR (DH <> Sec) THEM {delete the (DH <> Sec) if you don't want seconds display)
              Bour := CH;
                                     (save the new time)
              Min := CL:
              Sec :- Dil
                                     (delete if you dont want seconds display)
              RowBold : Wherey; (save the present cursor position)
              ColumnWold := WhereX:
              ColorBold := PresentColor: (save the present colour)
              BackGrndHold := PresentBackGround;
              Time := Tmp;
              Str(Min; 2, Tep):
              Time := Time+':'+Tmp;
             Str(Sec:2, Tmp); {delete if you dont want seconds display}
Time := Time+':'+Tmp; {delete if you dont want seconds display}
GoTOXY(78, 1); {go and display the time}
SetColor(LightCyan, Black);
              GGTOXY(ColumnHold, RowWold); {restore the cursor position}
setColor(ColorHold, BackGrodHold); {and the colour}
      Eath:
 ERO
 FUNCTION ReyInCoprocess : Char;
    { get characters from the keyboard }
    KeyToGet | Char;
 BEGIN
                                           (if no key pressed then do something else)
```

```
WHILE MOT KeyPressed DO Clock; (it does not have to be just the clock)
     Read(Ebd, KeyToGet);
     KeyInCoprocess := KeyToGet;
 · PROCEDURE NewRead(VAR StringToGet : Anystring); (This procedure replaces the 'Read' procedure to read a string. It would
    require modification if you want to imput integers or reals directly.)
     Characterin, Discard : Char;
  CONET
     Return = "M;
     BackSpace = ' ';
     Escape = "{|
Seep = "G;
     StringToGet := '';
                                         (clear the string)
     REPEAT
       Characterin := ReyinCoprocess; (get a key if one is ready)

CASE Characterin OF (check what sort of key)

''...'8' | BEGIN ('Hormel' character. - you can select any
acceptable range of characters here)
                             Write(CharacterIn); (write it)
                             StringToGet := StringToGet+CheracterIn;
                             (append it to the string)
          BackSpace : IF StringToGet(#) > ## THEM
                                StringTodet(8) := Pred(StringTodet(8));
{remove the last character from the string}
                                 Write(BackSpace); (backspace on the screen)
                                Write(Space); (write a blank)
Write(BackSpace); (and backspace again)
                              DHD (
          Escape : BEGIN
                         IF ReyFressed THEW Discard := KeyInCoprocess;
{you could implement something with the cursor
or function keys here.}
                       EE D
                            (don't do anything)
p); (tells you if you typed comething odd)
          Return : 1
        ELSE Write(Beep);
     UNTIL (Characterin = Return) GR (StringToGet(8) = $255);
(repeat until return is typed or the string overflows)
BEGIN
                                         (main program)
    etColor(Red, White);
  Clrscr;
  GoToXY(78, 2); Write('+--+-+');
  FOR Count := 3 TO 9 DO
     REGIN
        GoToXY(74, Count); Write('|');
     END;
  GOTOXY(29, 18); Write('Testing Clock Routine ------');
GOTOXY(20, 15); Write('Take about a minute to enter this message');
GOTOXY(25, 16); Write('and watch the clock being updated.');
GOTOXY(1, 12); SetColor(Black, White);
   Write('+---- Input a String');
  Write(' -----
  GOTOXY(1, 13); SetColor(Yellow, White); 
BewRead(TheString);
  GoToXY(1, 28); SetColor(Black, Hagenta);
  GOTOXY(1, 21); SetColor(Slack, White); Write(TheString); GotoXY(1,26);
```

Figure 5: A real-time clock display that does not modify the clock interrupt. To convert this program, written in Turbo Pascal, Version 3.0, to Version 4.0, use the compiler's UPGRADE.EXE utility with the /3 option.



for the IBM PC or the PS/2.

From the PC World-Everything the Best EGA Board Offers, And More Start with 100% hardware compatible EGA, CGA, MDA, and Hercules. SigmaVGA/H supports all the standards including digital monitors and 132column text mode. So you can run all the PC software you own, including Windows 386.

bility for VGA. Better yet, run VGA, EGA, CGA, MDA, and Hercules all on the new analog monitor. SigmaVGA/H gives you the power to run all the new PS/2 software, including OS/2.


For Your World-One Graphics Board Built on the Experience of 400,000

Sigma Designs introduced the first VGA board, and has sold over 400,000 VGA and EGA adapters to date. We know that SigmaVGA/H, call us at (415) 770-0100.





Sigma Designs, Inc. 46501 Landing Parkway Fremont, CA 94538



Business managers now are projecting their accounting software needs well into the future. That's smart. The software you choose must meet the demands of your evolving business and provide management information to help fuel growth.



In the words of PC Magazine, Macola Accounting Software "is at the top of its class...a flexible, powerful system that is

### 13 Integrated Modules

**Accounting** General Ledger—Accounts Receivable—Accounts Payable—Payroll—Assets/Depreciation

well suited to many different businesses."

**Distribution** Inventory Management —Customer Order Processing—Purchase Order and Receiving

Call for availability. IBM, PS/2, OS/2 are registered trademarks of IBM. Micro Focus is a registered trademark of Micro Focus Corp. PC Magazine is a publication of Ziff Davis Communications Co. Macola is a registered trademark of Macola, Inc.

Manufacturing Bill of Material Processor—Material Requirements Planning—Master Scheduling—Shop Floor Control*—Job Costing*

Plus there's a Report Writer that allows customized reporting and can easily transport data files to popular spread sheet, word processing and data base programs.

Proven Network Compatibility.

Macola Software reflects 15 years of maturity in mini and micro LAN environments. No other software can say the same. So when your business is ready to add more workstations, your software is ready as well. With no limitations.

Speed and Data Integrity. Macola Software is written in Micro Focus COBOL for maximum speed and data integrity (source code available.) IBM has licensed Micro Focus COBOL as its SAA standard for the new PS/2 and OS/2.

Comprehensive Support. PC

Magazine also determined "Macola's technical support, documentation and customization assistance meet the high standards set by the software."

Running Is Believing. Your choice of Macola Software is a one-time solution for the life of your business. For detailed information, "live" demonstration modules and an authorized reseller in your area, call today:

**1-800-468-0834** (USA) **1-800-468-0833** (Ohio)



P.O. Box 485 Marion, OH 43302 (614) 382-5999

Powerful accounting for successful companies.

### LANGUAGES

KeyInCoprocess and then writes the characters to the screen using the Write procedure. Now, whenever your program is gathering information from the keyboard, the clock will tick away in the upper-right corner of the screen. The Clock procedure shown here updates the time every second. If this continual updating drives you scatty, then you can delete a few lines and just display changes every minute.

The sample program in Figure 5 also includes a procedure called SetColor, which I find simplifies the manipulation of screen colors. It is particularly useful here because the Clock procedure has to write in a certain place and color without losing the previous place and color.

Andrew Fiddian-Green Singapore

There have been a number of real-time clock programs submitted for this column. The coprocessing technique shown here is certainly safer than modifying the clock interrupt. It may be useful in a program such as a word processor, where in fact most of the time the program is waiting for further user input.

One limitation is the requirement that all Reads go through the NewRead procedure. This procedure accepts a single parameter of a string type. In order to simulate reading multiple items or nonstring variables, you will have to read a single string first and then parse it or convert it to another variable type.

Readers familiar with user-defined I/O drivers may wonder why I don't suggest simply replacing the standard ConIn routine with one that calls a coprocess while it's waiting. Unfortunately, calling such a process from within the ConIn routine creates many of the same problems found in the original interrupt-driven clock procedure.—Neil J. Rubenking

### SPEAK YOUR LANGUAGE


Share your knowledge of BASIC, C, Pascal, FORTRAN, and COBOL with Languages readers, and we'll pay you \$50 or more for any tips we print, plus an extra \$25 if you submit your letter on a disk. If you send a disk, please include a printout. Mail your contributions to Languages, PC Magazine, One Park Avenue, New York, NY 10016.

# **BASIC PROGRAMMING TOOLS**

Whether you're a seasoned expert or just starting out...

We'll help you create programs that run faster, work harder, and simply look better. All Crescent Software products include source code, demonstration programs, clear documentation, and a 30-day guarantee.

 OuickPak More than 65 essential routines for BASIC programmers including windowing, access to DOS and BIOS, searching/sorting string arrays. Lotus™ and pull-down menus. data input, and more. QuickPak is loaded with examples and tutorial information, and comes with The Assembly Tutor—an introductory guide to assembly language from a BASIC perspective, \$69



Mew QuickPak Professional The most comprehensive set of tools ever developed for BASIC programmers. Hundreds of assembler and BASIC subroutines including array manipulation, pop-up utilities, multiple windows, mouse support, scientific and financial functions. multi-tasking menus, and more. includes dozens of examples and complete applications. \$149

 OBase A superb screen designer and full-featured relational database with BASIC source code to allow customizing. QBase provides a complete database, and is outstanding for creating titles, help screens, and product demos. \$99

 OBase Report Enhances OBase by generating reports with multiple levels of sorting, record updating, and browsing. Report comes with a complete time billing application for computer professionals. \$69



 GraphPak A complete collection of BASIC subroutines for displaying presentation quality 3D bar, line, and pie graphs from within your programs. Includes sophisticated font and tile editors. (EGA/VGA recommended) \$69

**Manual Professional** All the features of GraphPak plus scientific graphs, 3D surface plots and multiple fonts. Also comes with very fast text-based bar charts, \$149

LaserPak A comprehensive set of subroutines for generating graphics on a LaserJet or compatible Includes scales, grids, text labeling. Hi-Res pattern editor, and control over all LaserJet commands. \$69

QuickMenu A full-featured DOS menu system for novices and experienced users. Define the menutitles and DOS commands for each choice, and they will be executed automatically. QuickMenu is not memory resident, and features context-sensitive help and optional password protection, \$49



 QuickTALK magazine is our way of saying thank you. The catalog includes feature articles, tips and tricks, and latebreaking news about BASIC. Call or write for your copy. FREE!



### CRESCENT SOFTWARE

11 Grandview Avenue, Stamford, CT 06905 (203) 846-2500

Separate versions available for QuickBASIC and Turbo Basic—please specify when ordering. Trade-ups are available to professional versions—call for information. Add \$3 per order for shipping / \$10 overnight—Foreign \$10 per item / \$35 UPS 2nd day. Visa, M/C, C.O.D. and checks accepted.

# Intelligent Micro Systems



### IMS-286/12MHz

Base System .....

- 80286 processor running at 12MHz, zero wait state, switch-selectable to 6MHz
- 1MB RAM
- 1.2MB diskette drive
- Dual diskette drive/fixed disk controller
- Enhanced, 101-key keyboard
- 200-watt power supply
- Illustrated installation and operations manual
- Clock/calendar with battery backup

Base System with Monographic Card and Monitor

With 40MB Seagate (30ms)

\$1695

With 70MB MiniScribe (28ms)

Multifunction

to 1.5MB, senal and

For AT OKB expandable


...\$110

Upgrade to EGA by adding \$320 to monographics system prices!

### GREAT BUYS ON AT/XT ADD-ONS

### I/O Boards

For AT 1: Senal and parallel ports ... For PC/XT * Senal, parallel, & game ports \$65



With communications





### For PC/XT: 384KB, serial, parallel, game ports, clock calendar with battery backup .\$199

parallel ports

Cards

### amment make

Math Coprocessors 80287-8 math coprocessor

80287-10 math \$349 coprocessor

### Diskette Drive

360kB or 1 2MB diskette drive to enhance your system 360KB

### Mice

\$109

Logitech Serial Mouse: programmable, three Microsoft Bus Mouse mechanical mouse includes bus interface \$119

### IMS-286/10MHz

### 

- 80286 processor running at 10MHz, switch-selectable to 6MHz
- 1MB RAM

system prices!

- 1.2MB diskette drive
- Dual diskette drive/ fixed disk controller
- 200-watt power supply
- Enhanced, 101-key keyboard
- Illustrated installation and operations manual
- Clock/calendar with battery backup

### Base System with Monographic Card and Monitor

With 40MB Seagate (30ms)

 With 70MB MiniScribe (28ms) Upgrade to EGA by adding \$320 to monographics \$1095 \$1545 \$1835

# The Intelligent Solution



### IMS-88/10MHz

Base System . . . . . . . . .

- 8088 processor running at 10MHz, switchable to 4.77MHz
- 640KB RAM
- 360KB diskette drive
- Diskette drive controller
- Keyboard
- 150-watt power supply
- Illustrated installation and operations manual

Base System with Monographic Card and Monitor

- With 20MB MiniScribe (65ms)
- With 40MB MiniScribe (61ms)

\$885 \$995

\$625

Upgrade to EGA by adding \$320 to monographics system prices!

# * * SOFTWARE SPECIAL First Publisher

### **EASY-TO-USE Desktop Publishing**

PFS: First Publisher by Software Publishing makes desktop publishing affordable and easy to learn. It includes style sheets and more than 60 fonts.

PFS: First Publisher Art Gallery by Software Publishing adds an extensive collection of popular business, holiday, leisure, and lifestyle symbols.



Shipping time is special for all at Intelligent Micro Systems. With T.W. Armadillo keeping a close eye on the proceedings, all of the outgoing merchandise is carefully loaded on the wagons for distribution around the nation.

"Sort of makes me feel like Santa Claus," T.W. chuckles as he checks off today's list of lucky personal computer buyers who are about to receive their high-performance IMS systems.

T.W. wants to make everyday Christmas for IMS customers - even during the hot Texas summer. That means T.W. offers a wide range of IMS-286 and IMS-88

Plus T.W. backs it up with the armadillo pledge of service and support. "One year of technical support, one year of coverage under our limited warranty, and 30 stress-free days with our money-back guarantee are part of the deal," says T.W. "Service like that can be rarer to find than a snowflake during a San Antonio heat wave."

To Order Call Toll-Free:

### 800-777-7757

Moia Fri. 8am-9pm CST Sat. 9am-5pm CST

For Customer Support: 512-250-8794

Mon.-Fri. 8am-7pm CST CIRCLE 382 ON READER SERVICE CARD



1633 Babcock, Suite 424 San Antonio, Tx. 78229

**INTELLIGENT BUYERS** shop for superior products and superior value. All of our products come with a one-year limited warranty, one year of technical phone support, and a 30-day money-back guarantee (not including return freight). We do not charge you for UPS ground shipping within the continental United States, or for buying with your credit card. Intelligent Micro Systems is The Intelligent Choice. Prices subject to change. Software is non-refundable. Texas residents please add 8% sales tax.



The computer world is humming about two new Samsung Semiconductor & Telecommunications (SST) brilliant performers — the S500 and S300.

Fully AT compatible, the S500 is the right PC to turn your one-man show into a symphony. Easily switchable from 8 to 10 MHz, the S500 offers 8 expansion slots to support video displays, moderns, expanded memory and more. A 1.2 MB 5 1/4" floppy disk drive comes standard and a hard disk can be added for ample memory capacity.

It possesses superb talents such a small package, only 16" by 16".

Fully XT compatible, the S300 runs at 4.77 or 8 MHz and is a powerful, yet economical alternative. It is ideal for use as a stand-alone system or for inclusion as a workstation in a local area network.

Samsung Semiconductor & Telecommunications (SST) supports its already excellent reputation in the computer industry by offering you these excellent products and an attractive warranty program to support them.

# New from Samsung. S500 and S300 that're yours for a song.

These products are soley distributed through Tech Data Corporation, wholesale distributor in U.S.A. and through CANARA in eastern CANADA, TERRIER in western CANADA.



Semiconductor & Telecommunications

CIRCLE 298 ON READER SERVICE CARD

rate Headquarters. 7h Floor. Antw. Insurance Building, 87, 1 via. Ulchiro. Chung ku. Seoul. Korea C PO. Bax 8233
one. (011.8221.717.78 est. 581 - 5 Teles. Telecom K2437.77 Facsimile. (011.822).755.2550

Santa Clara Office: 2952 Bunker Hill Lane: Santa Clara: CA 95054: U.S.A. Telephone: (408) 970-8844
New Jersey Office: One Executive Drive: Fort Lee: NJ 07024: U.S.A. Telephone: (201) 592-7900: (800) 642-6515-Outside NJ

L. A. Office: 14251 E. Firestone Blid: Suite 200 La Mirada CA 90638 Telephone (213) 802 2211

EASTERN CANADA CANARA Technologies Inc.: 5560 Kennedy Road Mississauga. Ontario L4Z 2A9 Telephone. (416) 890-2525

WESTERN CANADA TERRIER Technologies Co., Ltd.: 3700 Gilmore Way. Suite 106A Burnaby. British Columbia V5G 4M1 Telephone. (604) 433-0159

IBM and PC-XT/AT are registered trademarks of International Business Machines Corporation.



S 500



S 300

### ROBERT L. HUMMEL

# PC TUTOR



Two easy patches that improve REMOVE.COM; the truth about bad sectors on hard disks; the genealogy of the parity flag; and DOS's poor dual-display support.

### BAD SECTORS ON HARD DISKS

My department has four brand-new IBM PS/2 Model 50s, each equipped with an IBM 20MB hard disk. CHKDSK shows that all four have a number of bad sectors ranging from 20K to 100K.

My contact at the local ComputerLand (who set up our systems) says that IBM considers a drive "good" even if 10 percent of its sectors are bad. An associate of mine asked his service representative about the problem and was told that as long as the balance of usable bytes on the hard disk was at least 20MB, the customer got what he paid for.

We also have an XT clone in the office. CHKDSK reports no bad sectors on this disk. What problems will we experience with the PS/2s and their bad sectors?

> Ernest J. Mascarello Omaha, Nebraska

A hard disk is really a collection of oxidecoated disks, called platters. All data will eventually be stored on the surfaces of these platters, so the quality and consistency of the oxide coating go a long way toward determining the reliability of the drive as a whole. The coatings are never perfect, however. The platter manufacturing process may produce thin spots, thick spots, or even bubbles.

When the hard disk drive is assembled at the factory, it is put through a rigorous test program. These testing procedures represent the manufacturer's best attempt to ensure that all the recording surfaces will be able to be reliably written and read over the life of the disk. Because of variance in the manufacturing tolerances, some areas of the platter surfaces may fail this testing.

THE BAD TRACK LIST The areas that fail this test are uniquely located to a single track by specifying their head (surface) number, cylinder number, error size, and distance around the cylinder from an arbitrary index. (These two latter parameters are often termed BL and BCAI, or bit length and bit count after index.) Unfortunately, if any spot on the track is found bad, the entire track is abandoned.

All the errors detected in the hard disk are printed out by the manufacturer either on a label that is then affixed to the hard disk or as part of a quality control report that is shipped along with it. Some companies that sell complete computers thoughtfully remove this information, along with manuals and setup disks, before shipping to customers. This is based on their belief

 Some companies that sell computers remove bad sector information. This is based on their belief that what you don't know won't hurt you.

that what you don't know won't hurt you. But there is a good reason why the original manufacturer provided this "bad track" information.

**PHYSICAL FORMAT** After a hard disk has been installed in a computer system, the next step in preparing a disk drive is to do a low-level, or physical, format. If you think of a newly manufactured disk as a blank piece of paper, then performing a physical format on the disk is analogous to drawing lines on the paper: it creates a structure capable of holding information.

Most programs that perform a physical format allow the bad tracks listed on the manufacturer's report to be entered before the format is performed. These tracks are then excluded in their entirety from the initialization during the physical format. This occurs even if only a single bit on the whole track caused the error.

If these bad tracks are not "forced," by entering the head and cylinder number, the physical format program will attempt to initialize them. If it detects the error, it will force the track as bad anyway. But often the low-level-formatting program succeeds at initializing a track that the manufacturer marked as bad. This may be because the error was a soft error that might show up only in the long term. The consequences of this will not be immediately obvious.

LOGICAL FORMAT When the physical format is complete, a logical format (also known as a high-level format) is performed. The logical formatter normally

### Affordable Networking


Just \$80 per PC

Don't get trapped in a multi-user world. With ExcellNET and your PCs, mainframe power is available on a desktop, without mainframe limitations.

- Preserves the single user, stand alone features of the PC, while allowing you to share information via file transfer.
- Eliminates costly LAN cables and expensive network interface cards.
- Frees you from dedicated servers and network administrators.

### **Features**

- Networks PCs, XTs, ATs, PS/2s and compatibles.
- File Transfer quickly, accurately and inexpensively.
- Share printers, plotters and peripherals.
- Modem support for world wide communications.
- Exchange data between 3 1/2" and 5 1/4" disks (allows laptops to share resources with desktops).
- Inexpensive RS-232 communications.



### **ExcellNET**

The Excellent Network!

Special Introductory Offer 2 PC Starter Kit (includes cables) Just \$180

### EXCELLTECH, INC

112 1/2 W. 3rd St. Yankton, SD 57078 For orders and information call:

(800) 553-TECH (8324) (605) 665-TECH (8324)

CIRCLE 525 ON READER SERVICE CARD

### ■ PC TUTOR

used is the DOS FORMAT program. The logical format divides each track into sectors and writes additional information needed for DOS to the disk.

If FORMAT encounters a track that was forced bad by the physical formatter (even because of a single bad bit), it has no options. It must mark the entire track as bad. A standard hard disk is formatted for 512 bytes per sector and 17 sectors per track, so a bad track will cause CHKDSK to report 8,704 bytes in bad sectors.

If FORMAT finds an error on a track that was not marked bad by the low-level formatter, it has a different course of action available. (In any sector that it can't reliably read and write, FORMAT will note as bad and mark only the affected cluster. (A cluster is the smallest amount of disk storage that can be allocated by DOS.) On a 20MB hard disk, sectors are handled in clusters of four. Thus, the same single bit error will cause CHKDSK to report only four sectors of 512 bytes per sector, or 2,048 bytes in bad sectors.

Unfortunately, there are some errors that neither the physical formatter nor the DOS FORMAT program have the sophistication to detect. Over the long run some of these errors may crop up and cause loss of data when you least expect it.

A brand new 20MB hard disk that has 100K in bad bytes may seem bad, but if due to forced bad tracks, it boils down to just about 12 bad tracks out of 2,460, or .5 percent of all tracks. If you're optimistic, you can interpret the CHKDSK report as indicating that your dealer took the time to enter in the bad track list. Until you run out of room, you'll be glad your machine has been formatted with the most conservative approach available.

### THE 80xx PARITY FLAG

I recently discovered an anomalous result in the setting of the 80286 parity flag. Arithmetic and logical operations can, of course, be performed on either bytes or words, and the processor flags reflect the state of the byte or word result, as appropriate. For example, the sign flag matches bit 7 of the result after a byte operation, but it matches bit 15 of the result after a word operation. The parity flag, however, always reflects the parity of the lower byte of the result only, even after a word opera-

tion, which affects the other flags according to the full 16-bit result.

I have tried this on only two processors. Has this behavior been documented anywhere? Is it a bug or was it intended? Does it vary among the '86 family members, or between manufacturers?

Bruce Frostick Richmond, Virginia

To answer this question, I immediately grabbed my copy of The 8086 Book, by Russell Rector and George Alexy (Osborne/McGraw-Hill, 1980). It's an indispensable guide for any 80xx assembly language programmer and includes complete information on opcodes, timing, and even program design and documentation.

Regarding the parity flag, the authors say: "The parity status is set to 1 when the lower-order eight bits of any data operation result has an even number of 1 bits. An odd number of 1 bits causes the parity status to be reset to 0."

The parity flag works the same in Intel's current processors as it did in the 8080, which was a real 8-bit CPU. The operation was kept consistent for the sake of upward compatibility.

### SIMULTANEOUS DISPLAYS

In the March 29, 1988, edition of PC Tutor, you indicated that the original IBM PC was designed to support simultaneous operation of two display types: monochrome and color. This is exactly what I would like to do, but I have only been able to effect an either/or switch of the active display adapter with the DOS MODE command.

Is there a DIP switch configuration or some other hardware or software that would allow me to run both monitors truly simultaneously?

> Charles Forrest Champaign, Illinois

The PC BIOS and DOS employ the concept of the active monitor. Just as disk operations assume the current drive and directory by default, all video activity takes place on the active, or default, display. Just as DOS can't be told to perform all disk operations on drive A: and drive B:, it does not provide any support for sending the same output to both monitors simultaneously with a single command.

THE

Т

CORPORATE SOURCE

**BOFFIN** 

м

COMPUTERS

**HARDWARE** 


SOFTWARE

PRINTERS

2500 WEST COUNTY ROAD 42 • #5 • BURNSVILLE, MN 55337 • (612) 894-0595

### A Small Case For BIG Performance!!!







### Accessories TOSHIBA Carry Case/1000 \$ 49 Carry Case/3200 79 Carry Case/5100 79 Modern T1000/1200/3100/5100 329 Modern T1000 1200BPS 329 Modern T1200 Spec 329 Ac Adapter 59 Automobile Pwr. Adpt. for T1000 & T1100 59 17 Key Keypad T1000/1200 99 15 Key Keypad T3100 99 Exp. Chasis 859 Exp. Chasis IF 1100/1200/3100 195 Ext. 5.25 FDD 399 768 KB EMS Mem/T1000 299 2MB Mem Ext/T3100/20 899 3MB Mem Ext/T3200 1399 1MB Mon Ext/T11/12/31/2 599 Ext Bat T1200 75 2MB Mem Ext/T5100 1199 ZENITH Сапу Саве Int Modern 1200 BPS 329 Ext 5.25 FDD 399 Cig Light Adapter 19 NEC Carry Case 79 Int Modern 1200 BPS 299 Int Modern 2400 BPS 399 Battery Pac (Nicad) 79 Automobile Adapter

# Welcome Holmes. External 5.25" FDD

\$299

Specify TOSHIBA or ZENITH

**INTERNAL MODEMS** 

TOSHIBA T1100+/1200/3100 1200 BAUD \$199 \$269 2400 BAUD

ZENITH 1200 BAUD \$199 2400 BAUD \$269

### WonUnder

\$299 Single card expansion slot for the T1100+, T1200, T3100/20 & T5100

\$319 Diconix 150P Portable Printer \$79 Laplink Plus When Purchased with any Laptop

### Let Our DAILY ROUTINE

organize yours!

Whether you are involved in selling a product or a service, DAILY ROUTINE can help organize your time and resources. By completing only three simple input screens, DAILY ROUTINE can creat

- A Daily Agenda
- Call & Time Reports
- Name & Address Files
- Company History Files Mailing Labels & Env.
- Expense Reports
   Misage Reports
   Competitor Reports
- Quotation Reports

DAILY ROUTINE'S Quick Memo feeture allows you to write quick, neat and professional memos that can be merged with the Name & Address

DAILY ROUTINE is menu-driven and so easy to use that you can put the manual aside after thirty

DAILY ROUTINE is so friendly your only fear may be that your competitor also has a copy.

### DAILY ROUTINE

© Copyright 1987 First Phase

Main Menu

(1) TODAYS SALES CALLS

(2) TODAYS AGENDA (3) EXPENSE & MILEAGE REPORTS

(5) COMPANY HISTORY (6) QUOTATION REPORTS (7) CALL & TIME REPORTS

(8) OUICK MEMO (9) DOLOR CONFIDURATION SETTINGS (9) QUIT & RETURN TO DOS

TUESDAY 09/22/67 (F3) CALENDAR 01:50:23 PM

Special . . . . \$149

Competitive Price

**Corporate Volume Discounts** 

 Net Terms to Qualified **Corporate Accounts** 

Prices Subject to Change Without Notice To Order Call:

FAX Number: 612/894-6175

(800) 255-4012

IN MN: (612) 894-0595 CIRCLE 125 ON READER SERVICE CARD

# PC voice mail, now only \$199.

Watson®, hailed by one reviewer as "the premier voice mail station" at \$498, is an even better value at \$199. Watson eliminates telephone tag and gives you bigsystem features like auto speed-dial, auto answer, message forwarding, and built-in 300/1200 bps modem. For an ear-opening business applications demo, call 1 (800) 6-WATSON (in Mass., (617) 651-2186). To order, call 1 (800) **533-6120** (in Mass., (617) 655-6066).



# Watson

Natural MicroSystems Corporation

### **■ PC TUTOR**

If you're writing your own program, you can design it to display the same data on each monitor by performing two writes as two separate steps. But the lack of hardware support means that the program would have to assume the responsibility for switching the displays between writes.

If the MODE command isn't meeting your needs, take a look at the DOORS utility published in our February 5, 1985, issue. This program allows dual monitor systems to be switched between color and monochrome displays with a hotkey.

### PATCHING REMOVE.COM

I use a lot of utilities from *PC Magazine*. Of these, INSTALL and REMOVE are my favorites for managing TSRs. REMOVE, however, requires that you hit the Enter key to peel off a layer of TSRs. That's great when you're at the DOS prompt, but when you have a menu system, there's no need.

Is there a way to patch REMOVE to avoid the prompt? This would allow readers to load and unload groups of TSRs automatically.

Daniel Murgo Mendoza, Argentina

I agree. INSTALL, REMOVE, and PCMAP (PC Lab Notes, PC Magazine, August 1987) are three utilities I use every day to help manage my TSRs. But REMOVE isn't very friendly with batch files and insists on getting its keyboard input live. To help with this problem, I've devised two patches for the program.

Remember, before you try your hand at patching any program, always make a backup copy in case something goes wrong. You'll also need to have a copy of DEBUG either in the current directory or in a directory in your PATH statement.

The first patch involves replacing the BIOS get-a-key function with the DOS get-a-key function. This allows you to use the DOS redirection facility to feed characters from a file to REMOVE as if they came from the keyboard. First, enter the following commands to patch REMOVE.

DEBUG REMOVE.COM E 204 B4 08 CD 21 W REMOVE will work just like it always has. Run it at the DOS prompt, and it will still ask you to press a key. But if you create a file that contains just the carriage return character and use redirection, REMOVE will execute without any keyboard input.

To create a response file that contains just a carriage return, enter the following commands:

COPY CON REMOVE.CR

^z

The first line creates a file called RE-MOVE.CR and prepares to copy anything you type at the keyboard into it. The second line is blank—just hit the Enter key. The "Z (Ctrl-Z) on the third line closes the file and is generated by holding the Ctrl key and pressing Z or hitting the F6 key. To run REMOVE automatically in a batch file, use the line

### REMOVE < REMOVE.CR

If you're sure you'll never need to confirm a REMOVE, or you want to create a special batch version (you can rename the file), the following patch will remove all requirements for a response. Start with a fresh copy of REMOVE and type the following commands:

DEBUG REMOVE.COM E 1FC EB 13 W Q

For a batch operation, the list of installed TSRs and confirmation prompt that REMOVE produces can be eliminated by redirecting standard output to the NUL device. To do this, use the command

REMOVE > NUL


### ASK THE PC TUTOR

The PC Tutor solves practical problems and explains points of general interest about using your hardware and software more productively, and answers basic questions about DOS and systems in general. To see your questions answered here, drop a line to PC Tutor, PC Magazine, One Park Avenue, New York, NY 10016. We're sorry, but we cannot answer questions personally.

# WHOLE EARTH CTRONICS

2990 7th Street Berkeley, California 94710

For CA calls or customer support: 415-653-7758















- Dual clock speed
- 10-MB drive
- 84 key AT keyboard w/LED's
- Hercules compatible
- graphics card

   Parallel printer port

   Amber TTL monitor w/tilt and swivel
- 256 RAM
- 150 watt power supply
  Fujitsu 360K floppy drive

FREE FREIGHT IN CONTINENTAL U.S.

20MB XT.....849 30MB XT..... 949

VALUE!

### WHOLE EARTH **TURBO 286-20**

10Mhz COMPLETE SYSTEM

- 1.2 MB Fujitsu drive
- 20MB Hard Drive
- Monographics card
- TTL monitor w/tilt & swivel
  512K RAM (IMB possible on motherboard)
- Coprocessor socket
- · Parallel printer port
- AT style keyboard200W power supply
- 8 expansion slots.

FREE FREIGHT IN CONTINENTAL U.S.

40MB 286.....1399 60MB286.....1699.

THOUSANDS OF ITEMS AT THE LOWEST POSSIBLE PRICES

### WHOLE EARTH **TURBO 386**

16 Mhz COMPLETE SYSTEM Featuring 32 bit 80386 MYLEX motherboard

- 18.5 Norton ver. 4.0 SI
- Enhanced 101 key keyboard
- 64KB RAM CACHE
- · 40MB fast hard drive
- Monochrome graphics w/port
- TTL monitor
- . IMB RAM
- 1.2MB Fujitsu floppy drive

FREE FREIGHT IN CONTINENTAL U.S.

70MB 386 ..... 3395. 20Mhz motherboard available

### FREE! w/purchase of System and MS-DOS MenuBlocks. lenu Blocks The Intelligent Menu System AN 89.95

**Bridgeway Publishing Corporation** 

Panasonic 1091i 11 Toshiba P321SL 2400 baud modem Everes 1200 baud internal Everex 2400 baud external Migent Pocket mode Toshiba TE000 Plus Hardcard 20 CMS Hardcard 20M8 Plus Hardcard 40 NEC Multisync 11 Toshiba T3100 20 Zenith Z183 20 Canon Copiers Full Oskiette DS DD Everex 3MB EMS w OK Everex I O plus Paradise 480

Paradise 350 Magnavox EGA Monitor Amber TTI, Monitor w T-S 89. 279. 399. 19. Seagate ST 225 w Controlle Mountain TD4440 89 DC2000 MEDIA by MAXELL Pagernaker Flight Smulator 32 330 799 589 Mono Graphics Port EGA by PARADISE LOWEST Parallel Card Clock Card I/O Plus Memory Card w OK

### **About Whole Earth Access** "The Company That Calls You Back"


Whole Earth Access stores, well known throughout California, now sell the finest computer products nationwide. We provide total customer satisfaction at the lowest possible prices. We have 400 employees, we perform over 10,000 customer transactions a week, we do over \$70 million business per year! In all, we have the ability and commitment to take care of our customers.

Errors subject to correction

### Whole Earth Computer System

"The Best You Can Buy"

- Technical Support Available
- Built and Tested in the USA
- I Year Limited Warranty
- 30 Day Money Back Guarantee
- Licensed MS-DOS 3.3 Available with System Purchases
- Lowest Prices on Thousands of Other Goods
- FCC Approved
- 48 Hour Burn-In



# The World's Most Advanced Keyboard

### NORTHGATE put it all together!

A spectacular new keyboard. It has 12 Programmable Function Keys AND THEY'RE ON THE LEFT. Where they belong!

Now, typing speed and productivity return. No more hunting for function keys. They're where your fingers expect. And your standard templates fit. We've even color-coded keys for WordPerfect users.

### Other features galore!

You can switch the CTRL and CAPS LOCK keys so CTRL is where typists expect it to be. We supply the key-caps at no extra cost.

Typists love it. Increases in speed and accuracy of up to 30% are reported. It's the touch, the feel and the layout the computer industry has been begging for and it's available now.

➤ Use OmniKey/102 10 days Return for FULL REFUND if not 100% Satisfied!

Unlimited 3-Year Warranty

LIMITED INTRODUCTORY PRICE FOR MAN PS SERVIS MODINA ADD \$25.00

### Northgate designed it. Northgate makes it. Exclusively.

Others will copy it, but they won't match the Click/Tactile touch and the solid "sit down to stay on your desk" feel of OmniKev/102.

rourn now? Initial supply may be lin loss are subject to increase with we neat supply costs. Best of all—use ( s and return it for full refund if it's ideal Resthants also institut



ORDER NOW TOLL FREE

Offices for Dealer and Quantity Prices:



13895 Industrial Park Blvd., Suite 110 Plymouth, Minnesota 55441

### What the Pro's Say...

Gary Ray in PC Week, May 17, 1948

REVOLUTIONARY AND MUCH NEEDED..." Better than any replacement keyboard ever nester than any replacement revisional ever used by this editor, it is also a vitable alternative to IBM's own model...places the 12 Function Keys where God intended them to be vertically along the left side of the keyboard Other intelligent features make the OmniKey an outstanding buy, but the major facts are these It's durable, well-designed, sensible and has just the right feel. Best of all, it's relatively inexpensive.

"FINDING THE IDEAL KEYBOARD..."

Imagine my surprise and delight when I found myself facing my dream keyboard...If you want the best keyboard I've ever laid my hands on, check out Northgate's

"THE MOST COMFORTABLE KEYBOARD..."

Once again, I would like to say that the Northgate OmntKey 102 Keyboard is probably the most comfortable keyboard...features good tactile response. they're latd out well. are attractive, and very pleasant to use."

Northgate Computer Systems 13895 Industrial Park Sivd., Suite 110 Plymouth, Minnesota 55441

(Quantity) OmniKey/103 @ \$59.00 (Quantity) "C/T" 101 @ \$99.00 (Quantity) "C/T" 54 @ \$79.00 For (EM PS Models and \$25.00


Company			
Address			
City		State	ZIp
Phone	1)	pe of Compu	ter
Vina/MC #	-1		
Expiration Date			
Signature			

Hote: Order processing takes 3-4 days. We ship UPS. For ground shipp add \$7.00 cs. allowing 2-3 weeks for delivery. For second day, after processing time, add \$12.00 cs. For overright, after processing time, add \$22.00

Compatible with most XT. AT, and 386 type systems us-ing standard circular DIN connector. If uncertain, contact your computer supplier for connector type.

### ■ FRANK J. DERFLER, JR.

# CONNECTIVITY CLINIC



Finding ARCnet's station address with BASIC; reading Ethernet's node identifications using C; terminating printer spooling in commercial programs automatically.

### STOPPING PRINTER SPOOLING

Using 3Com's 3+Share to release print files works nicely for programs written inhouse ("LAN Printing Tip," Connectivity Clinic, February 29, 1988). Here is a way to terminate printer spooling in commercial programs.

If the program lets you set up the printer output device, print the output to a file called LPT1. Leaving off the colon tricks 3+Share into thinking it is receiving a file, so it prints it immediately. But DOS still recognizes it as a device name, so the output goes to the printer linked to that device name.

This trick works with many popular programs. In WordPerfect, when you set

up your printers (Shift-F7,4,3), choose 8 for Printer Port and enter LPT1 as Device or File Pathname. Lotus 1-2-3 will not allow you to set up a filename as the global default, but when you are ready to print, type /PF (Slash Print File) instead of /PP (Slash Print Printer) and enter LPT1 (you first may need to press Esc once to clear the pathname from the command line).

Some of the more-advanced database languages, such as *DataFlex* by Data Access Corp., have a DeSpool command that may be embedded at the end of print routines, allowing automatic despooling of print files.

Robert Stockton Surf City, New Jersey Since DOS accepts device names with or without the semicolon, this trick is a slick way to slide a file through the print spool.

### NODE ID WITH ETHERNET AND C

The program ENADR.C in Figure 1 extracts and prints the Ethernet network address for a 3Com 3C501 EtherLink card.

We use the output of this program as the input to another program that creates a DBMS key based on the Ethernet address. This key is guaranteed to be unique, since no other Ethernet card on the planet (regardless of the card's manufacturer) contains the same Ethernet address.

Dan Lasley Cordova, Tennessee

```
#include "stdio.h"
                                           /* bytes in binary E/N address */
#define L GETEAR 6
                                           /* size of ASCII E/N address */
#define L EA
                 (2 * (L GETEAR + 1))
                                           /* xmit, station addr PROM pointer */
#define IE GP
                                           /* station address PROM window */
*define IE SA
                                          /* Ethernet adapter base address */
#define EA BASE 0x300
main()
                                          /* 3C501 adapter I/O base address */
  int i, byte, base = EA BASE;
  for (i=0; i<L GETEAR; i++) {
                                          /* point to E/N address byte */
     outport (base + IE GP, i);
                                          /* fetch address byte */
     byte = inportb (base + IE SA);
     printf ("%02x", byte & 0xff);
 printf ("\n");
```

Figure 1: ENADR.C extracts and prints the Ethernet network address.

### ■ CONNECTIVITY CLINIC

We see here how to use C to get the same information from Ethernet cards that we will obtain in the next letter by using a BA-SIC programming exercise.

You don't have to force a reset on Eth-

ernet cards to read their node IDs the way you do with ARCnet cards.

This program uses the C functions outport (output a word to a port) and inportb (input a byte from a port).

### GETTING ARCNET'S NUMBER

We use an ARCnet network that runs under Novell's *NetWare*. Is there any way to determine the ARCnet station address from within a BASIC program?

Roy Goldberg New York, New York

For the benefit of readers unfamiliar with ARCnet, let me explain that every ARCnet card is assigned a number from 1 to 255 (usually through DIP switches) when it's installed. However, no two cards can have the same number. To avoid assigning duplicate numbers when you're installing new cards, you must know the number of each card already on the network. If you don't have a record of the number assigned to each card, your only alternative is to take the cover off each machine and examine the DIP switches.

If you do have a record of the numbers assigned to the adapters, you will find

■ Every ARCnet card is assigned a number when it's installed; no two have the same number.

them useful for configuring the parameters of programs as they start to run on each machine. The permanent numbers assigned to Ethernet and Token-Ring network interface adapter cards are often used for this purpose. When a program finds the number of the adapter card, it refers to a table and brings in the right video, keyboard, and other enhancement routines for that machine. In this case, we want a BASIC program to determine the identity of each machine so that we can customize other operations for the particular machine on which they are running.

We consulted with Standard Microsystems Corp., which said there is a relatively simple BASIC program that does what we want, but there's a catch. When you interrogate the card for this information, the act knocks the card off the network. This will force you to reinitialize NetWare (by

# HYUNDAI'S NEW OFF-ROAD VEHICLE.

It uses no gas. And will drive you wild with delight. It's the new Hyundai Super-16T. A fast, powerful, affordable XT-compatible built to go the distance.

It comes fully-equipped. And even includes easy-to-use word processing, spreadsheet, database, spellchecker and communications software. What's more, it's backed by an 18-month warranty. But, best of all, Hyundai's new off-road vehicle is dirt cheap. Just \$999*

Test drive the Super-16T or one of Hyundai's other exciting off-road vehicles today. For the Hyundai dealer nearest you, call 1-800-544-7808 ext. 121.



Suggested retail price/single floppy disk drive model. © 1988 Hyundai Electronics America. XT is a trademark of IBM. CIRCLE 124 ON READER SERVICE CARD

# PROTECT YOUR COPIES OF PC MAGAZINE

Make your collection of PC Magazine a handsome addition to your office or home—and protect and organize your copies for easy reference!

PC Magazine Binders and Cases are made of durable, luxury-look leatherette over quality binder board. Custom designed for PC Magazine, every order receives FREE transfer foil to mark dates and volume numbers.

### FOR FAST SERVICE CALL TOLL-FREE 1-800-972-5858

### MAGAZINE BINDERS

Hold your issues on individual snap-on rods. \$9.95 each; 3 for \$27.95; 6 for \$52.95.

### **OPEN BACK CASES**


Store your copies for individual reference, \$7.95 each; 3 for \$21.95; 6 for \$39.95.



### PC MAGAZINE

PA residents add 6% sales tax

PC MAGAZINE # JULY1988



# Tired of Walking Floppies?

# Get rid of your tennis shoe network with ManyLink.

You need to share a document, so you walk a floppy to an associate. Or you need something printed, so you walk a floppy to someone who has a printer on their PC. Which means they have to stop what they're doing. Maybe you have a message for someone. Or just want to chat. More walking. More interruptions. More bother.

### Stop walking, start sharing.

You can stop walking floppies around and start sharing documents, printers and messages—all three features—from one software package: ManyLink for PCs. It even allows you to do 5.25" and 3.5" disk conversions between PCs and PS/2s.

No other PC network is so versatile or so easy to install and run. Or so economical. You can connect two PCs with ManyLink for only \$165.

### Share files while you work.

It's simple. With a couple of key-

strokes you can request a disk file from another ManyLink connected PC, then go back to your work. File transfer is accomplished "in the background"—without interrupting you or the other PC. A polite beep on your computer tells you when the file arrives. Files you don't want to share can be locked to protect data from network access.

### Share printers without leaving your desk.

Send your jobs to any printer connected to a PC running Many-Link. While your job is being printed, you can continue your work because all printing—like file transfering—occurs unnoticed in the background.

### Chat with another PC user.

You can send and receive brief messages to another ManyLink connected PC without leaving your application. Telephone messages, instructions, questions or whatever...appear on your screen.

### Costs that won't run away from you.

ManyLink for PCs fills your networking needs now and can grow easily and inexpensively as you expand. Each \$165 ManyLink for PC package contains all you need to make two PCs communicate: a 25' serial cable, instruction manual and software. Each additional package allows you to connect another PC, and so on. Add PCs as you want, when you want.



Take a walk (or run) to your dealer now for ManyLink for PCs. Or contact NetLine, 85 West Center, Provo, Utah 84603.
Telephone: (801) 373-6000.

# **NetLine**

### Conquer the **Connectivity Challenge**



### The Challenge

If you're of the opinion that networking lots of PCs, printers, modems and host computers together has to be complicated and expensive, we'd like to change your opinion.

Presenting SwitchLAN

SwitchLAN is a simple lowcost network. It provides "hot-key" File Transfer, Terminal Emulation and Printer Sharing at a cost of about \$150 per PC.

### **Easy Does It**

Installing SwitchLAN is a snap. It uses telephone type twisted-pair wiring and the serial COM port already in your PCs. You don't need to buy expensive network servers, install network boards in every PC, or struggle with coax cable.

Using SwitchLAN is as easy as installing it. Extensive help and pull-down menus are provided so people don't have to be network gurus to use it.

### Challenge Us

Don't take our word for it. Call for more information or a free demo disk. With SwitchLAN you can turn a Connectivity Challenge into Child's Play.

### Call 1-800-328-2729

In Florida: 305-255-3500 Equinox Systems Inc. 14260 S.W. 119 Avenue Miami, FL. 33186



### CONNECTIVITY CLINIC

running Anet3 or IPX plus Net3). The listing for this program is

ARCNET CARD NODE ID

CLS:KEY OFF

DEF SEG= AHD988 OUT AH2E8, 8 :REM FORCES A RESET FOR I=1 to 1888

49

NEXT I

J = PEEK(8) : REM CHECK RAM BUFFER IF J<>6HD1 THEN 48 : REM LOOK AGAIN 78

K=PEEK(1) : REM READING NODE ID

188 PRINT "THE ARCHet NODE ADDRESS OF" 118 PRINT "THIS STATION IS ",K

You can download this program from PC MagNet (see the sidebar "SETMODE by Modem' in this issue's Utilities column).

No matter what application you have in mind, I suggest that after the program finds the identification number, you write that number to a file that can be read by subsequent programs. If this isn't acceptable, individual users can run Novell's UserList program to display the identity of active nodes. In the BASIC program shown, you must set the value in line 20 to the hex address of the RAM buffer. &HD000 is the typical value, but try &HC000, &HCC00, &HDC00, or &HE000 if that doesn't work.

You set the ARCnet board's base I/O hex address, plus 8 bits, in line 30. The typical hex values of &H2E0 and &H300 become &H2E8 and &H308.

The OUT command in line 30 forces a reset of the ARCnet card. This reset forces the card to transmit its node ID number, but it also drops the card from the network.

The loop and PEEK in line 70 is a routine that looks for D1, the reset complete indicator, in the RAM buffer. If that indicator is present, line 90 reads the node ID in the second byte.

### NETWORK YOUR QUESTIONS

Connectivity Clinic gives you practical solutions to networking problems of all types. We'll pay \$50 or more for any tips we print, plus an extra \$25 if you submit your letter on a disk, and we'll gladly answer any questions you have, at no charge. We're sorry, but we're unable to answer letters personally.

Mail your contributions to Connectivity Clinic, PC Magazine, One Park Avenue, New York, NY 10016, or you may contact Frank J. Derfler, Jr., via MCI Mail (be sure to use Derfler's box named CON-NECTIVITY CLINIC).

# The Hard Drive Specialists.



"Lifetime Memory Products looks like one of the better mailorder sources for fixed disks. You not only get good hardware, you

also get your money's worth in terms of warranty, technical support, and good treatment from the sales staff."

- Walt Rowinsky, PC Magazine Dec. 8, 1987





### FOR YOUR AT® OR COMPATIBLE

Introducing the Seagate ST251-1: 40 megabytes and 30ms access time at an incredible price. Features half-height, 5.25-inch size.

The Kit Includes:

- Seagate Model ST251-1 hard drive
- Installation manual
- · Lifetime Backup Utilities and manual

### FOR YOUR PC/XT® OR COMPATIBLE

The new MiniScribe® 3650: 40 megabytes of fastaccess (61ms) storage space at a fraction of the cost of two 20MB drives.

The Kit Includes:

- MiniScribe Model 3650 hard drive
- Installation manual
- · Hard drive controller and cables
- · Lifetime Backup Utilities and manual



AT DRIVES: Our AT drives come with data cable, mounting slides and manual for quick installation.

20MB 9	Seagate,	65ms	3 .								.\$249
	Seagate,										
43MB I	MiniScr	ibe, 2	51	ns		٠.		* 1			.\$569
71MR P	MiniScri	he 2	St	ns	 						\$749




PC KITS: Our kits come complete with a hard drive, controller card, mounting hardware, cables, and illustrated manual.

20MB MiniScribe, 65ms		a	۰							.\$279
20MB Seagate, 65ms			۵							. \$279
40MB MiniScribe, 61ms					•	8-	*	*	•	. \$399

### **Premium Performance**

For Your AT or Compatible




### MiniScribe 110MB Full Height:

- 28ms access time RLL-certified Model 6128 hard drive
- 7.5Mbit per/sec RLL dual hard drive/floppy controller
- 1:1 interleave controller \$1189



### CDC 150MB Full Height:

- 18ms access time ESDI-certified hard drive
- 10Mbit per/sec ESDI dual hard drive/floppy controller
- 1:1 interleave controller \$1649



### Maxtor 338MB Full Height

- 16ms access time ESDI-certified hard drive
- 10Mbit per/sec ESDI dual hard drive/floppy controller
- 1:1 interleave controller \$2895



48-Hour Burn-In Test On All Hard Drives

### FREE WITH EVERY HARD DRIVE

Lifetime Backup Utilities -Backs up, compares, and restores your files. Easy to use, reliable, and fast!

### Sixty-Day Money-Back Guarantee

### NO CHARGE FOR UPS **GROUND SHIPPING**

Free UPS ground shipping within the continental USA. Texas residents add 8% sales tax. Sixty-day, money-back guarantee does not include freight. Prices are subject to change without notice.

National Sales:

800-622-8001

In Texas: 1-800-288-4445

Monday - Friday: 8am - 9pm CST Saturday: 9am - 5pm CST

Customer Service: 1-512-335-7598 Monday - Friday: 8am - 7pm CST



Lifetime Memory Products 12611 Research Blvd. #400 Austin, Texas 78759

CIRCLE 341 ON READER SERVICE CARD

# FOR A COMPUTER SYSTEM THAT CLOOK TO FIVESTAR WHERE THE F

IVESTAR computers will consistently out-perform your most demanding expectations, providing solutions for all your computing needs. When you boot up your FIVESTAR system, you'll discover performance-orientation and advanced capabilities that offer a price/value relationship unmatched in the industry.

### SOLUTIONS BUILT ON QUALITY AND SERVICE.



FIVESTAR has built one of the most advanced facilities in the U.S., staffed with highly skilled technicians and R&D specialists. Every system is fully tested and certified with a 48-hour burn-in before shipment. FIVESTAR's

team of knowledgeable direct marketing consultants will help you select the best system for your business needs. And once you've made your purchase, FIVESTAR's toll-free 800 service number will provide quick and easy access to any support you may need. You can count on FIVESTAR to solve most problems in a matter of minutes over the telephone.

### FREE ON-SITE SERVICE, AND MORE.



Every FIVESTAR computer system (CPU, disk drives, monitor and keyboard) comes with a FREE annual on-site service contract that completely covers all parts and labor. Most on-site service calls

are made in less than 24 hours; and, together with the FIVESTAR Warranty, you receive the most comprehensive service policy available on the market today.

### INTRODUCING FIVESTAR LEASING.

FIVESTAR leasing offers 100% financing on any system purchased. You will benefit from having a low monthly fixed payment, while enjoying the full use of your leased equipment. You also have the flexibility of upgrading your system, without penalty, at any point during the lease term.

IT ALL ADDS UP TO THE FIVESTAR ADVANTAGE.
When you buy from FIVESTAR, you buy with the confidence that you're paying for quality technology and manufacturing.
From a powerful single system to a multi-user environment, FIVESTAR offers the ability to perform with spectacular success through even the most intensive multi-tasking and networking

account of

Call FIVESTAR Computers today and put the FIVESTAR advantage to work for you.

applications.





### FIVESTAR XL/10

- NECTM V20 CPU
- Operating at 4.77 or 10MHz
- 640KB MEMORY
- 4.1MHz THROUGHPUT
- 360KB FLOPPY DRIVE
- REAL-TIME CLOCK/CALENDAR
- SERIAL/PARALLEL/GAME PORTS
- EIGHT EXPANSION SLOTS
- ENHANCED 101 KEY KEYBOARD
- ONE YEAR ON-SITE SERVICE

	12" MONO COMBO	14" COLOR COMBO	14" EGA COMBO
20MB	\$1295	\$1495	\$1695
40MB	\$1495	\$1695	\$1895

### **FIVESTAR 286/10**

- INTEL™ 80286 CPU
   Operating at 6 or 10MHz
   with zero wait states
- 640KB MEMORY
- 13.3MHz THROUGHPUT
- 1.2MB FLOPPY DRIVE
- REAL-TIME CLOCK/CALENDAR
- SERIAL/PARALLEL/GAME PORTS
- EIGHT EXPANSION SLOTS
- 200WT POWER SUPPLY
- ENHANCED 101 KEY KEYBOARD
- · ONE YEAR ON-SITE SERVICE

HARD DRIVE	12" MONO COMBO	14" EGA COMBO	COMBO
20MB	\$1795	\$2195	\$2495
40MB	\$1995	\$2395	\$2695
80MB	\$2495	\$2895	\$3195

EVERY FIVESTAR SYSTEM INCLUDES AN ENHANCED 101 KEYBOARD.

The FIVESTAR enhanced 101
keyboard is ergonomically designed to
fight fatigue and to support continued data
entry speed, while maintaining a consistent
tactile feel. It is compatible with any standard PC,
XT and AT interface. And, like all FIVESTAR
systems, is protected by FIVESTAR's one year warranty
and nationwide on-site service.

ORDER BY PHONE. We accept VISA, M/C. Amex. COD. Cash or Cashier's Check and approved Corporate and University Purchase Orders. All prices are subject to change and quantities may be limited. We reserve the right substitute equivalent time.

NEC and INTEL are trademarks of their respective companies.

# AN CARRY YOU INTO TOMORROW UTURE IS TODAY.







lember of the FIVESTAR Meserver series.

### **FIVESTAR 386/20**

- INTEL 80386 CPU
   Operating at 6 or 20MHz
   with zero wait states
- 1MB 32-BIT MEMORY
- 64KB CACHE MEMORY
- 30MHz THROUGHPUT
- 1.2MB FLOPPY DRIVE
- REAL-TIME CLOCK/CALENDAR
- SERIAL/PARALLEL/GAME PORTS
- EIGHT EXPANSION SLOTS
- 250WT POWER SUPPLY
- ENHANCED 101 KEY KEYBOARD
- ONE YEAR ON-SITE SERVICE

HARD DRIVE	12" MONO COMBO	14" EGA COMBO	I4" VGA COMBO
40MB	\$4295	\$4695	\$4995
80MB	\$4795	\$5195	\$5495
160MB	\$6093	\$6495	\$6795

### FIVESTAR FS286

- INTEL 80286 CPU
   Operating at 6 or 10MHz
- 640KB MEMORY
- 10MHz THROUGHPUT
- 1.2MB FLOPPY DRIVE
- TWELVE EXPANSION SLOTS
- 238WT POWER SUPPLY
- REAL-TIME CLOCK/CALENDAR
- SERIAL AND PARALLEL PORTS
- ENHANCED 101 KEY KEYBOARD
- · ONE YEAR ON-SITE SERVICE

HARD DRIVE	12" MONO COMBO	14" EGA COMBO	14" VGA COMBO
40MB	\$2195	\$2595	\$2895
80MB	\$2695	\$3095	\$3395
160MB	\$3995	\$4395	\$4695

### **FIVESTAR FS386**

- INTEL 80386 CPU
  - Operating at 6 or 20MHz with zero wait states
- 2MB 32-BIT MEMORY
- 26MHz THROUGHPUT
- 1.2MB FLOPPY DRIVE
- TWELVE EXPANSION SLOTS
- 238WT POWER SUPPLY
- REAL-TIME CLOCK/CALENDAR
- REAL-TIME CLOCK/CALENDAR
   SERIAL AND PARALLEL PORTS
- ENHANCED 101 KEY KEYBOARD
- ONE YEAR ON-SITE SERVICE

HARD DRIVE	12" MONO COMBO	14" EGA COMBO	14" VGA COMBO
40MB	\$4695	\$5095	\$5395
80MB	\$5195	\$5595	\$5895
160MB	\$6495	\$6895	\$7195





FIVESTAR, selling thousands of computer systems nationwide, is a company you can talk to with confidence, providing products you can count on for years to come.

TO ORDER CALL TOLL-FREE

1-800-752-5555

In Texas (214) 242-7000 FAX # (214) 242-5689 Hours: M-F 8-6 CST

Solutions Built on Quality





CIRCLE 386 ON READER SERVICE CARD



# FILL IN THE INFORMATION GAPS IN YOUR PC MAGAZINE LIBRARY


Complete your library of IBM-Standard reference information with back issues of PC MAGAZINE.



3/29/88-Power to Go; 12 New Portables Hit The Road—Pick Your Price And Performance; IBM's super-hi-res PS/2 display adapter: 14 High-Resolution, Big-Screen Monitors For Desktop Publishing And All Applications; Connectivity Labs tests the Meridian LANStar PC; C-Scape; CALC function explained; A PC/LAN up-date; more.



3/15/88-Great graphics at your fingertips; PC Labs tests 7 PS/2 add-in memory boards; 10 top charting pack-ages; 18 integrated word processors examined; LaserJet II font handling: C's scanf function explained; tax preparation software; real-time images for big screens; FREE Asprn printing utility: more.



2/29/88-PC Labs tests 55 word processors; 1987 tax prep software; IBM's 20-MHz PS/2 Model 80 benchmarked; living with laser printers; keyboard moni-tors under OS/2; 1-2-3 competitor Surpass; PC Maclerm; Primetime Personal time-management software: 05/2 software; ThinkTank upgrade, Connex comm software:



2/16/88-PC Labs tests 21 AT clones priced under \$2,000; mastering laser printing; 14 bargain spreadsheets; new mice from Microsoft and Logitech; the first 5 VGA add-in cards; Univation's LifeNet; TSR calculator emulation programs; Colorscan/2; understanding OS/2 key-board; FREE Run program: more.



1/26/88--IBM's OS/2 reviewed; PC Labs tests 20-MHz Deskoro; do-it-yourself 386s; 17 Lotus 1-2-3 add-ins; add-ins for word processors, database management, and printing/graphics/ utilities; sharing laser printers; Turbo Pascal 4.0; music programs; 6 new FAX boards examined: FREE Paint program: more.



1/12/88-THE BEST OF 1987—4th Annual Best & Worst Editors' Personal Picks; 1987 Awards for Technical Excellence; Tandy's 1000 Series; remote computing solutions; 4 Fiber-optic LANs; PC Labs tests 5 communications programs; 9 plug-and-play data transfer products; FREE Help utility;



12/22/87-Microsoft Excel reviewed; PC Labs tests 9 affordable 386based PCs; 16 EGA Plus cards reviewed; 8 plotters; 6 TSR note-takers; 5 sales-lead trackers; Microsoft Windows; Om-nis Quartz; Windows Graph; adding subdirec-tories and hard disk compatibility to rejuvenate old programs; FREE PRN2FILE.COM program printing utility;



12/8/87-15 hard disk storage cards examined; mail-order hard disks; 16 CAD packages priced under \$500; dBASE report writers; one-piece PCs; Word 4.0; E-Mail for LANs; the Price Waterhouse Report integrated accounting pack-age; creating and using program libraries; FREE CO copy utility; more.



11/24/87-Apple's Macintosh II system examined; networking IBM and Macintosh; optimiz-ing Turbo Pascal; Power Programming column premieres; 386 operat-ing systems; 5 fullpage, black-on-white monitors for CAD and desktop publishing; disk caching; FREE Stick cursor stabilizer utility;



11/10/87-PC Labs torture-tests 106 printers; 36 laser printers, \$1,795– \$18,750, 300–1200 dpi; 65 dot-matrix printers; 5 daisy-wheel printers; soft-font primer; first look at Microsoft Excel; customizing cursors with CTYPE; Compaq Deskpro 86/20 and portable 386, FREE SAFARI internal error handling utility for PC-DOS; more.

10/13/87

9/29/87



10/27/87-PC Labs tests 10 hot spread-sheets; 3-D spreadsheets that provide missing links; new models, new screens for laptops: 6 presentationsize monitors; 386 Turbo boards; the new Multi-Mate: text-oriented database software; FREE super clipboard utility works with any applica-



10/13/87-Desktop publishing on the PC: PC Labs tests GEM Desktop Publisher, The Office Publisher, PageMaker and Ventura Publisher; the best large-screen monitors, laser printers, mice and scanners; 7 highest-speed ATs; 32 breakthrough text and graphics scanners; 31 spelling checkers; FREE pop-up address book and dialer; more.



9/29/87-PC Labs tests 12 hot 386 boxes: 12 keyboard macro programs; 13 full-featured project managers; lap-top add-ons; 14 disk diagnostic programs; OS/2 and Languages columns premiere; first looks at Turbo C and IBM's Model 25; KBX keyboard extender examined: FREE RN subdirectory utility; more.



8/87-36 high-tech input devices examined including tablets, trackballs, touchscreens, light pens, mice and keyboards; 9 Norton challengers; 11 AT multifunction boards; 6 data-base graphic systems; TSR desktop organizers; 13 Sidekick rivals; FREE **Directory Magic utility** program; more.

Order back issues of PC MAGAZINE by returning the attached coupon or clearly written order form, and mall it with \$8 per copy ordered (\$9 in Canada and all other foreign countries) to: Ziff-Davis Publishing Co. • P.O. Box 5999 · Cherry Hill, NJ 08034 · Attn: F. Hunter. Other issues available. Call 1-609-354-4975. Mail orders only.

Please ship me the ch enclosing \$8 for each i	
Canada and all other for currency only).	

11/24/87

**11/10/87** 

### Issue date:

3/29/88

2/29/88

- □ 1/26/88
  - □ 1/12/88

    - □ 12/22/87 □ 10/27/87 □ 8/87
- 2/16/88 12/8/87
- □ Other_

### Ziff-Davis Publishing Company, Attn: F. Hunter P.O. Box 5999. Cherry Hill. NJ 08034

□ Check/Money Order enclosed \$___

NAME

COMPANY_

ADDRESS.

CITY_

STATE

ZIP

# PC Magazine's Direct Marketing Connection For PC Products and Services

For many of you, mail order is your primary means of purchasing PC products and services.



Starch Study, July 1986

Designer Carry Case for Laptops: Extra pockets for portable printer, battery pack, pocket modern, manuals & software etc. Comes with handle and shoulder strap. Fits NEC EL & HD and all Toshiba Laptops (except T3200).

Only

149 With any Laptop

TOUCH BASE Systems World Port Pocket Moderns: Both 1200 & 2400 use own bettery. Operate on Bell and CCITT standards. 2400 includes AC Adapter and Carbon Copy PLUS comm sw. Comes with 25 pin female connector. For Toshiba adapter cable, add 20.

1200/2400 .... 179/279 With any Laptop:1200/2400..... 160/260



WONUNGER: Single Card Expansion slot for Toshiba Laptops. Supports most Toshiba compatible cards of 10" or less such as LAN and EGA cards. If all you need is one expansion slot, this is your low cost alternative to expansion chasis. Specify T1100+, T1200 or T3100/T5100.

299 With any Laptop Only

NOVATION Parrot 1200 External modern: World's smallest (size of an audio cassette) and first to work from phone line power. Does not require any batteries or power from computer. Includes comm. software. Comes with 25 pin female connector. For Toshiba adapter cable, add 20.

### ABSOLUTELY THE BEST PRICES ON TOSHIBA LAPTOPS ANYWHERE *

SYSTEMS	PRINTERS	MONITORS
NEC MultiSpeed EL	ALPS Allegro 24 pin	AMDEK Monitor 722
AC Adapter: T1000/1100+ 75/60 AC Adapter: T1200 99/80	★ With Printer 10 ★	MATH/RAM CHIPS
Auto Adapter: T1000/1100 + . 85/50 Battery Charger: T1200	PLUS HARD CARD: Single Slot 20/40 MB	64K RAM 120ns Set of 9. 30 256K RAM 120ns Set of 9. 200 8087-3 PC/XT 5 Mhz 115 8087-2 PC/XT 8 Mhz 145 80287-6 AT 6 Mhz 169 80287-6 AT 8 Mhz 239 80287-10 AT 10 Mhz 299 80387-16 for 386 Machines 499 80387-20 for 386 Machines 769
Expansion Chasis w/interface for	PRO PACK 30 MB (ST 238) 299	
1100+/1200 or 3100/5100 869/829 WonUnder: Expension slot for 1100+,	Fully Pretested, PRO PACK includes controller, cables, detailed & illustrated	MODEMS
1200 or 3100/5100	manual and software One year warranty. PC/XT Mtng Kit & Filler Plate	
World Port 1200 Ext 179/160 2400 Ext w/AC Adapter 279/260 Toshiba cable for Ext Modems 20 Numeric Keypad: T1000/1200 99/90 Numeric Keypad: T3100/3120 99/90 Brooktyn Bridge	Simply mail the check for the exact amore order. We will ship your order UPS Groueimple. For 2 Day AIR shipment, add 25 (Min \$30). Money order/Bank check or	ontinental usa only * unt (CA add 6%) as shown here with your and, FREE of any other charges. It is that the (Min \$10). For Printers & Monitors 5% ders shipped immediately. Personal / Co. It Card orders are not considered prepaid).
A BREDAIN BY CHECK ON	VA CURED O	DECIALO

FHINTERS	MUNITURS
PS Allegro 24 pin	AMDEK Monitor 722
NSINGTON Printer Stand 20	MATH/RAM CHIPS

3 + IBM w/cable 429 1SL/341SL . 509/679 Printer Stand 20	With Zenith Tilt & Swivel 670 Zenith Tilt & Swivel 30 UNIVERSAL Tilt & Swivel 35
10 ±	MATH/RAM CHIPS
& BACKUP	64K RAM 120ns Set of 9 30 256K RAM 120ns Set of 9 200
ARD: Single Slot 	8087-3 PC/XT 5 Mhz 115 8087-2 PC/XT 8 Mhz 145 80287-6 AT 6 Mhz 169 80287-8 AT 8 Mhz 239 80287-10 AT 10 Mhz 299 80387-16 for 386 Machines 499 80387-20 for 386 Machines 789
AB (ST 238) 299 PRO PACK includes	MODEMS
s, detailed & illustrated ware sty.  & Filler Plate 10 is w/partitioning sw t 28 ms	LAP TOP Modems . See SYSTEMS EVEREX 1200 Int w/BitCom

/XT HALF HT (ST 225) 279	80387-16 for 386 Machines 499 80387-20 for 386 Machines 769	Keytronics warranty
(ST 238) 299 RO PACK includes	MODEMS	day warranty from us
Filler Plate 10 /partitioning sw 8 ms	LAP TOP Modems . See SYSTEMS EVEREX 1200 Int w/BitCom	LOGITECH with Plus software PS/2 Mouse
AT 379	World Port 1200 Ext 179	POWER
ox of 5 25/115 c of 5 30/140	2400 Ext w/AC Adapter 279 ZOOM HC 2400 Int w/ProComm 149	REPLACEMENT POWER SUPPLIES For PC XT 150 Watts 69
FREE DE	ELIVERY *	For AT 200 Watts

BELL Faxine 129	9
SHARP UX-50 69	
SHARP UX-80 for Books/Mags 979	9
SHARP UX-140/UX-160 929/112	9
SHARP FO-210/FO-300 1099/129	9
TOSHIBA 30100/3700 1099/1529	Ð
THE COMPLETE PC Fax Board-Turns	
IBM PC/XT into G-III Fax 34	9

FAX MACHINES

DISPLAY CARDS
With Monitor Use Second Price
ATI VIP 299/270
GENOA SuperEGA HiRes + 219/190
SuperVGA 5100 329/300
SuperVGA HiRes 5200-10 379/350
NEC MVA 1024 899/850
PARADISE AutoSwitch 480 . 199/160
Paradise VGA Plus 269/250
Paradise VGA Professional 449/400
TAXAN 557 Gold Card 199/190
VIDEO-7 Vega Deluxe 229/200
Vega VGA
Vega V-RAM VGA 549/500
ZENITH Z-449 299/280
9 to 15 Pin Connector 20
Gem Graph 50

### KEYBOARD/MOUSE KEYTRONIC 101 Keys for IBM PC, XT, AT with Function Keys on top row,

separate Cursor Control Keypad and Keypad. With 3 years xtension cable . . . . . . 10 with Plus software 180 . . . . . . . . . . . . . . . . or Bus ...... ogiCadd ...... 25/50 T Mouse: Bus or Ser 119 lows: Bus or Serial . . 159 STEMS PC Mouse :

### POWER

REPLACEMENT POWER SUPPLIES
For PC XT 150 Watts 69
For AT 200 Watts
DATASHIELD Surge Pro 100 79
300 Watts Turbo Backup 399
450 Watts Turbo Backup 469
625 Walts Turbo Backup 569
SOLID STATE UPS 3" High
SS400/SS700 699/829
KENSINGTON Masterpiece 99
Masterpiece Plús 109
Masterpiece Remote 109

### ip your order UPS Ground, FREE of any other charges. It is that y AIR shipment, add 2% (Min \$10). For Printers & Monitors 5% y order/Bank check orders shipped immediately. Personal/Co. oment 2/3 weeks. (Credit Card orders are not considered prepaid). * SUPER SPECIALS *

* PREPAID BY CHEC	K ONL
* POSTMARKED BY JUI	LY 25,
TOSHIBA T1000 w/Carry Case	795
T1000 w/Case & 766K Card	1080
T1100 + w/out Carry Case	1320
T1100+ w/Carry Case	1390
T1200 w/Carry Case	2190
T1200 w/out Carry Case	2160
T3120 w/Carry Case	2900
T3120 w/out Carry Case	2870
T3200 w/out Carry Case	3670
T3200 w/Carry Case	3660
T8100 w/out Carry Case	4825
TS100 w/Carry Case	4895
LOTUS Symphony 3.5" Ver 1.2	. 200
LOTUS Metro 3.5" Ver 1.0	
BORLAND Sidekick Specify 5 25 or 3	5 30

SOO + X SUP	EN :
DICONIX 150 Per w/3' cable w/pre	epeid
order of any Laptop	316
TOBHIBA 321SL w/Par Cable	515
TOSHIBA 341St w/Par Cable	685
788K Card for T1000	285
Numeric Keypad: Specify Model	80
FLOPPY 5.25" Est 300%	325
MODEM: 1200 Int for T1000	310
MODEMS: T1100 + /1200/3120/51	00
Toshiba 1200 Internal	285
MultiTech 1200 Int w/sw	230
Prometheus 1200 Int w/sw	210
Adaptamodem 2400 Int	315
Touchbase Systems World Port v	
Toshiba Cable: 1200/2400 Ext.	185/285

PECIALS * .	PO
	640
BELL Faxine	250
SHARP FO-210	1060
HAYES 12008/1200 Ext 220/	280
For SmartCom II Add	40
ARCHIVE 40MB External: PC/XT	430
MOUNTAIN 40 MB Internal AT	370
KEYTRONIC 101 w/3 yr warranty	105
OEM Version w/90 day warranty	75
MOUSE SYSTEMS PC Mouse: Bus	99
MICROSOFT w/Windows Bus or Serial	150
LOGITECH PS/2 Mouse	75
LOGITECH HiRez Bus Mouse	105
PC Paint Brush	25
Gem Graph	40

NEC MultiSpeed ND w/Case   233			
MEC MultiSpeed EL w/Case	_		
EL. w/Case & 1200 Int Modern			
### Page 1   190   191   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190   190			
NEC MultiSpeed HD w/Case   233		EL w/Case & 1200 Int Modern	1600
D HD w/Case & 1200 Inf Modern 288 D HD w/Case & 2400 Inf Modern 288 D HEC 1402 w/Genox EGA HIRes - 75 NEC 1402 w/Paradise VGA plus 816 NHTSUSISHI 1371 w/Genox HIRes + 70 TAXAN 770 Plus w/Genox HIRes + 70 D SONY 1311 w/cable for IBM 48 SONY 1303 w/cable IBM or Apple 55 SONY 1302 w/cable: IBM or Apple 88 ZENITH ZCM 1490 Flat Screen with	9	EL w/Case & 2400 Int Modern	1900
D HD w/Case & 1200 Inf Modern 288 D HD w/Case & 2400 Inf Modern 288 D HEC 1402 w/Genox EGA HIRes - 75 NEC 1402 w/Paradise VGA plus 816 NHTSUSISHI 1371 w/Genox HIRes + 70 TAXAN 770 Plus w/Genox HIRes + 70 D SONY 1311 w/cable for IBM 48 SONY 1303 w/cable IBM or Apple 55 SONY 1302 w/cable: IBM or Apple 88 ZENITH ZCM 1490 Flat Screen with	0	NEC MultiSpeed ND w/Case .	2330
D HD w/Case & 2400 Int Modern  D HEC 1402 w/Genox EGA Hiffes +	0		2500
NEC 1402 w/Genox EGA Hilles +		HD w/Case & 2400 Int Modern	2660
5 MITSUBIENS 1371 w/Genoa HiRes + 89 TAXAN 770 Plus w/Genoa HiRes + 70 SONY 1311 w/cable for IBM 48 SONY 1303 w/cable IBM or Apple 55 SONY 1302 w/cable: IBM or Apple 65 ZENITH ZCM 1490 Flat Screen with	0	MEC 1402 w/Genoa EGA Hiffes +	750
SONY 1311 w/cable for IBM 48 SONY 1303 w/cable IBM or Apple 55 SONY 1302 w/cable: IBM or Apple 65 ZENITH ZCM 1490 Flat Screen with	5	NEC 1402 w/Paradise VGA plus	810
SONY 1311 w/cable for IBM 48 SONY 1303 w/cable IBM or Apple 55 SONY 1302 w/cable: IBM or Apple 65 ZENITH ZCM 1490 Flat Screen with	5	MITSUBIEHS 1371 w/Genos Hiffes +	890
5 SONY 1303 w/cable IBM or Apple 55 SONY 1302 w/cable: IBM or Apple 69 ZENITH ZCM 1490 Flat Screen with	ò	TAXAN 770 Plus w/Genos HiRes+	700
5 SONY 1302 w/cable: IBM or Apple 5 ZENITH ZCM 1490 Flat Screen with	0	SONY 1311 w/cable for IBM	460
5 ZENITH ZCM 1490 Flat Screen with	5	SONY 1303 w/cable IBM or Apple .	. 565
	5	SOMY 1302 w/cable: IBM or Apple	880
	5	ZENITH ZCM 1490 Flat Screen with	
	0		890

### * FOREIGN ORDERS *

For foreign orders add special handling charge of \$30 per order. Air shipments add 10% (Min. \$50). For Printers & Monitors 30% (Min. \$150). Some items may be more. Credit card orders, add 5% to amount owed.

FAX: 714-891-2364

### POLICY Min. order \$100 for COD / Credit Cards. Prepaid orders Min. \$50. Prices & availability subject to change. Shipping charges vary (Min. \$10). Prices reflect discount for advance payment. Personal / Co. checks delay shipment. 2/3 weeks. Add 2% (Min. \$5) for COD & Discover, \$% for MC / Visa and \$% for Amex & Optima. COD requires cash or cashier check. No showroom or walkin sales. Open acct. PO min. order \$1000, call for special prices. All sales final. Refused shipments subject to a 20% charge (Min. \$50). Not responsible for compatibility # PICKUP HOURS: Non-Fri: 3 to 5 pm. PLEASE CALL FIRST FOR WORKORDER #. +

+ COD DISCOVER * MC * VISA * AMEX * OPTIMA * 2% 296 196 196 496 496

### * APO * FPO *

For APO/FPO orders, add special handling charge \$30 per order. Shipping charges add 5% (Min. \$20). For Printers & Monitors 10% (Min. \$40). Some items may be more. No COD orders. Credit Card orders, add 5% to amount

Great Software for your PC -\$2 per disk (Reg. \$6)

We are making this special offer to introduce you to membership in PC-SIG: The World's Largest Source of Low Cost Software for the IBM-PC and compatibles. PC-SIG disks are normally \$6 each (less with membership) and come packed full of Shareware - software marketed in the revolutionary new way that allows you to try out a program before registering it with the author. PC-SIG provides your gateway to this software with the bimonthly SHAREWARE Magazine, Hotsheets and a 424+ page software directory. All this for a yearly membership fee of \$20 (USA).

Some of the advantages of buying from PC-SIG: We are the oldest and largest Shareware vendor. Our disks are the latest versions. Free technical support by phone. Most complete library of Shareware: over 1000 disks. 48 hour shipping.



Join PC-SIG and receive 424 page directory, bi-monthly Shareware Magazine, Hotsheets and special discounts.

Take any disk listed in this ad -\$2 each - when you join today! Offer expires July 31, 1988.

### Communications

- 499 PROCOMM: Extremely versatile telecommunications. 310,1022,1023 Q-MODEM: A favorite. Let's your computer talk via phone
- 212,334,621 RBBS-PC: Set up your own bulletin board.

### Computer Languages Education

- ☐ 577, 578 C TUTOR: Learn C language.
- 965 PASCAL COMPILER: Full-screen editor, incremental compiler and more.
- 254 PC-DOS HELP: Gives you on-line help to remember those DOS commands.
- ☐ 105 PC-PROFESSOR: Learn beginning BASIC.
- 775-778 PSEUDOSAM. Macro assemblers & debuggers for many popular microprocessors, including 8088/86/286s.
- ☐ 481 STILL RIVER SHELL: Menued DOS commands. Makes life easier
- ☐ 403 TUTOR.COM: Learn beginning DOS.

### Databases

- 287,288 FILE EXPRESS: Customize, menu driven data
- 5, 730, 1015 PC-FILE+: The most powerful and popular data base
- $\square$  830 WAMPUM: dBase III clone, but easier to use. (Hard disk

### Educational

- 844 ABC FUN KEYS: For ages 2-5. Teaches the alphabet.
- 612 FOREIGN LANGUAGES: Beginning Spanish, French, German & Italian.
- 229 FUNNELS & BUCKETS: Fun game teaches younger children arithmetic.
- 320 PC-TOUCH: Typing tutor. (Color Reg)
- ☐ 477 WORDGAMES: Stimulates the intellect

### Financial

- ☐ 164, 773 CASHTRAC: Manage checking accounts, track
- 151 FINANCE MANAGER II: Double entry bookkeeping.
- 469,470 MR. BILL: Itemize invoices, age accounts, etc. 331 PC-GENERAL LEDGER: Written by a top financial
- 575 PC-STOCK: Track & evaluate stock trends. (Color req)

### Games

- 452 AMULET OF YENDOR: Hack, a dungeons & dragons
- ☐ 708 BACKGAMMON: You against the computer. Also, Wheel of Fortune.
- 780 BRIDGE PAL: Computer plays 3 hands.
- 228 CRIBBAGE: And a few other games as well.

- ☐ 457 GREATEST ARCADE GAMES: Flightmare, Jump Joe, Spacewar (Color reg.)
- ☐ 476 PATRICK'S BEST GAMES: Bugs Centipede, 3-D Packman, Castle, Packgal, Spacevad.
- 557 PINBALL RALLY: 3 great games of dexterity and speed (Color reg.)
- 120 PC-CHESS Your move...
- 791 POKER Play draw poker head to head. Or try some
- [ ] 694 SLEUTH: A murder has been committed...
- 197 TWO TREKS Beam me up, Scottlet
- 891 WHEEL OF MISFORTUNE: Spin the wheel, win or go bankrupt!

### Graphics

(Most require CGA or EGA Card)

- ☐ 701-704 DANCAD 3D (4 disks). Create and animate 3d drawings. (Hard disk req)
- □ 828 EDRAW: Draw flowcharts, schematics, even printed
- 763 FINGER PAINT: A 3d wire frame modeling program. (Runs also with Hercules Card.)
- $\ \square$  870 HGCIBM: Run color graphics programs with your Hercules Card!
- 788 IMAGE 3-D (EGA ver.). Create, view, edit 3d objects.
- 762 IMAGE 3-D (CGA ver )
- ☐ 1001 MAC PASTE: Read, save, edit and print Readmac or Mac Paint pictures
- 344,345 PC-KEYDRAW: Graphics and "slideshow"
- 244 SLIDE GENERATION: Create stides/transparencies.

### Home & Hobbies

- 966 ASTROLOGY 94: Calculate and print charts.
- 361, 632 FAMILY HISTORY: Trace your family tree.
- 929 LOTTO: Will this really help you win the lottery?
- 395 HOME INVENTORY: Keep track of everything you own.

### Music

☐ 127 PC-MUSICIAN: Compose and play your song.

279 PIANOMAN: Plays your music or its own in chords.

### Office

- ☐ 608 AUTOMENU: Create easy access menus for your hard
- 824 DESK COMMANDO: Tools to tame your hard drive.
- 404 EZ-FORMS: Create your own business forms.
- 388 FORM LETTERS: Vanety of business letter formats. 483 MAILMONSTER: Add, edit, sort and print labels by categories.
- ☐ 405 PC-DESK TEAM: In memory calculator, calendar, phone dialer, alarm & more!

### Printers

- 517 IMAGE PRINT: Letter quality from your dot matrix.
- 718 LQ PRINTER. Print fancy fonts on your dot matrix.

CIRCLE 145 ON READER SERVICE CARD

523 SIDEWRITER: Print banners or wide spreadsheets.

### Religion

- 974 BIBLE QUIZ PLUS: Learn the Bible trivia game.
- 756-772 THE BIBLE (7 disks): King James version
- 581, 582 WORD WORKER: Performs text searches of words in the Bible

### Security Hacking

- 596 MASTER KEY: Like Norton Utilities. Recover lost files,
- ☐ 414 UNPROTECT/PROTECT: Copy a variety of copy protected disks

### Spreadsheets

- 524,525 EXPRESS CALC: Powerful but friendly spreadsheat.
- 199,1015,1017 PC-CALC: Like Lotus 1-2-3 but easier.

### Word Processing

- ☐ 719 LETTER WRITER: Print out "personalized" letters. ☐ 528 NEW YORK WORD: Allows split screen, mail merge &
- ☐ 480 PC-OUTLINE: Like ThinkTank. Organize your ideas &
- 3 455,681,682 PC-TYPE: Jim Button's own word processor.
- 78, 627 PC-WRITE: Powerful, multi featured, spelling checker, laser support.

### Please send the disks I have checked above.

disks x \$2 each =

1 year PC-SIG Membership =

3 1/2"- add \$1 per disk

FREE Shipping and Handling

Amount enclosed

Address

By: Check Usa M/C

State



1030D East Duane Ave Sunnyvale, CA 94086

Offer valid in USA only - Dealer Inquiries Invited

737

Order By Phone: 800/245-6717

(In Calif. 800/222-2996)

# REACH YOUR FULL POTENTIAL

WITH



Reach your full potential with America's first choice, American Semiconductor. Now, with over a billion in financing available, it's easy to own the computer system that you want and need.

### NOT A LEASE YOU OWN IT!!

TURBO XT

MODEL -5301 Selectable 4.77, 8 & 19MHz Processing Speed * 0-16MB RAM waitable * Bins * One 360K Floppy Drive * Floppy Controller w/Cable Eight Expansion Stats • PC/XT-AT

RETAIL VALUE MOSS OUR PRICE *599

Enhanced Keyboard



- Selectable 4.77, 8 & 10MHz Processing Speed • 6-16MB RAM Available • Bios • 16 Bri 8088-2 CPU + One 360K Floppy Drive
- Multi VO (w/Floppy Controller. Clock/Calendar Parullel Serial & Game Port) • Eight Expansion Slots PC/XT Enhanced Keyboard

RETAIL VALUE *1589 OUR PRICE F688

MODEL (5302

 Selectable 4 77, 8 & 10MHz Processing Speed + 0-16MB RAM Available * Bios * 8088-2 CPU One 360K Floppy Drive • Multi I/O tw/Floppy Controller Clock/Calendar Parallel, Serial & Game Port).

MODEL #5303

TURBO XT

 Eight Expension Slots • One 18MB Hard Drive IW Controller) AT Enhanced Keyboard

RETAIL VALUE 11999 OUR PRICE #978



* 8 & 10MHz Processing Speed • 0-16MB RAM Available • Bios

. 8088-2 CPU . Two 360K Half/Height Floppy Drive * Multi I/O (w/Floppy Controller, Clock/Calender. Parallel. Senal & Game Port) * One 20MB Hard Orive (w/Controller)

 Turbo/Normal Mode Either Software or Hardware Selectable * Eight Expension Slots * PC/XT-AT Enhanced Keyboard RETAIL VALUE *2499

JER 25,000 CUS TO NES **OUR PRICE *1171** 

TURBO XT MODEL 15305

- . 8 & 10MHz Clock Speed
- 0-16MB RAM Available Bios * 16 Bit \$088-2 CPU * Two 360K Half/Height Floppy Drives • Multi I/O (wFloppy Controller Clock/Calendar
- Parallel Senal & Game Port) 30MB Hard Drive (w/Controller) Turbo/Normal Mode Either. Software or Hardware Selectable
- * Eight Expansion Slots * PGAT Enhanced Keyboard RETAIL VALUE *2989

OUR PRICE *1298

Flight Simulator

TURBO XT MODEL #5306

- 8 & 10MHz Processing Speed
- 0-16MB RAM Available Bios
- 16 B4 8088-2 CPU Two 388K Half/Height Floppy Drives + Multi I/O (w/Controller Clock/Calendar, Parallel Senal & Game Port)
- 20MB Hard Drive (w/Controller)
- Turbo Normal Mode Either Software or Hardware Selectable * Eight Expension Stats * PC/XT-AT Enhanced Keyboard • IBM Compatible Enhanced Graphic Adapter (EGA) • High Resolution EGA Mondor

RETAIL VALUE 13600 OUR PRICE \$1799

TURBO AT

MODEL #5501 BEESE Bound CPU + B-18MI RAM Available * Bios * 1.2MB Hatt/Height Floppy Drive • 20MB Hard Drive (w/Controller) * Eight Expansion Stats - Parallel Port AT Enhanced Keyboard * Performance 16,12,10,8,6MHz

RETAIL VALUE *3000 OUR PRICE *1616

Available

TURBO AT

MODEL #5502

. 12MHz Clock Speed . 0-16MB RAM Available * Bios * Intel 80286 Microprocessor • 1 2MB Half/Height Floppy Drive • 30MB Hard Drive (w/Controller) + Eight Expansion Sizes • SpraidPhraim Adapter * AT Enhanced Keyboard Performance 16,12,10,8,6MHz Available

RETAIL VALUE 44490 OUR PRICE *1743 LAPTOP



* 80188 Competible (7:16MHz) * ROM 32KBN (BIOS etc.) • RAM: 256KB standard expandable to 640KB • 35 720 KB FDO x 1 * Optional 2nd 35" FDO or 29MB HOD . Supertwell Crystal Display . Capacity 80

- characters x 24 lines (640 x 200 pixels) OPISO* till angle adjustment = 75/85-key stopsculptured keyboard with integrated numeric keypad • Parallel (Centronics) port « 1
- . External 514 FDO unit I/F it 1 . Stat for EPROMicard CRT adaptor for EMS card ± 1. . Stot for Modern Card or SIO card a 1 • 121/a" (W) x 3" (H) x 13%" (D) • Approx
- 10 fbs. Lead battery (7 hrs. operation) * AC adaptor * MS-DOS* 2 11

MODEL #5791

• 16-20MHz Processor Speed • Irred 80386 Microprocessor • 32 84 Architecture • Com-

patible with \$MHz \$0286 Hardware & Software * Bios Speed Selection 16,8,8,4.77 MHz . Relocation of Bios . EGA

Bios to 32 Bit High Speed RAM for Lightning Execution • Real Time Clock • 4,8 or 10MHz 80287 Co-processor Sockel Standard 32 Bit • 0-16 RAM Available

. Connectors for Attaching up to 16MB of Memory * 1.2MB Hall/Height Floppy Drive * Eight Expansion Slots * Senal/ Parallel Adapter • AT Enhanced Keyboard RETAIL VALUE 18999

OUR PRICE 12476 "Tower case as shown optional

NO MONEY DOWN!

Even if you have a computer... We'll sell you add-ons from our TOP QUALITY products, and FINANCE them too! OUR PRICE *955.-*2995.

Available on XT Mother Boards.

DRAMS, MONITORS ARE ADDITIONAL SURGE PROTECTOR/POWER DISTRIBUTION CENTERS ARE OPTIONAL AND AVAILABLE FOR ONLY \$39.95



1-800-237-8758 EXT. 823 CUSTOMER SERVICE (INIT) 208-8031 TECHNICAL SUPPORT

(813) 855-7066 OPEN MON-FILE AM - Late, Late, Late OPEN SATURGIAN 9 AM-S PM (EST)

COMPORATE HEADQUARTERS: 15240 RACE TRACK RD., TAMPA, FL 33626, (813) 886-8631

OPPICES HOW OPEN: TAMPA—MIAIM—LOS ANGELES—WASHINGTON, D.C.—TAIPEI, TAIWAN—TOKYO, JAPAN PRICES SUBJECT TO CHANGE DUE TO AMALABILITY AND MARKET PLUCTUATIONS VOID WHERE PROMBITED, \$25.00 CREDIT APPLICATION PEE.





TOSHIBA 1100 Plus. 3100 w/20 Meg



CALL FOR LOWEST CUSTOM QUOTES

PACKARD BELL

& Tutorial 



# SAMSUNG s.300 4/8 MHz, 512K, 6 Slots 8/P/C, Monographics board, DOS, Keyboard 3-300, 1 Floppy 5749.50 3-300, 20 Meg 909.95 3-300, 46 Meg 1117.82 \$-500 AT Compatible 6/10 MHz, 8 Slots, \$797C, Monographics Beard, DOS, Keyboard \$-500, 1.2M Floppy 51095.45 \$-500, 20 Meg 1469.80 \$-500, 40 Meg 1624.45

MANDWARE, 301
COMPUTERS
MDL 80. \$1619.76 MDL 170. \$2983.36 MDL 90. \$1619.76 MDL 300. 3490.46 MDL 120 2288.05 MDL 340. 3945.46 MDL 140 2829.55 MDL 300. 5581.48 TBM PS2
MDL 30, 2 dr \$1272.29 MDL 60, 70 Meg \$3488.60 MDL 30, 20 Meg . 1725.17 MDL 80, 40 Meg . 4497.67 MDL 60, 40 Meg . 3348.15 MDL 80, 70 Meg . 5677.33
Deskpro 286, Model 1   \$296.56
XT Turbo, 512K, 1 floppy, P/S/G. Enhanced keyboard EMS mem
6300 w/640K 1 Drive S449.20 6300 w/640K 1 Floppy. 20 Meg 1158.60 6300 w/640K 1 Floppy. 40 Meg 1419.90 6300 W/65 1600 W/65 6312.6336 W/65 CALL
T1100 Plus \$1444.10 T1000 \$744.41 T1100 28 Men 2996 50 T1200 NEW MODEL T3200 \$PECIAL BUY T5100 NEW MODEL
P888 w/1 floppy 20 Meg
VT286 w/20 Meg 1573.50 VT286 w/40 Meg 1724.10 VT386 NEW MODEL
WYSE MDL 2108 \$1002.50 MDL 2214 \$1860.30 MDL 2112 1580.20 MDL 3216 2650.05
Zimow data
Supersport Model 2 ALL ZENITH Supersport Model 20. MODELS IN Supersport 286 Model 20. STOCK CALL Z-83, 20 Meg. FOR PRICE
Other Computers Available Upon Request
MINISCRIBE 30 Meg Flashcard \$425.96 MOUNTAIN 20 Meg 730 Meg 549.40 /785.80 PLUS OEVELOPMENT 20 Meg 755.55 PLUS DEVELOPMENT 40 Meg 755.80 WESTERN DIGITAL 30 Meg 416.30
DRIVES FOR ATL & 286s
MINISCRIBE 40 Meg 28ms
PRIAM 130 Meg hard disk. 1957.68 SEAGATE 4038 30 Meg hard disk. 479.88 SEAGATE 4053 40 Meg hard disk. 589.98 SEAGATE 4096 80 Meg hard disk. 739.59 360K floopy drive. 110.12
MOST ORDERS SHIPPED

PRINTERS	
EPS	ON
EXBOO CALL L FX86e. COWN L FX284e FOR BEST L LX800. PRICE L DICCIMINX	0500 ALL 0850. EPSON 01050. MODELS 0-2500 IN STOCK
150P / 300	\$319.17 / 479.17
IB: Pro Printer II\$447.95	
Cotor P6 \$569.74 P660 479.22 P560XL 914.75 P2200 359.65 3550 744.12	Color P7 \$722.12 P760 639.35 P960XL 1067.70 8850 1080.75 CALL FOR ACCESSORIES
Okomate 20 . \$122.74 ML 182S	ML 320 \$336.63 ML 321 472 28 ML 390 489.96 ML 337 638.48 ML 383 949.55 ML 383 Color . 1057.80 CALL FOR ACCESSORIES
1080i \$179.60 1092i 334.28 1595 459.45 3151 489.52	1091) \$219.05 1592 433.44 3131 274.32 1524 579.10
1200 \$169.55 MSP40 318.45 MSP45 458.29	MSP50 \$385.64 MSP55 489.66 Premiere 35 477.17
P321SL \$484.85 P341SL \$484.87	P351-2 Color . \$1199.96 P351SX 1019.45
H-P Laser Jet Model 2 . AST Turbolaser P/S	\$1699 40
H P Deskjet NE. U. 860 U. 6890 PANASONIC Laser TOSHIRA Pagel aser	1982.44/ 1605.35
A SCA	oldbredbit -
	AMB
1023 \$3838 38 1042 7539 95 SUMMA	1043 \$6535.15 1044 10,305.06
12x12\$376.30	12×18 \$632.50
HEWLETT PACKARO  H77440A \$968.30 H77475A . 1417.44 H77550 . 2926.56 H7570 LOWEST PRICE HP SCANJET SAVE	HOUSTON INSTRUMENTS HI DMP 42 HI DMP 52 HI DMP 52MP HI DMP 55AA HI DMP 61 HI DMP 62
VAX MAG	

From Here to Anywhere in 18 Seconds

FLOPPIES, DRIVES & TAPES
1/2 height flopgy drive
SEAGATE 20 Meg 1/2 height hard drive 295 69 SEAGATE 30 Meg 1/2 height w/RLL 399.72 SEAGATE 40 Meg 1/2 height w/RLL 342.59 GENDA 60 Meg nil tape 734.69 CENDA 60 Meg nil tape 605.10
GENDA 66 Meg ext tape 895 10 GENDA 125 Meg int tape 995.85
GENDA 69 Med nxt tape 995.85 GENDA 125 Med nxt tape 995.85 IOMEGA 8ERNOULLI 20 - 20 1629.99 IOMEGA 20 Meg 1/2 height int 975.55 IOMEGA 20 + 20 External 514 1755.73 IRWIN 18 Meg tape backup 259.34
IRWIN 10 Meg tape backup 259.34 IRWIN 20 M /40 M Internal Tape
MOUNTAIN 4440 int 368.80 MOUNTAIN 4440 ext 547.75
NOVELL NETWORKING
SANTA CLARA Diskless Workstation\$640.40
WESTERN DIGITAL 3 Node LAN lut
w / Western Digital software
NOVELL 286 Software w/Keycard 1569.09
WESTERN DISTAL 3 Node LAN INT W/Western Digital software . 5720.34 Entry-level 286 Starter Kit. 8 Users . 489.99 Entry-level 286 Starter Kit. 8 Users . 5WE NOVELL 286 Software w/Keycard . 1582.09 NOVELL SFT Netware Level II V2 1 . 2757.89 Nondedicated Netware Software 286
W/PSYLEIU
ARCNET PC110 LANBoard
ARCNET PC110 LANBoard \$199.27 ARCNET PC210 LANBoard 249.50 ETHERNET Interface Connector 329.90
ETHERNET Plus Board (for 286) 799.74 G-NET Interface Card w/cable 299.52 WESTERN DIGITAL Ethernet Cards 289.10 ACCESSORIES
ACCESSORIES
ARCNET Passive Hub \$85.00 ARCNET Active Hub 499.90 Ethernet Terminators 37.50
All Sales People are Novell Irsined and authorized. Call CDW for all your Ketworking Hardware & Software.
MONITOR INTERFACE CARDS
CDW'® color card
HERCULES color card w/p 146.16 HERCULES monographics plus w/p 179.84 TAXAN MONOGRAPHIC w/p 99.00
MONOCHROME MONITORS
AT&T Monochrome Monitor
COMPAC VGA Mono
NEC Monograph 1297.25
PGS MAX 12E amber culer 139 40 PACKARD BELL Green or Amber
AMDEK color 6007 (722
AMDEK color 6007 /722 \$349.24 /444 49 IBM PS2 8512 Color
SAMSUNG PuB Comp 238 60 PGS HX 12 Plus 417.15
SAMSUNG PLB Comp 230 69 PSS HX 12 Plus 417.15 TAXAN 550 1720 488 90 729 80 MAGNAVOX 6762 258.05

NEC Multisync II/PLUS	
MEC Multisync II./PLUS 809.76 /888 10 MEC Multisync III. 19 inch 1974.46 PACKARD BELL VGA Monitor 389.55 PGS Ultrasync 515.33 SONY Multiscan 1303/1302 599.45/549 25 TAXAN 770 PLUS 499.40 ZENITH Z:1490 768.31 VGA DISPLAY CARDS	
SONY Multiscan 1303/1302 599.45/649 25	
ZENITH Z-1490	
ATI VGA VIP	
GENDA VGA 289.70 PARADISE VGA 287.84 ORCHID VGA 277.84 VIDEO-7 VGA 299.15	Ŕ
VIDEO-7 VGA	•
ATI Whoder Card \$100.05	ı
GENOA Super EGA Ni-Res 800 x 800 . 234 40	
NEC MVA 1024 968.58 NEC GR-1 640v480 239.43	
PARADISE Auto Switch EGA 480 169 65 DUADRAM Prosync 275 46	4.00
VIDEO 7 Vega Deluxe	
AST 5251-11 Plus	l
ATI Wonder Card . \$199.05 GENCA Super EQA HI-Res 800 x 400 234.40 LOGIFICH EGA Card w/mouse . 277.18 NEC MVA 1024 . 588.59 NEC GB-1 640x480 . 239.43 PARADISE Auto Switch EGA 490 159.05 UJADRAM Prosync . 249.74 VIDEO 7 Vega Deluxe . 249.74 MODECUS & COMMUNICATIONS AST 5251-11 Plus . 5519.84 EVEREX 12008 /24008 . 108.90 /199.01 IRMA 3278 / 79 PACKARD BELL 2400 int //400 Est . 189.95 /199.22	
Hayes	ı
HAYES 1200 . \$289.60 2400	
PRICKARD BELL 2400 Int //400 Est 1988.89/199.22  HZYES 1200 \$298.80 2400 \$424.68 12008 299.20 24008 \$79.85  12008 \$198.45 24008 \$199.79 1200 External 129 10 960 MST 665 20	
1200 Int	
8087.2 /8087.3 \$159.33 / 122.50	
80287-67-87-10	
PIEG A RECHESIONIES	
BASE 5 Pack of 10 DS/DO w/case	
KENSINGTON Mastergiaca Plus 118 40	N. Maria
KEYTRONICS 101 104.65	1
XT Power Supply 150 Watt 69.95  BATTERY BACKUP & SURGE	l
PERMA POWER 6 Outlet Surge Supp \$29.40	
TRIPOLITY	
BC-450 \$419.78 LC-1200 \$136.85 BC-1200 748.55 LC-1800 186.75 4 outlet 44.25	
BC-450 \$419.78 LC-1200 \$126.85 BC-1200 748.55 LC-1800 189.75 4 outlet 44.25	
BC-450 \$419.78 LC-1200 \$126.85 BC-1200 748.55 LC-1800 186.75 4 outlet 44.25	
BC-450 \$419.78 LC-1200 \$126.85 BC-1200 748.55 LC-1800 189.75 4 outlet 44.25	The second second

VGA & EGA MONITORS 

OST ORDERS SHIPPED WITHIN 48 HOURS.

HIGH VOLUME BIDS INVITED

If you find a better price eall us before you buy

WHY WAIT? CALL COMPUTER DISCOUNT WAREHOUSE" NOW!



**Nationwide Toll Free** 

FAX In Illinois (312) 498-1426 (312) 291-1737



**B728** 



# SAVE MONEY ON COMPUTERS

COMPUTER PRODUCTS AT THE LOWEST PRICES WE ARE YOUR NETWORKING SPECIALIST.

COMPUTERS THE ALL NEW RISIN PERSONAL SYSTEM: MODEL 25 MONOCHROME 1 FLOPPY MODEL 25 MONOCHROME 1 FLOPPY MODEL 25 MODELY RISINE 2 PROPPERS	2 \$1 045 00 \$1 822 60	MODEL 2214 MODEL 2114-40 MODEL 3216-01 MODEL 3216-40 AT STYLE ERNANCED KEYBOARD	\$1 799 00 \$2 599 00 \$2 499 00 \$3,339 00 \$109 00	NOVELL NETWORKII TURNKEY NETWORK SYSTE 10MHz 286 FILE SERVER ARCNET PC TERMINALS LOADED SOFTWARE CABLES TERMINATORS AND TEES		ETHERNET ETHER, INK. PLUS AT MICROCHANNEL CARDS PS 2 WORK STATIONS ABONET PC TERMINAL	\$259 00 \$699 00 AVAILABLE \$799 00
MODEL 25 COLOR 1 FLOPPY	\$1 339 00	TERMINALS	#900 00	EVERYTHING PLUG IN & TURN ON		ETHERNET PC TERMINAL	\$799 00
MODEL 25 COLOR & FLORVIES	\$1 499 00	MODEL 30 GREEN OR AMBER MODEL 50 GREEN OR AMBER	\$309 00 \$379 00	4-USER (40MB)	M. 388 188	MISC NETWORKING ITEMS	
MODEL 30-002 (2 720K FLOPPIES)	\$1 259 00	MODEL 60 GREEN AMBER OR WHITE	\$339 00	6-USER (80MB)	\$8 999 00 \$10 999 00	ARCHIVE F160 EXT TAPE BACKUP	\$699 00
MODEL 30-021 (20MB HARD DRIVE) 00206 SYSTEMS	\$1,888.00	MODEL 85 GREEN OR AMBER	\$469 00	8-USER (80MB) OPERATING SYSTEMS	210 333 00	ADDTL CONT CARDS FOR ARCHIVE MOUNTAIN 40MB TAPE BACKUP	199 00 \$469 00
MODEL 50-021 (20MB HARD DRIVE)	\$2,655 00	MODEL 60 KEYBOARD	\$115 00	NEW! ADV NETWARE 286 V 2 1 SFT	\$2 599 00	WANGTER HOMB TAPE BACKUP (INT)	\$649.00
	ON SPECIAL!	"" LASER XT AND SSI 286 SPECIAL: NATIONALLY RENOWNED LASER XT	\$499.00	ADV NETWARE 286 V 2 DA	\$1 499 00	ARCHET ACTIVE HUB	\$499 00
IBM PERSONAL SYSTEM/2 DISPLAYS		W 256K 1 FLOPPY	3433 00	ADV NETWARE 286 SFT I	\$2 096 50	ARCNET PASSIVE HUB ELGAR MONITOR 1000 WATT UPS	\$85.00
MONOCHEOME SHEET	\$189 00	LASER XT W 640K 2 FLOPPIES	\$799 00	ELS 4 USER SOFTWARE	\$429 00	A SOFT WARE	MARKET SEE
COLOR-8512 (14") COLOR 8513 (12")	\$432 00 \$498 00	MULTI I'O CARD, TTE MONOCHROME		CARDS ARCNET PC XT	\$169 00	APC MONITOR 1000 WATT UPS	\$1 199 00
COLOR 8514 (16°)	\$1 150 00	TURBO 10 MHz MOTHERBOARD		ARCHET AT	345 00		
NEW PERSONAL SYSTEM 2 SOFTWARE		SPECIAL! SSI AT 286-10 512K.	\$1,119.00				
IBM DOS 3 3	\$96 00	1 2MB FLOPPY HD FD CONTROLLER		CARDS		FAX MACHINES	
LAPTOP COMPUTERS		AT STYLE KEYBOARD 8 EXPANSION		MULTINO	\$69 99	SHARP EG 300	\$1 220 00
NEC MULTISPEED EL2 BACKLIT NEC MULTISPEED HD	\$1 499 00 \$2 350 00	SLOTS 195 WATT POWER SUPPLY FULL 1 YEAR WARRANTY		MARCHES & SAFES & FF	\$69.85	SHARP FO 500	\$1 649 00
TOSHIBA 1000 IN STOLIA	\$250,00	DOMING SPECIALS		ATD HERCULES COMPATIBLE WIPP	\$95 00	CANON FAXPHONE 8	\$999 00
TOSHIBA 1100 PLUS	\$1 484 00	DESKPRO MODEL II	\$1 239 00	TAXAN 535 MONOCHROME W PP	\$79 00		
TOSHIBA 1200	SE 237.00 SE 998.00	DSSW 2 3500 KINDSWITS		HERCULES GRAPHICS CARD PLUS IBM MONOCHROME W PP	\$179 00 \$19* 00	HAYES SMARTMODEM 2400B	\$424 00
TOSHIBA 3100-20 NEWI TOSHIBA 3200	CALL	SPECIAL! DESKPRO 286 MODEL I DESKPRO 286 W 40MB HARD DRIVE	\$1,889 00 \$2,579 00	EXCUR CRAPMICS COMO	569.90	W SDFTWARE	
NEW1 TOSHIBA 5100	CALL	DESKPRO 286 W 80MB HARD DRIVE	\$2 999 00	COLOR GRAPHICS CARD W PP	\$89.00	HAYES SMARTMODEM 2400B INTERN	AL \$379 00
ZENITH 183 640K 1 3 5" FLOPPY,	\$2,340 00	DESKPRO 386 W 40MB HARD DRIVE	\$4 660 00	NEW HERCULES INCOLOR CARD	\$249.00	HARDWARE ONLY EXTERNAL MODEM CABLES	\$15.00
20MB HARD DRIVE		DESKPRO 386 MODEL 60: 20MHz DESKPRO 386 MODEL 130: 20MHz	\$5 559 00 \$7 029 26	TAXAN 555 COLOR CARD W PP	\$189.50	IBM 5250 EMUL 2 12 CONV KIT	553379
EVEREX 286-10 512K 1 2M FLOPPY	\$1 119 00	DESKPRO 386 MODEL 300 20MHz	\$9,159.00	EGA AND MEMORY C		PRINTERS W. FREE CA	
ENHANCED KEYBOARD	at 115 00	*** NEW COMPAG PORTABLE HI ***	IN STOCK	EPIC 480 EGA CGA MIDA, HERC	17:09(a)	NEW IBM PRINTERS	
EVEREX 386 16 1MB, 1 2M FLOPPY	\$1,795.01	AST SPECIALS		640 x 384 VIOLO 7 COMMITTEL	37. 5.5.700	IBM PROPRINTER II	\$439.25
ENHANCED KEYBOARD		AST MODEL 80	CALL	PARADISE AUTOSWITCH EGA	\$7.99,100	IBM PROPRINTER XL24	\$779 30
WYSE COMPUTERS AND TERMINALS MODEL 2108	e1 000 00	AST MODEL 90 AST MODEL 120	FOR BEST	GAU X SHE QUADRAM EGA	£100.00	IBM QUIETWRITER III PRINTER	\$1 249 00
MODEL 2108-20	\$1 080 00 \$1 410 00	AST MODEL 140	PRICE	VIDEO 7 VEGA DELUXE	\$199 00 \$239 00	CITIZEN 120D 80 COL 120 CPS CITIZEN 180D 80 COL 160 CPS	\$169 00 \$178 00
MODEL 2112	\$1 499 00	AST MODEL 170	IN STOCK	NEC GB 1 640 X 480 RES	\$2 19 25	EFECAL OF THE RESIDEN	3110 00
MODEL 2112-40	\$2 299 00	AST MODEL 300 340 & 390	IN STOCK	SPECIAL! NEW GENOA SUPER EGA	\$225 00	CITIZEN MSP40 80 COL 200 CPS	CALL
				HI-RES 800 x 600 RESOLUTION ATI WONDERSOARD EGA VGA CGA	\$199700	EPSON LX-800 W TRACTOR FEED EPSON FX-86E	\$219 00 \$319 00
MONOCHROME MONI	TORS	NEC MULTISYNC PLUS 14" 960 x 720	CALL	STB VGA EXTRA VGA EGA	\$249 00	DRIGON FO. THESE	\$439 00
LTITTL MONITOR TILT SWIVEL,	585.00	NEC MULTISYNC XL 19" 1024 x 768	\$1 955 00	COA MOUNT		EPSON EX 800	\$459 00
UNEIN DR AMBUT		ZENITH FTM ZCM-1490 SONY MULTISCAN	\$689 00 \$649 00	GENDA SUPER VGA 1024 X 768	SAVE	EPSON LO 500	\$369 00 \$549 00
PACKARD BELL AMBER OR GREEN TAXAN 123 GREEN MONOCHROME	\$105.50		9043 00	NEC MVA 1024	\$809.00	EPSON . 3 1050	\$765 00
TAXAN 124 AMBER MONOCHEOME	\$110.00	DISK DRIVES MINISCRIBE 20MB 3 5" W WD #B425	\$299 00	NEC MVA 1024 ENHANCED	\$140.00	EPSON EQ 2500	\$859 00
AMDEK 310A AMBER MONOCHROME	\$119 00	MINISCRIBE 60MB 12 HT FOR AT	\$499 00	VIDEO 7 VGA QUADRAM ULTRA VGA CARD	\$299.00	SPECIAL! NEC P2200	\$339 00
AMDEK 410A AMBER MONOCHROME	\$149 00	W CONT		ORCHID DESIGNER VGA	\$309 00	NEC P660 80 COL NEC COLOR P660	\$425 00 \$530 50
WYSE 530 GREEN OR AMBER COMPAG MONOCHROME MONITOR	\$175 36 \$191 00	SEAGATE ST225 20MB W CONT	\$289 00	PARADISE VGA CARD 640 X 480	\$296 00	NEC P760 136 COL 216 CPS	\$580 00
NEC MONOGRAPH	\$1 279 00	SEAGATE ST238 30MB W RLL CONT SEAGATE ST251 40MB 1.2 HEIGHT - AT	\$309 00 \$399 00	PARADISE VGA PROFESSIONAL	CALL	NEC COLOR P760	\$699.00
WYSE 700 1280 X 800 RES	\$767 20	SEAGATE ST251 1 40MB 1 2 HT 28 MLS	\$499 00	AST VGA CARD ATT VER VIP CARD	\$314 50 \$307 00	NEC P560 XL NEC P960 XL	\$879 00
W GRAPHICS CARD	ESTR SE	SEAGATE ST125I-PS.2 20MB 1 2 HT	\$359 00		400 00	NEC 3550 SPINWRITER	\$719 00
MONITOR 14" BLACK & WHITE	BEACHE	20MB MINISCRIBE HARD CARD 30MB MINISCRIBE HARD CARD	\$399 00 \$419 00	MODEMS		NEC 6850 SPINWRITER	\$1 039 00
COLOR MONITORS		PLUS HARDCARD 20 40 \$559 00		PACKARD BELL 2400 BAUD INTERNAL	\$169 00	PANASONIC 1080i PANASONIC 1091i	8193 00
DAMSUNG COLDIN 640 X 200	\$259 00	SPECIAL! 40MB 1 2 HGT MINISCRIBE	\$350 00	MODEM W IPRO COMI SOFTWARE PACKARD BELL 2400 BAUD EXTERNAL	81995 HO	PANASONIC IOSTI PANASONIC IX P1595	\$219 00 CALL
SPECIAL! MAGNAVOX COLOR MONITOR	223 OC	SPECIAL! SEAGATE ST4096 80MB	\$760 00	ATD 300-1200 BAUD W PCTALK BI	\$89 00	DESTINY JASER X1 H-P COMPAT,	E1:299.00
TAXAN 720 COLOR MONITOR	5099.50	SPECIAL! FUJITSU 360K 1 2 HGT FLOPPY	\$79.00	USR SPORTSTER 1200 EXTERNAL	\$122,000	4 MONTHS FREE SERVICE W TRW	
TAXAN 635	\$397.50	COMPAG 360K FULL HGT FLOPPY	\$47.00	USR SPORTSTER 1200 HALF INTERNAL	\$108.00	OKIDATA ML 182 PLUS FOR IBM OKIDATA ML 192 PLUS FOR IBM	\$243 49 \$569 (\$1
RAGE COLOR MONITOR  SPECIAL! AMDEK COLOR 600T	\$349 00	TAXAN TDM-5 5 25" EXTERNAL FDD	\$249 00	USR SPORTSTER 2400 INTERNAL W SOFTWARE	\$199.00	OKIDATA ML 193 PLUS FOR IBM	\$440.00
AMDEK COLOR 722	\$444 00	FOR IBM PS 2	\$1 395 00	EVEREX 12008AUD INTERNAL	\$109.00	OKILIATA ML 292E	\$377.44
EGA MONITORS		BERNOULL; BOX 10 + 10 SPECIAL! BERNOULL! BOX 20 + 20	\$1 599 00	EVEREX 2400BAUD INTERNAL	\$199.00	OKIDATA MI 293E	B\$15.50
ASTEGATISPLAT	MR19.25	NON BOOTABLE CONTROLLER	\$159.00	EVEREX 2400BAUD EXTERNAL NEW LOWER PRICING AVAILABLE	\$289 00	INTERFACE MODULE FOR 292 293 SPECIALT DIKIDATA MU393 P SERIAL	\$94 99 \$949 00
MAGNAVOX EGA	\$385 00	800TABLE CONTROLLER	209 00	HAYES SMARTMODEM 1200 EXTERNAL	\$289.00	NEW! TOSHIBA P321 SL W TRACTOR	\$490.00
SAMSUNG EGA MONITOR	\$389 00	SPECIAL! IRWIN 10MB TAPE BACK-UP IRWIN 20MB AND 40MB INTERNAL	\$259 00 IN STOCK	HART'S SAFEKKIR OF SMALESCOM I	\$289 00	TOSHIBA P341 S.1.	E534.00
MLMATIEXAN 120 WOTTER.	\$359 00	TAPE BACK-UPS		HAYES SMARTMODEM 1200B W HW	\$250.00	TOSHIBA P351 SX W TRACTOR HP LASERJET SERIES II	\$995 00 CALL
COMPAQ VGA MONITOR	\$524 25	ARCHIVE 40MB TAPE BACK-UP UNIT	\$339 00	INTERNAL - NO SOFTWARE HAYES SMARTMODEM 2400 EXTERNAL	\$424 00	HP DESIGET INKLET PRINTER	\$695 00
NEW! NEC MULTISYNC II	\$599 00	FOR XT AT		NO SOFTWARE		HP 7475A PLOTTER	IN STOCK

AUTHORIZED WYSE DEALER ● ALL SOFTWARE MINIMUM 30% OFF ● MOST ORDERS SHIPPED WITHIN 48 HOURS ● WE HAVE THE LOWEST PRICE, CALL US BEFORE YOU BUY IT ANYWHERE ELSE ● CORPORATE BIDS OR HIGH VOLUME BIDS WELCOME CALL (800) 426-2489, AND ASK FOR AMY

TECH HOT LINE (312) 537-3970 • TOLL FREE ORDER LINE (800)/426-2489
WE HAVE ALL YOUR COMPUTER NEEDS AT THE BEST PRICE AND WE GUARANTEE IT!

CALL

312-537-3600

(312) 537-2850

Prices reflect 2% cash discount. Allow 10 business days for shipping when paying by personal check. Software, chips and other electronic components are not returnable.

Returns are subject to a restocking charge. Prices are subject to change without notice





# Low Prices, Fast Service.

Satisfaction Guaranteed! **Since 1975** 

## Turbo-XT



- 640K Motherboard with 256K
- 8 slots
   8087 socket
- 150W power supply

### Turbo-AT



- with 640K 200 watt power supply
- AT-style keyboard
- One year warranty
- Clock/calendar

### Option A

- High resolution amber monitor
- Hi-res graphics card Parallel printer port ..... \$148

### Option B

- Hi-res RGB color monitor
- Hi-res graphics card Parallel printer port .....\$298

### Option C

- Hard disk drive
- Dual hard disk controller 30 MB for XT 40 MB For PC/XT/AT

add \$298

*498

### intal Math Coprocessors

8087 *98	8087-2	\$138
8087-1 \$198	80287-6	\$178
80287-8 \$228	80287-10	\$268
80387-16 \$438	80387-20	\$728

### PC Mouse

LogiTech mouse	 \$78
Mouse systems mouse	 . 198
Microsoft mouse	 \$118
Genius mouse	 \$58
Fastrap trackball	 . 198
	\$24

### 1200 Baud **Deluxe Modem**



2400 baud	1/2 card internal	.\$128
1200 baud	external	\$88
2400 baud	external	. \$168

### 30 MB Hard Disk

Complete kit with controller



20 MB PC/XT	Kit			4		 \$248
20 MB Card						 \$398
40 MB for AT						 \$398
40 MB PC/XT	Kit.					 \$498
Mountain 40 N	IB T	a	oe			 \$398

### 360K Disk Drive

Half height, IBM compatible **Direct Drive** 

Tandon TM100-2 full	height	
for IBM PC or XT		.\$118
1.2 MB for AT		\$98
5¼" drive for PS/2		. \$268

### 31/2" Disk Drive

720K....\$98 1.44 MB....\$128

### VGA Package

Monitor & Card \$648



Up to 256K brillant colors

Hi-res EGA card 640x480	*128
EGA monitor 640x350	\$378
NEC MultiSync II 640x560	\$598
RGB color monitor 640x240 .	\$258

### Amdek 310A \$98

Best selling hi-resolution non-glare amber monitor

### **EPSON 24 Pin** \$369

List Price \$529

**EPSON Letter Quality Printers** LQ-850, LQ-1050, LQ-2500 . . Call

### EPSON 9 Pin

\$1<u>98</u>

LX-800

**EPSON Near Letter Quality** FX-86e, FX-286e, EX-800 . . . . Call

### HP LaserJet II

\$1698



List Price \$2595

### HEWLETT PACKARD

PDP 4 MB RAM card w/OK...\$198 2 MB 1 MB **4 MB** \$348 \$648 \$1148

### **HP DeskJet**

\$748

List Price \$995 300 x300 DPI with full with full page graphics PDP 128K RAM ..... Extra ink cartridge .

### Laser Printer



1.5 ME	RAM	car	ď							515	98
Toner	cartrid	ge			*	*				. \$5	58

No Slot Clock

MICROSOFT. MS-DOS 3.21.....

Place orders toll free! Continental U.S.A. 1-800-421-5500 Inside California 1-800-262-1710 Fax machine 1-213-675-2522

All others 1-213-973-7707 Prices at our eight store locations will be higher on some items.

California Torrance, Santa Ana, Woodland Hills Kearny Mesa, Sunnyvale

Texas Addison, Houston Georgia



We accept checks, credit cards or purchase orders from qualified firms and institutions. No surcharge on credit card orders. CA., TX. & GA. residents add sales tax. Prices & availability subject to change without notice. Shipping & handling charges via UPS ground 50¢/lb. UPS air \$1.00/lb. Minimum charge 13.00.

4901 W. Rosecrans Ave. Box 5046 Hawthorne, California 90251-5046 CIRCLE 243 ON READER SERVICE CARD



COMPUTE







### F&W Communications

### F&W WORKSTATIONS - THE ADVANCED USER INTERFACE

### THE COMPLEAT GRAPHIC ARTIST

We have the lowest prices in the world on 19-inch color monitors!
Hitachi CM3719 1024X800
State-of-the-art 1280X1024 Moniterm 19" color
with 2048X2048 virtual display \$1600.00
Mitsubishi 3919 with analog RGB inputs for TV,
and TTL inputs for EGA and CGA \$999.00
Philips 19" monochrome for publishing \$400.00
True VGA (IBM 8514 emulation) 19" color Hitachi monitor.
Fantastic!
Ikegami 14" 16-color monitor for VGA. Rugged and super
bright for mobile operation. Without case \$249.00
Many used 19" color monitors; from \$499.00





Many other options are available:

State-Of-The-Art CRT controller cards from F& W

ensure system compatibility:

Video 7 VGA, 640X480, 256 color . . . . \$249.00 QDP 1000/16, 16 color, 1024X1024 . . . . \$649.00 QDP 256 color . . . . . . . . \$1249.00 Imagraph 1280X1024 with 1 Meg Videoram,

16 color . . . . . . . . . . . . . . . . . \$1200.00

### ALL MAJOR CREDIT CARDS ACCEPTED

FARADAY & WHEATSTONE COMMUNICATIONS CAD, GRAPHICS & ELECTRONIC PUBLISHING 194 MAIN STREET, MARLBOROUGH MA 01752 USA (617) 485-1144

# **Vicrodevi**

Complete customer satisfaction...superior service...friendly, knowledgeable personnel quality merchandise... providing the best values in leading edge technology.



IT S TIME TO TRADE UP NOW THAT JDR BREAKS THE PRICE BARRIER ON 2400 BAUD MODEMS

- AUTO DIAL ANSWER

  SELF TEST ON POWER UP

  * TOUCHTONE OR PULSE DIALING

  # MAYES & BELL SYSTEMS COMPATIBLE

  FULL OR HALF DUPLEX

  MIRROR II COMMUNICATIONS SOFTWARE INCLUDED

### MCT-246

MCT-121 1200 BAUD 1/2 CARD

5 69 95

### EXTERNAL MODEMS

MCT-12E 1200 BAUD MCT-24E 2400 BAUD

\$ 99.95 \$169 95



### IBM COMPATIBLE *KEYBOARDS*

**FULL ONE YEAR WARRANTY** 

IBM ENHANCED STYLE LAYOUT \$79.95

- AUTOSENSE FOR XT OR AT COMPATIBLES
  LED INDICATORS . AUTO REPEAT FEATURE
- EPARATE CURSOR PAD

IBM AT STYLE LAYOUT

\$59.95

FTWARE AUTOSENSE FOR XT OR AT COMPATIBLES ED INDICATORS . AUTO REPEAT FEATURE

MCT-5060

### MAXI-SWITCH KEYBOARDS

**ENHANCED STYLE LAYOUT** . STANDARD ENHANCED KEYBOARD LAYOUT

- TACTILE FEEDBACK
  LIGHTED NUM CAPS AND SCHOLL LOCK
  NUMERIC & CURSOR KEYPADS 12 F' KEYS

MAX-5339

MAX-5060 MAXI-SWITCH, AT STYLE

\$64 95

\$84.95

# DIABLO

- LETTER QUALITY AT 20 CPS 132 COLS 10, 12 15 PITCH & PROPORTIONAL SPACING
- SERIAL & PARALLEL INTERFACE
- AUTO PAPER LOAD FRICTION FEED FULL XEROX WARRANTY





### NEAR TYPESET QUALITY AFFORDABLE AT LAST

8 PAGES PER MINUTE # 300 DPI RESOLUTION!
1 YEAR WARRANTY # CHOICE OF EMULATION BOARDS

MULTI-PRINTER EMULATION BOARD: EPSON FX-80 EMULATION—NOTHING ELSE REQUIRED IBM PC GRAPHICS PROPRINTER & DIABLO 630 EMULATION REQUIRES ADDITIONAL FONT CARD

HP LJ+ EMULATION BOARD:
HP LASERJET EMULATION = 3 RESIDENT FONTS &
2 PITCHES ADDITIONAL FONT CARD AVAILABLE

1.5MB RAM CARD \$139.95 **EXTRA FONT CARDS** \$199.95 **TONER CARTRIDGES** \$59.95 PES FIRST PUBLISHER

- 1 YEAR WARRANTY ON MCT PRODUCTS
- **30 DAY MONEY**
- BACK GUARANTEE
- TOLL-FREE

*SURCHARGE* 

TECH SUPPORT NO CREDIT CARD


## EPROM PROGRAMMER

- PROGRAMS 27XX & 27XXX EPROMS UP TO 27512
- SUPPORTS VARIOUS PROGRAMMING FORMATS AND VOLTAGES
- SPLIT OR COMBINE CONTENTS OF SEVERAL EPROMS
- OF DIFFERENT SIZES

  READ WRITE COPY ERASE CHECK AND VERIFY SOFTWARE FOR HEX AND INTEL HEX FORMATS
- MCT-EPROM
- MCT-EPROM-4 4 GANG PROGRAMMER \$189.00 MCT-EPROM-10 10 GANG PROGRAMMER \$299.95

PROCESSOR PROG

PAL PROGRAMMER \$269.95



# *SAMSUNG MONOCHROME*

- IBM COMPATIBLE TTL INPUT
- # 12 NON-GLARE LOW DISTORTION AMBER SCREEN
- 720 X 350 RESOLUTION
- SWIVEL BASE



### NEC MULTISYNC

\$599.95

- ORIGINAL CGA EGA PGA COMPATIBLE MON AUTO FREQUENCY ADJUSTMENT RESOLUTION AS HIGH AS 800 X 560

CASPER EGA \$399.95

- 75 21 85 KHz SCANNING FREQUENCIES
- 640 X 200 350 RESOLUTION # 31 MM DOT PITCH 14" BLACK MATRIX SCREEN # 16 COLORS

### CASPER RGB

\$279.95

- COLOR GREEN AMBER SWITCH # 39MM DOT PITCE 640 X 240 RESOLUTION # 14" NON-GLARE SCREEN
- RGB IBM COMPATIBLE CABLE INCLUDED

### MONOCHROME

IBM COMPATIBLE TTL INPUT 12" NON GLARE SCREEN

CABLE FOR IBM PC INCLUDED.

### MONITOR STANDS

MODEL MS-100

TILTS AND SWIVELS STURDY PLASTIC CONSTRUCTION

MODEL MS-200

\$39.95

\$12.95

\$69.95

■ TILTS AND SWIVELS ■ BUILT-IN SURGE SUPRESSO ■ INDEPENDENTLY CONTROLS UP TO 5 AC OUTLETS



PC MAGAZINE S EDITORS CHOICE ALL MODELS HAVE SERIAL SUPPORT (COM1 COM2) 200 DPI RESOLUTION LOTUS 1-2-3 SHELL SELF INSTALLING SOFTWARE AND POINT EDITOR

SERIAL MOUSE W PC PAINTBRUSH BUS MOUSE W PC PAINTBRUSH BUS MOUSE W PC PAINTBRUSH CAD \$99.95 \$99.95

### ARCHIVE XL PE BACK-UP

BACK UP 40 MB IN 40 MINUTES! . EASY TO-USE MENU DRIVEN

- SOFTWARE USES STANDARD QIC DATA FORMAT
- FULL & INCREMENTAL BACK UP

PARTIAL & FULL RESTORE AR 5240 XT —FOR XTS & ATS
AR 5540 AT —ATS ONLY 2X FASTER
TAPE NOT INCLUDED. TAPE NOT INCLUDED
TAPE CARTRIDGE—40 MB \$24.95

JDR Microdevices and the JDR Microdevices logo are registered trademarks of JDR Microdevices. IBM, AT, PS/2 are trademarks of international Business Machines.



# 60 MB

WAS \$649 AN INCREDIBLE PRICE REDUCTION! SAVE \$150 AND GET MORE MEGARYTES PER DOLLAR THAN EVER THE ST-277 IS AN ALL DRIVE WITH A FAST 40 MS ACCESS TIME!

WITH MCT-RLL CONTROLLER WITH MCT-AT/FH CONTROLLER \$549.00 \$639.00

### 1/2 HEIGHT DRIVES

20 MB, 65 MS, 5T-225 WITH MCT-HDC CONTROLLER WITH MCT-ATFH CONTROLLER

30 MB RLL, 65 M5, 5T-230 WITH MCT-RLL CONTROLLER WITH MCT-ATFH-RLL CONTROLLER

40 MB, 40 MS, 5T-251 WITH MCT-HDC CONTROLLER WITH MCT-ATFH CONTROLLER 4249.00 \$299.00

\$225.00

\$269.00

4429.00 \$539.00

### FULL HEIGHT DRIVES

30 MB, 40 MS, ST-4038 80 MR 28 MS ST-4095 \$559.00 \$895.00

\$24.95

SAME TIME.

### 12 MHz AT COMPATIBLE \$1034.20

**Build A System** 

SCREWDRIVER. SAVE MONEY AND LEARN

ALREADY BEEN BUILT, EASY TO

ABOUT YOUR COMPLITER AT THE

ASSEMBLE IN JUST 2 HOURS WITH A

INCLUDES 12 MHZ BABY AT MOTHERBOARD 256K RAM MEMORY, MINI-AT CASE W/POWER SUPPLY AT STYLE KEYBOARD, 1.2 MB FLOPPY DRIVE, FLOPPY HARD DRIVE CONTROLLER, MONOCHROME MONITOR, GRAPHICS ADAPTOR

### 10 MHz XT COMPATIBLE SYSTEM

e599.00

INCLUDES MOTHERBOARD, 256K RAM MEMORY, 135 WATT POWER SUPPLY, FLIP-TOP CASE, AT STYLE KEYBOARD, 386K FLOPPY DRIVE, MONOGRAPHICS L'O CARD, MONOCHROME MONITOR SERIAL PORT, 2 PARALLEL PORTS CLOCK/CALENDAR AND GAME ADAPTOR RUNS COLOR GRAPHICS ON A MONOCHROME MONITOR

### 16 MHz 1 MB 386

42298.65

#379.95

INCLUDES MYLEX 386 MOTHERBOARD, 1 MB RAM ON BOARD, 200 WATT POWER SUPPLY, AT STYLE CASE. ENHANCED AT STYLE KEYBOARD, 1.2 MB FLOPPY DRIVE, AT FLOPPY HARD CONTROLLER, MONOCHROME MONITOR. MONOGRAPHICS CARD

### *MOTHERBOARDS*

10 MHz SINGLE CHIP XT

Landmark AT speed 4.1 MHz , Norton SI 2.1

- SINGLE CHIP USES LESS POWER, IMPROVES RELIABILITY KEYBOARD SELECTABLE SPEED 4 77 MHz OR 10 MHz
- RESET SWITCH, KEYLOCK AND SPEED/POWER INDICATORS SUPPORTED

MCT-TURBO-10

### 80286 6/8 MHz

Landmark AT speed 8 0 MHz . Norton SI 7.7

- # 8 SLOTS (2 8-BIT, 6 16-BIT) AT MOTHERBOARD
- HARDWARE SELECTION OF 8/8 MHZ, 1 WAIT STATE
   KEYLOCK SUPPORTED, RESET SWITCH, FRONT PANEL LED INDICATOR
- # SOCKETS FOR 1 MB OF RAM AND 80287 MCT-ATMR

### 12 MHz MINI 80286

#399.95 Landmark AT speed 13.2 MHz . Norion \$111.6

- # 6 MMz, 10 MMz (0/1 WAIT STATE), 12 MMz (1 WAIT STATE) # SUPPORTS 256K-1024K MEMORY # RE-CHARGEABLE HIGH CAPACITY NI-CAD BATTERY # 6 16-BIT SLOTS, 2 8-BIT SLOTS

- MCT-BATMB-12

ICT-BATMB 6/10 MHZ MINI 80285 BOARD

### 16 MHz MYLEX BO386 \$1649,00 Landmark AT speed 24.0 MHz. Norton SI 18.0

- # 1 MB RAM ON BOARD, 4 MB VERSION AVAILABLE (NON-
- TIME RAM ON BOARD, 4 MB VERSION AVAILABLUSER UPGRADEABLE)
  SUPPORTS BOOST MATH CO-PROCESSOR
  SUPPORTS BOOST WATH CO-PROCESSOR
  SUPPORTS BOOST WADAPTOR CARD (\$149.95)
  GAKB CACHE FOR NEAR 0 WAIT STATE

MCT-386MB20 20 MHz VERSION, 1 MB Landmark AT speed 30.9 MHz Norton SI 23.0

\$2249.00

\$389.95

### 1/2 HEIGHT FLOPPY

## TEAC FD-558 DS DO 360K
51/4 TEAC FD-558 DS HD 1.2M
51/4 TEATHTSU M2551A DS/DD 360K
51/4 FUJITSU M2553K DS/HD 1.2M \$99.95 \$129.95 \$89.95 \$119.95 51/4" DS DO 360K 51/4" DS HD 1.2M 31/2" MITSUBISHI D8/DD (AT OR XT)

### EGA SPECIAL

AVE \$50. BUY AN MCT-EGA CARD AND CASPER

### 20MB HARD DISK ON A CARD



■ SAVES SPACE AND REDUCES POWER CONSUN
■ IDEAL FOR PC S WITH FULL HEIGHT FLOPPIES

### INTERFACE CARDS FROM MODULAR CIRCUIT TECHNOLOGY

MONOCHROME GRAPHICS CARD \$59.95 TRUE HERCULES COMPATIBILITY SUPPORTS LOTUS 123 PARALLEL PRINTER PORT CONFIGURES AS CPT1 OR LPT2 # USES VLSI CHIPS TO ENSURE RELIABILITY

MCT-MGP

ENHANCED GRAPHICS ADAPTOR 9149.95
100% IBM COMPATIBLE PASSES IBM EGA DIAGNOSTICS
256K OF VIDEO RAM ALLOWS 640 X 350 IN 16 OF 64

COLORS & COMPATIBLE WITH COLOR AND

COLOR GRAPHICS ADAPTOR
COMPATIBLE WITH IBM GRAPHICS STANDARDS 449.95

SUPPORTS RGB COLOR & COMPOSITE MONOCHROME

6 40 320 X 200 RESOLUTION LIGHT PEN INTERFACE

MCT-CG

TOTAL SYSTEM CONTROL FROM A SINGLE SLOT!

CTRL 2 FLOPPY'S SERIAL PARALLEL GAME PORT
CLOCK CAL # RUN COLOR CRAMPLE CLOCK CAL # RUN COLOR GRAPHICS SOFTWARE ON A MONOCHROME MONITOR

MULTI I/O FLOPPY CONTROLLER \$79.95

- A PERFECT COMPANION FOR OUR MOTHERBOARDS
  SUPPORTS UP TO 2 360K FLOPPIES 720K WITH DOS 3 2
  SERIAL PARALLEL GAME PORT CLOCK CALENDAR
  MCT-MO
  MIO-SERIAL—2ND SERIAL PORT
  \$15.95

MILITI NO CARD

USE WITH MCT FH FOR A MINIMUM OF SLOTS USED

SERIAL PORT CLOCK CALENDAR WITH BATTERY BACKUP • PRAALLEL PRINTER PORT ADDRESSABLE AS LPT1

OR LPT2

AT MELETIFUNCTION CARD

ADDS UP TO 3 MB OF RAM TO YOUR AT

USER EXPANDABLE TO 1 5 MB, OR 3 MB WITH OPTIONAL
PIGGYBACK BOARD (0 K INSTALLED) # INCLUDES SERIAL AND PARALLEL PORT

MCT-ATMF-MC PIGGYBACK BOARD ATMF SERIAL-2ND SERIAL PORT

AT MULTI UO CARD USE WITH MCT ATFH FOR MINIMUM OF SLOTS USED SERIAL PARALLEL AND GAME PORTS # USES 18450 SERIAL SUPPORT CHIPS FOR HIGH SPEED OPS

ATIO-SERIAL-2ND SERIAL PORT

575K BAM CARD 459.95

A CONTIGUOUS MEMORY SOLUTION IN A SHORT SLOT • USER SELECTABLE CONFIGURATION UP TO 576K 64K & 256K RAM CHIPS (ZERO K INSTALLED)

EXPANDED MEMORY CARD \$129.95

2 MB OF LOTUS INTEL MICROSOFT COMPATIBLE MEMORY FOR AN XT . CONFORMS TO LOTUS INTEL EMS . USER EXPANDABLE TO 2 MB # CAN BE USED AS EXPANDED OR CONVENTIONAL MEMORY, RAMDISK AND SPOOLER MCT-EMS

MCT-ATEMS AT COMPATIBLE VERSION \$139.95

### RLL DISK CONTROLLER

RLL HARD DISK CONTROL FOR YOUR XT COMPATIBLE
# SUPPORTS UP TO TWO RLL HARD DRIVES
# IMPROVES DATA STORAGE SPEED AND EFFICIENCY MCT-RUL

### ATFN CONTROLLER

FLOPPY HARD DISK CONTROL IN A TRUE AT DESIGN SUPPORTS UP TO 2 360K 720K 1 2MB FDD S AS WELL AS 2 HDD S USING STANDARD CONTROL TABLES MCT-ATFH

### INBOARD 386/PC \$895.00

UPGRADE YOUR XT TO A 386 FOR LESS THAN \$1000 16 MHZ PROCESSOR REPLACES 6088 © 1 MB INSTALLED © EXPAND TO 3MB WITH PIGGYBACK CARD # 5 YR WARRANTY

INBOARD 386/AT ABOVE BOARD PS 286 ABOVE BOARD 286 \$1199.95 \$399.95 \$369.95



JDR MICRODEVICES, 110 KNOWLES DRIVE, LOS GATOS, CA 95030 LUCAL (408) 866-8200 FAX (408) 378-8927 TELEX 171-110

RETAIL STORE: 1256 SOUTH BASCOM AVE., SAN JOSE, CA (408) 947-8881 HOURS: M-F 10-7 SAT, 9-5 SUN, 12-4

Torms. Minimum order \$10.00. For chipping and handling include \$2.50 for UPS ground and \$3.50 UPS air Orders over 1 to and foreign orders mey require additional shipping charges: please certact the sales department for the amount CA residents must include applicable sales for Pricess are subject to change without notice. We rear not responsible for typographical errors. We reserved the light to firmit quantities and to substitute menufacturer At merchandres subject to prior sale. A full

*.L FREE 800-538-500* 

COPYRIGHT 1988 JDR MICRODEVICES

CIRCLE 108 ON READER SERVICE CARD

CONTINENTAL U.S. AND CANADA



**HATIONWIDE** 1-800-292-6272

MARYLAND 1-800-442-6272

> MARYLAND LOCAL 561-0200





All of our ribbons are manufactured to exceed your original equipment manufacturers specifications.

NCRC GUARANTEE

We will never knowingly disappoint you. If for any reason your purchase does not give you complete satisfaction, the full purchase price will be cheerfully returned immediately upon return of the merchandise.

9566 Deereco Road • Timonium, Maryland 21093

We have a ways he eved that no sile is complete until the customer has received total satisfaction from our products.

Philip E. Berringer President A STATE OF THE PARTY OF THE PAR

No.

# QUALITY SERVICE PRICING

**BUY DIRECT FROM** THE MANUFACTURER

STOP THROWING AWAY YOUR DOLLARS



Description

Price (ea.)

We manufacture our products with the finest matrix inks, premium high density nylon, precision engineered plastics and "Rem" air refrigerated loading equipment.

COLORS . . . BLUE — GREEN — PURPLE — RED (Add \$1.00 To Each Price) Nylon Only

		COLORS BL	UE	Nylon Only
	ARTRIDGE RIBBON			Description Price (ea.)
No.		Price (ea.)	178A	IDS Prism Primary RD/BL/GR/B9.75
289	Alps 2000		178B	IDS Prism Process CY/MA/Y/BL9.75
050	Anadex 9500/9600		286	Mannesmann Tally 853.95
180	Apple Imagewriter II 4	color9.95	285	Mannesmann Tally 864.50
114	Apple Imagewriter/DN		233	MannesmannTally1000/1200/16002.75
102	Brother M1409	4.50	204	Mannesmann Tally 100/120/1603.00
127	Brother M1509/1709	5.50	205	Mannesmann Tally 130/140/1803.50
131D	Burroughs B-9246-3/6	4.95	200	NEC 5500/7700 Nylon Cart2.45
104	Canan A-1200		114	NEC 8023 PC/8024 PC/8027 PC2.95
113	Centronics 150/152		660	NEC Pinwriter P1/P2/P63.60
109	Centronics 350/351/35		661	NEC Pinwriter P3/P73.95
112	Centronics 704/705/75		662	NEC Pinwriter P5 H.D. 3.95
118	Citizen LSP 120D		663	NEC P2200 H.D
169	Citizen MSP 10/20		209	Okidata 182/183/192/1933.95
167	Citizen MSP 15/25		206	Okidata 292
123	Comrex 420		208	Okidata 293/2945.60
114	C. Itoh 1550/7500/851		217	Panasonic KXP 1080/1091/10936.90
120	Data General LP2		226	Radio Shack DMP 400/LPVI2.95
130	Data Products M-100L		235	RadioShackDMP100/LPVII/TRS80LPII 3.95
131D	Data Products B-300/		282	Radio Shack/DMP 1303.75
137	Data Products B-900/	10006.50	282	Seikosha SP800/10003.75
135	Data Royal 5000	2.60	261	Star Micronics NB/NL/NP/NX 103.60
990	Datatrol/LRC MP40	4.15	264	Star Micronics NL/NP/NX 155.20
135	Data South 180/220/5	1802.60	266	Star Micronics NX10004.95
160	Dec LA 34/100/210 Le		262	Star Micronics Radix 10/SR 103.60
114	Dec LA 50	*	263	Star Micronics Radix 15/SR154.10
156	Diablo 1660/2300 Mate		290	Star Micronics SD10
153	Diablo Hytype II Nylor		291	Star Micronics SD15
280	Epson EX 800/1000		135	Telex 287D/287D2 2.60
165	Epson FX/MX/RX 70/8		242	Texas Instruments 850/855
167	Epson FX/MX/RX 100/		243	Texas Instruments 860/8653.20
288 289	Epson Lq 800/Lq 850 I		245	Toshiba P321/P341/P3513.10 Toshiba P1340/P1350/P13513.10
	Epson Lq 1000 H.D		245	
163	Epson Lq 1500		135	Tritel
281	Epson Lq 2500 H.D		131D	
175	Epson LX 80/90			CARTRIDGE RIBBONS - FILM
226	Facit 2301/4512/4514.			(correctable / multi-strike)
133	Facit 4500/4510/4511/		306-	Brother EM60/100/200 Corr3.50
135	Facit 4520/4525/4526/		307-	Brother HR15/25/35 M/S3.75
991	Fujitsu DMPG 9/DX21	00-22003.95	227-	CPT Rotary 8/9 M/S2.95
171	General Electric 300/3	41/W/I35.00	158-	Diablo Hytype II M/S2.25
146	Hewlett Packard 2608	18.65	317-	Diablo Xerox Memorywriter3.50
145	Hewlett Packard 2631/	A10.95		- Epson DX 10/20/35 M/S4.40
231	Honeywell 1500/7023/		168-	·
181	IBM 3287/3615 Sil.Dol			
195	IBM 3287/3619 Silver I		1900	EM-IBM5218/5219 Displaywriter
182	IBM 3288 1/2" Harmon		000	M/S OEM11.25
185	IBM 3776 3/4" Harmor			IBM 6240 M/S1.75
188	IBM 4201 ProPrinter II			EM-IBM Quietwriter N/C10.95
			740-	IBM Wheelwriter Corr3.50
176	IBM 4202 ProPrinter X		730-	IBM Wheelprinter M/S7.90
177	IBM 4207 ProPrinter X		320-	IBM Selectric II H.Y. Corr1.55
211	IBM 4208 ProPrinter X		2020	EM-NEC 2000/3500/8800 Flip M/S11.60
198	IBM 5224 Baseball Bat			"CALL US FOR VOLUME
178	IDS Prism Black 132/2	080/21323.50		
				DISCOUNT PRICING"

1/8A	IDS Prism Primary RD/BL/GR/B	
178B	IDS Prism Process CY/MA/Y/BL	9.75
286	Mannesmann Tally 85	3.95
285	Mannesmann Tally 86	4.50
233	MannesmannTally1000/1200/1600	2.75
204	Mannesmann Tally 100/120/160	3.00
205	Mannesmann Tally 130/140/180	
200	NEC 5500/7700 Nylon Cart	
114	NEC 8023 PC/8024 PC/8027 PC	
660	NEC Pinwriter P1/P2/P6	
661	NEC Pinwriter P3/P7	
662	NEC Pinwriter P5 H.D.	
663	NEC P2200 H.D.	
209	Okidata 182/183/192/193	
206	Okidata 292	
208	Okidata 293/294	
217	Panasonic KXP 1080/1091/1093	
226	Radio Shack DMP 400/LPVI	
235	RadioShackDMP100/LPVII/TRS80LPII	
282	Radio Shack/DMP 130	
282	Seikosha SP800/1000	
261	Star Micronics NB/NL/NP/NX 10	2 60
264	Star Micronics NL/NP/NX 15	
266	Star Micronics NX1000	
262	Star Micronics Radix 10/SR 10	
263	Star Micronics Radix 15/SR15	
290	Star Micronics SD10	
291	Star Micronics SD15	
135 242	Telex 287D/287D2 Texas Instruments 850/855	
243		
245	Texas Instruments 860/865 Toshiba P321/P341/P351	
245	Toshiba P1340/P1350/P1351	
135		
131D	Tritel	4.05
1310	Univac 0789/0790	4.90
	CARTRIDGE RIBBONS - FILM	
000	(correctable / multi-strike)	
306-	Brother EM60/100/200 Corr	
307-	Brother HR15/25/35 M/S	
227-	CPT Rotary 8/9 M/S	
158-	Diablo Hytype II M/S	2.25
317-	Diablo Xerox Memorywriter	
	Epson DX 10/20/35 M/S	
168-	Facit 4560/8000 Corr	4.75
1960	EM-IBM5218/5219 Displaywriter	44.05
000	M/S OEM	
222-	IBM 6240 M/S	
	EM-IBM Quietwriter N/C	
	IBM Wheelwriter Corr	
	IBM Wheelprinter M/S	
320-	IBM Selectric II H.Y. Corr.	
2020	EM-NEC 2000/3500/8800 Flip M/S	11.60
	"CALL US FOR VOLUME	
	DIAGOLINE BRIGHTON	

MO.	Description Price	4
201-	NEC 5500/7700 Spinwriter M/S	2.50
303-	Nakajima Corr.	3.50
304-	Nakajima M/S	
334-	Olivetti ET 201/121 Corr	
	- Olivetti ET 121/351 M/S	
222-	Qume I/Sprint 3/5 M/S	
	- Qume III Quick Load	
219-		
227-	Ricoh 1300/1600 M/S	
251-	Wang System 5581/6541 M/S Matrix	.2.95
1	WIN SPOOL HIBBONS - NYLON	
445-	Burroughs 9245/9247 5M	15.95
453-	CDC 100/200/300	4.75
450-	Centronics 100/300/500	3.75
453-	Data 100/300/400	
454-	Decision Data 6807/6811/6814	
455-	Dec writer LA 30/36	
456-	Dec writer LA 120/180	-
480-	Facit 4540/4542 Black	
462-	IBM 3262/5262	
465-	IBM 3525 T/S	3.00
463-	IBM 5211	3.75
464-	IBM 5225/5250/5280	14.50
470-	Okidata 80, 82, 92, 93	1.25
471-	Okidata 84,94	
467-	Printronix 150/300/600	
	- Seiko Universal Black/Red	
470-	Star Micronics Gemini 10/10X	
_	Texas Instruments 800/810/815	
455-		
456-	Texas Instruments Omni 820	
401-	Wang 2221/5521	2.75
	WIDE COMPUTER RIBBOHS	
00000		7.00
	P-BST 14"x10 yds	
	Burroughs 9246 15"x20 yds	
	P-Control Data CDC 15"x25 yds	18.75
0256F	P-Data Products 2230/2330	
	15"x15 yds	13.75
0276F	P-Data Products 2400 141/2"x15 yds	13.75
0356F	P-Documation 1200 15"x20 yds	15.95
	P-Honeywell Pru 1200 17.6"x22 yds	
	P-Hitachi 15"x20 yds	
05588	P-IBM 1403/3203/4245 14"x20 yds	13.25
00000	P-IBM 3211/Documation 17"x20 yds	16.25
	· ·	10.23
0/30/	P-IBM 4248 w/Imposer Strip	10.50
00501	18½"x20 yds	
	P-Univac 0770 15"x55 yds	
0976F	P-Univac 0776 15%"x20 yds	16.50
	LASER PRINTER SUPPLIES	
	LASER PRINTER SUPPLIES	
	A-Cannon/Hewlett Packard	
	Laser Cartridge	89.00
92295	A-Cannon/Hewlett Packard	

*This is only a partial list of our products.

**CIRCLE 344 ON READER SERVICE CARD** 

\$5.00 shipping and handling charge on all orders under \$50.00 Over \$50.00 actual freight is charged.

Laser Jet II Cartridge.....89.00

See why corporations such as General Motors, Mobil Oil, AT&T, MCI, Eastman Kodak, the entire U.S. Postal Service and thousands more are now using National Computer #1880/45" brand products

# Arlington Computer Products gives you the best prices on IBM PCs...

# IBM AT

1.2 Floppy, 512K. 40 MB Hard Disk w/Monochrome Monitor ... \$3295 

# IBM XT

CALL FOR CUSTOM CONFIGURATIONS

# IBM PERSONAL SYSTEM II

Model 30, 2 floppies w/Monochrome Monitor	\$1475
Model 30, 20 MB w/Monochrome Monitor	\$1899
Model 50, w/Monochrome Monitor	\$2875
Model 60, w/44 MB and Monochrome Monitor	\$3595
Model 60, w/70 MB and Monochrome Monitor	\$3995
Model 80, w/44 MB and Monochrome Monitor	\$4595
Model 80, w/70 MB and Monochrome Monitor	\$5249
Model 80, w/115 MB and Monochrome Monitor	\$8295

# and COMPAQ too!

# COMPAQ 286

DESKTOP — 1 Drive 640K, 40 MB, Monitor	\$2495
PORTABLE II MODEL IV — 1 Drive 640K, 20 MB	\$2850
PORTABLE III — 1 Drive 640K, 20 MB	\$3649
w/40 MB	\$4175

# COMPAQ DESK PRO

1 Drive, 640K, 20 MB Green or Amber Monitor ..... \$1695

# COMPAQ 386

Model	40 (16 MHZ)	\$4195
Model	w/60 MB-20 MHZ	\$5499
Model	w/130 MB-20 MHZ	\$6849
Model	w/300 MB-20 MHZ	\$9295

# COMPAQ PORT. 386

Model	40		۰	٠				i		4		\$5699
Model	100											\$7195

# COMPATIBLE SYSTEMS

# AST PREMIUM 286

10 MHZ keyboard switchable clock speed, 512K Ram, 1 floppy drive, 40 MB hard disk, parallel and serial ports, clock calendar, monochrome graphics adaptor, monochrome monitor.

\$2299

# DRIVES & TAPES

360K Floppy for PC \$99	SEAGATE HARD DISKS
360K Floppy for AT \$115	20 MB for XT (ST225), \$279
20 MB Tape for XT. \$339	30 MB for XT (ST238), \$299
20 MB Tape for AT. \$339	40 MB for AT (ST251), \$389
40 MB Tape for AT	40 MB for AT (ST251-1)\$479
or Compaq 386 \$459	80 MB for AT \$829
EVEREX	PRIAM HARD DISKS
60 MB Internal \$679	40 MB\$679
60 MB External \$679	60 MB \$819
	130 MB\$1999
ION	1EGA
	ller\$1489
20 + 20 Bernoulli w/Control	ller \$1829
External 51/11 for PSII	\$259
PLUS hard card 20 MB	
PLUS HAID CAID 40 MID	· · · · · · · · · · · · · · · · · · ·

# VIDEO BOARDS

ATI EGA Wonder	\$189
ATI VIP	\$269
Compaq VGA	
Everex EGA Autoswitch	
Genoa Super Hi Res	\$289
Graphics Card	
Hercules Graphics Plus	\$179
NEC GB1	\$199
Paradise Autoswitch 480.	\$169
Paradise VGA	\$189
Quadram Prosync	\$209
STB EGA Plus	\$239
Vega Deluxe	\$239
Vega VGA	
MICE	

Mouse Systems	\$99								
Microsoft	. \$109								
Logitech	\$74								

# MONITORS

AMOEK
310A \$129
410A \$149
600 \$349
722 \$439
PRINCETON
MAX12 \$149
HX12 \$415
HX12E \$449
Ultrasync \$529
IBM
8502 \$199
8512 \$449
8513 \$519
NEC Multisync II \$579
NEC Multisync Plus \$879
SAMSUNG Color \$259
SONY Multiscan \$599

Arlington omputer roducts inc.

ARLINGTON HEIGHTS, IL 60005

FOR ORDERS & SYSTEMS QUOTES:

00-548-5105

CUSTOMER SERVICE AND IN ILLINOIS 312-228-6333

SHIPPING 312-228-6333

TECHNICAL ASSISTANCE 312-228-1470 FAX 312-228-0516

Prices and Availability Subject To Change Without Notice

# Bringing you the best in IBM compatible peripherals since 1984.

# OUR EPSON PRINTER PRODUCTS ARE SO GOOD WE NEED TO SHOW THEM OFF!

LX 800	FX 286E	LQ 850	EX 800
\$189	\$419	\$519	\$399
FX 86E	LQ 500	LQ 2500	LQ 1050
\$299	\$319	\$809	\$719

-					
PRIN	TERS				
EPS	ON				
LX 800 \$189	LQ 1050 \$719				
FX 86E \$299	LQ 500 \$319				
FX 286E \$419					
LQ 850 \$519					
OKIE	DATA				
192 Plus/193 Plus	\$339/\$449				
292 w/Module					
293 w/Module					
393					
Laser Line 6	\$1449				
TOSHIBA					
321 S/L/341 S/L					
351 SX					
	С				
P6 \$435					
3550 \$729	P9XI \$1049				
P5XL \$859	P2200 \$349				
PANAS					
1080 1 \$189					
IB.	194				
Quietwriter III					
Proprinter II					
Proprinter X24					
Proprinter XL					
Proprinter XL24	\$739				
HEWLETT-	PACKARD				

Laserjet II . . . . . . . . . . . . . . . . \$1689 1 MG Upgrade ...... \$339 2 MG Upgrade ..... \$629 MG Upgrade ..... \$1099

# SOFTWARE

Crosstalk	\$109
D Base III Plus	\$379
Framework	\$349
IBM Displaywrite IV	\$299
Lotus 123	\$299
Managing Your Money	
Microsoft Word	
Microsoft Excel	\$329
Multimate Adv. II	
R Base System V	\$409
Smartcom	
Symphony	
Ventura Desktop Publ	
Volkswriter III	
Word Perfect 4.2	
Word Perfect Library	
Wordstar 2000+	
	1200

# MODEMS

		H	AY	4	S							
1200												\$289
1200 B	Alone											\$259
1200 B	w/So	ftwa	ire									\$289
2400											٠	\$429
2400 B												\$429
Everex	300/1	200	W/	S	of	tv	٧٤	ar	е		e e	. \$99
Everex	2400	Inte	rna	tl.							0	\$179
Everex	2400	Exte	erna	al		0 (				-	B	\$249

# MULTIFUNCTION BOARDS

Everex Magicard 384K	\$169
AST 6 Pack w/384K	\$229
AST 6 Pack Premium w/256K .	\$219
AST Advantage	\$259
AST Rampage PC w/256K	\$239
AST Rampage AT w/512K	\$399
Orchid Tiny Turbo	\$279
Intel Above Board PC	\$239
Intel Above Board PC P/S	\$279
Intel Above Board AT	\$329
Intel Above Board AT P/S	\$349
Irma Board	\$695
AST 5251-11	\$529
AST 5251-11 Plus Enhanced	\$599

# CHIPS

64K Ram Chips	for \$25
256K Chips eac	h \$11.50
8087-3	\$109
8087-2	\$149
80287	\$159
80287-8MHZ	\$249
80287-10MHZ	\$289
80387-16	\$469
80387-20	\$739

# * ISSUE HIGHLIGHTS *

AST RAMPAGE AT W/2 MEGABYTES \$649

**Arlington** 

**EVEREX 300/1200** ODEM W/SOFTWARE

omputer

**NEC MULTISYNC** MONITOR \$579

**SEAGATE 30MB** HARD DISK KIT \$299

MICROSOFT MOUSE \$109

LASERJET II \$1689

MULTISPEED HD

\$2299

NEC MULTISPEED EL \$1599

EPSON PRINTER STAND W/PRINTER PURCHASE

S15

D BASE III \$379

FOR ORDERS & SYSTEMS QUOTES:

**800-548-5105** 

CUSTOMER SERVICE AND IN ILLINOIS 312-228-6333 SHIPPING 312-228-6333

TECHNICAL ASSISTANCE 312-228-1470 FAX 312-228-0516

Products, inc. ARLINGTON HEIGHTS, IL 60005

Prices and Availability Subject To Change Without Notice

# SYSTEMS

# THE "TURBO PC/10 # 640K BASE SYSTEM

AT style keyboard • IBM Compatible Bios - Mitsubishi Floppy Drive • 4.77-10MHZ 150 Watt FCC approved power supply • AT style case w/keylock, LED indicator & reset switch

· Monitor & TTI mono



board (optional) 84303500 PC/10 w/640K/1 Floppy/20MB HD (84303520) ...... *388*

ership Special—Free Configurations On All THE" cts. 3.5" Drives Available.

# LAPTOPS T-1200

- 80C86 Processor
   1MB RAM
   20MB Hard Drive
   720K 3 5" Disk Drive
   Parallel/Serial Port
   LCD Super Twist
   MS-DOS Included



TO ----BA T-1000 Laptop w/512K RAM, 720K 3.5° Driver .. 1-3100/20 Laptop w/640K, 3.5° 720K

Drive, 20MB Hard Disk

TOSHIBA T-5100 w/2MB RAM, 40MB Hard Disk 1 44MB Drive

# LASERS

**NEC SILENTWRITER** 





LC808 Toner Cartridge (6 Pk)

HEWLETT-PACKARD LASERJET SERIES II

Your Laserjet Senes II can handle all your printing needs-from postcard size to 8.5"x14" sheets.

# 8% WHOL



LOTUS DEVELOP. Symphony 2.0 + MERIDIAN TECH. Carbon Copy Plan MICROPON INTER. 4. GWOOTSTA PTO! MICROSOFT "C" Compiler MICROSOFT "C" Compiler MICROSOFT "Excel 222.50" MICROSOFT CARL ABSIC 4.0 Windows ISOFT Works | mm 100.00" | mm 108.50

PETER MORTON Unities-Advanced QUARTERDECK DFFICE SYS. Desquiew WHITE CRAME SYS. Brooklyn Bridge

WORDTECH SYSTEMS D B X L 80.00° XEROX CORP. Ventura Publisher 459.00° 00FTUNIE MINIABLE III 3 1/2" INEBIA. CALL FOR PRICES.

-	THE	131 - 001
	IOMEGA Bernoulli II 20MB Int	902.08"
	WWW 64M8 Int Tape for 8M PS/2	545.00°
	INWIN 145 40MB Internal Tape	395.00°
	MAXTOR 380MB Int ESDI HD 1	,299.00°
-	M s f	
	MINISCRIBE 3675 60MB HD KIL	460.00°
	MINISCRIBE 6085 71MB Full Ht	739.00°
	MINISCRIBE 6128 110MB RLL Full HI	885.00°
	PLUS DEVEL. Hardcard 20	499.00°
	PLUS DEVEL. Hardcard 40	639.00°
	PRIAM 230MB 12MS Hard Disk	2,100.00*
	PRIAM 330 Int ESDI Hard Disk	3,100*

SEAGATE ST-4096 BOMB Full Ht SEAGATE ST-225 20MB Hd Disk 645.00° 250.00°

# DRIVES

175 00 1100 981.00° 269.00° 399.00° AMDEK Laser Drive 1 CD-ROM CMS Int 20MB HD w CHI-PS2 CMS Same as Above w 40MB CMS 360k Ext PS2 Floppy MITSURISM 3 1/2" w/2MB FD MITSURISM 360K 1/2 Ht Dr

LOGITECH Logimouse - LOGITECH Hi-Res Mouse	'79.00°
MICROSOFT Bus Ser Mouse w Paintbrush	83.50*
MICROSOFT Bus/Ser Mouse in Windows CENTRAL PT Deluxe Option Brd	125.00°
CURTIS Ruby + w/Fax Protecto KENSINGTON Masterpiece +	99.00°
MACH III Mach III Joystick THE COMPLETE PC Complete i PTI Datatrinio S (0)	30.25° ax 296° 52.00°
FUN 3 1/2" DS-HD Box of 10 TRIPP LITE IBAR 4-6 Prot THE" 101-Key Keyboard	48.00° 50.00°
THE" 150 Watt P/S (XT) THE" 200 Watt P/S (AT)	99.00°
DISKETTES 3 1 2 DS:HD (10) DISKETTES 25) HI Den -IBM A	
DIENETTER . SOL 5. 4 DC DD	17 50*

Pull Selection of Toward & Printer Ribbons. Call for Information.

Component avail	- Mire,
AST Premium 286 Model 80 AST Premium 286 Model 120 AST MENY 386 (All Models)	*1,527.50* 2,137.32* CALL
COMPAQ Deskore 286 4. 48 COMPAQ Deskore 386 60MB	2.325 00 5,165.00
COMPAQ Portable III MDL 40	6,530.00° 3,964.25°
IBM PS/2 Model 50 IBM PS/2 Model 80-41	2,475.00° 4,100.00°
Call For Best Pricing On Other	1,495° Models
MATH CO-PROCESS	ORS
WITEL 80287 10MHZ Co-Processor	1200 001

	MAI	H CO-PROCESS	ORS
,		80287 10MHZ Co-Processor 80287 8MHZ Co-Processor	299.00° 235.00°
-	INTEL ILTE	80387-16 Co-Processor	475.00°

A.T.I. VIP VGA 800 x 560 MERCULES Graph cs Card Plus MERCULES IN COLOR CARD PARADOSE VGA Plus Card VIDEO 7 Vega Deluxe 640x480 THE " Color Card THE " H720 Mono Card

# SHARP FAX FO-300

Sharp's deluxe full-featured compact fax with automatic dialing automatic document feeder 18 second transmission & programming polling turnaround polling-

SMARF F020 Fax Paper Box of 6 Rolls 122.00*

HEW

"594.00"

KI.50*

Call For Best Prices On Other Models.

SHARP Z-50 Copier SHARP Toner Cartridge

GUSTON INSTRUMENTS All Models UNINAGRAPHICS 1229.001 SUMMADRAPHICS pasketch (12x18) 989.001 Call For Best Prices On Other Models.

*RENT SOFTWARE BEFORE YOU BUY

Members are eligible to join The NEW PC NETWORK's Business and Game Software Rental Libraries to evaluate products for a full "4 days or 30 days to see if they meet your needs. Just 35" of THE MEMBER WHOLESALE PRICE "We feature hundreds of new titles."

PRICES SHOWN ARE WHOLESALE AND

A 3% CASH DISCOUNTTHE NEW PC

AND MEMBERS PARTY OF ABOVE THE FL. S SHIPPING & HAND

Minimum shipping \$4.00 per order International orders call for shipping & handling charges. Money orders, personal and company checks please allow 7 working days to clear All prices subject to change. Products subject to availability.

THE™ CAPTAIN 286/12 #



 512K Expandable to 1MB on the Motherboard • 6-12Mhz • Keyboard/ Toggle Switch Selectable • 1.2MB Mitsubishi Floppy - Hard Disk/ Floppy Controller • Phoenix Bios . 101 Key "AT" Style Keyboard

Monitor & Video Board Optional

a Special — Free Confl n All THE ' Syste

		CITIZ	EN	
	1500			*145.00*
	MSP-50	350.00°	Trib. 224	569.00*
	MSP-45	379.00°	From. 35	430.00°
		EP30	OM	
-	LX800			185 00
	LOSOO FX200E	GALL	LQ1050 . Examp	CALL
		NE	0	
	LC068+			1,752.32*
	5200	CALL	P830	
	P5300			CALL
M	P2200 Do	t Matrix		314 00"
		OKID	ATA	
-	Laserline	5		1 225 00
		459.00°	ML294+	896.08*
	ML 383	889.DG*	ML 292 -	340.00*
		PANAS	ONIG	
-	10911 MDI	L Z		185 00
	10001		************	154.33*
	19821	297.90°	1592	300.00*
		TOSH	LUDA	

10,000 PRODUCTS IN STOCK

**GENERAL** THE  $^{\text{tm}}$ 386/16 🗲



• 1MB RAM • 32 Bit 16MHz Operation • 200 Watt Power Supply

- . 101 Key 'AT' Style Keyboard
- 1.2MB Mitsubishi Floppy Drive Western Digital Hard/Floppy
- Controller Phoenix Bios Monitor & Video Board Optional

000* 84304510

hip Special—Free Co On All THE!' System

			modern 1200	
			w/Smartcom	
	HAYES	2400B	w Smartcom	
2000	110		_	
-	1 141		M	~
2000	1 - ( )			
-	181	-	~	
-	1111	-01		

259.00° 259.00° 309.00°

# MULTIFUNCTION CARDS

AST Six Pack Premium ORCHID Tiny Turbo 286 Of Hittl	185.00 239.00 34 NO
THE RESERVE OF THE PARTY OF THE	61 00
(31)	89 00
1(1)	59 00
1 Hz	49 00

### THE * Amber 12 TTL AMDEK 825.80* 1280 730V 353.004 IBM

8512 420 00° 8513 510.00 **MAGNAVEX** 8762 14" Color RGB 249.081 MITSUBISM EGA 1430C (640x350)
MITSUBISM Diamond Scan MEC Multisync GS MEC Multisync Plus 175.00° 789.00° **PRINCETON** 

PCM078

Corporate Order Hotline 1-312-280-0002

1-800-621-S-A-V-E

TECH SUPPORT: 1-312-280-0280 CUSTOMER SERVICE: 1-312-280-1567 Fax: 1-312-943-6010 Telex: 510-601-5955

Monday-Friday: 8:30AM-6:00PM Saturday: 10:00AM-4:00PM

The NEW PC NETWORK 320 West Ohio, Chicago, Illinois 60610




# Mail Order Electronics - Worldwide

# QUALITY PRODUCTS

 COMPETITIVE PRICING • PROMPT DELIVERY ORDER HOTLINE **ALL OTHER INQUIRIES** 



# IBM PC/XT/AT Compatible Cards



JE1050

Gra	phic	Display	Cards
OI G		DISPIRE	valus

JE1071	Multi I/O with Drive Controller and Mono Graphics (PC/XT) \$119.95
JE1055	EGA Card with 256K Video RAM (PC/XT/AT) \$169.95
JE1052	Color Graphics Card w/Printer Port (PC/XT/AT) \$49.95
JE1050	Mono Graphics Card w/Printer Port (PC/XT/AT) \$59.95

# Multifunction, I/O and Expansion Cards

JE1060	I/O Card i	with Seria Real Time	I, Game Clock	, Paralle (PC/XT)	l Pr	inte	er • •	 * •	\$59.95	j
										4

JE1061	RS232 Serial Half Card (PC/XT/AT)	\$29.95

	I/O Card with Serial, Game and	
JE1065	Parallel Printer Port (AT)	\$59.95

384K Multifunction Card (zero-K on-board)	
ooth Mathaneton Cara (2010-11 on-board)	
Includes Serial, Game, Parallel Printer Port and	

JE1078	Real Time Clock (PC/XT)	\$69.95
JE1080	576K RAM Card (zero-K on-hoard) (PC/VT)	\$49.95

	Or of the Card (2010 Roll-board) (FO/AT) 1111 G-1010
	2MB RAM Card - expanded or extended
1E4004	0400 05 0440 0

9E 1001	memory	(2010-N	on-board	) (MI)	<b>\$125.53</b>	\$115.55
	3MR M	ultifunction	Cord -	avpanded	or extende	d momon
	DIAID IAIC	mindification	Card -	expanded	OI extelline	u illellioty

JE1082	(zero-K on-board).	Includes Piggyback , Serial and Game Por	board	
		The tripulation of		

# Floppy and Hard Disk Controller Cards

JE1040 360KB Floppy Disk Drive Controller Card (PC/XT) \$2	29.95
------------------------------------------------------------	-------

JE1041	20/40MB Hard Disk Controller Card (PC/XT) .	\$79.95

JE1042 30/60MB RLL Hard Disk Controller Card (PC/XT) , \$99.95

JE1043 360K/720K/1.2MB Floppy Disk Cont. (PC/XT/AT) \$49.95

JE1046 20/40MB Hard Disk Controller Card (AT) . . . . \$129.95

# Jameco's IBM PC/XT/AT Compatible Motherboards

Award BIOS ROMs included

JE1001	4.77/8MHz (PC/XT) \$ 99.95
JE1002	4.77/10MHz (PC/XT) \$119.95
JE1007	6/8/10/12MHz (AT) \$349.95

Shipping: Add 5% + \$1.50 Insurance

California Residents:

Add 6%, 61/2% or 7% Sales Tax

FAX 415-592-2503

**U.S. Funds Only** 

(May vary according to weight)



JE1002

# RAM, V20 and Intel Math Coprocessors

********	TEO GITO III IO III GODIO GOGO GO
*4164-150	65,536x1 (150ns)\$3.25
*41256-120	262,144x1 (120ns)\$13.95
*41256-150	262,144x1 (150ns)\$12.95
UPD70108-5	(5MHz) V20 Chip (Replaces 8088)\$7.49
UPD70108-8	(8MHz) V20 Chip (Replaces 8088 or 8088-2) \$8.95
8087-2	Math Coproc. PC/XT and Compat. (8MHz) \$159.95
80287-10	Math Coproc. AT and Compat. (10MHz) \$309.95

\$20.00 Minimum Order IDM is a registered trademark of International Business Machines

VISA"

Seagate 20,30,40 ST225XT and 60MB Half Height (Pictured) Hard Disk Drives

	rigid blan billion	В
ST225	20MB Drive only (PC/XT/AT) \$224.95	1
ST225XT	20MB with Controller (PC/XT) \$269.95	
	30MB Drive only (PC/XT/AT)	
ST238	(RLL Controller Needed)\$249.95	
ST238XT	30MB with Controller (PC/XT) \$299.95	
ST238AT	30MB with Controller (AT) \$389.95	
ST251	40MB Drive only (PC/XT/AT) \$429.95	
ST251XT	40MB with Controller Card (PC/XT) . \$469.95	
ST251AT	40MB with Controller Card (AT) \$539.95	
	60MB Drive only (PC/XT/AT)	
ST277	(RLL Controller Needed)\$499.95	





# IBM PC/XT/AT Compatible Floppy Disk Drives

ST277AT 60MB with RLL Controller Card (AT) \$639.95

JE1020 360K (PC/XT/AT) Drive (Blk. Bezel) . . \$89.95 JE1021 360K (PC/XT/AT) Drive (Beige Bezel) \$89.95 JE1022 1.2MB (PC/XT/AT) Drive (Beige Bzl.) \$109.95



# Toshiba 3.5" Internal Floppy Disk Drive For IBM PC/XT/AT and Compatibles

• 720KB (PC/XT/AT) • Compatible with JE1043 controller card (left) • Installation Kit and bezels included

352KU.....\$129.95

# IBM PC/XT/AT Compatible Monitors

12" Amber Monochrome -TTL Input, High Resolution

AMBER.....\$99.95

14" RGB Color - CGA Compatible Amber/Green/ Color Switchable, 640x200 Resolution TTX1410. . . . . . . . . . . . . \$279.95

14" EGA Color - EGA/CGA Compatible, 720 x 350 (max.) Resolution TE5154. . . . . . . . . . . . . . . . \$399.95



# IBM PC/XT/AT Compatible Keyboards

Tactile touch keyswitches

 Switch selectable between PC/XT or AT

 Illuminated Caps Lock, Num Lock and Scroll

Lock indicators Manual included



· Enhanced keyboard layout · 12 function keys · Illuminated LED indicators for Num Lock, Caps Lock and Scroll Lock · Separate cursor pad · Automatically

switches between PC/XT or AT · Manual included 





Regular List \$789.65 **SAVE \$99.70!** 

JE2009* IBM AT Compatible Kit. . . . . . . . \$689.95 JE2009 Technical Manual..... \$29.95 "RAM not included -- Minimum RAM configuration 512K (41256-120 RAM Chips -- see left)

> **Prices Subject to Change 'DRAM's Subject to Frequent Price Changes**

> > Send \$1.00 Postage for a FREE 1988 CATALOG

Telex: 176043 < 1988 Jameco Electronics

1355 SHOREWAY ROAD, BELMONT, CA 94002 • FOR ORDERS ONLY 415-592-8097 • ALL OTHER INQUIRIES 415-592-8121





Low power drives mean less strain on the power supply lowe operating temperatures, and longer component life FREE SOFTWARE Including TakeTwo, the backup utility PC MAGAZINE Editor's Choice in 1986 & 1987, & PC-KWIK disk

cache software from Multisoft

21MB **30MB** 85ms 85ms \$299 \$339

40ms \$389

70ms \$449

28ms* \$549

16ms \$649

rage access speed per partition TANDY 1000/A/SX/TX Leprecards add \$20

# 3.5" Floppy

instant Laptop & PS/2 compatibility. All kits include bracket to mount in 51/4" drive bay, black & grey face plates, and AT rails

Now included TakeTwo, the backup utility PC MAGAZINE named as their Editor's Choice

\$119

720K Internal for PC/XT/AT Requires DOS 3.2 or optional \$19 driver software

\$149

1.44 MB Internal for AT only, includes driver software

\$249

1 44MB Internal for PC/YT Includes high speed floopy Controller & cables Supports two drives

# PC/XT Disk Kits

- Pretested & formatted
- Western Digital short controller • 30 page installation guide & reference
- manual Cables, mounting screws full & half-height
- face plates TakeTwo backup software,
- PC MAGAGINE "Editor's Choice"
- PC-KWIK disk cache software by Multisoft • 1 year Warranty, 30 day Money Back Guarantee
- Optional, 150 watt, UL/FCC approved power supply for IBM PC's \$69

TANDY 1000 kits add \$20

# 20MB kit

**\$289** 

Seagate 57225 21 4MB/65ms/Half-Height/14 8 watts

# 30MB kit

Seagate ST238 32 7MB/65ms/Half-Height/148 watts

40MB kit

Seagate ST251 42 BMB/Half-Height/11 watts pre-formatted into a pair of 21MB/28ms partitions

# 65MB kit

**S549** 

Seagate ST277R 65 5MB/Half-Height/11 watts pre-formatted into a pair of 32MB/28ms partitions

# 28610 Computer

80286 processor at running at 6/10 Mhz with 0 wait states provides a Norton SI rating of 11.5. 8 slots -Room for 1 full height and 3 half - height drives -200 watt power supply - Clock calendar - Choice of 1.2 or 1.44MB floopy drive - Combination Hard

Disk/Floppy drive controller - Maxiswitch 84 or 101 key Keyboard - 512K RAM standard expandable to 1 MB - Award BIOS - 1 year warranty - 30 day money back guarantee.

# Complete Systems with Serial/Parallel/Game Ports:

\$1095 Monographics Card & Monitor with 20MB/65ms Seagate **S1289** 

\$1429 with 40MB/40ms Seagate \$1549 with 65MB/40ms Seagate

Orchid VGA & NEC Multisync II

with 20MB/65ms Seagate with 40MB/40ms Seagate

with 65MB/40ms Seagate

\$1995 **S2189** \$2329

**S2449** 

# 1.5 MB Laser Printer

"One of the Laseriet's strongest competitors." INFOWORLD October 5, 1987

512K RAM

1.5MB RAM

\$1295

\$1595

- ●100% HP Laserjet, & Laserjet + compatible
- ◆1 5MB RAM Gives Full Page 300dpi graphics
- Vector graphics capability improves speed on programs like Autocad up to 93%
- 9 resident & 5 downloadable soft fonts standard



- Printer utility software
- Serial & Parallel Interfaces
- 120 day TRW on site maintenance
- 1 year Warranty
- Options. All HP style font cartridges Toner Cartridge \$29

# AT Hard Disk Kits

- Includes IBM AT rails & cables
- SpeedStor or OnTrack large drive software
- Formatted, Partitioned & Tested

Size	Model	Speed	Capacity	Price
HH	Seagate ST251	40ms	42 8MB	\$399
1999	Seagate 5T251-1	30ms	42 8MB	1489
FH	Seagate ST4096	28ms	80 2MB	\$749
PH	Micropolis 1333	30ms	44MB	\$555
PH	Micropolis 1335	28ms	71MB	\$100
FH	Maxtor 1140	27ms	117MB	\$1669

# Orchid

Designer VGA 1024x768 \$299

Tiny Turbo 286 \$289

Twin Turbo \$409



2524B Townsgate Road, Dept. P. / Westlake Village. CA 91361

Toll Free 800-722-AT-XT

California 805-373-7847



MMC

- * No extra for Visa/Mastercard (AMEX add 3%).
- * Prices include UPS surface shipping.
- * Federal Express shipping just \$1.50 per pound.
- * 30 Day Money Back Guarantee.
- * Corporate & Institutional PO's accepted.



- Hayes Compatible, 300/1200/2400
- MNP level 4 error correction
- FREE MIRROR II Software, a \$69 value
- •Internal model \$229, fits in short slot

Internal with MIRROR II (non MNP) \$139



Made in USA, 1 year warranty

# It's Easy Deciding Why to Buy CEC Personal Systems...

# It's even Easier **Deciding Where!**

The CEC Computer Warehouse. We offer you all you could want in a personal computer. Our AT's and 386 machines offer power, compatibility, technical support, service, and great prices!



Our System 1: Portable AT has 80286-10 Micro Processor, 80287 Socket, 512KB RAM, 360KB Floppy Drive, 1.2MB Floppy Drive, Parallel, Serial Port(s), 7 Expansion Slot(s), 101 Key(s) Keyboard \$1449.



Our System 2: Desktop AT has 80286-12 Micro Processor, 80287 Socket, 512KB RAM, 360KB Floppy Drive, 1.2MB Floppy Drive, Monographic/Color Card, Parallel, Serial Port(s), 101 Key(s) Keyboard, 8 Expansion Slot(s). \$1550.



Our System 3: Desktop AT has 80286-10 Micro Processor, 80287 Socket, 512KB RAM, 360KB Floppy Drive, 1.2MB Floppy Drive, Monographic/Color Card, Parallel, Serial Port(s), 101 Key(s) Keyboard, 8 Expansion Slot(s). \$1350

We design, build, and test for your quality assurance. 100%/IBM compatible. Complete software compatibility. Excellent service and warranty. Your satisfaction is guaranteed! Call us today!

# The Comtrek Computer Warehouse

80 Felton Street Waltham, MA 02154 617-894-1202 US 1-800-527-6016 MA 1-800-527-5995

Mastercard/Visa/American Express Accepted

SPECIAL

**GENERIC CADD 3.0** 

- Auto Dimensioning
- Dot Plot
- Drafting ENH 1
- Drafting ENH 2

**VENTURA** PUB. 1.1

\$464

19 LTD OTY

PC & MAC

PRODUCTS NOT LISTED...CALL

**SINCE 1984** 

AST PREMIUM 286/386

NEC MULTISYNC II \$565

DRAFIX 1 PLUS 3D MOD.

PLUS

for DOS

MITSUBISHI

Diamond Scan | 40/70 Mb Disk

PC-FULLBACK \$45

SMART MODEM

1200B int 2400B int TOPS **\$99** 

# PRINTERS . LASERS . SCANNERS

-MAKER

		- 0011111100110	
AST TurboLaser/PS	. Call	1091-M2	\$190
Citizen 120-D	\$130	10921	\$290
180-D	\$157	1524	2574
MSP 15E	\$295	1592	\$300
MSP-40	\$200	1595	2306
MSP 45	<b>#980</b>	2104	\$250
MSP 50	\$360	0.00	
MSP 55	9.440		2386
Premiere 35	\$430	Scanner	
Tribute 124		rsonal Laser (Mac)	31350
Tribute 224		ar Micronics	
Dicenia 150	\$306	NX1000	\$100
#-P Laser Jet Series II		NX15	
JOL 850		ND15	\$375
NEC P.6		NR10	2325
P /		NR15	\$415
P.9		ehiba 321 SL	2400
3510 3550	9710		2000
6810 6850	<b>\$1030</b>	341 SL	
Parasanic 1080i M2	2155	351 SX	\$89
		351.0.2	\$1010

**PANASONIC** 1091i

PFS & HARVARD 60% OFF LIST

# MONITORS . TERMINALS . PANELS

Amdok 1280 w/card \$838	Samsung Call
Hitachi Cell	Sigma Designs
Legitech Multiscan \$440	LaserView 15/19" Call
Mitsubish)	Seny Multiscan 1303 \$549
Diamond Scan 8475	Taxan Call
Others Call	Viking Call
NEC Multisync \$530	VMI Call
Mult sync b	Zenith 1490 Flatscroon \$500
Plus & XI Call	

auriw	ANIE	
CT	Norton Util 40	\$45
utoCad Call	PageMaker \$	429
utoSketch \$50	Paradox 2 0 1	
oeingGraph 30 \$195	PathMinder	\$55
anvas Mac \$93	PC-Fullback	
arbon Copy Plus \$103	Peachtree	
PA+ for Lotus 123 \$199	Accounting II	145
lipper	PFS First Choice	
opy II PC	PFS First Publisher	
Base III Plus	PF5 Professional File 1	129
esqV ew \$89	PES Professional Plan	\$55
rafia 1 Plus \$140	PFS Professional Write . 4	105
ratix 3D Mod Options Call	Q&A	177
5 Back up Plus 133	Q&A Write	
rcel Mac/PC\$178/\$281	Quattro 1	
astBack Backup \$75	R Base for DOS 1	415
01 Base Plus \$179	ShipMate**	
EM Draw Plus \$150	(UPS Manifest) 1	249
eneric Cadd 3.0 \$55	SuperSpool (Mac)	\$36
eneric & Dot Plot 30 \$71	Tops (IBM or Mac)	
eneric Editor Chaice 8119	Turbo Basic	
eneric Options Call	Turbo C	
arvard Graphics 255	Ventura Publishing 11	
arvard Tot Proj Mgr \$317	VersaCad/Libraries	
ighting HD Speedup \$54	WordPerfect 42 1	
otus 123 2 01 8263		
lathCad 2 0 8190	X Tree	
10 Day 2.2 966		

# DICITIZEDO & DI OTTEDO

DIDITIZENO G	LEGITERO
Calcome 1043-GT 20196	MP Options Cal
1023 GT Call	ilitachi
Digit zers Call	11=17 Tablet
Enter Sweet p 600 \$500	15=15 Pro Tablet
Others Call	N-P Plotlers Cal
Housing Instruments	latine Cal
DMF 41 42 \$1980	JDL 850 Cul
DMF 51MP \$3660	Kurta IS 12=12 \$29
DMF 51 52MP \$3150	IS 12=17 \$400
DMF 52 \$2000	
DMF 56A \$3686	Summagraphics 12+12 Plus \$34
DMP 61 \$3295	18+12 Professional \$58
DMP 62 \$4550	
PARTUS	*****

COMPUTERS						
AST Premium 286			T1200			\$239
å 386			T1100 T3100			
<b>REC</b> Multispand			Modem H	M	0 0	. \$171
Multispeed EL			T3100/20			
Toshika 7 1000			T3200			
T1100+		\$1350	T5100			34 11

# intel coprocessors

8087-2 (8 MHz)	5138
80287-8 (< 10 MHz)	5219
80287 10 ( ~10 MHz) .	. \$262
80387 16	\$438
80387 20 (20 MHz)	. \$668

# **BOARDS & NETWORKS**

AST Boards Call	Paradise AutoSwitch
ATT EGA Wonder 8180	EGA 480 \$146
VIP VGA \$240	VGA Plus \$229
Control Sys Artist Coll	VGA Pro \$349
Bonno SuperEGA \$196	ProGrappier
VGA 600×800 \$289	Sigma Designs VGA . \$190
VGA 760=1024 \$300	Tops Flashcard
Brappler CrMac/GS 871	Ultimata EGA+
Nercules Graphics Plus \$100	Autosw P-port \$129
Intel Call	Verticem Cell
WEC G8-1 \$290	Videe 7 Vega
Nevell Aetwork 286 Call	Defuxe w/VGA \$177
Number 8 Call	Vega VGA 8250

RUIAEO . M	UUEMO T IAA
Hayes Call	24008 & SW \$146
Mitsubishi 40 70 Mb 1/2ht	Teshiba 3.5" XT/AT
AT 23-28ms Drive \$400	720k Drive
Songate ST225	360k Drive 5 25
20 w/Card \$288	XT/AT 875
ST.738 30 w Card \$200	US Robotics
\$martMedem 12008 &	Courter 2400
SW int	
107	Desi


Serial Bus	206 Logimouse & Publisher
	HEI PERR

# Logical Connection 256K

MHI Warehouse, Inc.

# P O Box 10261 Phoenix AZ 85064-0261 TOLL FREE credit with order

602-861-1090 Customer Service Hrs 10-3 PT M-F Ordering Hours 7-5 PT M-F 9-2 SAT





CIRCLE 520 ON READER SERVICE CARD

# This Section Is For Serious Buyers

We've rounded up all the direct marketers who want your business and made it easier for you to find them in our Direct Marketing Connection.

Now you can quickly find the right PC products and services, the right price and the right vendor, right here in this special section.



# **FOR** HARDWARE MARKETERS, THE **WORD IS** PC MAGAZINE PULLS BEST


Your competitors know a good thing and they're sticking with PC Magazine. So should you, on a regular basis. Why?

For one thing, 70% of PC Magazine subscribers plan to buy or authorize the purchase of printers in the next 12 months.* PC Magazine is the most cost efficient way to sell PC products and services, whatever you market. You get bigger reach, more pull, and 15% off the general advertising rate. Can you afford not to be in every issue?

*1987 Plan to Buy Study



One Park Avenue New York, NY 10016 (212) 503-5100



Genealogy

Lineage Master & Genealogy Data Base Manager Call GeneaLogic Systems Toll Free 1-800-222-9409

Call Genealogic Systems I Oil Free 1-800-222-9409 If you are looking for fast convenience, user friendlines, intuitive logic and flexible power, Lineage Master® is for you! Self futoring while you are learning, gets you up to speed fast. Automaticilly bypass tutoring as you learn it's commands. No wasted time with endiess menus and constricting data access regiments. Lineage Master® allows you to work the way you think. Flexibility! All family linkage is automatic, no need to remember record numbers!

Lineage Master® is by far the most productive genealogy program available on the market today. Increase your productive genealogy program you might be using. Lineage Master® will accept data from most other popular genealogy data bases.

genealogy data bases.

Lineage Master© has features you will love!

- Command driven with prompts, access all functions with one or five key shokes.
  Conted sensitive on-screen helps
  Automatic family linkage
  Brows among Individuals, families in lutitively.

- injultively

  Electronic Scratch Pad stores selected
- tecords for later recall

  Automated record deletion and retriding

  Auto Child Safer, children are always

- in chronological order

   Jump quickly to any record

   Diffor repetitive names and places when odding new records. Avoid redundant data entry

   Find records FAST, even in large data bases has notified problems.
- by partial spellings Maintoin Blood and Adoptive pedigrees User defined events, change default events to match your needs

- Source citations, event linked documentation
   Event linked notes
   Document both families and individuals

- Instant name sorting, even in large data bases
   Report Generation; single, batched and confinous reports
- Family Groups (cross refermed to pedigrees)
- Pedigrees outomotically numbered
   Alpha sorted individuals
   Alpha sorted marriages
  - User defined reports, design your own reports
     LDS submissions
     Print reports within selected alpha or
- numeric ranges

  Many more

  LDS GEDCOM standard compatible

  Data files compatible with DBASE II & III

  Runs on PC-DOS/MS-DOS, CP/M

- Up to 65.535 person capacity

FREE UPGRADES FOR I YEAR!

We guarantee you will prefer Lineage Master® over any other genealogy program. Take Lineage Master® for a test drive today. If your time is worth anything, at only \$79.00, Lineage Master® is a bargain over other genealogy software at any price.

Endorsed by the British Heritage Forum and professional genealogists Approved for submissions to the LDS Family History Department.

Call foil free, 1-800-222-9409, or write to: GeneaLogic Systems, 140 West 900 South, Orem, Utah 84058

CIRCLE 522 ON READER SERVICE CARD

# WHOLESALE PRICE TO PUBLIC!

# PINECOM 10MHz TURBO 'XT' COMPLETE SYSTEM



- 256K RAM on board (Exp. to 640K)
- 150W power supply (ready for 2 more hard disks)
- Mini AT case w/LED, keylock & reset button
- one 360K floppy disk drive w/controller
- AT style keyboard (84 keys)
- 8088-2 microprocessor
- 8 IBM I/O slots
- TTI amber monitor
- Monochrome graphic card w/printer port
- Add \$200 for RGB color system
- " * Add \$450 for EGA system

Fully Assembled & Tested 1 Year Parts & Labor Warranty... \$49900

# PINECOM 'AT' 286 COMPUTER



- 512K RAM (Exp. to 1MG on board)
- 1.2M floppy disk drive w/controller
- 6/10 MHz clock selectable
- 80286-10 CPU
- 220W power supply
- AT style keyboard (84 keys)
- Clock calendar w/battery backup

CIRCLE 255 ON READER SERVICE CARD

Fully Assembled & Tested 1 Year Parts & Labor Warranty . . . . . .

*The Land Mark Speed Test, Landmark Software Inc.

# VISA

" "Ask us about printers"

SEAGATE ST-238 30MG hard disk w/controller (65ms)

SEAGATE ST-4038 30MG hard disk for AT (38ms)

SEAGATE ST-251 40MG hard disk (40ms) SEAGATE ST-4096 80MG hard disk (28ms)

80386/16 16M/tz processor • enhanced keyboard (101 keys)
1MG RAM on board (exp. to 2MG) • 60MG hard disk drive (28n
1.2M floppy drive • Monochrome graphic card & monitor **386 SYSTEM** 

720 31/2' floppy disk drive (installation available) . . . . Color graphic card w/printer port Monochrome graphic card w/printer port 66,80 EGA card w/printer port . . . . . . . 180.00 EGA Wonder card 228.M 12° monochrome monitor 80.00 12" flat screen monochrome monitor 95.00 14" monochrome monitor 14" RGB color monitor 14" EGA monitor **NEC Multisync EGA monitor** Copy II PC option board (copies all prot. software) 85.80 10.00 Logitech serial mouse w/software 4 serial port card for AT (MS-400-AT) 125.80 4 senal port card for XT (MS-400-XT) 85.80 85,00 300/1200 baud internal modern (short card) 300/1200 baud external modern (Mitsuba) 125.00 EPSON FX-86E 240cps dot matrix 80 col. NLQ EPSON FX-286E 240cps dot matrix 132 col. NLQ. 495.00 EPSON LQ-1000 180cps 24 pm 132 col. NLQ 679.00

OKIDATA ML-182 120cos dot matrix 80 col. MLO.

OKIDATA ML-192 200cps dot matrix 80 coi. NLQ

OKIDATA ML-193 200cps dot matrix 132 col. NLQ

Upgrade kit for your PC/XT to 640K main memory

CITIZEN 1800 180cps dot matrix 80 col. NLQ

NEC V-20 chip

SPECIAL SALE PRICES

319.00

\$15.00 429.00

245.80

306.00

529.80

219.80

TERMS: VISA or Mastercard accepted. COD order on Cashiers Check only. Check shipping charges when ordering. 3% surcharge for all credit card purchases

> TELEX: 5106017376 PINECOM FAX: 818-575-1897

# COMPUTER

STORE HOURS: MON - SAT 9:00 AM - 6:00 PM

PHONE ORDERS WELCOME

(818) 575-1882

# **OxRobotics**

# 9600 HST

WITH 17,200 BPS THRUPUT AND ERROR CORRECTION.

NOW \$59 ONLY

WHILE SUPPLY LASTS

# FAMOUS BRAND

# 2400 BAUD MODEMS

- · Hayes compatible
- 300, 1200, 2400 Baud
- · 2 year warranty

NOW \$9

IN PAIRS - SINGLES ADD \$9

# FAX ON-A-CARD

Fully automated FAX now to any Group III FAX machine Unattended background ASCII, or word processed files. Use any laser or dot PC EDITOR'S CHOICE

# INTEGRATED VOICE MAIL EPHONE RESPONSE CARD

**IDEALLY SUITED FOR:** 

 Information & Order Taking Voice Mail Answering System

100s

Mail Forwarding & Pager Alert
In & Outbound Telemarketing Fully Menu Driven by Calling Party. Fits in PC card slot

THE PROFESSIONAL

FROM S ONLY

# PRICES AN

RD DISI

- Intel 80286 Processor
- 80287 Co-Processor Slot
- 30 MB Seagate H/D
- VGA/EGA Graphics Card Novell, IBM, & OS/2 Compatible System



Your Choice of Optional Monitors

# HUNDREDS OF SALE ITEMS EVERY DAY!

TOSHIBA 130 MB HD TOSHIBA 2 MB 31/2 IN. FD TOSHIBA 1.2 MB 51/4 FD MINISCRIBE 43 MB HD SEAGATE 30 MB HD 299.

5999 **VIDEO-7 VGA CARD** 129. 99. 369.

ORCHID (1024x768) **ORCHID 286 CARD** QUADRAM 386/XT GENOA EGA & GEM \$289 319 389. 699.

199.

VISIT OUR 24 HR BBS (805) 650-0193 (8/1/N) FOR COMPLETE CATALOG & PRODUCT LISTINGS

BRAND NAMES FOR MUCH LESS!

THIS SUPERCEDES PRIOR ADS • SUBJECT TO SUPPLY ON HAND

CIRCLE 175 ON READER SERVICE CARD







Ask About **BBS Software** 



# LESS THAN \$1.19 A COPY!

Guarantee delivery of more product reviews and comparisons than any other PC-oriented publication with a subscription to PC MAGAZINE—for less than \$1.19 a copy!

Published 22 times a year, every issue contains authoritative evaluations and product comparisons, complete with benchmark test results, from PC Labs, the publishing industry's only independent IBM PC-PS/2 product testing authority!

Subscribe today and save up to 60% OFF the newsstand price for PC MAGAZINE, the leading magazine for IBM-standard microcomputing.







Begin my subscription to PC MAGAZINE for:

- □ Two years (44 issues) for \$51.97
   Less than \$1.19 a copy!
   Save \$1.76 off the newsstand price!
- One year (22 issues) for \$31.97
   Less than \$1.46 a copy!
   Save \$1.49 off the newsstand price!

Savings based on newsstand price of \$2.95 per issue.

Mr./Mrs./Ms		
	Please print full name	
Company		
Division		
Address		
City		
State	Zip	4SV23
☐ Payment enclosed	☐ Bill me later	43423

Add \$22 per year for postage outside USA. U.S. currency only. Please allow up to 60 days for delivery of first issue. Basic annual subscription price is \$44.97.






Begin my subscription to PC MAGAZINE for:

- Two years (44 issues) for \$51.97
  Less than \$1.19 a copy!
  Save \$1.76 off the newsstand price!
- One year (22 issues) for \$31.97
   Less than \$1.46 a copy!
   Save \$1.49 off the newsstand price!

Savings based on new	sstand price of \$2.95 per	issue.
Mr./Mrs./Ms	Please print full name	
Company		
Division		
Address		
City		
State	Zip	4SV23
		45453

- ☐ Payment enclosed ☐ Bill me later
- Add \$22 per year for postage outside USA. U.S. currency only. Please allow up to 60 days for delivery of first issue. Basic onnual subscription price is \$44.97.

# SUESCRIE NO WE



# **LESS THAN** \$1.19 A COPY!

The IBM-standard personal computing magazine that more readers turn to issue after issue.

(See other side for details)

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES




**BUSINESS REPLY MAIL** 

FIRST CLASS PERMIT #66 BOULDER, CO

POSTAGE WILL BE PAID BY ADDRESSEE

P.O. Box 51524 Boulder, Colorado 80321-1524

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES



# **BUSINESS REPLY MAII**

FIRST CLASS PERMIT #66 BOULDER, CO

POSTAGE WILL BE PAID BY ADDRESSEE



P.O. Box 51524 Boulder, Colorado 80321-1524

# HOW TO SUCCESSFULLY BUY THROUGH MAIL ORDER AND PROTECT YOUR RIGHTS

Mail order sales are governed by rules of the Federal Trade Commission (FTC) and various state laws. These guidelines are published as a service to you. Remember, the many vendors advertising in PC Magazine are eager to serve your needs.

FTC rules say:

1. The Seller must ship your order within 30 days of receiving it, unless the advertisement clearly states it'll take longer. 2. If it appears that your order will not be shipped when promised, the Seller must notify you in writing in advance of the promised date, giving a definite new date, if known, and offering you the opportunity to cancel the order with a refund or consent to a definite delayed shipping date or an indefinite delay.

3. The Seller's notice must contain a stamped self-addressed card or envelope with which you can indicate your preference. If you don't respond to this notice, the Seller may assume you agree to the delay, but must either ship or cancel your order within 30 days after the original

shipping date promised or required. A prompt refund must be made when an order is cancelled.

4. Even if you've consented to an indefinite delay, you retain the right to cancel the order at any time before the item has been shipped.

5. If you choose to cancel an order, that has been paid for by check or money order, the Seller must mail you a refund within seven business days. If you cancel an order for which you paid by credit card, the seller must credit your account within one billing cycle following receipt of your request. Store credits or vouchers in place of a refund are not acceptable. 6. In the event that the item you ordered is unavailable, the Seller may not send you substitute merchandise without your

express consent.

TIPS WHEN ORDERING When ordering by mail:

State precisely what merchandise you want, specifying details such as model, make, size, component parts, etc.;

Confirm the price and expected delivery date as stated in the ad;

Indicate whether you will accept a substitute product if the item you ordered is unavailable, and, if not, that your payment should be returned;

Don't send cash, you will have no record of payment if a problem arises, and;

Keep a copy of your order and all other correspondence with the Seller. Your records should include the company's name, address and phone number; a description of the item ordered; your cancelled check or a copy of the money order; record of the date you mailed the order; and any sales slips and shipping receipts.

When ordering by phone:

Note the time and date of your conversation and the name of the person you talk with:

Make a record of your order, the price, its promised availability and the components to be expected;

Save all correspondence associated with your order, including your cancelled check or a copy of the money order, and any written confirmation sent by the Seller.

Questions you should consider asking:

Does the advertised item come with all necessary parts and accessories? Are they from the same manufacturer?

Is it available for immediate shipping?. If not, when will

it be available?

Has there been an increase in the advertised price?

What warranties does the item carry? Who provides the service?

What is the Seller's return policy?

What is the Seller's refund policy?

With whom should you correspond if there is a problem?

# IF YOU HAVE PROBLEMS:

1. If you have not received your order as promised or if the item is defective, immediately notify the Seller in writing referring to your order by description, price, date, as well as by account number and order number, if available. Make sure you keep a copy of the letter.

2. If you complain by telephone, send a follow-up letter to confirm what was said.
3. If you think the merchandise is defective, reread your product instructions and your warranty carefully to be sure you don't expect features or performance the product isn't designed to give. Then contact the Seller for instructions. Don't return it to the Seller until you have been instructed to do so.

4. When returning merchandise make sure you keep the shipper's receipt or packing slip; your right to be reimbursed for postal cost is determined by store policy.

5. If you have completely discussed your problem with the Seller and are still not satisfied, write to the consumer complaint agency in the Seller's state. If you paid for the merchandise by credit card, you may have rights to withhold payment under a Federal law called the Fair Credit Billing Act.



# MIRETPURCE

# PRODUCT CATEGORIES

# **HARDWARE**

ADD-ON-BOARDS 485	PERIPHERALS 490
CABLES485	PLOTTERS491
COMMUNICATIONS . 485, 486	POWER PROTECTION
COMPUTER SYSTEMS 486, 487	POWER COOLING
DISK DRIVES 487, 488	PRINTERS 491
DISKETTES 488, 489	SECURITY 491
EXPANSION UNITS 489, 490	SPEED DEVICES 491
MONITORS	

# SOFTWARE

SOFTWARE	
ACCOUNTING	MAILING PROGRAMS
BACKUP SYSTEMS	MANUFACTURING 499 MEDICAL
BUSINESS PROJECT	MULTI-USER SYSTEMS
MANAGEMENT 493 BUSINESS TIME	MUSIC 500 ONE-OF-A-KIND
MANAGEMENT	OPERATION SYSTEMS PREVENTATIVE
COMMUNICATIONS 493 CONSTRUCTION 493	MAINTENANCE
DATA BASE	PROGRAMMERS TOOLS 501
DATA ENTRY494 DATA	PUBLIC DOMAIN 501, 502 REAL ESTATE 502, 503
MANAGEMENT	RELIGION 503
DESKTOP PUBLISHING 494, 495	SALES MARKETING 503, 504
EDUCATION	SCIENTIFIC 504, 505
ENTERTAINMENT/ GAMES	SERVICES
FINANCIAL 496, 497	STATISTICS 505, 506
FLOWCHARTING 497, 498	SURVEYS 506
GENERAL       498         GRAPHICS       498         HEALTH       498	TAXES
INVENTORY	TRAVEL 506, 507, 508 WORD
LEGAL	PROCESSING 508

# **MISCELLANEOUS**

ACCESSORIES 508, 509	DISK CONVERSION 510, 511
BAR CODING 509, 510	DISKETTE COPY
BOOKS	SERVICE
	EMPLOYMENT
BUSINESS OPPORTUNITIES	OPPORTUNITIES
CATALOGUES 510	FURNITURE
COMPUTER	MAILING LISTS 511
COMPUTER INSURANCE 510	NETWORKING 511
INSURANCE	NEI WORKING
COMPUTER LEASING	PUBLICATIONS511
COMPUTER SERVICES	SUPPLIES512
CONSULTANTS	TRAINING/TUTORIALS . 512
CONVERSION SERVICE	TYPESETTING512
DATA	USED EQUIPMENT
CONVERSION510	
DIGITIZERS	

# **RATES AND INFORMATION**

PC Magazine Classified Marketplace is a special economical section for product and service listings.

Listings are grouped by category and sold by column inches. Second color option available.

Standard Directory Listings are also available for a minimum of 4 issues at \$500 per issue (\$2000 total).

For additional information call 212-503-5115.

# **CLASSIFIED ADVERTISING STAFF**

Group Sales Director
Kathryn J. Cumberlander
Group Sales Manager
Daniel L. Rosensweig
Support Manager
Monica B. Dixon
Sr. Advertising Coordinator
Linda Annis-Lopez

Advertising Coordinator
Wanda D. Brown
Production Manager
Anne Brockinton
Production Coordinator
Robert Clark

# **ACCOUNT MANAGERS**

Glenda Campbell (212) 503-5118 NY, GA, PA, VA, DC, OH, AK, WY, MA

Veronica Farmer (212) 503-5156 TX, MN, WI, AR, NC, IN, RI, DE, SC, LA, ID, MT, OVERSEAS

Kathleen Morris (212) 503-5176 UT, TN, NB, HI, (CA 94000 & UP) Kenneth Nova (212) 503-5175 WV, FL, VT, NH, (CA 93996 DOWN)

Michael Brooks (212) 503-5125 MI, CT, IL, KY, ME, OR, OK, AL, MO, NM, IA

Angela Kiffin (212) 503-5117 NJ, WA, MD, AZ, CO, NV, MS, KS, ND, SD (ALL CANADA)



# HARDWARE/ADD-ON-BOARDS

# Never enter time and date again. dClock II \$49.95 Slotless Clock-Calendar

Compatible with most computers.

Easy to install.

Replaceable battery.

30-day money-back guarantee.

· Great gift idea.

To Order (214) 788-5198 Or write to Microsync 15018 Beltway Drive MICRO Dallas, Texas 75244

Please add \$2.50 for shipping & handling CIRCLE 551 ON READER SERVICE CARD

For XT/AT. Enhanced, expanded memory utilizing LIM 4.0 specifications. Segmented memory mapping, split memory addressing. 2 mb in one slot. 8 mb total. Spooler, RAM disk auto configuration software, manual, warranty all included \$175 list. Dealer pricing available. TELETEK ENTERPRISES, INC.

4600 Pell Drive Sacramento, CA 95838 (916) 920-4600

CABLES

THE X-BANDIT 4 EMS 4

# **CABLES**



Companion allows you to add an extra keyboard and monitor up to 250' from your PC system unit.

Operates with Mono, CGA and EGA monitors on IBM PC/XT/AT computers and 100% compatibles.

DEALER PROGRAM AVAILABLE

PRICES START AT \$219 00 CYBEX CORPORATION 2800 H. Bob Wallace Ave. Huntaville, Al. 35805 (205) 534-0011

RCLE 554 ON READER SERVICE CARE

# AT CLOCK BATTERIES

FAYOVAC Computer Battery \$18.50 Long Life Alkaline Replacement for AT Type Lithium w/ 4-pin connector

3 Volt Lithium "Coin" Cell for Multi-function boards

BIGM (

\$3.50

Visa MC Shipping incl. 1-800-336-5933

In IL: (312) 336 - 5933

Clairvoyant + Systems Computer Power Specialists
P.O. Box 8693 Waukegan, Illinois 80085
CIRCLE 569 ON READER SERVICE CARD **EGA GRAPHICS** ADAPTER FOR AT&T SYSTEMS

• PC6300 • PC6300Plus • PC6310 • PC6312 • PC6386



1-800-854-0505

in NEW YORK 1-800-632-2444 CIRCLE SIS ON READER SERVICE CARD

10-year clock/calender IN A CHIP!

Easy plug-in ■ 10-year battery Never set date/time again No slot needed ■ 100% compatible

# **NOW WORKS WITH PS/2**

CHIPCLOK w/software NOW \$49.00 30-day money-back guarantee

# COMPUQUEST INC.

801 Morse Ave. Schaumburg, IL 80193 1-800-722-2353 312-529-2552 in IL

CIRCLE 582 ON READER SERVICE CARD

MACHINE **◆AUTODIAL-DATABASE** ◆VOICEPAD" Voice for your Programs PROGRAMMER'S TOOLKIT (optional '79")

REAL VOICE Digital Recording for your PC, XT, AT or Compatible

**♦ VOICE MAIL SYSTEM** 

**SMARTEST ANSWER** 

◆TELEMARKETING

-Inbound & Outbound

1/2 card, software, cables, & spec 1269° + 5 s/h

(415) 652-9600

Talking Technology, Inc. 3 Piedmont Ave. Suite 8 Oakland: CA 94611

MA ON READER SERVICE I AR

TO PLACE YOUR AD IN PC Magazine Classified Marketplace Call (212) 503-5115

# MotherBoard Clock - \$59

SideClock does not waste an expansion slot! The innoventions' clock/calendar enters the time and date for you automatically Easy installation. Software & user-replaceable battery included: 30 day \$-back gtd. 2 yr warranty. For XT, PC, PS-25 & compatibles. \$59 + \$3 s/h. Site discount. Dealers welcome. ARISTO Computers, Inc. 6700 SW 105th Avenue, Suite 307 Beaverton, OR 97005 503/626-6333 or 800/3ARISTO

Share PC's & Printers!

PCM-125

All YOU need is your Printer Cable!

One PC & Two Printers? Order par 12110 Package Includes our

popular Personal A. B. Switch (all lines switched), a second Printe Cable (6' Fully Shielded) & a 6' Shielded Cable (DB-25 M M) to link your PC to the Switchhox

Two PC's & One Printer? Order our

#2115 Package Includes our nominar Personal A B Switch (all lines switched) And two 6' Fully Shielded Cables (DB-25 M-M to link each PC to the Switchbox!

CIRCLE SALON READER SERVICE CARD

We STOCK a FULL LINE of DATA SWITCHES, CABLES, BUFFERS & SPOOLERS!

To Order write is all type Compute Accession Y Minney Circles Fact

Orders, CALL 1-800-367-8479

Customer Service, CALL 415-626-4333

If you dilike a FREE CATALOG, pust write or ration

MAIL Orders To Tipz. P.O. Box 690 San Francisco. CA 94101-0690



# COMMUNICATIONS

IBM competible XT computer with turbo / 640 memory sensil pensilei porba ksybband, mono morozon. \$795:00 computer Fax oard schware, end scanner ... \$1565:00 Automated diselections ettendant and voice messaging system with shows XT computatio computer \$1.550.00 Citidata, Cannon liser printers ... CAU. Toehbe Leptope Computers ... CAU. Toehbe Leptope Computers ... Toehbe Leptope Computers ... CAU. Toehbe Cannon ... S789/1395.00 and T1200/3100.\$2225/2825.00

IDUSTIFICATIONS
IC Complete hand seaver with estheme \$6.55
Rupe Scarmer 300 DPI helitare with eard
E pent breath estheme PCAMC E785.00
Parasente \$7.00 Server
CALL
Sharp FO 300/500 \$1185/\$1475
Sharp FO 700 \$1985
Sharp FO 700 \$1985
Tenhibe 30100/3300 \$1088/1240
Tenhibe 3700 \$1375
NW Bell Faxine \$1175
Sange 100/515
Tenne preserver prior

Fax Machines and Fax pape best price nationwide

Riceh 10/20/80 \$
Caren Fax 20 \$
ATET 3500/3510 \$
ATET 3500/3510 \$
Penseente KWF11 \$
Murete M1200/M1800 \$

\$1220/1550/Cal \$1279 \$1395/1595 \$1895/2850

Interpretate prices VegACCCS 240 No. Colombine Product Center S Tons. CA SI 714 759 8555, FAX 714 8702780

CIRCLE 555 ON READER SERVICE CARD

Communications continue on following page . . .

# COMMUNICATIONS

# 2400bps Internal Moden PS/2

- 2400 BAUD WITH AUTOMATIC FALLBACK TO 1200 AND 300 BPS
- EXTENDED HAYES "AT" COMMAND SET
- BELL 103 and 212A and CCTTT V.21, V.22 AND V.22BIS-MODES
   SOFTWARE SELECTABLE AS COM1 THROUGH COM8
- AUTO-CONFIGURE FILES INCLUDED
- INTRO PRICE \$369



To Order: 617-753-3537 New area code as of July 16 - (508) Or Write To CEPPI TECH. 12A Brookside Place Shrewbury, MA 01545

CIRCLE 838 ON READER SERVICE CARD

# PC-HOOKER

A powerful and easy to use connectivy tool that lets you hook together any two IBM PC compatible computers and transfer files in either direction at speeds exceeding 115,000 baud.

# Faster than Lap-Link™ Easier than Bridge

Connects any two PCs Serial and parallel Exceeds 115,000 baud Two way transfers DOS organizer **Full text editing** Talk mode Hayes modern support Print facility Universal cable 5¼" and 3½" disks PS/2 ready

# Complete only \$59.95

To order call 1-800-888-8455



102 S Main Street Park Ridge, IL 60063 CIRCLE 572 ON READER SERVICE CARD

COMPUTER **SYSTEMS** 

# COMPUTER **SYSTEMS**

# 1988 BEST BUY

Case, MB, XT 150 ps AT 200 PS Phoenix Bios

• 12 MHZ XT \$230

 12 MHZ AT \$485

Case, MB, XT 150, PS, AT 200 PS,

XT 360K, AT 1.2, Controller, PH Bios

• XT 12 MHZ \$330

 AT 12 MHZ \$710

Min. Order - 3 ea

512-467-2330

ADVANCED MICRO TECHNOLOGY RCLE 802 ON READER SERVICE

THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

# COMPUTER SYSTEMS

WYSE WYSEpc 200		PTOPS SHIBA	_	IARD VGATE	DRIVES	RIBE .
2108-BMHz \$1,125 2112-12MHz \$1,525 2200-10MHz \$1,325 CALL 2214-12.5Mz CALL 386-16MHz	T1000 T1100 T1200 T3100	\$845 \$1,399 CALL	20MG 30MG 40MG 65MG 80MG	\$245 \$295 \$485 \$575 \$995	20MG CARD 30MG CARD 27MG 45MG 71MG	CALL CALL \$625 \$699 \$899
NEC PRODUC	TS	BEST I		S	ADD O	N'S

NEC I RODO	CIG	PRINTE		ADD O	14 15
MULTISYNC II MULTISYNC PLUS MULTISYNC XL MULTISYNC GS MULTI. WHITE GB1 COLOR BD. 1024 VIDEO CARD PORTABLES	CALL \$850 CALL \$199 CALL \$299 CALL CALL	EPSON PANASONIC TOSHIBA NEC STAR CITIZEN ALPS LASEPS	CALL CALL CALL CALL CALL CALL CALL CALL	XT EXP.MEM XT I/O w/ser/per AT EXP MEM AT I/O w/ser/per HERC, COMP. COLOR GRAPH EDA VGA	\$95 \$89 \$199 \$85 \$75 \$75 \$185 \$250

### SPECIALTY ITEMS

# MW200 UNIVERSAL I/O BOARD

16 EIGHT BIT ANALOG OUTPUTS 14 HIGH VOLTAGE / CURRENT OUTPUTS

1 ANALOG OUTPUT

PLUS PROTOTYPING AREA

10 PROGRAMABLE DISCRETE INPUTS/OUTPUTS

# MW777 MULTI FLOPPY DISK SWITH

A SWITCH BETWEEN 3.5 AND 5.25 DRIVES, ALLOWS USER TO HAVE MORE THAN 2 FLOPPIES IN HIS SYSTEM, KEEP TWO 5.25 AND ONE 3.5 OR VICE VERSA.

# MICRO WORLD ELECTRONICS

SALES 1-800-288-8088 SUPPORT 1-303-988 5907 PRICES SUBJECT TO CHANGE: MC, VISA. ACCEPTED

CIRCLE 567 ON READER SERVICE CARD

# IBM

Model 30 8mhz 640k 2/3.5" . . . . \$1275 Model 30 8mhz 640k 20mb ....\$1695 Model 50 10mhz 1m 3.5 20mb . \$2595 All Other Models Available . . . . \$ call

Deskpro 256k 2 Drive . . . . . . . \$1295 Deskpro/286 640k 1.2 20mb. . . \$2495 All Other Models Available . . . \$ call 8mhz XT 640k 2dr mono . . . . . \$ 695 Omliz AT 512k 1.2 20mb . . . . \$1195 Peripherals & Software ...... \$ call We Will Beat Any Price On Stock Items

P C TECHNOLOGIES (312) 430-2800 ICLE SSE ON READER SERVICE CARD

# LAPTOP SPECIALS

ZENITH - TOSHIBA - NEC SHARP - DATAVUE

The Latest Laptops at Low Prices along with a wide Selection of Accessories including

- AFFORDABLE 51/4" or 31/2" EXTER-**WAL and INTERNAL DRIVE UNITS for**
- LAPTOPS and DESKTOPS (360K, 720K, 1.2K and 1.44K).
- DICONIX PRINTERS . . . 1200 AND 2400 BAUD MODEMS for LAPTOPS.

For Low Pricing and Fast Reliable Service call

# COMPUTER OPTIONS UNLIMITED

for the Smart Buve

201-469-7678 • 7 Days

GINGLE SSS ON READER SERVICE CARE

Buy Wholesale FROM #1USA COMPUTERS & ELECTRONICS TOP NAMES - BEST PRICES - SUPPORT & SERVICE "Call Now" MEMBERSHIP \$25 OFF THIS MONTH 1-800 777-1USA



# COMPUTER SYSTEMS

# Simply Put, It's The Fastest AT On The Market.



- Phoenia BIOS 80286 16 AMD Microprocessor
- D Wait States
- B I/O slots two 8 bit six 16 bit
   Expandable to 1 Megabyte on board
- CMOS clock and calendar circuit
- 24 bit addressing and 16 bit data path 16 level interrupt
- 7 channel direct memory access
- 3 programmable timers
   AT Case
   2 Drive or 3 Drive openings available

- Hardware reset switch
   B 8 16 Mhz speed select switch
- Power Hard Disk and Turbo indicators
- 115 230 VAC user selectable
- 220 Watt output raking
- Soft Start
- Overvoltage and overload protection
   Over 20ms hold up time
   UL CSA and FCC Certified

- AT Keyboard

  Enhanced 101 Key keyboard

  12 Function keys and separate keypad
- Solid state capacitance low profile
- key switches

  Electronic shiftlock with LED indicators



Only ...

# Data Bank Computer

196 Whitney Place Fremont, CA 94539 (415) 490-5002

In Canada Call ...

(514) 631-3191

CIRCLE IAN ON READER SERVICE CARD

### \$\$\$\$ LOWEST PRICE

# HARD DRIVES ADD ON BOARDS

SEAC	GATE	20MB	KIT
07 not	CONT. C	ADVICE	AL A

\$249 \$249.50 SEAGATE 30MB, ST-238

SEAGATE 40MB, ST-251 SEAGATE 80MB, ST-4096 MINISCRIBE 40MB 3650

\$359.50 \$669 \$329.50

# PRINTERS

PANASONIC 1080I II . . . . . PANASONIC 1524 (24PIN) \$525.95 Epson, Oki, Fuji, Canon, Critzen SCALL

ATI EGA WONDER \$189.95 Mono Graphic Card W/Par. Port . \$49.50 Color Graphic Card W/Par. Port . FUJITSU 360K Floppy Drive . . . FUJITSU 1.2Meg Floppy Drive . . \$74 50 \$85 50 TOSHIBA 3 1/2" Drive (720K) \$99.50 LOGITECH Mouse \$79.50 EVEREX 2400B Modern CPI 1200B Modern W/Software \$69.50 200W Power Supply ...... \$79 50 150W Power Supply

NEC GB-1 640X460 .....

**MONITORS** SAMSUNG Mono W/T&Swivel \$74.95 SAMSUNG Color W/T&Swivel \$239.95 SAMSUNG EGA W/T&Swivel \$354.95 CALL FOR OTHER PRODUCTS **SYSTEMS** 

101 ENHANCED Keyboard

COMPLETE DTK AT SYSTEM 80286 Intel 6/13 Mhz 80286 Intel 6/13 Mhz 40 Meg H. Drive, 1.2 FD \$1349 640K RAM, Monitor & 101 Keyboard

ONE YEAR WARRANTY All prices are subj to change

NEC MULTISYNC II

(713)988-6566 (818)915-5495

C.O.S. 9896 Bisson 86 Bissonnet, Suite 265 Houston, TX, 77036

CIRCLE 829 ON READER SERVICE

# THE LOWEST COMPUTER PRICES FOUND ANYWHERE!

LOOK! AT&T - PC 6386:

IBM RAM, 1.2 MB FDD, 40 MB--\$4,995.

LOOK! AT&T - PC 6386 (Without 40 MB):

-\$3,995.

LOOK! IBM XT & AT's:

Starting at only

--\$1,200.

Ask for low, low prices on other products from AT&T, IBM, Digital, Mini's, Mainframes, etc., and charge all of your computer related purchases at only 12.75% APR on the WORLDCARDm credit card!

(801) 562-1404 or 1-800-228-0640



### COM/SOFT INTERNATIONAL

(A Division of WORLDWIDE SERVICES)

CIRCLE 960 ON READER SERVICE CARD

# BEST SYSTEM BUY

STI 88 . . . . . . \$499

477/10MHz/0 wait/640K RAM 360K FDD/FDD Controller/KB clock/calendar/1 serial, 1 parallel & 1 game port/150W power supply

STI 286..... \$980

6/10 MHz/640K RAM/200W Enhanced KB/1.2 MBFDD WD Dual FD/HD Controller clock/calendar/BIOS

STI 386......\$2,595

With 40M8 HDD

Other peripherals also available — CALL

Summit Technology

PO Box 201702, Austin, TX 78720-1702 (512) 335-0522 1-800-445 8640

CIRCLE 562 ON READER SERVICE GARD

# Radio Shaek Tinli

Our 10th year of DISCOUNTS **COMPUTERS &** CELLULAR PHONES

Fgt. Prepaid. Save Tax Toll Free 800-231-3680

We will meet or beat .... L. LUKILED LOWER FUEL

IIIT MARYMAC INDUSTRIES INC 22511 Katy Fwy

Katy (Houston) TX 77450 1-713-392-0747 Telex: 774132

CIRCLE 561 ON READER SERVICE CARD

TO PLACE YOUR AD IN PC Magazine Classified Marketplace Call (212) 503-5115

# IBM PS/2's

Up to 41% off! Retail Your Cost

MODEL 50-386 (New) \$Call MODEL 60-041 5,295 6,295 3,395 3,850 MODEL 60-071 MODEL 80-041 6,995 MODEL 80-071 8,495 MODEL 80-111 10,995 MODEL 80-311 13,995 4,395 4,995

nerican Micro Computer Center 2890 Griffin Road - Suite # 4 Ft. Lauderdale, FL 33312

305)985-9406

# **Badso Jinaek**-Tanda

COMPUTERS PRINTERS CELL-PHONES FAX-UNITS, etc.

# THTIONEL

COMPUTER WAREHOUSE CLUB 1200 HWY 327 GRANBURY IN 76048 Cust Serv (817) 573-0220

COO.433 CAL

CLE 570 ON READER SERVICE CARD

# DISK DRIVES

# **8 INCH DISKETTE SYSTEM**

Read, write, and format diskettes from IBM mainframes, minicomputers, data entry equipment, etc. Complete easy to use software handles EBCDIC conversion. Can read and write CP/M 8-inch diskettes (many formats). You also can use 8-inch drives for PCDOS files; 1200 KB per diskettel \$1095 complete. MICROTECH EXPORTS

223 Forest Avenue Palo Alto, CA 94301 415-324-9114

PC MAGAZINE - JULY 1988

\$59.95



THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

# MRKETPLACE

# DISK DRIVES



# **DISK DRIVES**

320 Mbyte Package .... \$3,195

- . 16 msec. access time
- . Supports DOS, Xenix, UNIX on AT's and 386's
- . EDSi controller, cables, mounting hardware
- . 1 year swapout with FREE hotline support

CALL: 1-800-922-9050

(In Texas, 512-346-8360)

(In Texas, 512-346-836

Ten X Technology, Inc.

4807 Spicewood Springs Rd., Bldg. 3 Austin, TX 78759
CIRCLE 779 ON READER SERVICE CARD

# PS/2 and Laptop Compatible Systems

- 5.25" 380K or 1.2Mb External for PS/2 models 25: 30: 50: 60: 80 Easy setup professionally built 380K r28 EXPS) \$280.00 1: 2Mb (#29 EXPS) \$310.00
- 1.44Mb 3.5" altives read write format both 720K and 1 44Mb formats Teec and Toshiba 1 44Mb w/frame (#19 IHD) \$158.00 External 1 44Mb case, power supply cable (#20 EHD) \$278.00
- 720K 3.5" Toehibe drives w/kit (#1 ND352T) \$138.00
- Competicard floppy disk controller for PC/XT, AT, 396 Adds 4 floppys of any kind, 1 44, 12, 720, or 360K to your computer Software included (#10 HDC) \$150.00
- 5.25" 300K Externel for all Toshiba laptops and Zenith 181-92 and 93 laptops. Toshiba models (#8 SPW) \$236.00 Zenith models (#11 ZPW) \$245.00
- Adaptec 2372 RLL controller. 2 hard. 2 floppy, sustained 1.1 interleave \$220.00

Call TOLL FREE: 800-544-4252. CA & tech info (619) 589-1816 MicroSense 5580 La Jolla Blvd, Suite 313, La Jolla, CA 92037

# DISK UPGRADE BIOS FOR ATE

DUB-14 overndes AT Drive Table to allow any compatible drive to be attached and fully used with standard AT controllers. Short card uses one half slot. Includes complete Set-Up routine and low-level format facility. Works UNIX, XENIX, PICK, other OS and networks. NOVELL is fully supported. \$95 + \$3 shpg. CA Tax.



有有效 表 人名 人名

GOLDEN BOW SYSTEMS 2870 Fifth Avenue Suite 201 San Diego, CA 92103 800-284-3269

# PS/2 DRIVES FOR PC'S AT'S

CompatiKit-PC. \$329
CompatiKit-AT. \$309
Built-in floppy controllers no problem. Supports multiple drives and formats. Lets your computer use IBM PS/2 1.4M diskettes plus more. Call for further information.
VISA/MC/COD/CHECK.
MICRO SOLUTIONS COMPUTER PRODUCTS
132 W. Lincoln Hwy.
DeKalb, IL 60115
815-756-3411

THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

# **OPTICAL DISKS**



as featured in PC WEEK 4/26/88

- connecting to any host via SCSI interface
- Plug n Play to any operating system only \$4995 Limited time only

PANASONIC LS5000 \$2495 - 200 MB

OPTICAL MEDIA

For IBM & Panasonic Optica Drives - \$52

We carry a full line of 51/4" & 12" Optical Drives

SKAN TEKNOLAGIES, INC. optical storage systems (212) 809-5570 (516)295-2237 CIRCLE 775 ON READER SERVICE CARD

# DISKETTES

# ST4096 \$639

80MB 28ms

Micropolis 71MB 28ms \$649

Miniscribe 71MB 28ms \$669

ST251 40MB 40ms \$359

ST251-1 40MB 28ms \$425

ST125 20MB 3.5 W \$270

CPUINC (714) 870-9033

CIRCLE 849 ON READER SERVICE CARD

TO PLACE YOUR
AD IN
PC Magazine
Classified

Marketplace Call (212) 503-5115

# Why waste your time formatting disks?

Preformatted disks save you time and money!

Memorex • Nashua • 3M

51/4" (from 48c) - 51/4" HD - 31/2" - 31/2" HC

Call toll-free TODAY!

1-800-321-4668

In Colorado (303) 234-0871. Open 8:00 to 5:30 Mountain Time, Monday—Friday.

ALF

ALF Products, 1315F Nelson St. Denver, CO 80215

CIRCLE 574 ON READER SERVICE CARD



DISKETTES

# DISKAMERICA DISKAMERICA

5.25 DS/DD DISKETTES

**100% MONEY BACK GUARANTEE!!!** 

FREE!!! LABELS, SLEEVES & WRITE PROTECT's NO HIDDEN COSTS

MINIMUM ORDER-100 DISKS SHIPPING AND HANDLING \$4.00 Per Box VISA, MASTERCARD, AMEX, DISCOVER & COD

HOURS: WEEKDAYS 8 AM to 11 PM EST; SATURDAY 9 AM to 7 PM

1-800-634-2494 24 HOUR SHIPPING

# IT'S NOT 29¢ PLUS THIS AND

eeves tabs labels

51/4" 51/4" DS/DD Min. 100

W / T	G / A DO ON HOUSE LOO	
	39c Min. 50 .	. 29c
	Color 51/4" DS DD Min 50	. 49c
	51/4" IBM-AT HD Min 50 .	79c
	Box of 10 Min. 10 boxes	
	51/4" DS/DD	. \$4.29
	Box of 10 Min 5 Boxes	
	Color 51/4" DS/DD	
	Free Plastic Case	\$5.99
914"	31/2°SS DD	
9.72		00+
	Min. 25 Subject to availability	. 990
	31/2"DS DD	64.00
	Min 25 Subject to availability	\$1,09
Data	205' 40 MB Mini Cartridge	
	3m DEI Compatible Min. 5	\$15.90
	6001 20 MB Data Cartridge	
	Min. 5	\$19.20

mmediate shipping—Guaranteed satisfaction Call for greater discounts on larger orders 100% Litetime Warrenity ving \$3.50 per min- order \$1.50 each addit for MIC VISA accepted

1-800-537-1600 Operator # 67



Dept No 1523 P.O. Box 61000 San Francisco CA 94161

CIRCLE MA ON READER SERVICE CARD

# TAKE

purchasing your diskettes. All of our disks are fully certified. Each disk has an unrestricted lifetime warranty. There are no hidden costs. All diskettes come with els, sleeves and write protect to

Generic 5½."  Double sided, double density liceus of 100	29 es
Generic 5½" High density, 96 TPI,	29 6
Boxes of 50	\$1 29 es
Sony 3½" Single sided.	
Boxes of 50 Double sided.	\$1 09 es
Boxes of 50	\$1 39 ca
Dynan 5½" Double sided, double density, Bones of 50	99 es



Order by phone 1-800-356-2553 or 404-952-2590. We accept HonterCard, VISA, American Express & Discover Cards. COD available. 24 hour shipping. Next day air available. 84 00 per hox shippin

CIRCLE 663 ON READER SERVICE CAR

# AMERICAL GROUP

51/4" DS DD 20 0 aa

INCLUDES SLEEVES & LABELS

# THETIME WARRANTY

3 1/2" DS DD (min 25)	1.10 ea.
5 1/4" DS HD (min 30)	.69 ea.
5 1/4" DS HD (Color)	.90 ea.
5 1/4" DS DD (Color, min 100)	.45 ea.

Visa/MC accepted 12132 Sherman Way N. Hollywood, CA 91605

ing \$4.00 per min order \$2.00 each addition

(818) 765-3040

CIRCLE 778 ON READER SERVICE CARD

# DISKETTES!

5.25" DS/DD In Stock

29¢ ea. (qty of 100)

With Sleeves, Labels, & WP Tabs Tyvek Sleeves add 4¢

3.5" DS/DD In Stock

\$1.19 ea. (gty of 100)

With Labels

\$1.29 ea. qty of 50

\$1.39 ea. qty of 25

FREE shipping for orders

over \$100, otherwise \$3.50. VISA/MC, Check & MO accepted. Orders ship in one business day! Disks are 100% certified DS/DD. C.O.D. orders add \$2.50.

Ohio orders add 5.5% sales tax ADD'L PRODUCTS AVAILABLE!

TO ORDER CALL TOLL FREE Monday Friday, 9am 7pm EST

1-800-288-2887

DIRECT MICRO

1776 Dividend Drive Columbus, OH 43228

(614)-771-8771

THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

# FIND THE WIDEST RANGE OF DP WORKSTATIONS,

**ACCESSORIES** & SUPPLIES IN THIS FREE GLOBAL GUIDE

DIAL

1-800-8-GLOBAL



45 South Service Road Planniew NY 11803 CIRCLE SELON READER SERVICE CARD

# EXPANSION UNITS

# AT TOWER

BRAND NEW!! AMERICAN MADE FITS AT MOTHERBOARD EIGHT HIH DRIVE SLOTS / 250 W POWER SUPPLY



enclosure technologies, inc. P.O. BOX 87275 CANTON, MI 48187

(313) 459-3557

**GIRCLE 571 ON READER SERVICE CARD** 

# CALL DRAM CO.

- Lowest Price in Market Volume Discounts
- 100% Guaranteed

**Dynamic RAMS** 1M 12005, 100HS, DIP & SQJ 256K 150HS, 120HS, 100HS & 60HS 84K 150HS, & 120HS

Policy Price subject to change Min order \$20, MC/VISA add 4% CA residents add 5 5% sales tax UPS. Ground \$5, air \$7 (1 lb)

(415) 398-2987

Open M-F 9-6 PO Box 590127 SF CA 94159-0127

CIRCLE SM ON READER SERVICE CARD

THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

# MRKETPURCE

# EXPANSION UNITS

### **PROCESSORS** E PROMS DYNAMIC RAMS 80387.20 270101 25 80387 16 \$495.00 \$ 15 00 1Mbit CALL! 27:5% 2 100 120ns 80287.10 \$285.00 2151225 5 . 35 51258 \$12.50 * DDI 16 80287.8 \$235.00 2" . 10 . 5 \$ * %) 80287.6 \$159 00 2" " " " " \$ 4.75 41256 CALL! to en 100 \$109.00 2" 10 426 5 6.75 41256 CALL! 8087.2 \$141.00 2"1, HA ,1 8087 \$102.00 211215A 25 \$ 525 41256 \$11.75 80386 16 \$ CA . Us Alestin, \$ 4.95 V 30 amms 5 to 15 2754 25 41264 \$16.00 150ms V 20 0mrz \$ 1100 2" QA 2" 41464 \$ 9.50 5 4 50 15009 V 20 amns 5 850 2710 S. RAMS: 4164 CALL! 4 194111 \$17.75 (800)892-8889 Mon. Fr. 8 5gm PST) (800)882-8181

CIRCLE 582 ON READER SERVICE CARD

Your system works! Finally!
Don't scrap it...
Keep it growing
with PC-XTRA



PC-XTRA makes room for the add-ons you need for continued growth. No hardware modification! No software changes! Made in U.S.A.

\$449.00

PC HORIZONS, INC.

California residents add 6% sales tax.

1710-M Newport Circle, Santa Ana, CA 92705 (714) 953-5396 circle 567 ON READER SERVICE CARD DEALER INQUIRIES INVITED

Name	Brands	*	Low SS	

EXPANSION BOARDS
AST Sixpackplus(64-384K)
Sixpack Premium (256k-1M) \$206
Advantage (128k-1 5M) \$249
Rampage (64k-2M)\$209
Rampage 286 (512k-2M)
Intel Above PC (64k-2M
Above PC PS (64k-2M)
Above 286 (512k-2M)\$379
Above PS 286 (512k-2M)\$409
Above Board 2 for PS2 50/60 (0k-2M) \$275
Inboard 386 PC (1M) .\$789 . AT (0k) .\$945
Quadboard (0-384k)
GRAPHICS CARDS
HERCULES Mono:\$189; Color \$158
QUAD Prosync \$199 VEGA Dix \$199
ATI EGA Wonder\$199
HARD DRIVES
SEAGATE Kits from 20mb \$299
MINISCRIBE Kits from 20mb \$299
PLUS Hard cards from \$539
MEMORY 64k, 256k Scal
FLOPPY DRIVES: Toshiba for
PC, AT \$99 1.2MB \$119; 3.5° .\$125
External 5-14" drives for PS2 \$295
COMPUTERSAST, SAMSUNG
Tape BackupMaynard, Everex

VLM Computer Electronics 10 Park Place, Morristown, NJ 07960 (201)267-3268 Visa, MC, Check or COD

			Ala Fe A		
		DYNAM			
MA IN	SIMM	1048K#8	100 ns		3
	1 Mibit	1048Ka1	100 ns	36.50	0
du so	51258	<ul> <li>256K±1</li> </ul>	100 ns	11.25	de.
Zen	41256	250K±1	60 ns	11.50	
	41256	256Kx1	80 ns	11.50	á
RADE Die A	41256	258Ka1	100 ns	11.50	7
UPCRADE Portable &	41256	256Ka1	120 ns	10.95	£
6 8	41256	258Ku1	150 ns	10.75	6. E0
	41264	+ BAKA4 EPF	120 ns	13.95	80.08
отомо Опризн	27C100		200 ns	\$37.50	
MOTHE! IT Com	27C512		200 ns	14.95	- A
20	27256	32K#8	250 ns	7.50	5020
	27128	16K all	250 ns	6.95	1
RE	21100		RAM	6.80	١.
3 2	43256L		120 ns	\$16.50	
	6264LP		120 ns	10 50	13
1050	61 DAYS	1 12	SHIP V A	****	
JEE H		CADADA CIN			
-	DATE OF		A . IPS AS		_
BECLE	060 Ch F	actory Na	w, Prime	Parts J	1
	WED BY		ESSORS !		IN
		1 000 S. Peona EuiG8 CM 76		1) 267-4	96
P P1	Series 1 to 10	a minimum or	ridge Prints will	For production	-

# PERIPHERALS

# MAINFRAME TAPE SYSTEMS for PC/XT/AT/PS2 and MAC!

Our "Tape Connection" products can read and write your 9-track 1/2" 800/1600/6250 BPI magnetic tapes from mini and mainframe computer systems using your PC. We have developed dozens of transfer programs and manufacture many models of tape controller cards and cables. We sell hundreds of systems each month and offer our customers the lowest prices, best service and technical support. Call us today for the best price on tape drives from ANRITSU, CIPHER, KENNEDY, and QUALSTAR. Dealer and volume discounts available!

1120 KAIBAB • FLAGSTAFF, AZ 86001 (602) 779-3341 • TLX 705609



# 9-Track Tape Subsystem



# MINISTREAMER"

Now you can exchange data files between your IBM PC/XT/AT and any mainframe or minicomputer using IBM compatible 1600 BPI 9-Track tape. Unit can also be used for disk backup. Transfer rate is up to 4 megabytes per minute on PCs and compatibles. Subsystems include 7 or 10 1 2 streaming tape drive, tape coupler card and DOS or XENIX compatibles software.

Prices start at \$2,995.

# JUALSTAR.

9621 Irondale Avenue Chatsworth, CA 91311 Telephone: (818) 882-5822 CIRCLE 573 ON READER SERVICE CARD

# PERFORMANCE PERIPHERALS for TOSHIBA LAPTOP COMPUTERS

- 2400 bps Expansion Card Internal Modern with RJ11 and DB-9 COMMS-2 ports (for the T3100, T1200, T1100+, T5100), M24E
- 2400 bps Internal Card Modern with RJ11 and DIN 8-pin Acoustic Coupler jacks (for the T1000) M241
- COMMS-2 Expansion Card S232E \$199 • Internal Card (T1000) S232I \$149
- AdaptaPAK 12V battery power adapter and rechargeable pack (T3100) P80 \$399 (See FIRST Looks, 2/16 PC Mag_pg_52)

PRODUCT R&D Corporation 1194 Pacific San Luis Obispo CA 93401 Phone (805) 546-9713 FAX (805) 546-9716 CIRCLE 578 ON READER SERVICE CARD

# 9 TRACK TAPE SYSTEM



- Mainframe to PC Data Transfer
- High Speed Backup
   All Software, Complete System
- Service and Support, easy
   Installation

call (818) 343-8505 or write to Contach Computer Corp. P O Box 153 Tarzana Calif 91356

# CONTECH

CIRCLE 575 ON READER SERVICE CARD

# PS/2 I/F FOR 9 TRACK TAPE


Nova Stor has the I/F to the PS/2 models 50, 60 and 80. We can connect 1600 and 6250 BPI tape drives to the PS/2 with our SCSI I/F Our software allows the conversion and transfer of data from IBM or ANSI tapes. Our backup program allows selecting files or the whole hard disk and can be multi-vol NOVA STOR CORPORATION 31828 VILLAGE CENTER ROAD WESTLAKE VILLAGE, CA 91361 (818) 707-9900

# **Plotters**

begin on following page . . .



# **PLOTTERS**



# **PRINTERS**

# ADD POWER TO YOUR LASERJET II FOR LESS

**Expandable Memory Boards:** 

1MB - \$ 277 2MB - \$ 579 4MB - Call **Font Cartridges** 

Z+ -\$209 123 -\$249 B/F - \$169

HP Plotter (HPGL) Emulation: LaserPlotter - \$ 129

D.H. SYSTEMS, INC. 5333 McConnell AVE, Los Angeles (213) 822-9484

CIRCLE 579 ON READER SERVICE CARD

# **SECURITY**

# **POWER SURGES ARE THE BIG** DESTROYER OF COMPUTERS!

So when SAFEWARE designed the original computer insurance policy, they decided to cover even the notorious POWER SURGES. Today you can buy comprehensive, full replacement protection against theft, accidents, fire, earthquake, water AND power surges for as little as \$39 a year. Call for details & immediate coverage 1-800-848-3469

SAFEWARE, The Insurance Agency Inc. 2929 N High Street P.O. Box 02211

Columbus, OH 43202-0211

# POWER/COOLING SUPPLIES

# TURBO-COOL 150: Cool, Quiet Power




MODEL	POWER	COOLING	HOISE	PRICE
STANDARD XT	150W	1.0X	STD	\$89
STANDARD AT	290W	1.0X	STD	\$125
SQ150 PC.XT	150W	1.48	-Mh	\$129
SQ200 AT	200W	1.1%	-69%	\$160
TOISE POINT	155W	2.2X	-50%	\$149
TC200 PC:XT	290W	2.7%	\$70	\$188
TC250 AT	250W	1.83	\$1D-	\$189

FCC ou 120v 240% 4 drive plugs heavy duty rom ponents patented dooling system " year warranty

# PC COOLING SYSTEMS, INC.

n Way Bunsa CA VISA MC CC (619) 723-9513 CIRCLE 577 ON READER SERVICE CARD



Extends life of IBM*. Your PC, XT or AT computer will run up to 27° cooler with coldblue" tucked inside, directing airflow to the cards. It really works! Fits clones, too. One-year warranty.

PC, XT 3-speed-model - \$185. New AT model - \$149.

Mandrill Corp., P.O. Box 33348, San Antonio, TX 78265 (800) 531-5314, (512) 341-6155 CIRCLE 750 OH READER SERVICE CARD

# SPEED DEVICES

# **IBM-AT SPEEDUP**

The High Performance SpeedInjector

Will run any IBM AT taster Average speed for a 6 MHz AT 9.8 MHz! Replaces the CPU's Crystal with a reliable frequency synthesizer for full compatability. Easy plug-in installation Features:

Features:

8 8 7 8 8 7 For The CPU — 100% continuously variable frequency from 6-14 MHz, selectable white running & Mode Switch for switching between Standard and Variably set speed. & Full hardware Reset Switch For the 80287—Independent 80287 speedup & selectable from, Standard 2/3 CPU speed, 8, 10, 12, 14, and 16 MHz actual 80287 speed. & The fastest 80287 speeds.

available

XCELX Models

The Desktop Remote Version — Variable CPU control, Mode Switch
and Reset Switch are all conveniently located on an easy-to-use

(#XA03-R) \$159.95 desk-top controller

The Rear Mounted Version — Variable CPU control, Mode Switch and Resot Switch are located on the rear panel of the AT ... (#XA01-N) \$99.95

The Speed Utilities" — Software for the XCELX that will Display exact XCELX speeds, for fine tuning of the CPU speed & Speedup the Hard Disk & Correct Floppy Disk "Drive Not Ready" error & Speedup Keyboard ... (#SU01-A) \$39.95

FAST 80287 — 8, 10, 12, 14 and 16 MHz Test rated & Quaranteed.

PAST 80287 — 8, 10, 12, 14 and 16 MHz Test rated 8 guaranteed FAST 80286 — Replacement CPU for speed above 10 MHz ... (#CU1-A) \$259.95 FAST RAM — 128K & 256K, 100NS & 120NS MIL-SPEC Crystals — The Famous Anel Crystals for old ROM ATS Choose from (Crystal/CPU Speed) 16/8, 17/6.5, 18/9.5, 20/10 MHz ... (#CA1-16/17/18/19/201/%19 e.c.

INCREASE OVERALL SPEED - UP TO 300%



TWO-YEAR WARRANT

Order Line: 800-641-3322 ext. 1110 Direct Line: 201-788-9002

Post Office Box 866 ▲ Flemington, New Jersey ▲ 08822

CIRCLE 506 ON READER SERVICE CARD

THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

TO PLACE YOUR AD IN PC Magazine Classified Marketplace Call (212) 503-5115

# SOFTWARE/ACCOUNTING

# THE PAYROLL

If you've been looking for a payroll with the power to handle a real job, you just found it. This system is the same one used on the HP3000 super-minis with features you didn't think you could possibly get on a PC...like accruals, 401k plans, user-customized data and special computations, a report writer and more. \$600



71591 Biskra Road Rancho Mirage, CA 92270 (619) 568-4681

CIRCLE 788 OH READER SERVICE CARD

# **ACCOUNTANT'S CLIENT WRITE-UP** \$250

- . TESTED AND PROVEN IN 100's OF FIRMS
- FAST, EASY TO USE SYSTEM FULLY INTERACTIVE MENU DRIVEN PROGRAM WITH HELP SCREENS
- FLEXIBLE CHART OF ACCOUNTS
- UNLIMITED DEPARTMENTS

UNILIMITEU DEPARTMENTS
COMPLETE FINANCIAL REPORTS
Detail Gameral Ledger
Income Statement and Balance Sheet
Statement of Change
Sub-schedules

Jub Cost and Other Special Reports OPTIONAL LOTUS/dBASE INTERFACE

- MINI WORD PROCESSOR AFTER-THE-FACT PAYROLL
- Earnings Records Federal 941's State U/C Report
- W-2's AND 1099's ITERFACES WITH OTHER PROGRAMS
- General Ladger/Payrell Writing Inventory/Receivables/Payrell Writing Inventory/Receivables/Payrelles

   TELEPHONE SUPPORT

   PRICE \$250.00 INCLUDING
  PRINTED MANUAL

  (BM PC/XT/AT AND COMPATABLES WITH 256K HOWELL ASSOCIATES

4545 BISSONNET SUITE 280 BELLAIRE, TX 77401 (713) 661-6652

# **RBASE for DOS Users**

- General Ledger
- Account Receivables
- Account Payables

Includes source code with a 30 day trial period.

The RB- ACCOUNTANT II 299.95 Shipping & Handling 10.00

* RBASE FOR DOS version 2.1 required *

Software Specialist 5820 Princess Dr. Rockford, IL 61109 815-398-6863 CIRCLE MS ON READER SERVICE CARD

表点 有一种数据的

the state of the s

# Money-Back Guarantee You'll PASS the CPA Exam.

Over 2,100 multiple-choice and essay/ problems with text solutions from recent CPA exams. The software keeps your scores and tailors your study to the material you need to pass the exam Continuing Professional Education courses with hour for hour credit also available. Call for brochure and DEMO information

# 1-800-241-9700 in Colorado: (303) 799-0099

For IBM PC's and compatibles AMEX, MasterCard, Visa accepted



14 Inverness Dr. East, F-104 Englewood, CO 80112

MicroMash

### PC-FUND

The leading fund accounting system for local povts and non-profit organizations. Modules include General Ledger, Accounts Payable, Encumbrance, Obligation Tracking, Accounts Receivable, Payroll, Budgeting, Fixed Assets and Donor Receipts. The system supports up to 99 funds, 9999 depts. PC-FUND runs on the iBM-PC and most MS-DOS and XENIX computers. AMERICAN FUNDWARE, INC.

P.O. Box 773028 Steamboat Springs, CO 80477 (800) 551-4458 (303) 879-5770

# **dBASE ACCOUNTING TOOLS**

GENERAL LEDGER *ACCTS PAYABLE "dINVOICER & A/R "SALES ANALYSIS SERVICE BILLING "ORDER ENTRY "JOB COSTING "JOB ESTIMATING *PURCH ORD/INVENTORY *PAYROLL \$99 ea + s&h w/dBASE 2, 3 or 3 + Source Code datamar systems 4876-P Santa Monica Ave. San Diego, CA 92107 (619) 223-3344 Visa-M/C-AMEX-Check-COD

# DAC-EASY 2.0 ADD-ON

Avoid DAC-Easy reporting limitations. Create free-format financial statements or reports with WordSheet. Interactive report design. What you see is what you get. Direct access to accounting data to produce any report. Easy to learn and use. Works with any laser or printer, \$79. Visa/MC Audimation Corporation 36 Bridlewood Blvd. Agincourt, ON Canada M1T 1V1 (416) 494-7820

# **IRIE POINT OF SALE SYSTEM**

Fast, flexible Retait/Wholesale management system. Inventory control. Multiple price levels. Automatic price & description look up. Order entry/invoicing. Add/delete entries before finalizing sale. Cash drawer access secured by password. Sales tax summary. Cash receipt journal A/R. Billing/Statements. **IRIE Systems** 

3095 South State Road #7 Suite 203 Miramar, FL 33023 305-981-5747

## MIP FUND ACCOUNTING

The MIP Fund Accounting System meets the financial and managerial reporting requirements of not-for-profit and governmental organizations. The System features multiple fund and fiscal years, user-defined reports and six levels of account coding. Modules offered: G/L, A/P, A/R. Payroll, Encumbrance, Expenditure Budget, Revenue Budget and Lotus/DBase Interface. MIP FAS is available for IBM XT and compatibles. MICRO INFORMATION PRODUCTS 505 East Huntland Dr., Suite 340 Austin, Texas 78752 (512) 454-5004 1-800-MIP-FUND

# PRO PC-ACCOUNTING

(617) 747-3332

"Best accounting package I've seen yet. I've tried Peachtree, DAC-Easy, MCBS. Thanks for a nice job of programming." writes J.K. of Los Angeles. Accounts Receivable - Accounts Payable - General Ledger - Invoicing - Inventorytime & billing, etc. \$139.95 send chk or M.O., or call or write for free 30 day demo system. PRO SYSTEMS SOFTWARE INC. P.O. Box 1437 Plymouth, MA 02360

> TO PLACE YOUR AD IN PC Magazine Classified Marketplace Call (212) 503-5115

# BUSINESS



# QubeCalc™ InstaCalc™

**Get a 10% discount if you mention this adi!

QubeCalc™ is a powerful 3D spreadsheet that adds pages to allowinstant consolidation. QubeCalc "

InstaCalc™ is a full power pop-up spreadsheet that lets you cut and ste with your word proce

PLUS: help screens, import/export 1-2-3 & dBASE, graphics, macros, sorting, linking, and much morel QubeCalc is \$69.95, InstaCalc is \$49.95 (Check/VISA/MC).

FormalSoft (801)565-0971 Box 1913 Sandy, UT 84091 CURCLE 770 ON READER SERVICE CARD

# SOFTWARE FOR FREELANCERS!

Features: Expense Tracking, Invoicing, Contact File & Mailing List. Bill your expenses, track feads, make tax prep a snapl Easy to use and customize; full manual; no accounting jargon. Try it for \$40 (NY add 8.25%), just \$90 more to keep it. "30-day NO-RISK GUARANTEE" (Lises 415K)

"Tony Stewart's HOME OFFICE" " 309 West 109th Street, No. 2E New York, NY 10025 (212) 222-4332

CHRIST

# PC ORDER PAD

Smarter than a Cash Register, Handles Cash and Charge sales. Prints Receipt/Picking slip. Reports Sales totals with margins. Tracks inventory. Easy & Fast. On-line HELP Options include Bar Code or OCR. Cash Drawer. Network or Remote site versions. Runs under MS/PC DOS. Customizing available. Dealers invited. COLUMBIA SYSTEMS, INC. 10420 S.E. Hillcrest Drive Portland, OR 97266 (503) 654-7722



MAGAZINE FACT FILE

# **Get The Word Out!** Your Product Has Been Chosen EDITOR'S CHOICE.

Let ue take your article to its highest level of marketing potential with a reprint!


To find out how you can have your article or review elegantly reprinted ** on 80 lb. paper stock, in 4-color, 2-color or 1-color, call or write today

Jennifer Locke—Reprints Manager; Ziff-Davis Publishing Company, One Park Avenue, New York, NY 10016, 212-503-544Z.

uto qualitity 500 reprints.



BUSINESS



The old general store sold everything from A to Z. Now there is a retail software system that controls every type retail business from Apparel stores to Zoo gift shops. The General Store system is a reliable, field proven business tool, developed by retail management and computer professionals, successfully serving dozens of different retail businesses. Best of all, it is a complete multiuser business system providing online credit card authorization and support for bar code scanning, electronic cash drawers and specialty receipt printers. For a limited time only \$995 Visa and Mastercard accepted. Dealer inquiries invited

Crichlow Data Sciences, Inc. (804) 426-7628 P.O. Box 6420 Virginia Beach, Virginia 23456

THE DEPARTMENT STORE OF RETAIL SYSTEMS.

# TRACK TIME. CAPTURE CASH. NO SWEAT. timeslips" III

Perfect for attorneys, accountants, consultants, and ALL service professionals. By automatically tracking time and expenses, TIMESLIPS III gives you taster and more accurate billing. The ability to recover cash that could have fallen through the cracks. And a better handle on your own productivity.

- Memory resident, uses 60K RAM
   Tracks time with a "stop-watch"
   Batch enters time/expense data
- Thousands of custom bill
- formats

- · Generates custom financial reports
- Exports data to spreadsheets
- and databases
- Auto backup, built-in macros

Optional "Accounting Link" software bridge m TIMESLIPS III compatible with Dac-Easy", Peach Omet Plaine", and many other accounting packs

(Rated 9.3 by InfoWorld) "TIMESLIPS is the best time and billing sy
—Chicago Tribune em at any price."

1-800-338-5314 TO ORDER

Call 617-768-6100 for information/rush service.

\$199.95 plus \$7.00 s/h Not copy protected. 30-day money back guarantee.



239 Western Avenue Essex, MA 01929 CIRCLE SAI ON READER SERVICE CARD

# **BUSINESS** PROJECT MANAGEMENT

# PROJECT MGT, INSIDE 1-2-3

Project Calc creates projects on your 1-2-3 worksheet with 30 new @ functions and menus. Draw Gantt timeline, PERT network and calendar on-screen or thru PrintGraph. Roll up project costs into 1-2-3 budgets and ask "whatif" with schedule or costs. \$149.95 with 30-day money-back guarantee. FRONTLINE SYSTEMS, INC. P.O. Box 7408-PC San Francisco, CA 94120-7408 800-451-0303 Ext 55, 916-677-7171

# COMMUNICATIONS

# **TAPCIS & PC-MagNet** Fast, Easy, and Inexpensive!

TAPCIS is the complete communications program for CompuServe and PC-MagNet. Think, read, type, and edit offline for free. Then go online and see why PC Mag said if bissis messages onto the screen. (5/87) The favorite among thousands of sawy users and syope, TAPCIS has it alt a full-featured integral editor with WP/W* commands, time & charges accounting, fast batch downloads, and more.

\$79 for disks, manual, and a free hour on CIS. No risk 90 day money-back guarantee. Mc/Visa/check/approved purchase order (U.S.) Orders shipped within 24 hours. Supported on CIS in the TAPCIS Forum (GO CIS then GO TAPCIS).

Support Group, Inc. P.O. Box 1577 (PC7) Baltimore, MD 21293 (800) USA-GROUP (301) 889-7893

# COMPUTER-TELEX-LINK

Your PC can send and receive telexes quickly and easily with Computer-Telex-Link. Replace that aging telex machine! Add telex service to your business for cost effective worldwide communications! Computer-Telex-Link transforms your PC into a state-of-the-art communications tool for telex.

Cawthon Scientific Group 24224 Michigan Avenue Dearborn, Michigan 48124 Phone: 313-565-4000

## COMVIEW PROTOCOL ANALYZER

ComView will turn your PC into a serial data communications analyzer. 64K buffer, control lines, errors, macros, multiple character sets, string search, print, 2-38400 baud, char. count, file save, easy use, flexible configuration. Includes cable/manual. \$250, 30 Day Money Back, Demo \$10. Visa/MC/C0D/P0s THIRD WAVE SOLUTIONS, INC. P.O. Box 684 Norcross, GA 30091 (404) 923-6700

# COMMUNICATIONS

### **MULTI-USER BBS**

(FOR IBM PC AT)

TEAMate - a mainframe quality BBS. A mini Compuserve. Full screen cursor-controlled interface, topic outline structure, public and private topics, audit trails, xmodem, integrated mail, content retneval and more. MS-DOS, XENIX and UNIX versions. MMB Development Corporation

1021 No. Sepulveda Blvd., Suite K Munhattan Beach, CA 90266 (IN CA) 213-545-1455 800-832-6022

# MULTI-LINE PC-DOS 8BS

The Bread Board System (TBBS) - secure, reliable, full-featured commercial FIS for IBM XT/AT/386/PS2 or compatible. Easily customized by non-programmers. Kermit, X & Y - Modern. High performance allows up to 32 simultaneous callers. User audit trail. 300/1200/2400/9600 bos.

eSoft, Inc. 15200 East Girard Avenue, Suite 2550 Aurora Colorado 80014 (303) 699-6565

# **MULTI-LINE FUN AND GAMES**

Run A POP net 'social center' Up to 23 lines of chal, CB, games such as: traders, adventure, mazer, skunk, liars, poker, blind chess. Graphics for games (w/POP term). Mail and bulletins, of course. Sysop tools for accounts/house-keeping. HW/SW for 7 lines is under \$3700. Users pay 60 cents/hr. KINESIS CORP. 3000 Citrus Circle, Suite 212

Walnut Creek, CA 94598 415-932-1146(v) or 415-932-GAME(m)

# CONSTRUCTION

## COST ESTIMATING/BIDDING

Powerful, comprehensive system for building fast, accurate and competitive estimates. A complete, stand-alone program. Menu-driven, very easy to use. Over 30 types of reports. IBM XT/AT and compatibles. Hard disk, 512K. dB fll version with source code also avail. System \$245, demo \$15 (CA add tax), CK/MO/COD. CPR INTERNATIONAL, INC. 2038 Lake Shore Ave. Oakland, CA 94606


# CONSTRUCTION MANAGEMENT

Affordable, understandable software for builders. Job cost, billing time and materials or percent complete, payables, change order and retention tracking in one package. Prints checks, statements, bids, 30 + reports. Clear manual & help windows, backed by our professional phone support staff. \$795. YARDI SYSTEMS, INC. 930 Laguna Street

Santa Barbara, CA 93101 (805)966-3666

1 Mary Constitution of the Constitution of the

415-268-1948





# DATA BASE

# NO FUSS ABASE III PLUS

KADET is a utility incorporating user specified instructions to develop a professional looking

- Just follow instructions & screen prompts Report management for 20 reports & labelle Dynamic indexing I virtual sort on 7 fleida). Compreheneire utility & setup manu ciptions Expansion option for dBASE programmers. Character, humeric, Date and Lopical fleids Busports up to 36 fleids per application Automatic or oustion date screen formatting For flet file from-relational discbased dBASE III PLUS" required (no dBASE clones).

Fantare Computer Services P.O. Box 1416

DRICLE THO ON READER SERVICE CARD

# DON'T BUY CLIPPER" UNTIL . . .

you see our free dBASE Compiler Evaluation Kit. Contains a demo disk with 8 PRG's and the results of compiling with Clipper, QuickSilver, and FoxBASE PLUS. See for yourself how all three compilers work. Also 15 benchmark tests, detailed brochures, and complete reprints of magazine reviews about all three. FREE. NO. **OBLIGATION** Call 24 hrs.

**dBASE III+ COMPILER DEMO** 

dataBASE-Specialties P.O. Box 2975 Oakland, CA 94618 (415) 652-2790

# **ROOTS II FOR GENEALOGY**

Organize your family tree and print camera-ready family books containing charts, led and indexes Store, retneve and display 1,000's of family facts with biographical sketches and source documentation. Lightning-fast searches and sorts 250 page manual Satisfaction quaranteed. Write for free brochure. \$195( + CA tax). COMMSOFT

2257 Old Middlefield Way, Sle A Mountain View, CA 94043 415-967-1900

# SQL & QBE on dBASE & LOTUS

dQUERY 2.1 is an interactive query system and report writer on dBASE and LOTUS files using SQL (IBM DB2 compatible) & Query-By-Example. Its nice windowing facilities let users easily do ad hoc ouenes on their dBASE and LOTUS files, \$150 dQUERY/lib is a C-callable SQL lib (dQUERY 2.0 included), \$295. Add \$5. s/h QUADBASE Systems, Inc. 1567 Keith Drive Campbell, CA 95008 408-866-0807

# **DATA ENTRY**

# Everyone is talking about RODE/PC from DPX

u hen see discore better that its in relatively replaced the other Inn have with Ridd Pt - Muss Equipment

Six of the ten largest companies in the U.S. have selected BODE PC. Call for your evalu ition copy today.



DPX 20823 Sevens Creek Blvd Scare 130 P Cupertino, CA 9501 c (408) 974 9292

CIRCLE BIS ON READER SERVICE CARD

# DATA ENTRY

has changed . . .

From keypunches to 3741s to FourPhase, CADE, and Nixdorf... Now even the most complex data entry is *quickly moving* to PCs ether on one PC, or on dozens in a LAN. venerier on one PL, or on boursis in a LN. KeyEntryIII provides a professonalgrade data entry system. Its ease of use, products and unmatched range of capabilities have made it the most widely used PC-based system in the world.

isn't it time to bring your data entry up-to-date?

# KeyEntry III

Complete Evaluation Package ust \$42 50, delivered

1-800-533-6879 or (205) 251-2985 CIRCLE SUT ON HEADER SERVICE CARD

# DATA ENTRY EMULATOR

You will not find any PC Data Entry System-FASTER, EASIER to use, or LOADED with more USABLE features. Distribution Worldwide. The EMULATOR will meet your Data Entry needs-OR-return it with no obligation PC or DE style keyboard Fully menu driven Price \$395-30 DAY FREE TRIAL Also avail for IBM S34/36



COMPUTER KEYES 21929 Makah Road Woodway, WA 98020 (206) 776-6443

# VDE-Viking Data Entry

The premier data entry system Full-featured to replace key punch & keydisks. Full screen "FORMS," double-key verity, wide variety of options, crossfoots, subtotals, batch balancing, duplicating, statistics, skipping, etc. Character, field & record level validations \$120-600 Also for mines

VIKING SOFTWARE SERVICES, INC. 2815 East Sketly Drive, Suite 816 Tulsa, Oklahoma 74105 (918) 745-6550

### **VANTAGE DATA ENTRY**

D.A.T.A. SPECIALIZES in Data Entry software/ hardware/support & offers the solution to your PC-based data entry needs with VANTAGE software Runs on standalone or networked PC's Contains the most ADVANCED features which are not combined in any other PC-based data entry system. Demo Packages available Direct Access To Automation (D.A.T.A.) 303 Beach Road Burlingame, CA 94010 800-538-DATA or 415-342-8822

# **DESK TOP PUBLISHING**

# **DESK TOP PUBLISHING**

# Optical Character Recognition (DCR)

PC-OCR™ software converts printed/typed documents into editable text files for your desktop publishing system. Supports HP Scan-Jet, Canon, Panasonic and most other desktop scanners. Pre-trained for many popular fonts. and trainable to read virtually any typestyle. incl foreign fonts. Reads proportional text, matrix printer output and Xerox copies. \$385. Check/AMEX/VISA/MC/COD

Essex Publishing Co. PO Box 391 Cedar Grove, NJ 07009 (201) 783-6940

# for HP+ & Compatibles and Canon LBP-811 Laser Printers TIMES/

- · QIII Sanz Vitra Bold
- VS Century Bold Bold Italic Antique Olive Bold - Compact
- VS Times Rold Rold Italic
- · CG Triumvirate Black · Italic
- VS BHS Bold Extra Bold
- · Rockwell Bold Extra Bold
- ITC Avant Garde Gothic Bold Oblique

# 45 Bitmap Fonts \$179%

# EXECUTIVE Type Classics

Medium and Italic fonts in point sizes 8, 9, 10 II, 12, 14, 18 Bold tonts in 10, 12, 14, 18

- VS Bookman Medium Italic Bold
- CG Omega Medium Italic Bold
- VS Century Medium Italic Bold
- ITC Souvenir Light Italic Demi
- ITC Avant Garde Gothic Book •
- Oblique . Bold
  - 84 Bitmip Fonts \$279°5

# TRIUMVIRATE COMBO

Each font has 3 weights—Medium, Italic, Bold All come in point sizes 6, 8, 10, 12, 14 All come in point sizes 6, 8, Bold fonts also in 18, 24, 30

- VS Times Medium Italic Bold
- CG Triumvirate Medium Italic Bold

36 Bitmap Fonts \$169%

# DESIGNER COLLECTION

Tali Man in point sizes 12 14 16 18 20 24 30 Park Avenue in 12 16 18 20 24 30 All other fonts in 8 12 16 18 20 24 30

- . Olb English Claistereb
- · Freezista av
- · Freadway Engraved
- · Park Avenue
- Tall Man
- · Brush
- VS 8HS Medium Bold •

Extra Beld

62 Bitmap Fronts \$219°



# We don't do newsletters

But if you're doing, 1,000-page technical documents, we're the best-automated, style-sheet-driven, sophisticated pagination slick publishing features, and camera-ready output.

# GML/PC™

The technical documentation and specifications specialist.

Command Technology Corporation, 1900 Mountain Blvd., Oakland, CA 94611 -3530 Telex:509330 COMMAND TECH CINCLE 839 ON READER SERVICE CARD Telephone (415)339-3530



# DESK TOP PUBLISHING

# OCR SCANNING SYSTEMS for PC/XT/AT/PS2 and MAC!

Our "Scanning Connection" products can read text from magazines, books, reports and letters into your PC! We developed a unique trainable character recognition program called "SEE SPOT RUN" for difficult to read typeset material. For typed material, we provide a pretrained program called "READRIGHT." Our "SCORE" program will analyze bubble forms. Selling hundreds of systems each month, we offer customers the lowest prices, best service and technical support.
Cell us today for the best prices on scanners from HP, CANON and PANASONIC. Dealer and volume discounts available!

1120 KAIBAB • FLAGSTAFF, AZ 86001 (602) 779-3341 • TLX 705609



# **VPToolbox** for Ventura Publisher

File Management - VPToolbox instantly displays, prints, copies and eletes selected files or entire chapters or publications

Chapter Documentation - No more guessing about chapter contents. VPToolbox supports user-supplied comments for each chapter. Also shows creation date, last print date, last archive date, and headers/footers.

Style Sheets - View style sheets or print descriptions of every tag for permanent documentation. Cross-reference list shows all chapters using a selected style sheet. Copy and delete tags, compare style sheets, see actual tag usage.

VPToolbox has a quick windowing interface that works with or without a mouse. Available today for \$99. To order, contact your Xerox Ventura Publisher dealer, or call (609) 683-1237.

# **PowerText** BookMaker

Print books, bonklets, paperbacks, flyers, calendars on your laser printer. Ready to cut and bind, fold and printer. Ready to cut and bind, fold and staple, or camera ready for large press runs. Write a 400 page book with only three commands; print a single copy ready to bind for \$2.75 at over 20 pages per minute. Print 3 or 4 fold flyers for \$.08 a piece. Address them from a database at 400 per hour. Turns your laser printer into a printing press!

Tricludes the PowerText Formatter, a Software for Automatic DeakTop Publishing, an automatic page layout product which out performs the top of the line WYSRWY3 programs. Runs on any IBM competible. EGA, hard diet and mouse not required. Ready to publish everything for only \$365. For 14 page brochure or to order, Call or write:

Reaman Porter, Inc. udes the PowerText Formatter

Beaman Porter, Inc. 417 Haistead Avenue Harrison, NY 10528 (914) 835-3156 (800) 431-0007

CIRCLE SREON READER SERVICE CARD

# VENTURA AND PAGEMAKER USERS

COREL HEADLINE creates unique COMEL HEADURE creates unique headines, trites, logos or graphic ierribelishments for use in Ventura or PageMaker \$185 U.S. With CORFEL NEWFONT you can stretch, rotate, gray, shadow or shade PostSorpt Plus fortis for use in Ventura, \$185 U.S. CORFEL NEWFOR IT (IN INTEREST IN INTERES VENTURA UTILITIES includes Styler, to ventiona Utilities includes styler, print your style sheets and 6 other powerful packages. \$99 US. COREL. TABIN lets you easily import a spread-sheet into any desklop publishing or word-processing package. \$99 US. COREL SYSTELIS CORPORATION. 1600 Carling Ave. Ottawa, ONT K1Z 7M4 (613) 728-8200 CIRCLE 590 ON READER SERVICE CARD

# LEARN DESKTOP PUBLISHING

With VIDEOTUTOR, 90 minute video tape, 48 page workbook and example diskette. Learn Ventura Publisher or Aldus pagemaker quickly and easily. Clear comprehensive instruction. Ventura users! Ventura store now open, call for free Ventura utilities and fonts catalog and free Ventura tips card. VIDEOTUTOR/VENTURA STORE 219 Ilihau Street

Kailua, HI 96734 808-254-6419

# Electronic **Page Processing**

- L300 hi-res output up to 2540 doi
- Output to paper or film
- ▶ Macintosh or IBM-PC/compatible disks
- ▶ 24-hour modem
- ▶ Complete Adobe type library
- ▶ 24-hour turnaround
- ▶ Free pick-up and delivery in 1-88 Corridor

# Call 312/844-0030 DEE-SIGNER IMAGESETTING

981 A Aurora Ave . Aurora. It. 60505 24 Hr Computer Bulletin Board 312 844-0093 CIRCLE SIX ON READER SERVICE CARD

# Desktop Publishers Int'L 1-800-548-0386

♦ Ventura Publisher \$469 IP SCANJET w. controller \$1499 HP LASERJET ILW 15 MEG Memory upgrades for HPII \$399 & 40 Princeton scanner complete Princeton LM 300 monitors \$1144 Sigma LaserView starting at \$1599

DATACOPY scanner complete \$1699 JLASEF* - for PC w/2 meg LaserMaster HP controller 6.700 Toshiba 1000 LAPTOP (6 lb.) \$479 Hundreds more desistop publishing products
Ask for our free price list/catalog
Visa & Missian/Card vestcome
Tech calls & in NY State: 1-212-334-1894
CIRCLE 582 ON READER SERVICE CARD

# עברית

عربي DIPLOMAT SOFTWARE SERIES Use Arabic, Cyrillic, Farsi, Greek, Hebrew, Turkish, Urdu, Vietnamese, etc.. in popular software: WordPerfect, Dbase, WordStar, Spreadsheet, Basic, Prolog, Ventura Publisher, etc..

# VN LABS

4320 Campus Dr., Suite 114 Newport Beach, CA 92660 (714)474-6968

Ελλην

Русский

CIRCLE KIS ON READER SERVICE CARD

# **EDUCATION**

# CROSSWORD POWER"

Multiple versions of puzzles will be automatically created and printed by entering your puzzle words and clues only once. You can combine old word lists into new puzzles too. Up to 80 words in each puzzle. Great for vocabulary review. Full page review Feb. 88 Compute! Check/MO \$69. + \$2 shipping. WISCO COMPUTING 2821 Sampson Street Wisconsin Rapids, WI 54494

# **EDUCATION**

### * 1-2-3 SIMPLE AS 1 2 3! *

SPREADSHEETING 101 simplifies learning all Lotus 1-2-3 features with 256 pg Workbook & diskette. Package also includes handy keyboard template plus 171 pg Reference Book for simple answers to complex questions. SS101 is a complete learning & user package Only \$49.95! 30 day money back guarantee! SIMPLE SOFT

P.O. BOX 417430, Dept. C. Sacramento, CA 95841 016,338,3857

# **ENGINEERING**

### ADVANCED STRUCTURAL DESIGN FAST. FULL. FLAWLESS.

WAS \$785.00 NOW \$285.00 FOR LIMITED TIME ONLY

ONE COMPLETE LIBRARY OF INTERACTIVE GRAPHIC PROGRAMS TO DESIGN BEAMS, COLUMNS, AND BOTH 2D AND 3D TRUSSES AND FRAMES. NORMAL OUTPUT INCLUDES CODE TYPE STRESS CHECK AND PA EFFECTS IN STATIC AND DYNAMIC ANALYSIS. FOR IBM OR COMPATIBLE. SEND CHECK OR MO TO:

SMARTCHILD & WHITEHALL LTD. P.O. BOX 803753 CHICAGO IL 60680-3753 ATTN: CUSTOMER SERVICE 312-334-3231

CIRCLE 765 ON READER SERVICE CARD

# ENG/SCI GRAPHICS

(301) 593-0683

OMNIPLOT(S) (screen graphics) & OMNIPLOT (P) (plotter driver) provide integrated engineering/scientific 2-D & 3-D graphics with NO PRO-GRAMMING REQUIRED! Menu-driven, flexible. professional. Choice of formats, tabular/line, contour, bar, pie, 3-D wire frame & much more! OMNIPLOT(S) \$195, OMNIPLOT(P), both \$295. MICROCOMPATIRI ES 301 Prelude Drive Silver Spring, MD 20901

# GRAPHIC TRIANGLE SOLUTION

No knowledge of trigonometry required. Enter any side or angle in any order. Solves as soon as it has enough data. Prompts with upper and lower limits of any entry. Flips, rotates, prints, saves, recalls, draws scale views, displays vertex coordinates, inscribed circle, etc. PC/ Comp's, color or graphics \$25.00.

1622 North Xerxes Ave. Minneapolis, MN 55411 (612) 588-6483

# Engineering

continues . . .

(715) 423-8189



# **ENGINEERING**

### ARCHITECTS AND ENGINEERS

The AFMAS system is designed for Architects. Engineers & other firms where monitoring project costs is required. Modules include: Job Cost, Payroll, A/P, A/R, Invoicing, Personnel Scheduling, Report Generator and General Ledger Multi-terminals are available. DATA-BASICS

11000 Cedar Road, Suite 110 Cleveland, OH 44106 (216) 721-3400

# STRUCTURAL DESIGN

Fast, highly interactive, integrated programs for structural analysis and design of BEAMS, COL-UMNS, TRUSSES and FRAMES of any material. Easily mastered programs result in dramatic time savings while producing efficient, accurate designs. Specify PC, XT or AT and send \$25 for demonstration diskette to

C-Squared B-Squared Software Design, Inc. 461 Bush Street Ste 220 Dept. A-2 San Francisco, CA 94108 415/301-7300

### SIMULATION

GPSS/PC is a full-power version of GPSS, the most popular mainframe simulation language. Specifically designed for interactive use on today's high-speed microprocessors, it is loaded with features such as interactive graphics and animation. Using GPSS/PC, you can predict the behavior of complicated real world systems. MINUTEMAN SOFTWARE P.O. Box 171/B

Stow. MA 01775 800-223-1430/617-897-5662 Ext.316

# TRACK YOUR BOTTOM LINE!

Job-Cost/Job-Bill is written especially for Architectural and Engineering firms where project cost management and invoicing is required. Menu driven features: Job History, Expense Summary, Time/Wage/Salary/Billing Totals, Password Entry, and Invoicing. IBM & compalibles, 256K/Hard Disk rend., Demo. Available. SAI/Structural Analysis, Inc. 301 W Camino Gardens Blvd., Suite 110 Boca Raton, FL 33432

# ENTERTAINMENT/ **GAMES**

# TRAIN DISPATCHER

Toll free 800/635-6366 Tone 814

TRAIN DISPATCHER is a realistic simulation of a railroad traffic control center. It was created by designers of CTC systems for operating railroads and is used by some railroads in their dispatcher training programs. Available for IBM PC, XT, AT and Jr. for \$35 + \$2.50 s/h. Color Graphics card required. MC/Visa accept. SIGNAL COMPUTER CONSULTANTS, LTD. P.O. Box 18222, Dept. 33 Pittsburgh, PA 15236 (412) 655-7727

# **ENTERTAINMENT/GAMES**

GOLFERS! Can your personal computer help you be a better golfer? Can it help you enjoy the game more? It can if you have the . . .

# GOLF ANALYZER™

The most sophisticated golf game analysis software available. NOT A GAME. It gives you 9 pages of useful, easy to understand information about your play. Designed to help you be a better golfer. See Golf Digest, April 1987. On 5¼" disk for all 256K or larger IBM Standard Computers.



Send a \$39.95 Check or Money Order to: **GOLF ANALYZER** Box 9J, 315 East 69th Street New York, N.Y 10021 CIRCLE 716 ON READER SERVICE CARD

# **NEMESIS...**



"If you are interested in Go, buy this program." Jerry Pournelle, Byte 7/87 Why do the Japanese show Go on prime time TV? Learn why they have been addicted to this game for millenia. NEMESIS", the world's strongest Go program, is the ideal tutor. Packed with vital teaching features, NEMESIS " even tells why he makes his moves! To order call 617-890-4184 or send \$79

The Go Master optional 1000+ Joseki Tutor + \$3 S/H.

Toyogo Inc.

Toyogo Inc.

Toyogo Inc.

Toyogo Inc.

# LOTTERY TRACKER AND WHEELERTM

For ALL PICK-SIX games where you choose from up to 70 numbers! Stores past 1000 winning drawings and dates. Stored numbers are analyzed 4 wa HOT, DUE numbers and RECENCY displayed on screen or printed charts. Select 5 betting methods and choose one of 20 built-in popular WHEELING SYSTEMS! Check bets for all winning combinations. Prints charts, statistics, numbers and wheeling systems. Why pay up to \$99 for less? NEW!! IBM/Comp. \$34.95 + \$1.50 S&H

THE DAILY NUMBER BUSTER! TH They said it couldn't be done! A complete software package for 3 and 4 digit daily numbers games. All of the LOTTERY TRACKER AND WHEELER features including ALL straight and box bet combinations. Prints charts, statistics, numbers and systems. NEW! IBM/Comp. You'll love this software! \$34.95 + \$150 S&H

ENTERTAINMENT-ON-LINE, Inc. P.O. Box 553 Dept. PCM Westboro, MA 01581 VISA & MC call: 1-800-824-7888 Ext. 283 CIRCLE NIT ON READER SERVICE CARD

# LOTTO NUMBER ANALYZER

, as PC to seas to a " Fraetrant to combets The fun to use program for most home this supplets who purkly tell to which combets are fue pattern A). and trends what groups to play and m re Mare viju seiem, it based in the laws of pritatility and INCREASE your chances fiwinning IBM and others hiv \$24.95 plus \$2 00 Ship / Handling Fast service on V/MC & MO

SOFT-BYTE (\$13) 276-1110 P.O. Box 886, Forest Park Dayson, Olf 46466

CIRCLE 773 ON READER SERVICE CARD

# **RUN COLOR GAMES** on your mono monitor

Works with any monographics card. Runs moall CGA programs, even self-booting ones. The best performance for your mono XT or AT system-works great! Realistic and very usableeven for fast moving games. These Work: BASICA, Flight Simulator, GRASP, PACMAN, ZAXXON, LODERUNNER, PrintShop, etc.

\$29.95 00-COLO

1-800-854-0561 ext 854 (orders) \$1.00 shoping CA res act \$1.00 MC/VISA Wilkinson Software

6400 Westminster #115, Wes (714)894-3216

CIRCLE 767 ON READER SERVICE CARD

### FOOTBALL WAGER SSS WARE

Don't buy a football handicapper till you call or write Rotten Robbie for free information Programs have 1988 schedule including pre-season. Built in data base that allows an analysis the first week. Plus a wager summary to track your hypothetical bets. Free BBS Support. Pro-Trueline or Major College \$49.95 J&R Software

523 Second Street Towanda, PA 18848 717-265-4258 Info/800-634-2438 Orders

# PRO FOOTBALL HANDICAPPER

Get the winners edge! PC-PICKS is the best NFL software you can buy, regardless of cost. It picks point spreads using adjustable formulas, and lets you view or print stats in 62 categories. Enter stats from boxscores, or get them FREE by modern from our BBSI \$34.95 (\$6.95 for demo) MC/Visa/chk/mo/oo. MICROBROTHERS

PO Box 339 Lafayette, CO 80026-0339

Order anytime at 1-800-628-2828 ext. 865

# SPORTS HANDICAPPING SOFTWARE

\$\$WIN with thoroughbred/harness & greyhound handicapping software-\$52.95 each. Up to 13 entries analyzed: class, speed, times, odds, track, post, stretch, & finish. Pro-Football, Baseball, Basketball Software-\$52.95. Handicap races & games in minutes. MC/VISA accepted. Free info SOFTWARE EXCHANGE PO Box 5382-PC W Bloomheld, MI 48033 (313) 626-7208 Orders 1-800-527-9467

# LOTTO POOL AND ANALYSIS

Lottery Pool Administration System Keeps track of participations, calculates amounts won, % of pools full & keeps history. Lotto Analysis and wheeling system complete lotto analysis. Too much to list. Has exclusive wheeling system & checks tickets for winners. \$39.95 each. Demo \$5 95 + \$1 50 s&h.

TRANS ATLANTIC CORPORATION 828 W Lill Street Chicago, IL 60614 **DEALER INQUIRY FAX (312) 829-6046** 

# FINANCIAL

# Charting Software



MetaStock"

Demo Disk-\$5

Perform sophishcated technical analysis on stocks, mutual funds, commodities, etc. Features multiple movable windows, unlimited moving averages, 25 - pre-set indicators, trendlines and trading bands, overlays and spreads, plus much more! Compatible with 12 - major data services. For complete literature, call toll-free.

# 1-800-882-3040

EQUIS International, Inc. Box 26743 SLC, UT 84126 (801) 974-5115

CIRCLE 830 ON READER SERVICE CARD

# **Adult Software**

For IBM PC, XT, AT, PS-2 & Compatibles
GRAPHICS CARD NEEDED

Volume III .......... \$16.95 ppd New Series M1 thru M7 ..... \$5.00 each ppd

Catalog Diskette...... 84.00 ppd World's Largest Distributor Check, Money Order Bank Check Accepted



CINCLE 795 ON READER SERVICE CARD



# **FINANCIAL**

# Most powerful business & personal bank account manager.

Handles all types of transations, over any time period. Provides Instant access to all transactions (up to four billion records). You will not outgrow this program!

Up to 63 user-defined accounting codes for quick, accurate cash-flow analysis and general accounting. Makes tax preparation a breezel

Automatically addresses and prints checks. Pay bills in seconds!

Check your bank statement in minutes with special quick-reconcile feature.

Prints easy-to-understand statements and checks in two different styles.

Friendly design and extensive pop-up help screens make E-Z-Check Plus a joy to use? Comes with complete documentation and free unlimited technical support.

### 800-258-5749

Mon-Sat: 10:00 AM - 9:00 PM Call now for same-day shipping (Visa/MC) 64.95 + 5.00 shipping and handling & residents add 5% Requires hard disk & 256K RAM Not copy protected

ON READER SERVICE CARD

CDI Microcomputer Systems * 2205 Decker Bivd. * Columbia, SC 29206

CIRCLE 830 ON READER SERVICE CARD

# ACCU

# COMPOUND INTEREST GALG POWER TOOL AND MORE

Partial list of features:

• 30 functions in all • Easy to use • 5 types of amortization schedules • IRR's and NPV's • Compound yearly, quarterly, monthly, etc. • SL, DB, and SYD depreciation schedules • Regression and correla-tion • Creates print-outs, dBASE files. **ASCII files** 

LAMOUTAN

(800) 262-6890 (800) 330-6722



P.O. Box 652922 PCWORKS, INC. Miami, FL 33265-9947 • (305) 553-2198

CIRCLE 599 ON READER SERVICE CARD

# SPECTACULAR STOCK PLOTS!

SPLOTI plots up to 100 user selectable stocks. portiolios, comparisons; 200M 1 yr-2 wks, uses stock price files from Dow Jones, X*Change, X*Press or integrated editor Not copy protected. Requires EGA, 256K, hard disk, DOS 3+. \$90 check, money order. 30 day refund

DATA BASE ASSOCIATES, Dept. P. 810 Richards Street, Suite 901 Honolulu, HI 96813 (808) 521-6459

# LOAN AMORTIZER +

Excamort: Loan Amort's simple/complex, extra pymts, points/fees. APRs (Per Reg.Z), balloons, solve unknowns, yields/IRR, PV, FV, store/ retrieve, more IBM PC/XT/AT/PS2/compat. Great for client services. Acclaimed nationwide by Banks/Legal/CPAs/CUs/S&Ls/R.E. \$149.95

+ \$5 s/h Visa/MC/AmEx. 60 Day MBG.

**ELECTROSONICS** 36380 Garlield #1 Fraser MI 48026 800/858-8448, 313/791-0770 TAX TIME A DRAG? Start now for next April Collect/organize tax data as you pay bills. Get one-time entry for: Tax Data / Date Sensitive Notes *Check Registers / Bank Reconciliation *Check Printing / Recurring Payments THE TAX COLLECTOR - \$68.95 VERIFIED SOFTWARE PRODUCTS 4573 Dogwood Avenue Seal Beach, CA 90740 (213) 594-4202

# HFS - III

Home Finance System

# Saves time Saves money Simplifies taxes

- Designed especially for home use.
- Menu driven.
- Simple checkbook-style formut.
- Manages checking, charge accounts, 1RAs and more.
- Prints expense, deposit and total financial summaries. or selected transactions.
- Prints checks on your format, with payee address.
- Pop-up menus and help windows
- Macro keys and model transactions for speed and convenience.
- · Fast assembly language.
- · Not copy protected.

Non only \$99.00, includes shipping In Iowa, add 4% sales tax. VISA, MasterCard accepted.



Jay Gold Software, Inc. PO Sox 2024 Des Moines, IA 50310 (515) 279-9821

CIRCLE 600 ON READER SERVICE CARD

# *PFROI!* **~ \$20** Super Portfolio Manager

- Stocks/Bonds/M Funds/Dpr Assets
- Stocks/Bonds/M Funds/Dpr Assets Bel & Aft Tax ROI (IRR method) Div & C G Reinvestment/Tax Lots 10 + rpts, CGA & Hercules graphics

# Or also with CAPTOOL™ \$79...

- DJ. Compuserve, & GEnie pricing Multiple portfolio batch ops Bond swap YTM & stock valuators
- Client stmts, x-ref'g & screens IBM PCs/PS-2 \$3 S&H Chk/VISA/MC 45-day money-back guarantee

TECHSERVE, inc. (206) 747-5598 POB 70056, Bellevue, WA 98007

CALL 1-800-826-8082 CINCLE 774 ON READER SERVICE CARD

PC Magazine Classified Marketplace

the ultimate target market!

The brand specifiers who read PC Magazane dua't have the time to shop around their only concern is getting what their need as quirkly as possible

They'll DIRECT their attention to PC Magazine Classified Marketplace

For them BY Magazine Classified Marketplace's litrect Responses Display Ad format represents a fast, caso and coal effective method of product acquisition. Their knews it will have the products they need and the ordernation they want regarding price volume discounts, aspectified since and otherwise.

If you think that your business can be need from the 560,000 brand aspectifiers who read PC Magazine. YOURE REGERT

So take DIRECT action and call (212) 503-5115

# **MONEYCOUNTS®** Is Only \$16!

management accounting system for home and puriners Checkins, credit card management smart checkbook bacancer budgeting financial state ments graphics financial data base s to three was look up inquire reports in line help pop up calculator rathers' to obcapacity rap to see accepts 2400 entries per year) and m., h miss. Not cops protected

# New Version 4.0

- Financial calculator computes interest rates, loss and balloon payments, prints loan amortization schedules
- **Automatic entries**
- Journal entries

And More!

Call or send Slov Slishipping handling Check VISA Me

1-800-223-6925

In low a 114 174 - 224



CIRCLE 590 ON READER SERVICE CARD

# **FLOW** CHARTING

# Flow Charting II+



# The New Plus for Fast Flowcharting 1 4 1

is new! It's now Flow Charting II+, with more speed + more functions + more printing options:

- · 10 text fonts; 26 shapes;
- Line mode can stop at a shape; Backspace key can erase a line to
- its origin; Free text entry anywhere, or select auto-centering; Vertical or horizontal printing; one
- chart or multiple chart

Used by Fairchild, Bechtel and more than 500 other major corporations. Edit quickly and accurately — even major edits — with Flow Charting II+, the Specialist.

See your retail store or call:

# PATTON & PATTON

1-800-525-0082, Outside California 408-629-5376, California/Int'l.

CIRCLE 751 ON READER SERVICE CARD



# MIRKETPURCE

# FLOW CHARTING

# BETTER FLOWCHARTER

Know before you buy! EASYFŁOW is the superb flowcharting program chosen by over 30,000 users, and very lavorably reviewed in the March 1098 issue of PC Magazine. See the "Index to Advertisers" under HAVENTREE to find our large display ad in this issue. Now available with 30-day MONEY-BACK guarantee HavenTree Software Limited Order Desk: 1-800-267-0668 Information: (613) 544-6035

# **GENERAL**

Telefax: (613) 544-9632

# 14 FOR \$136!

SolPourri is a set of 14 useful programs:

- Planning calendar
- · Graphs without graphics
- Spelling checker
- Accounting reports
- Configure printer, keyboard, anything And more! Only \$136. FREE Brochure.
   Craig Banning Route 3, Box 317

Big Pine Key, Florida 33043 (305) 872-3817

# **GRAPHICS**

# **DYNAMIC 3-D GRAPHICS**

Using the fastest video driver routines ever written for the IBM PC, ACROSPIN allows you to dynamically rotate, translate, and scale 3-D wire frame objects and point clouds. Works with most CAD Packages Supports CGA/EGA/MCGA/VGA/HERCULES on IBM pcjr through PS/2 \$30 + \$2s/h ( + sales tax for CA res). ACROBITS P.O. Box 1302
Menlo Park, CA 94026-1302

Mento Park, CA 94026-1302 415-328-0542


# **GRAPHICS LIBRARIES**

Very Fast 2-D & 3-D Autoscaling Graphics for Fortran & Pascal. 3-D Lines Use Color for Z-Axis. Fast Polygon Fill with Cutouts, Solid/ Wrireframe, Many Fonts, Color/Blinking Text. X-Y, Bar, Contour & Fishnet Graphs. Drivers for Dot Matrux/Laser Printers, Pen Plotters, CGA, EGA & VGA. I/O Port Control. \$140 CHIRP TECHNICAL SERVICES P.O. Box 551 Del Mar, CA 92014-0551 (619) 259-6886

TO PLACE YOUR AD IN PC Magazine Classified Marketplace Call (212) 503-5115

# **GRAPHICS**

# **GRAFPLUS™**



Only \$49.95

Grafplus™ turns any IBM or compatible graphics application into a powerful communicator by printing exactly what you have created on your computer screen.

- Print in color, black-on-white, white-on-black
- Scale the image to any size
- Print vertically or horizontally
- Work with virtually any bit-mapped dot matrix, laser, or inkjet printer
- Link into Pagemaker or Ventura GIRGLE 752 ON READER SERVICE CARD

Jewell Technologies 4740 44th Ave. S.W.

> Suite 203 Seattle, WA 98116

206-937-1081

# FORTRAN/PASCAL GRAPHICS

GRAFMATIC (screen): Microsoft Fortran/Pascal, R-M, Lahey callable routines. Graphics primitives, total 2-0 plot support, 3-D plots and solid models. EGA/CGA Hercules mono. support. HP/HI plotter? PLOTMATIC. Laser, dot matrix printer? PRINTMATIC. \$135 ea. Any 2, \$240, all 3, \$340. Ask about our 15 fonts. MICROCOMPATIBLES, INC. 301 Prelude Drive Dept. PC Silver Spring, MD 20901 (301) 593-0683

# FAST GRAPHICS IN BASIC

BOOSTERGRAPHICS v.1.1, Create Graphics Effects & Graphics-Based user interfaces using CGA.FGA.VGA, or Hercules adapters. Graphics primitives, page swapping, enlarging, fast windows, menus and much more. For QuickBASIC, BASCOM, Turbo BASIC. In Assembly. \$65.00 + \$3.00 s/h. Also for C. Suncloud Software 555 South Camino Del Rio Durango, CO 81301

# 35mm SLIDE FROM YOUR PC

(303) 247-0439

(716) 424-5300

703-951-3314

COMPUTER SLIDE EXPRESS converts graphic files produced on the IBM PC into brilliant 35mm color slides with color resolution 400% better than your monitor. Leave your printouts behind. Use high resolution color slides up to 4000 line. COMPUTER SLIDE EXPRESS \$9/slide. VISUAL HORIZONS 180 Metro Park Rochester, NY 14623

# BAR, LINE & PIE CHARTS

with GRAPHX. From simple to complex, including 3-D effects. And you can add your own labels and notation to graphs. Easy to use. Great for presentations. User manual Supports EGA, too. \$49.95 + \$3 S&H. Brochure available. VISA or MC. Call 24 hrs/day, 7 days/wk. WRIGHT SOFTWARE 4006 Tall Oaks Drive Blacksburg, VA 24060

# HEALTH

# ANALYZE DIETS, MENUS & . . .

so much morel with The FOOD PROCESSOR III
This TOP-rated software has the best database of any system on the market today! Acctaimed by schools-colleges-hospitals-homes-fitness centers & businesses 2400-3000 foods-30 nutrients. \$250. IBM-Apple-Macintosh CALL OR WRITE TODAY FOR FREE DEMO DISKIESHA Research P.O. BOX 13028
SALEM, OR 97309
(503) 585-6242/7755

# DIETWISE/ENERGYWISE

For Diet, Nutrition, Fitness conscious people

DIET Evaluation (children and adults)

- MENU Analysis
- RECIPE
- BODY COMPOSITION
- ENERGY EXPENDITURE
- MS/DOS \$39-\$120 (professional vers. avail.)
   NUTRITIONAL DATA RESOURCES
   P.O. Box 540
   Willoughby, Ohio 44094

800-NDR-DIET . . . . Ohio (216) 951-6593

## PC-RELAXIV

Finally A Program That Calms You Down: Shapes, Colors, forms, continually changing images, non-repeating, abstract & realistic. Self-driven or interactive, relaxes and/or stimulates according to mood, eases tired nerves "Monitoritis" in office/horne. Reviewed by doctors. Needs EGA/CGA/MonoGraphics, \$39.95 + \$3.00 S&H (+ N.Y. Tax) VISA/MC. TRUE IMAGE P.O. Box 660 - Cooper Station

P.O. Box 660 - Cooper Station New York, N.Y. 10276 (212) 777-7609

# **INVENTORY**

# ***dFELLER INVENTORY***

A business inventory program written in modifiable dBASE source code. The menu-driven program lets you locate items by inventory name or number. It keeps track of reorder points, vendors, average cost & other information.

* dFELLER Inventory \$150/Requires dBASE II/III
* dFELLER Plus \$200/with History & PO's.
Requires dBASE III-III PLUS (for stock rooms)
FELLER ASSOCIATES
550 CR PPA, ROUTE 3

Ishpeming, MI 49849 *** (906) 486-6024 ***

# MANUFACTURING INVENTORY \$99

Inventory control with Bill-of-Malerial Processing and vendor file for small to medium size batch manufacturers or job shops. Project material requirements, allocate material, maintain material cost per work order and for all WIP Allows up to 3 remote terminats to receive or issue material. Meets supplier log requirements of MIL-1-45208. REAL TIME AUTOMATED, INC. 1340 8 No. Dynamics St.

1340 8 No. Dynamics S Anaheim, CA 92806 714-993-0111

# INVENTORY MANAGEMENT

Stock-Master 4.0, commercial grade system provides Stock Status, Purchase Order Writing & Tracting, Trend Analysis, Quality Control Reporting Detail Analysis, Bill of Materials, Multi Locations and more. Modular, "micro" priced & configured to your needs. Cobol Source available. APPLIED MICRO BUSINESS SYSTEMS 177-F Riverside Ave.

Newport Beach, CA 92663 (714) 759-0582

# **LANGUAGES**

# SSS Fortran

Reduced from \$325
Small Systems Services

Multi Data Management, Inc. PO Box 3333 Urbana, IL 61801 Inquirles: (217) 367-0903 Orders (Visa/MC):

(800) 255-2255 x3300 CIRCLE 594 ON READER SERVICE CARD

THE SHOWCASE FOR PRODUCTS
AND SERVICES IN THE MS DOS
MARKET . . .



# MAILING PROGRAMS



MAIL MERGE:

By Search Codes Word Star, Word Perfect, MS Word, Standard ASCII

FREIGHT BILLS: Bulk or Individual

Printouts — Federal Express, Airborne, UPS, DHL. Purplator

CIRCLE 823 ON READER SERVICE CARD

# MAIL MONSTER

**Takes The Bite Out** Of Mailing List Requirements For Any Size Company

BRITTAIN SYSTEMS, INC.

3457 Normandy #3 • Dallas, TX 75205

4" × 15/16" - 2 across 2½" × 15/16" — 3 across

Name Badges:  $31/2" \times 27/16"$ Shipping Labels:  $4" \times 211/16"$ Index Cards:  $3" \times 5"$ 

Post Cards: 31/2" × 6" Rotary Index Cards: 21/16" × 4"; 3" × 5"

FEATURES: Written in DBase III • Compiled in Clipper • Source Code Included • Totally Menu Driven • Integrated • Excellent Manual • File Import/Export

Price: \$180°° + Sales Tax (214) 528-3020 VISA, AMEX, MC, Accepted

# PC/LABEL MASTER

Editors' Choice 1987

A mailing list program that does everything except walk to your post office box.

- o Maintains unlimited records
- o Allows up to 30 user codes o Index/last name & zip codes
- o Sorts on any field
- o Imports and exports files
- o Checks duplicates
- o Auto dialer; plus much more 49*15-day money back guart. BEST PROGRAMS

800/368-2405;(703) 820-9300 CIRCLE 700 ON READER SERVICE CARD

# **POSTWARE MAILING SYSTEM**

Automate mail preparation. Cut postage costs by 5¢ per piece or more. Only PostWare prints. address labels in bundle and bag, bulk mailing order. Not a useless zip code sort. Prints address labels, bag tags/tray labels. Calc postage Works with dBase III PLUS, DATAEASE. PowerBase, Smart & others. Also ASCII.

* 1st & 3rd Class-\$195 * 2nd class-\$395 * Carrier Route \$300 * Dup. Detector \$200 PostalSoft, Inc.

515 Division Street La Crosse, WI 54601-4544 

> TO PLACE YOUR AD IN PC Magazine Classified Marketplace Call (212) 503-5115

# ZIP DIRECTORY ON DISK

- 90,000 zip codes with city state, county Speed data entry Compatible with most base software. On disk or tape
- CLEAN-A-LIST Program that finds and fixes address errors in mailing lists
- ASSIGN-A-ZIP-Street data files for 5-digit zip assignment

# 1-800-431-2577

DCC DATA SERVICE, INC.

1200 18th St. N.W. Ste. 704

Wash D.C. 20036 • 202-452-1419

# CIRCLE 776 ON READER SERVICE CARD

# **DOCTOR DATA LABEL V1.2**

Complete & easy-to-use menu-driven mailing list manager dBASE III compatible files. Bulk & CAR-RT SORT Index, filter, sort, & print in any order. Mail merge, duplicate checker, & much more. Two versions available. Unlimited records per file for \$79 + \$3 S/H (\$82) or 250 records per file for \$3. Call or write for more **DOCTOR DATA SOFTWARE** 

P.O. Box 11368 Phoenix, AZ 85061-1368 (602) 246-8907

# THE MAIL ORDER ACCOUNTANT

Order fulfillment/List management. Includes customer lists, labels in 6 formats, inventory, invoicing, accounts receivable, customer payments by cash/credit card. Prints shipping labels, credit card slips, UPS shipping manilests, sales tax report dBase III Plus source code provided. \$975, demo \$25 + \$3.50 S/H. **GOLDSMITH & ASSOCIATES** 48 Shattuck Square, Suite 86 Berkeley, CA 94704 (415)540-8396

# "THE MAIL ORDER WIZARD

is one very powerful program. It offers a catalog business all the computing routines it needsand then some!...gives new meaning to the hackneyed phrase, 'user friendly' ... Written in Assembler, it operates with lightning speed .. very serious software, a 'must see' Catalog Age. \$970, Demo, \$12. The Haven Corporation 802 Madison Dept. M

# THE TURBO MAIL ORDER MANAGER

The userfriendly answer to mail/phone sales. Handles all charge card types and cash sales. Includes sorting for printing credit card slips, mailing labels, shipping labels, sales tax reports, invoices, sales summary, and, customer base summaries. Custom service available. Only \$190 + \$3 s/h, Visa/MC/AMEX MTN Inc.

1422 Pine Hill Drive Gartand, TX 75043 214-840-9313

Evanston, IL 60202

803-782-8278

# MANUFACTURING

# MINIMIZE PRODUCTION COSTS

Enter your company's operational costs, current status, and sales forecast for up to 156 time periods. PMODEL finds production rates, inventory and employment levels for each period such that production scheduling costs are minimized \$200 VISA/MC. Also: Linear Transportation, & Upper Bound Programming. **Best Way Software** 

P.O. Bax 9656 Warwick, RI 02889 (401) 738-0881

# MANUFACTURING

### MACHINE SHOP SOFTWARE

incorporates 6 options for estimating or for improving productivity on the plant floor: specify-turning/milling feeds, speeds, horse

- · specify driffing & rearning feeds, speeds
- analyze cutting tool problems
- calculate X/Y coordinates from any ref.
- calculate volumes/weights of metal shapes INCREDIBLY SIMPLE/EXTREMELY POWER-FUL (FOR IBM PC/AT/XT OR COMPATIBLES) US \$299 00 CHK/VISA/MC COMPUSTEP PRODUCTS CORPORATION 1870 Bonhill Road

Mississauga, Ontario Canada L5T 1C4 (416) 678-1713

# THE FOREMAN

Multi-user Nov. Available!

- Inventory/BOM/PO/Costing
- · MRP/Invoicing/Ad hoc reports
- · Repetitive mfg or one time build
- Extensive Cost Control Standard vs. Actual
- Automotive release interface

 IBM PC/NOVELL/ALTOS DCM COMPUTER PRODUCTS, INC.

43700 Twelve Mile Road Novi, MI 48050 (313) 347-9600

# **MEDICAL**

XL1TM A Complete Solution XL1= is a full featured Practice automation system.

Some of its many features: Insurance claims -

electronic & paper Complete patient data & recall info

Billing - patient, account, point of service

 Full financial reports daily, monthly, annually

- Supports 15 physicians
- References provided
- Support lines open 9AM to 9PM EST Mon-Sat
- 90 day full refund if not completely satisfied

•Full featured demo - \$75 credit towards purchase

\$1450 includes 1* year of support/enhancements **Practice Management** 

Systems, Inc. 9450 Two Notch Road Columbia, SC 29223

1-(800)-521-7217 CIRCLE 831 ON READER SERVICE CARD



# THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

# MRKETPURCE

# **MEDICAL**



MDX-PC brings you the best of both worlds: the power and flexibility of MDX medical-office software in a PC-DOS format. Flexes for any specialty; manages billing, electronic claims, custom reports, medical records, more. Full upgrade path to MDX with UMDX/Kenix. Call for into and free videotape.

# **CALYX COMPORATION**

150 N. Sunnysiope Rd., Brookfield, WI 53805 (500) 555-2206 or (414) 762-0300 CIRCLE 756 ON READER SERVICE CARD

# MEDICAL SYSTEMS WITH ECS

All PPM products have electronic claims submission (ECS) to Medicare & commercial carriers, paper claims too.

- PC ★ CLAIM \$89.95; claims only.
- PC + CLAIM w/ICD's, CPT's & HCPC codes \$229.95.
- PC * CLAIM PLUS claims only w/patient file. Complete a claim in one minute \$459.
   THRESHOLD * TM \$1,995.00 claims, A/R patient bifling.
- THRESHOLD \$3,995.00 claims A/R patient billing, complete practice management, statistics, analysis.
- CLAIM → NET Nationwide claims clearing house. Full 100% credit on product upgrade.
   PC → CLAIM & PC ° CLAIM PLUS both house 30 day money-back guarantees. IBM PC/XT/ AT compatibles MS-DOS 256K.

PHYSICIANS PRACTICE MANAGEMENT 1810 South Lynhurst Suite Q Indianapolis, IN 46241 (317) 634-8080 In continental U.S. call (800) 428-3515

Indiana residents call (800) 792-3525

Medical/Dental Systems

Second Decade. Support for more than 130 machines. Featuring paper and electronic claims, patient billing, appointments, diagnostic data base, word processing, financial histories, payroll, accounts payable, and general ledger. Single and multi-user systems. Starting at \$199.95, 2,400 Dealers.

CMA Micro Computer

CMA Micro Computer 55888 Yucca Trail #6 Yucca Valley, CA 92284 619/365-9718

## COMPUMEDIC"

(619) 451-0480

PROVEN Practice Management System—in use 7 yrs. Electronic claims, A/R, G/L, statements, insurance forms, practice analysis, word processing, recall, delinquent tracking, historical data. FLEXIBLE! user designed forms/reports \$4400. Training avail. Denial (DenialWare™), eyecare optometry (EyeMate™) & Vet. (VetLogic™) also avail. Dealer inquiries invited. DATA STRATEGIES, INC. 17150 Via Del Campo Suite 203 San Diego, CA 92127

### DR&/ASSISTANT HAS IT ALL!

Profit with the most complete software for PCs. Superbills, A/R, insur forms, Problem Oriented Medical Records, productivity, scheduling, recall, MORE. MD written, proven over 7 yrs. Only \$989. Larger capacity, faster DRs/MANAGEMENT \$1495. Networking \$1995 FREE DEMO. CAN YOU AFFORD NOT TO TRY IT? MC/VISA MEDSOFT OF CALIFORNIA, INC.

13588 Samantha Avenue San Diego, California 92129 Toll free (800) 541-0900

# **MUSIC**





# **MUSIC**



# COMPUTER MUSIC CATALOGUE!

Largest music software selection anywhere! 80 pages of detailed information on the leading computer music products including waveform editors, transcribers, sequencers, MIDI interfaces & more. Get the facts! Competitive prices! Visa/MC. Worldwide shipment! Send \$3 for 2/yr catalogue subscription.

DIGITAL ARTS & TECHNOLOGIES Dept. PC1, P.O. Box 11 Miltord, CT 06460 (203) 874-9080

# FORTE I/II MIDI Sequencers

16/32 tracks, 16 channets/track Record/Playback, 60,000 notes. Most powerful MIDI editing. Rhythmically flexible Step entry. Auto Punch, quantization, realtime playback control, DOS shell. New in FORTE II: System exclusive storage, unlimited looping, SMPTE cue list, Songlist, Accel/ritard. \$150/\$250

LTA Productions P.O. Box 6623 Hamden, CT 06517 (203) 787-9857

# **UNLEASH YOUR MUSICAL GENIUS**

"MUSIC SOFTWARE all computers for music printing, composing, home recording. "MIDI SYNTHESIZERS ETC.! "SEMINARS & EDUCATION For a free catalog or into call write visit: MUSICATION 1600 Broadway Suite 1000A (W. 48th Street) New York, N.Y. 10019 212-957-9100

PC Music Co. (800) 634-7249

Don't get stuck with a toy! PC Music offers a wide range of name brand music hw and sw to turn your PC into an awesome recording studio. Let an expert match your needs with the right equipment at LOW prices. Novice or Pro: Create! Publish! Perform! Call day or night. PC Music Company P.O. Box 34315 Bethesda, MD 20817

MusicEase 2.0

Full featured music processor: print, play, transpose, cut & paste, no range limitation, 1-2-3/WordStar style commands, multiple voices/staves, lyrics, all keys/meters, custom symbols/placement, WYSIWYG, beams & more. IBM/Epson printer, CGA graphics monitor. Intro offer. Send \$99.95 + \$5 s/h. Grandmaster, Inc. P.O. Box 2567

P.O. Box 2567 Spokane, WA 99220 (509) 747-6773

# MIDI Card and Software

PC MIDI Interface Card, Sequencer Software and 4 MIDI cables (1 in, 3 out) ONLY \$149 95! 64 tracks. 60,000 events, 600 ticks/qtr note resolution! Fast, full featured, easy to use software. Best MIDI offer ever made! Developer's source code \$19.95. Dealer inquiries welcome. MIDI MUSIC

500 East Arapaho, Suite 609 Richardson, TX 75081 (214) 238-5269 (800) 456-MIDI

# SONGWRIGHT IV

(703) 822-9068

Music Processor prints professional sheet music, songs, scores with text, chords, symbols. Compose, edit, copy, record, transcribe, play, transpose to any key. Bass/treble, multiple staves, all meters. MIDI optional. IBM/Epson/ Star printers; CGA/Hercules graphics. \$89.95. Send for free sample output. SongWright Software Route 1, Box 83 Lovettesville, VA 22080

TO PLACE YOUR AD IN

PC Magazine Classified Marketplace Call (212) 503-5115

(800) 634-7249



# PREVENTATIVE MAINTENANCE

# **Memory Minder**

Memory Minder is the most comprehensive disk diagnostic program available for disk diagnostic program available for microcomputers. Any operator can quickly and easily check the vital operating parameters of their floppy drives, including spindle speed, head alignment, read sensitivity and others. Run Memory Minder before vital data backup operations. Use it to align the drives without

operations. Ose it of augit the drives without the use of an oscilloscope. IBM PC, XT, AT program and manual \$70. Precision Alignment Diskettes sold separately \$40 each. 5.25" 40 track, 5.25" 80 track, 1.2 MB AT, or 3.5" 80 track drives.



J&M Systems, Ltd. 15100-A Central SE

rque, New Mexico 87123 505/292-4182 We accept MasterCard and Visa CIRCLE 761 ON READER SERVICE CARD

### MAINTENANCE & INSPECTION

An easy-to-use computerized method to organize, operate, and control an effective preventive maintenance system. Applicable to any type of business or industry. Full screen input and displays. plus function key help command. Maintains historical data, creates work orders, and provides numerous reports. For info, write to: PENGUIN COMPUTER CONSULTANTS P.O. Box 20485

San Jose, CA 95160 (408) 997-7703

# **PROGRAMMERS** TOOLS

# PROGRAMMERS TOOLS



# Relational Database Management with QuickBASIC!

db/LIB's 3 application-building libraries expand your QuickBASIC into full-function programmable DBMS.

- High-powered assembly routines link to QuickBASIC:

  - Create, read, write data files with billions of records. Instant file access with full B-tree indexing system. Conforms to dBASE III+ NDX and DBF file standard. Compact, completely tested and full documented.
- Complete Data Management programs w/Basic source:
  - Create, Browse, List, Index, Append, & seven more.
     Run stand-alone or merge into your own programs.
- Built-in Database Query Language saves days of coding:
  - Dynamically selects and formats record output.
     Understands dBASE or Basic expressions.

db/LIB is only\$139 complete.

JS PUBLISHING, INC.

P.O. Box 379 North Hollywood, CA 91603

Call toll-free: (800) 992-3383

In Calif. (618) 985-3383

Featured in the Microsoft Value Pack Catalog.

CIRCLE 432 ON GEARER SERVICE CARD

# **Turbo Pascal Programmers!**

Blaise Computing, dedicated to providing quality software development tools since 1982, supports Turbo Pascal 4.0.

# **POWER TOOLS PLUS**

- TSR support
- Direct video access
- VGA and EGA support
- Windows and menus
- DOS memory allocation
- Interrupt service routines

# **ASYNCH PLUS**

- Interrupt-driven
- Speeds to 19.2K band
- Four ports on PS/2 systems XON/XOFF protocol
- Hardware handshaking
- XModem with CRC
- Both packages include source code, a comprehensive user reference manual, extensive examples and full program samples on the distribution diskettes. Blaise for Microsoft C and Pascal as well as Computing has a full line of products

Turbo C and Pascal. Call 800-333-8087 today

BLAISE COMPUTING INC. for your free brochure. CIRCLE 782 OH READER SERVICE CARD

# PROGRAM/MANUAL DOC'S ON-LINE

DocuMotion, a pop-up documentation utility. gives immediate access to source code documentation, manual etc. Build cross-index document libraries from any text file. Powerful print and copy capabilities. Folding document, ten window bookmarks, search, LAN compatible, more FREE DEMO

NWP-Intelligent Solutions, Inc. P.O. Box 20478 Bloomington, MN 55420-0478 (612) 884-5860

# TURBO PLUS \$99.95

Programming tools for Turbo Pascal 4.0 Screen Painter, Code Generator, VO Fields, Dynamic Menus, Programming Unit Libraries, Sample Programs, 280 Page Illustrated Manual 60 Day Satisfaction Guarantee! Brochures & Demo Diskettes avail Highly Favorable Reviews! IBM & Compatibles.

Nostradamus Inc. 3191 South Valley St (Suite 252) Salt Lake City, UT 84109 (801) 487-9662

# TURBOCHARGE YOUR KEYBOARD

EXPERT KEY saves you keystrokes. Type long words/phrases only once. From then on you only need a few keystrokes. It's all automatic. No macro keys to program or remember. Just a single Hot Key How? Expert Key LEARNS your words from the keyboard and screen. As you start typing a word, a highlighted guess pops up- a smart guess, right at the cursor. Just hit the hot key and the word is complete, or keep lyping and the guess is gone. It's fun & never gets in your way. Learns editing sequences and recalls previous command lines 30 day guar. for PC/XT/AT \$65 SPECIAL (Reg. \$95) + \$3 S&H. CA res add 6.5%

Newell Technologies, Inc. 27758 Santa Margarita Plovy Suite 330N Mission Viejo, Cal 92691 (714) 583-7848

# Free SPF/PC

Interactive demonstration disk, V2.0. Yours for the asking! Command Technology Corporation, 1900 Mountain Blvd., Oakland, CA 94611 Telephone: (415)339-3530 Telex: 509330 COMMAND TECH

CIRCLE 833 ON READER SERVICE CARD.

# **QuickBASIC Programmers**

We have the tools to make your programs faster, smaller and more professional in appearance. We also give you important functions missing in QB. We even have a package that lets you make your QB programs memory-resident in as little as 8K of memory!

Call Toll Free or write for detailed information with no strings attached.

1-800-922-3383 • 404-973-9272

MicroHelp, Inc. • 2220 Carlyle Drive • Marietta, GA 30062

CIRCLE 834 ON READER SERVICE CARD

(818) 781-9975

# FREE BUYER'S GUIDE

Call or write for our FREE comprehensive Buyer's Guide containing hundreds of languages utilities and applications specifically for IBM personal computers and compatibles. We're the world's leading independent dealer of programmers development tools because we provide sound advice low discount prices fast delivery FREE domestic shipping and no hidden charges

# Programmer's Connection

1249 Whippie Ave. NW with Canton Ohio 44.22 800-336-1166 USA

216-494-3781 OH & AK (Collect) 800-225-1166 `anada 216-494-529 FAX

CIRCLE 763 ON READER SERVICE CARD

# SOURCE CODE

Modular and fully documented Assem bly and C source code. Many programs are memory resident. All will run on any IBM PC, XT, AT or com-

Calculator

 Dir/File Manager 49.95 DOS Anywhere 64.95

Write or call to order source for these or other programs. Demo disk and brochure available.

10301 Lake Ave. Suite 617 Cleveland, OH 44102 (216) 651-3250

CIRCLE 767 ON READER SERVICE CARD

# SIMPLE SCREENS

Turbo C users: Forget printf! Forget scanff Instead use pop-up windows, easy data entry and validation, WYS/WYG screen design and maintenance. Functions are so easy to recall you will quickly shelve your manual Requires IBM PC. XT. AT or true compatible. \$50, checks only No royalties.

Dannenburg Software 4362 SE Old Orchard Ct. Milwaukie, OR 97267 503-659-2808

# PUBLIC DOMAIN

# \$3.00 SOFTWARE FOR IBMPC

Hundreds to choose from, wordprocessors, data bases, spreadsheets, games, x-rated, lotto, communications, business, music, bible, art, education, language and useful utilities for making your computer easier to learn. Most programs have documentation on the disk. Write for your FREE catalog loday! **BEST BITS & BYTES** P.O. Box 8245 Dept. M Van Nuys, CA 91409

,

PC MAGAZINE • JULY 1988



# THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

# PUBLIC DOMAIN

# SaleMaker Client Management

& Telemarketing Software Very easy to learn & use

- User-customizable for any business
- Lightning fast file access
- Inbound & outbound telemarketing
- · Schedules calls and call-backs
- Autodials your phone
- Records contact history & notes
- Tracks lead sources
- Word processor built-in.
- Instant follow-up letters & labels
- Mail merge for targeted direct marketing
- Generates custom management reports Pop-up windows, full color screens
- Unlimited file capacity
- Imports & exports ASCII files
- · Over 95 searchable data entry fields
- Single-user & true LAN versions available

Editor's Choice

"A very well rounded system with broad functionality and excellent

screen design. MAGAZINE

It is also fast and easy to operate a hard package to beat PC Magazine 12-22-8

Nominated for 1987 Award for Technical Excellence for Application Software!

Reduce costs, Increase Sales. Call today for free information.

1-800-433-5355

(214) 264-2626 in Texas

BaleMaker Software

Box 531650 Grand Prairie TX 75053

CIRCLE 136 ON READER SERVICE CARD

# 1-800-843-5084 Call for FREE catalog!!!



# IBM Shareware/Public-Domain collection conveniently available for only \$3.75/disk FULL!

Over 1900 selected programs PACKEO together on just 220 diskettes, each diskette made available for only \$3.75! Our FREE catalog offers an extraordinary range of programs, including WORD PROCESSORS, GAMES, PERSONAL FINANCE, PROGRAMMING LANGUAGES, ACCOUNTING, UTILITIES FOR DISK AND PRINTERS AND SCREEN, LOTUS WORKALIKES, DATABASE PROGRAMS, and much, much more!!

Orders shipped on Visa, MasterCard, or COD — but the catalog is Iree!

P.O. Box 7087 Warner Robins, GA 31095 CIRCLE 789 ON READER SERVICE CARD

# PC MAG SPECIAL FOR IBM SOFTWARE

Receive a Personal Finance Manager World Processor Mailing List Program, 7 Fun Games Spreadsheet plus our extensive catalog for ONEY \$8 95 (plus s h) VISA MC CO (1 ( + \$200)

# MICRO STAR

PO Box 4078 Leucadia CA 92024 Call Toll Free

National: (800) 443-6103 Ca forna 8 i i 1 443 743 )

## FREE DISK CATALOG!

Large selection of P.D./Shareware programs. Business, games, utilities, etc. Over 1500 of the best programs, as described in our free disk catalog! Orders shipped within 24 hrs! \$3 00/per 5.25" disk, and \$4 00 per 3.5" disk. Each one packed full of useful programs. Call Inday! MC/VISA **GLW Software** 

PO Box 14008 Arlington, TX 76094-1008 817-265-2007

# INCREDIBLE SOFTWARE

For IBM/Compatible Computers. Get a Word Processor, Spreadsheet, Database, Money Manager, 5 arcade games plus our 10,000 program catalog for ONLY \$10.00 (+s/h) VISA, MC, AMEX (COD +1.90)

International Software Library 511-104 Encinitae Blvd. Encinitae, Ca. 92024

800-992-1992 (National) 800-992-1993 (Ca only)

CIRCLE 768 ON READER SERVICE CARD

# IBM P.D. SOFTWARE

Send stamp for catalog on disk. We have the best selection of Public Domain & Shareware for IBM & compatibles available. We offer hundreds of DSDD disks with Work Pro/ Games/Util & so much more for business or home use. At \$3.00 per 5.25" & \$5.00 per 3.5" Fastest service around. MC & VISA JDX/PC

P.O. Box 1561 Corona, CA 91718 (714) 734-7075

# GREAT SOFTWARE! **GREAT PRICES!**

Cream of the crop shareware for the IBM PC and compatible. Finance, programming, games, utilities, graphics, educand much more! Large 32 pg. cataloge with full descritions FREE! Prices as low as \$2.00 each! Visa,

Mastercards & COD Welcome, Call or write for a free catalogel

# Computer Solutions

PO Box 354

Mason, MI 48854 1-800-874-9378

1-517-628-2943 CIRCLE 793 ON READER SERVICE CARD

# **1-800-262-6053**

IBM P.D.& User Supported software, as low as \$1.25 per diskette - 3.5" diskettes available. If you are curious or a long time user, call our 24 hour order line and ask for a free catalogue. The newest and best, all types, from accounting to word processing. Call NOW! (MS 601-428-5722) SOFTWARE CAFE

1125 West 10th St Laurel, MS 39442 1-800-262-6053 24 hrs.

# **PUBLIC DOMAIN**

Public Domain and user supported software for IBM and compatibles.

- Video Training Tapes Available.
- . 100's of disk and 1000's programs.
- Low as \$1 25 per FULL disk
- · Send \$2 (refundable) for directory disk set. Visa/MC accented US/PD LIBRARY PO Box 119

Clinton, TN 37716 615-457-3317 (After 4 pm)

# FORTY PROGRAMS FOR \$30.00

- Best collection of IBM Public Domain Software · Business, Accounting, Word Process, Graphics, Spreadsheet, Database, Lotus Templates, more
- · Home Use: Budget, Inventory, Checkbook, others
- Games: wide selection of educational levels. Helpful instruction manual included. All for \$30 + \$3.50 s/h. Visa/MC accepted.
- PC PRODUCTS 2216 Illinois Boise, ID 83706 800/882-6528 ext. 956

THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

# REAL ESTATE

# Tennant-Trac

"The ultimate property manager"
Designed by PC IDEAL and a professional property manager for maximum efficiency and ease of use

*Apartments * Office Buildings * Real estate investments *

Trac- 1 to 2000 units easily and efficiently Trac- All tennant data, lease terms and conditions Trac- All financial data, accounts receivable

and payable Trac- All monthly, yearly financials and gen-

erate reports Your profits can be maximized for only \$129. Call now for more into: 1-800-834-5841

Send check or money order to: PC IDEAL, 650 Sentry Park Way, Suite 1, Blue Bell, PA 19422

"Superior to systems costing over 18X as much \$"

CIRCLE ING ON READER SERVICE CARD

### THE COMPLETE REAL ESTATE SERIES

'Helping Thousands Make Millions' since 1985. The most complete CPA/Auditor tested and approved series of Real Estate programs available anywhere! The industry leader! The series includes Complete Property Manager-II (\$795), Complete Real Estate Investor (\$495), Complete Money Manager (\$195), Complete Credit Checker (\$249), Complete Property Tracker (\$495) & 1031 Decisions (\$995). For demo (\$15) and/or literature call !SOLUTIONS! PUBLISHING INC. 8016 Plainfield Road Cincinnati, OH 45236 800-255-6643 or 513-891-6145

### REAL - HELP" \$69.95 INVESTMENT ANALYSIS

Detailed analysis forecasting long/short term Return On Investments using "what it" situations. AMORTIZATION schedules that compensate for variable int/payments, balloon or full term. DATABASE with powerful sort/search function. Payment comparison to define your best terms. CK/MC/VISA

Accurate Investment Co. PO Box 42002 Plymouth, Mn 55442 (612) 559-8375

# DEED DESCRIPTION ANALYZER

Simple plotting of deeds to scale on screen or printer. Accepts curves, fee, chains, poles, rods & varas. Find acreage, sq. ft. & closure errors. Edit permanent disk files. Designed for nonsurveyors. Comprehensive manual. Users include attorneys, realtors, bankers and appraisers \$49.95 VC/MC/CK GREENBRIER GRAPHICS, INC. 1102 Main St. P.O. Box 724 Rainelle, WV 25962

Real Estate

(304) 438-8157

continues . . .



# REAL ESTATE

# L-PLOT...

A Metes & Bounds program to plot/print plats of any scale- Any description- use Any measurement! Calc. areas, error of closure, plots multi tracts. IBM/compat with monographics, CGA or EGA capability. \$190. Or send \$15 for real working demo, refundable with order Visa/ MC/chk. Free info.

LAN/SCAN, Inc. P.O. Box 6863 Abilene, TX 79608 (214) 824-6419

# **BUILDING SEARCH**"

Software developed by commercial broker. Instant access to your own inhouse MLS for all commercial office data in your market. Ability to query over 128 different variables. Profil presentation quality printouts manual and demo software available for \$29.95. Ask about our nationwide user networks.

LeaseLine, Inc. 11776 Jollyville Road - Suite 200 Austin, TX 78759 (512) 250-0505

# MANAGEMENT & ANALYSIS

"Real Property Management" \$395/\$595 for residential & commercial properties and other bldp'g. Flags deling't tenants; prints budgets, checks, invoices & 1099S. No retyping of recurring data. " "Real Analyzer" \$195, when deciding, buy/sell, exchange, or refinance. 30 day money back guarantee. REAL-COMP INC.

P.O. Box 1210 Cupertino, CA 95015 (408) 996-1160

# PROPERTY MANAGEMENT

Since 1978 over 6,500 users of our software have found it comprehensive, flexible and easy to use. We offer systems to manage the following types of properties: COMMERCIAL/RESI-DENTIAL/CONDOMINIUM/HOMEOWNERS ASSOC/MINI-STORAGE FACILITIES For more into, and sample printouts call: REALTY AUTOMATION 1136 Eastshire Dr. Hayden Lake, ID 85835 (208) 772-3259

# PROPERTY MANAGEMENT

Rental-Ease. New state of the art property management software. Extremely fast and easy to use. Everything is included, tenant tracking, repairs and maintenance, income and expense, check writing. No extra modules to buy. The ultimate in property management. \$895 complete. Call for Demo or brochure. STRATEGIC OFFICE SYSTEMS 9129 Maltard Circle Sandy, Utah 84093 801-942-6784 8am-5pm mountain time

# PROPERTY MANAGEMENT

Comprehensive program for managing residential and commercial properties. Many management reports including operating statement, delinquent rent, lease expiration and transaction register report. Provides check writing, check reconciliation, posting of late fees, recurring expenses-\$495 Investment Analysis \$245. YARDI SYSTEMS, INC. 930 Laguna Street Santa Barbara, CA 93101 805-966-3666

# RELIGION

# SEARCH THE

WORDsearch TM is the world's fastest, most advanced NIV Bible concordance software.

Instantly locate all relevant passages by word, phrase, or word combinations. And you can transfer Bible verses to most word processors.

\$189.95 plus \$5 p&h. Fullfunction demo, \$7. Call about our 30-day no-risk free trial.

800-888-9898 5014 Lakeview, Austin, TX 78732



# Search the Scriptures Resident

Pop-up, memory resident Bible available at any time, from any program.

Copies verses directly into your word **DFDCBSSOF** 

Searches the Bible quickly for any word or phrase

\$185. Demo available. Call 1-800-255-8602 (in LA 318-322-0897).

BibleSoft, Inc. 1300 Hudeon Lane Suite 10 Monroe LA 71201 CIRCLE 846 ON READER SERVICE CARD

# RELIGION

# CHURCH SOFTWARE

POWERCHURCH PLUS!®

Fast friendly reliable church administra-tion system Membership, full fund accounting, contributions, payroll, pay-ables, multi-user support, & much more - ALL for \$695 complete! Compare us feature-for-feature against any overpriced package. We rehelping thousands of churches with great software at a great price! FREE phone support, no time limit. No high-pressure sales pitch. To order your FREE full-working DEMO version. call Customer Support.

F1 S O FT W A M E
P.O BDX 3096 BEVERLY HILLS, GA 90212
(213) 854-0865

CIRCLE 837 ON READER SERVICE CARD

# SCRIPTURE SCANNER BIBLE ON DISKS

- · Search the Bible in seconds for key words or phrases.
- Print any list or portion.
- Write sermons, lessons, etc from your word processor or ours with access to scripture.
  Priced from \$179.95 to \$669.95

CALL: 512-255-9569 FT 0

CIRCLE 847 ON READER SERVICE CARD

## BIBLESCAN

Search the entire Bible, a book, or chapter for a word or phrase. Display and/or print the related passages or a set of verses to help prepare sermons, classes, etc. Scan any topic. Excellent Bible study aide Old Testament \$39.95 New Testament \$34 95 or Both for \$64.95. Available for PC/XT/AT/PS2

Highlands Computer Services Route 5 Box 456 Abingdon, VA 24210 703-628-4299 Mon-Sat 9:00-6:00 EST

# THE ULTIMATE BIBLE STUDY

(619) 584-4371 for free info.

Called "Sophisticated" and "entertaining" by PC Magazine (3/29/88), the Bookmaster Bible is becoming the new leader in Bible software. Powerful search modes, on-line help, report generator, footnotes and much more! New manual, free tutorial & 30-day moneyback quarantee \$235 for 6 disk set, \$10 for demo. Koala-T Software 3255 Wing St. Suite 220 San Diego, CA 92110

> TO PLACE YOUR AD IN PC Magazine Classified Marketplace Call (212) 503-5115

# COMPUBIBLE *

- . OUR FAMILY OF PROGRAMS HAVE MORE FEATURES THAN ANY OTHER PROGRAM OR YOUR MONEY BACK!
- Find any word or phrase in seconds!
- . Access the Bible, insert verses and find words or phrases while using your word processor!
  • KJV, ASV, NIV, NKJ, RSV
- For information on all products

call or write: NASSCO P.O. BOX 65600-222 Lubbock, TX 79464 (806) 866-4223 (800) 262-7726

CIRCLE 843 ON READER SERVICE CARD

# PARISH DATA SYSTEM "

Comprehensive census/contribution program. Easy to operate, menu driven. Family, member, financial info & reports fully integrated. Selective lists, labels, contribution/fuition statements, personalized letters. User can create own reports, letters. Other church programs available. Over 1600 users. Free info. Parish Data Systems, Inc.

3031 W Northern Ave., Suite 121 Phoenix, AZ 85051 (602) 247-3341

# SALES MARKETING

# FOLLOW-UP

Manage your sales activities with FOLLOW-UP. Track prospects by area, dollars, products, salesper or any of 22 other entry fields. Fast & easy to use with on-line help at every point. Now in daily use by businesses of all types & sizes.

- Reminds you when to call
- Keeps history of previous calls
- Keeps Appointment Calendars
- Keeps track of other things to do
- Prints a wide range of reports **Prints Mailing Labels**
- Interfaces to your Word Processor & M all Merge letters On screen Telemarketing to a
- group of names that you select Provides detailed sales forecasts. Imports data from ASCII files
- Transfers & merges data bet
- computers using Follow-Up Hes several data fields that you
- can define for your business Designed for use by salespeople,
  - not computer exp

\$179.95

XYCAD Group 1577 St. Clair Ave. Cleveland, Oh 44114 800-426-5457 In Ohio (216) 569-5768



# THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

# SALES MARKETING

# JENT-TRA

"The Ultimate Competitive Edge"

CHEST TRACE APC 401 M. Busines Software System specific incide ghost Learn the Professional Salesperson a competitive edge while efficiently Managing a Larger Cli-ent Base. Increasing Sales. Improving Service. Maintaining Organization and Increas

CLIENT-TRAC allows you to easily

TRAC thousands of clients efficiently

 TRAC thousands of citems entitled by TRAC clients by name, area, occupation, user-defined, etc.
 TRAC all pertinent data for EVERY client such as last contact, extensive notes, re-* TRAC all "hot" leads daily

* multiple screen viewing * produces mailing lists and reports (with graphics)

CLIENT-TRAC also includes the ability to easily

TRAC weekly monthly year to date sales records and projections
TRAC travel and entertainment expenses
TRAC YOLR PERSONAL CALENDER of scheduled appointments.

CLIENT-TRAC provides ad the above in an easy to use menu driven format with on line support designed for the Professional Salesperson. Total utilization the system requires NO PROGRAMMING.

Your Sales potential can be realized with CEIENT-TRAC for ONLY \$195.

For More Information Call PC IDEAL Today at 1-800-634-5641.

nd Check. Money Order (PA residents add 6% sales tax

PC IDFAL, 650 Sentry Park Way, Suite 1, Blue Bell PA 19422

CIRCLE 584 ON READER SERVICE CARD

The only software you really need-to get the most business out of each Day

- fast access to client information
- keep your records organized
- make fast phone calls
- type letters and proposals
- invoice system, too. Save Time, Increase Sales Sales Ally Has It ALL!

Sales Ally is also designed for: telemarketing and network applications (Versions also available for: Real Estate, Insurance and Stock Brokerage)

Call for Demo!! 215-242-8751 or 8750



Scherrer Resources, Inc. Sales Systems Group 8100 Cherokee Street Philadelphia, PA 19118

.a tool to increase your productivity

* calculator * Mailing Labels * Call-Back "Tickler"

* Free Phone Support

calendar

CIRCLE 783 OH READER SERVICE CARD

# Load Management

# ONLY \$99.95 to the Next Generation in Sales Management.

Menu Driven - Delly To-Do & Top 10 Lists - Sales Forecasting - Expense Reports - Price Quotes - Complete Documentation - Spreadsheet - Word Processor - Direct Mail - Telemarketing

# Powerhouse Systems Inc. 1-800-525-5774

1-919-721-0241 1022 W. First St. Ste 104 Winston-Salem,NC 27101

CIRCLE 7M ON READER SERVICE CARD

### **GREAT SALES PRESENTATIONS** NEW CONCEPT - FREE DEMO

- >>>> Show you have a better mousetrap
- >>>> Recommend the best solution.
- >>>> Manage and close a complex sale

Proven tool for organizing professional sales presentations tailored to your customer's needs. DECISION PAD for PC's is \$195, 30-day NO RISK. Or test-drive FREE DEMO DISK (limited time).

APIAN SOFTWARE P.O. Box 1224

Menlo Park, CA 94026

(800) 237-4565 ext 125 or (415) 851-8496

THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

# SECURITY

# DataCrypt

DataCrypt - 1) A unique and unbreakable software encryption system designed to provide BUSINESSES, GOVERN-MENT AGENCIES and INDIVIDUALS with TOP LEVEL SECURITY while retaining, receiving and transmitting classified information.

- -Coded data is unbreakable (exceeds Data Encryption Standard)
- -No "back door." Cannot be reverse engineered or "jammed"
- -Menu driven and user friendly with on-line tutorial
- -Encodes all types of files at speeds up to 100K cpm
- Every system produces unique codes based on unique keys
- -Full control over encryption keys provides endless security

-Authentication, audit trail, verification, scanners and more

DataCrypt, the ultimate security system, can be obtained for \$249 or- inquire about a site license.

For TOP LEVEL security call PC IDEAL today at 1-800-634-5641 -or- send check/money order to:

PC IDEAL, Inc. Executive Suites

650 Sentry Park, Suite #1, Blue Bell, PA 19422

"Finally, an IDEAL data security solution, DataCrypt."

CIRCLE 788 ON READER SERVICE CARD

# **PROTECTION** Designed for user transparency clone

- npatibility & strength It features
- no need for damaged media or i-10 bags no need for damaged media or i-10 bags seoports all Hard & Fapoy dish formats his server networks isaboorted his server networks isaboorted valuable number of instally i-10 90 crualiz demos with remote unlock option allows protected apprachs by modern 865 him/ program use by date or count

\$195 Starter 4.4 or \$495 with NO mater counts. Free rilo \$ semo dish available



Az-Tech Software, Inc. 305 East Frank in

Richmond MO 64085

(800) 227-0644

(816) 776-2700 CIRCLE 788 ON READER SERVICE CARD

# BIT-LOCK* SECURITY

Piracy SURVIVAL 5 YEARS proves effectiveness of powerful multilayered security. Rapid decryption algorithms. Reliable/small port transparent security device. PARALLEL or SERIAL port. Countdown and timeout options also available. KEY-LOK* security at about 1/2 BIT-LOCK cost. MICROCOMPUTER APPLICATIONS

7805 S. Windermere Circle. Littleton, CO 80120 (303) 922-6410 or 798-7683

# HANDS OFF THE PROGRAM®

rivilege based system security utility the ents unauthorized access of your PC's sub ones. Nes and disk drives.

HAMDS OFF THE PROGRAM provides a sophet-cated technique to separate up to 64 users of a P.C. by privilega, into their own separate areas on the hard disk. Users may access only their own areas and any other area protected with a tower privilege.

HANDS OFF THE PROGRAM pri your hard dish by preventing unauthorized users from modifying the DOS file attributes (Read Only, Hidden, System). For example, use the READ ONLY attribute to prevent virus programs from iding your system

HANDS OFF THE PROGRAM restricts access to your hand dish we "dish locking" A "locked" hard dish may not be booked accessed by applications software or formatted via the DOS FORMAT con-

NAMOS OFF THE PROGRAM incorporates advanced security techniques on PC's running PC-DOB V30 or higher. The DOB PORMAT' of Drive C is prevented white the PC is in use, the security manager is protected agencial Control Break and a boot from Roppy results in the automatic locking of Drive C.

HANDS OFF THE PROGRAM also pro
Disk Encryption

User Access Reporting
Stops Common Viruses
Mailtox
Read Only and Execute Only privil

- ad Only and Execute Only privileges by
- Auto Installation

Price \$89.95

add 3.75—shipping Check Money Order VISA MC accepted Systems Consulting Inc.

412-963-1624 Box 111209, Pittaburgh, PA 15238-0

CIRCLE 787 ON READER SERVICE CARD

Security continues . . .



# SECURITY

With our Copy Protection Products. They really work and do not burden the honest user...

# For Disk Security High Level Security

- PADLOCK II DISK
- SAFEGUARD DISKS
- COUPON DISKS

# For Hard Disk Protection

HDCOPY

Low Level Security User Installable Protects

PC-PADLOCK

The market is filled with copy protection products which burden the user or simply don't work. We have over 2500 satisfied software firms utilizing our systems. The high-level fingerprint has not required an update in over 2 years.

Why should your valuable data or useful software program beconvailable in the Public Domai

Call or write for more information. GLENCO



ENGINEERING INC. 721 West Algoriquin Rd., Arlington Hts., IL 60005 (312) 364-SOFT

Telex 493-7109 FAX 364-7698 CIRCLE 792 OH READER SERVICE CARD

# **SHAREWARE**

# SAVE UP TO 74% ON SOFTWARE

When you buy software "off the shelf" you pay 50-74% for advertising, packaging and distribution. With Shareware the author lets you try his software at no risk. If you like it send him a donation. Send \$1.00 for catalogue of over 800 Shareware programs. \$2.95 per disk (Canada \$3.95). 3.5" format available. In Canada Write: 269-C Springside Drive, Hamilton, Ontario

**ALTERNATIVE PERSONAL SOFTWARE** P.O. Box 1370

Lewiston, NY 14092

he world's leading software manufacturers depend on Softguard copy protection systems. Your FREE DISKETTE introduces you to SuperLock** - invisi-ble copy protection for IBM-PC (and compatibles) and Macintosh.

- Hard disk support
- No source code changes
- Customized versions
- LAN support
- New upgrades available

(408) 773-9680

# SOFTGUARD SYSTEMS INC.

710 Lakeway, Suite 200 Sunnyvale, California 94086 FAX (408) 773-1405



# **SHAREWARE**

# BEST OF THE BEST

Shareware & Public Domain Software no min order! 1-4 \$3 98 ea. 5-9 \$3 48 ea. 10 + \$2 98 ea. No s/h 24 hr toll free order number Orders shipped in 24 hrs. Visa/MC Free disk catalog to first 25 callers. \$2.25 there after or write for

free mini catalog. AFL INDUSTRIES - Software Division 213 Ward Circle Suite 202 Brentwood, TN 37027 ORDER-800-245-1516 OTHER 615-371-8388

# SAVE 90% ON SOFTWARE!

Shareware programs compare tavorably to commercial programs costing \$200 and up! EZ Forms, Homebase, PC Key Draw, PC Outline, over 170 others to choose from, all for \$6.95 or less per disk! Money-back guarantee. IBM, PC, XT, AT, ir, or compatibles. Call or send for FREE catalog. SHAREWARE EXPRESS 32302 Camino Capistrano, Sulte 204W

P. O. Box 219 San Juan Capistrano, CA 92693-0219

(714) 240-1322

# FREE SOFTWARE CATALOGUE!

We have selected only the best software for your home or small business computer and put it into the most complete FREE catalogue available. We feature Games, Entertainment and unique Home Applications software. Also Education, Graphics, Finance, Wordprocessing and more. Just \$4 per disk. MONEY BACK GUAR-ANTEE. Write for free catalogue.

276-P Morehouse Rd. Easton, CT 06612

# STATISTICS

# High performance STATISTICAL SYSTEM

A powerful, elegant, and super-fast statistical package integrated with complete data management and dynamic graphs. Comprehensive selection of descriptive, inferential, and exploratory statistics with forecasting. STATS+ features intelligent, two-way interfaces to data from Lotus, Symphony, dBlil+, and other programs. For more info look for our ads in most computer journals, ask your dealer, or contact StatSoft. Price \$245 (*\$5 ship/handl).



A StatSoft

2325 E. 13th St., Tuise, OK 74104 (918) 583-4149

Overseas offices StatSoft of Europe Hamburg FRG, ph. 04(, 4200347, StatSoft UK (London UK) ph. 07072 71166. Hearine Software: Melteuprin- Australia; ph. 613-497-4276 CIRCLE 794 ON READER SERVICE CARD.

Statistics and graphics join to make STATA the most powerful package for the PC. No comparable program is as fast, friendly, and accurate \$20 Demo Quantity discount available Call tall-free for more information

# 1-800-STATAPC

Computing Resource Center (213) 470-4341

CIRCLE 844 ON READER SERVICE CARD

# RATS!!

Best-selling and most comprehensive econometrics & forecasting software available. Combines regression, time series and forecasting with data base management and high res graphics. All for only \$300. Call today and find out how RATS can help you!!

# 1-800-822-8038

VAR Econometrics P.O. Box 1818 Evanston, IL 60204 (312) 864-8772

CIRCLE 782 ON READER SERVICE CARD

## THE BASS SYSTEM

BASSBase + BASSStat + BASSView = Power! For data management/analysis/report generation. The SYSTEM. 384K and 2-31/2" drives or onehard disk. \$229 thru 8/31/88. microBASS, 256K and 2 floppies, \$95. Call or write for information: BASS Institute Inc. P.O. Box 349 Chapel Hill, NC 27514 (919) 489-0729 or BB: (919) 489-9665 (N.8.1)

# MINITAB'S a PC of cake!

MINITAB features intuitive commands for comprehensive data analysis. Includes basic statistics . regression • time series • tabulation ANOVA • plots • histograms •

much more. DOS based version includes LOTUS interface, hi-res graphics, no copy protection. Used in over 60% of Fortune 50 companies. For free brochure call 814/238-3280.

# MINITAB₽

Minitah Inc. 3061 Enterprise Dr. State College, PA 16801 CIRCLE 771 ON READER SERVICE CARD

# BELIEVE IT! -

StatPac Gold™ with the Forecast Plus™ Option is the Most **Powerful Statistical Analysis and** Forecasting Package Available for the Microcomputer

FREE Comprehensive Brochure:

1-800-328-4907

WALONICK ASSOCIATES, INC. (612) 866-9022

CIRCLE 786 ON READER SERVICE CARD

## MARKETING SCIENCE SOFTWARE

For PC's .. (1) RXCON Conjoint w/plan generator, graphics, help key, morel (2) RXMAP Perceptual mapping, (3) RXTAB Cross-tab pkg with (4) RXSTAT, 33 stat routines, Unlimited banners, sample size, and on-screen table generator! New 3D graphics! 15 Disks, 600 pg manual, demos, futorials included. New programs, upgrades, as released! All for Annual membership of only \$195! VISA MC AMEX MKT SCIENCE SOFTWARE ASSOC. Educational div of Datalogics

1-800-992-0422/PA 215-794-3517

# STATISTICS

# The One You Can Rely On

BMDP offers the most comprehensive collection of programs for data analysis, backed by comprehensive documentation & competent technical support. BMDP was the 1st stat package ever developed and the BMDP programs have been trusted by statisticians more than 20 years. Hard disk reg'd. Call for brochure.

# STATISTICAL SOFTWARE

BMDP Statistical Software, Inc. 1440 Sepulveda Blvd Los Angeles, CA 90025 (213) 479-7799

# STATISTIX - ONLY \$169!

STATISTIX is a powerful and very easy-to-use statistical system for PC's. Used by many universities, businesses, fed, and state governments and research organizations. Check us out before you buy a statistics program, you'll agree SX is a "best buy"! SATISFACTION **GUARANTEED** For more info: NH ANALYTICAL SOFTWARE PO BOX 13204 Roseville, MN 55113 (612) 631-2852

# **HCSS** plus-\$99

Easy-to-use menus & spread sheet. Multiple repression. T-lests. ANOVA (up to 10 factors, rep. measures, covariance). Forecasting, Factor, cluster, & discriminant analysis. Nonparametrics. Cross Tabulation. Plots: histograms, box, scatter, stemleat. Sort. Subset. Transformations. Reads ASCII. New graphics Pkg. \$59. NCSS

865 East 400 North Kaysville, UT 84037 Phone: 801-546-0445

# STAT PLAN III

Easiest to use statistics program available Complete range of statistics-curve fitting crosstabs, correlation, multiple regression, T-tests, etc. Graphics with printer/plotter output. Capable of handing over 50,000 data points, interfaced directly with lotus files. Demo diskette available. MC/VISA Only \$179 THE FUTURES GROUP-STAT PLAN III 76 Eastern Blvd., Dept. C Glastonbury, CT 06033-1264 (203) 633-3501

# SIGSTAT

SIGSTAT includes over 70 programs of the BMD statistical series, plus many advanced new features. Mainframe capacity (up to 80 var.) for uni-(e.g., ANOVA, regression) + multivariate (e.g., canonical, factor,) analyses, timeseries, multidim scaling, crosstab, plots, q/c and more. 8087 support opt.256K, DOS, \$595. SIGNIFICANT STATISTICS 3336 N. Canyon Road

Provo, UT 84604 (801) 377-4860

# BASEBALL * * BOWLING

BASEBALL LEAGUE STATS - maintains a full set of batting, fielding and piliching statistics and complete game by game histories. BOWL-ING LEAGUE SECRETARY - maintains and updates all necessary records for teams and individuals in small or large leagues. Baseball -\$39.95 Bowling - \$44.95 Visa/MC. Mighty Byte Computer, Inc. 6040 A Six Forks Rd., Suite 223F Raleigh, North Carolina 27609 1-800-237-7072

# **SURVEYS**

### THE SURVEY SYSTEM

An easy to use menu driven system for the entry, editing, processing and presentation of questionnaire data. The system can produce camera ready crosstabs and other tables in banner format. Also statistics and bar charts. Regression and open-end coding/analysis options available. CREATIVE RESEARCH SYSTEMS

15 Lone Oak Ctr., Dept. P. Petaluma, CA 94952 (707) 765-1001

# SURVEY MATE

The integrated survey package: fast & accurate data entry with automatic values, range, logic checks, age calc, verification, verbatim entry/ report for open-ends. Frequencies, Recoding Crosstabs, Regression, ASCII file export, up to 1000 fields. Users in 41 countries, \$145, 60 day Money-back Guarantee Henry Elkins & Associates Inc. 15 Willow Circle

914-961-7375 Ord: 800-622-4070, 800-942-7317

# TERMINAL **EMULATION**

# BARR High-Performance **RJE Workstations**

BARR/SNA RJE and BARR/ HASP are communications hardware/software packages for the IBM PC and PS/2 series of computers.

## Full featured:

- · multiple printers,
- unattended operation,
- print speed beyond 6,000 lpm,
- · special forms,
- · line speed to 56,000 bps,
- · dial-up or dedicated lines, and
- · serve as a LAN gateway.

BARR/SNA RIE emulates IBM 3777-3 in an SNA environment. BARR/HASP emulates IBM 3777-2 and HASP on the 360/20. **BARR** communications software is also available with PC-SYNC internal modems: 208AB, 201C, 9600.



Barr Systems, Inc. 2000 NW 41 St. Bldg M Gamesville, FL 32606 800-BARRSYS or 904-371-3050

CIRCLE 795 ON READER SERVICE CARD

# UTILITIES

# Ammunition to conquer your biggest problems!



- The Virtual Expanded Memory Manager provides your EMS applications with up to eight megabytes of expanded memory
- . It turns PC/AT or PS/2 aumemory
- It turns hard disk storage into expanded memory
- It is compatible with most EMS applications including 1-2-3 and Symphony
- Only \$89.95 30-day money-back guarantee



Fort's Softwere P ○ Box 396 Stan KS 86602 (913) 537 2897

CHOCE

CIRCLE 798 ON READER SERVICE CARD

# HERCULES OWNERS

# Athena BIOS™

This unique software and hardware solution allows up to 95% of existing CGA software to run without modification on Hercules adapters Outper-forms all others (see PC Magazine, Nov 24, 1987 pp 28 and 48) Runs on PC, XT, AT, L.E. and compatibles all Hercules adapters. Software - \$40, with emulation adapter - \$60.

# ATHENA DIGITAL

2351 College Station Rd. Suite 567 / Athens, GA 30605. Phone 404/354-4522. CIRCLE 754 ON READER SERVICE CARD

# UTILITIES

Bronxville, NY 10708

# BACK-IT & Q-DOS II

Back-it, Backs up 10 MB in 4 min. Backs up to & restores from any DOS device. Formats. verifies and backs up to floppies in one step. \$55 & \$4 sh. Q-DOS II simplifies DOS commands with blazingly last speed \$39 & \$4 sh. Easy to learn & use. Demo \$3. Check, MC/ VISA

**CARTER MARKETING** P.O Box 672 Coarsegold, CA 93614 (209) 658-7532

# BREAK 540K

Why buy expensive boards? VRAM™ gives your PC/XT/AT or PS/2 8 megabytes of memory by turning disk space into expanded memory! Use extended memory for expanded memory. Create VERY LARGE worksheets FAST 640K not required. Use with 1-2-3, Symphony, and other EMS programs. \$49 + \$3 s/h. BIOLOGIC COMPANY 11982 Coverstone Hill Circle, Ste 1622 Manassas, VA 22110 (703) 368-2949/Chk-COD

# Opt-Tech Sort/Merge 3.8

Extremely fast Sort/Merge program. Run as a DOS command or CALL as a subroutine Unlimited filesizes, most languages, datatypes & hietypes supported including Bitrieve and dBASE II & III. Advanced leatures include record selection, record reformatting & much more! Call or write for more into MS-DOS \$149 Zenix \$249 Opt-Tech Data Processing PO Box 678 Zephyr Cove, NV 89448 (702) 588-3737

# AT'S DON'T NEED **360KB DRIVES**

Allows copying of IBM AT files for use on IBM PCs. XTs. and compatibles with no IBM PCs. XTs and compatibles with no hardware or software modifications. A 360K flopy drive is not required. CPYAT2PC may reside on your IBM AT hard disk and copees 1 file or entire subdirectories in 1 step. Price \$79

# MICROBRIDGE COMPUTERS INTERNATIONAL, INC.

655 Sky Way - Suite 125 San Carlos, CA 94070 1-800-523-8777 (CA) 415-593-8777

(NY) 212-334-1858



CIRCLE 801 ON READER SERVICE CAR

- X - T - A - A"

A Menu System to Manage Memory Resident Programs

of the largest 1381 • Single that May be the state of the largest 1381 • Single that May be the state of the

P O Day 1104



CIRCLE 800 ON READER SERVICE CARD



#### UTILITIES

RUN NOVELL WITHOUT KEYCARD Protect Novell Network from crashing due to Keycard Failure

> Break the 12MHZ server barrier Free-up slot in server

#### NetSAFE for v2.X \$99 US

Other products available for:

P-CAD CADKey CADvance Personal Designer



#### VISA or American Express

Unit #72 125 Garry Street Winnipeg, MB. Canada R3C 3P2 (204) 956-2798

Include \$10 shipping. Our products should not and are not intended for production of software for sale or trade or for any purpose that would deprive author of pay-

CIRCLE 796 ON READER SERVICE CARD

#### This Screen Can Save Your Data



One or more of your scheduled backups is overdue, to check backup status and root Quiksave press F1, to abort press ESC

Why Pay More? Now Only:

CIRCLE 841 ON READER SERVICE CARD

#### QUIKSAVE REMINDS YOU TO BACK UP YOUR HARD DISK...

The hit of the year is Quikaeve. It will remind you when to backup daily, weekly or at any specified interval. Our unique warning system tells you the number of days since the test backup, which files have changed and a statue report for all scheduled backups. Backs up 20 meg in 8 minutes on either 5.25 ° or 3.50 ° dieks. 8 minutes on ether 5.25 or 3.50 disks.
Once you have seen Guitsave in
operation, you will see why numerous
FORTUNE 1000 companies such as
NABISCO, COMPUSERVE, and CITIBANK and others backup daily using Gulkaave. And it's PS/2 COMPATIBLE! Call:

1-800-888-8086

Micro Interfaces Corp.Mismi,Fl

#### **DISKPACK®**

No.1 backup software. 10 Megs onto 2 floppies in 4 min! Compresses files. Copies to any DOS device (inc. tage). All other last backup programs bypass DOS and are unreliable and don't work w/many clones. Please compare. Nothing else even comes close. Money back guarantee.

BIOLOGIC COMPANY 11982 Coversione Hill Circle, Suite 1622 Manassas, VA 22110 (703) 368-2949 Check/COD

Expanded Memory Simulator for the 286 & 386 machines. Use the extended memory you already have as Lotus style Expanded Memory. PC Magazine (March 31, 1987) says "Easy to use and well documented." \$70 (\$100 with assembler source), 30 day money back guarantee. Visa/MC accepted. Larson Computing

1556 Halford Ave #142 Santa Clara, CA 95051 (406) 737-0627

#### """IBM Uses CP/M & Apple """

"The best", "strongly recommended"-PC mag. Uniform cooles files, reads & writes directly to 200 CP/M disk formats on the PC.XT.AT-by Micro Solutions \$62.95 + \$3 S/H

 MatchPoint 1/2 card transfers Apple DOS, SOS, CP/M and ProDOS files to IBM PC,XT, AT-\$185 + \$3 S/H (includes FREE Uniform!).

1108 S Second St. Dekalb, Illinois 60115 (815)758-2355

(716) 586-9756

#### RECORD/PLAYBACK KEYSTROKES

TOTAL RECALL captures keystrokes while you use your programs. Play back your keystrokes and it runs your programs for you . . . TYPING EVERYTHING YOU DID Save time! Less typing! For tutorials, audit trails, demos, QA tests, prob solving, recovery. Popup/batch, edit, 4 speeds, more! \$79. 30 Day guar. Dealers too! Computer Foundations 2604 Elmwood Avenue, Suite 320 Rochester, NY 14618

## SpeedStor

#### Hard Disk Integration and Partitioning Software

- For PC ATs, XTs and compatibles.
- Integrates virtually all 5% inch drives.
- Supports ST412, RLL, ESDI and SCSI controllers.
- Flexible partitioning, with volumes of any size.
- Spans multiple drives into a single volume.
- Includes trouble-shooting diagnostics.
- Powerful, yet extremely easy to use.

(suggested retail)



#### **EDITOR'S CHOICE**

"If you have to make a hard disk drive and controller work together, . . . SpeedStor is a dream come true."



"SpeedStor software makes installation simple and painless . . . Its user interface is a joy to work with."

Used by major disk drive and PC manufacturers. 250,000+ units sold. Now available through Softsel dealers.



981 University Ave., Los Gatos, CA 95030, (408) 395-2688

CIRCLE 797 ON READER SERVICE CARD



#### CM-MENU SYSTEM

The COMPUTER MANAGER provides you with a user defined menu to access instantly all the different application programs on the hard disk. Powerful menu generator User programmable to perform other tasks as well. You can issue DOS commands directly from the menu. Introductory price \$29.85. **DATA CONCEPTS** 2277 W 243rd St

Lomita, CA 90717 To order call (213) 539-4836.

#### Package your Expertise

KnewNew is the expert application system for software involledge, it integrates common user errors, product specu, special tricks, war stories, glossary into a single involledge base, then asks did-you-do-this questions to resolve

then aste dictyou do the questions to resolve how to and what went wrong impulses. Suilid your own Knowledge Stee or steet with one of oues. Not an ES shell — if you can constitud this happens when statements, you can build a Knowl flow knowledge base. The ultimate docu-mentation for furnitely applications, VAR bootes, tech support, training followup. Not convinced? Ask brour Demo disk, \$20.



3,86 29-261 4444 FM 1980W. Houston, TX 77008 (713-209-4020

CIRCLE 867 ON READER SERVICE CARD

#### RECALC 1-2-3 5X FASTER!

3-2-1 Blastoff comoites 1-2-3 formulas into code for 8087 math chip which loads with your worksheet into 1-2-3. Recalc 3 to 15 times faster and protect proprietary formulas. Use all 1-2-3 features, any size worksheet. "Hot Prospect" -PC Magazine. \$124.95 with 30-day moneybick grant fire.

FRONTLINE SYSTEMS, INC. P.O. Box 7408-PC San Francisco, CA 94120-7408 800-451-0303 Ext 55, 916-677-7171

1 k 25



#### THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

#### UTILITIES

#### SAVE TIME WITH VTOOLS!

Fast, easy to use toolkit full of timesaving programs improves your mood and efficiency! Programs to find files, display/sort directories, view/modify files in ASCII or hex format, relocate files, compare/update files, even a global "CD" command, plus much more! OS/2 compatible! Call toll free! \$49.95 + \$3 s/h. CA Tax. See our ad page 4



**GOLDEN BOW SYSTEMS** 2870 Fifth Avenue, Suite 201 San Diego, CA 92103 800-284-3269

#### \$59.951

Order the RED Utilities now! Programs include: Diskcache to speed hard and floppy disks. Printer spooler. Batch file compiler speeds batch files and protects source code. Path for data files. Wild card exceptions. Protect hard disk from formatting. Sort directories. 17 more programs. Visa, MC, Ck/mo. Wenham Software Company 5 Burley Street Wenham, MA 01984 617-774-7036 9am-9pm Mon-Fri 9am-5pm Sat

#### **SEE CURRENT FILE ACTIVITY**

WATCH-I-O Pop-up utility that displays files open, DS DX of open and last read/write, R/W counts, last exec, last open, last file-not-found. User can select hot-key, pop-up for file opens, pop-up for file-not-found, track file opens on printer, MC/Visa \$49.95 w/antivirus opt. 269.95

Quantum Publishing 23860 Miles Road Cleveland, OH 44128 1-800-342-6237

#### **SEARCH - REPLACE for 1-2-3**

Finds and replaces strings of characters (labels, formulas or numbers) at 1,214 cells per sec. "Features just about all of the search and replace options that a spreadsheet user would PC Magazine "An absolute must for global modifications of worksheets" Symphony User \$39.95 + \$3.00 S/H. SMI Corporation P.O. Box 582221 Tulsa OK 74158 (918) 560-9536 MC/VISA/COD/PO

#### **RUN YOUR PC AUTOMATICALLY!**

Specify what to run and when to run it and let Auto-Might do the rest. Run backups, communication, diagnostics or virtually any program/utility - unattended. Run software daily, weeldy, monthly or years in advance. DOS 2.10 and up, IBM and compatibles. \$49.95 + \$4.00 s&h (Colo, add 7 1% tax) The Pendulum Group, Inc. 333 W Hampden Ave Suite 1015 Englewood, Colorado 80110

(303) 781-0575

#### **FILE-MANAGER 2000**

An effective DOS alternative with all the commands necessary for complete disk/file mainlenance Easily installed/tailored to exclude unwanted commands. DisplayWrite users will appreciate LOCATE & VIEW for maintaining EBCDIC documents. Only \$69 95 + \$5.00 s/h. W.J. Osberg Services

3 Golf Center, Suite 159 P.O. Box 681489 Schaumburg, IL 60618 (312) 303-5341 . . . Chk/MO/COD, VISA/MC

**Fix Common Problems Fast** 

You don't need to be an expert to diagnose and correct problems involving PC setup. All you need is HELPME software! More than 300 tests. On-screen help for understanding and correcting identified problems. Quick identification of system configuration and compatibility. \$99 + S/H MC/A/ISA

#### CALIFORNIA

#### SOFTWARE

#### PRODUCTS, INC.

CALIFORNIA SOFTWARE PRODUCTS, INC. 525 N. Cabrillo Park Drive Santa Ana, CA 92701 (714) 973-0440

#### WORD **PROCESSING**

#### WordPerfect" Add-On ONLY 585

Turn WordPerfect" into a Scientific Word Processor

- Supports WordPerfect 4.2 or 5.0. Display and print complete Greek and math symbol sets.
- Custom printer definitions and macros included free of charge for WordPurfect owners.
   Includes custom deplay chip or video card

- Includes Hawlett Packard LeverJet* support or foot download program for dot matrix printer.
   New! Large or 10-paint scentific character set available for HP LeverJet* Large 650; 10-pt 175
- Write or call for flyer, suggested hardwordering information.

8320 N. Lockwood Avenue Swoke, IL 60077 2442 U.S.A. Phone (312) 677-4270

CIRCLE SAR ON READER SERVICE CARD

#### FARSI/GREEK/ARABIC/RUSSIAN

Hebrew, all European, Scand. plus either Hindi, Punjabi, Bengali, Gujarati, Tamil, Thai, Korean, Viet, or IPA. Full-featured multi-language wordprocessor supports on-screen foreign characters and NLQ printing w/no hardware modifications. Includes Font Editor \$355 dot matrix. \$150 add'l for laser; \$19 demo S/H in U.S. incl'd Req. PC, 650K, graphics. 30 day guarantee GAMMA PRODUCTIONS, INC. 710 Wilshire Blvd. Suite 609

Santa Monica, CA 90401

(213) 394-8622 MC/VISA/AMEX

#### WORD PROCESSING

#### CompareRite™

"Outstanding software - the best of its kind...CompareRite compares documents in ways that I didn't think were possible. It's utterly amazing." - John Dvorak, PC Magazine, 3/15/88

CompareRite saves hours of editing by showing you how any two documents differ. Amazingly fast, CompareRite will create a complete comparison draft, ready for printing, or display the changes on the screen so you can scan them. The program shows changes in many user-selectable formats, and is compatible with all major word processing programs.

CompareRite is perfect for attorneys, editors, proofreaders or anyone who has to make or compare drafts. Thousands in use. Price - \$129.95 + \$5 shipping/handling

### JURISOFT INCORPORATED

763 Massachusetts Avenue Cambridge, MA 02139

(Outside MA) 800-262-5656 Ext. 10 (In MA) 617-864-6151 Ext. 10

**CIRCLE 804 ON READER SERVICE CARD** 

#### \$19 SOFTWARE"

QUALITY, UTILITY, and FAIR prices!!!!! •EZ-FORM\$" - Premier forms processor. Full C30 version - the real thing! Only \$19 • EZ-FORMS EXECUTVE Ver 2 100+ incl. forms, more features -Only \$89 EZ-SPREADSHEET"-be a pro fast! -\$19 •EZX-WRITE"-WordStar compatible, eEZX-BASE* - Quick data mgt ! -\$19

●EZX-TALK**- com for modems - \$19 ●EZX-MENU**- hard disk manager - \$19 S&H \$5/US48, \$9/AK/HI/PR/Canada, \$19 fgn, Texas tax 8% M O , USA cks ok (01988,19 Dollar Software div EZX Corp 403 É NASA, #19, Webster TX 77598

VISA/MC/AX ORDERS ONLY PLEASE-800/999-19-SW ext. MB19 nfo./Cust Svc. 713/338-2238 ext.MB19 CIRCLE M3 ON READER SERVICE CARD

#### World's Bilingual Word

DuangJan, bilingual word processor for English and. Armenian, Bengali, Euro/Latin, Greek, Hindi, Khmer, Lao, Punjabi, Russian, Sinhales Tamil, Thai, Viet \$109 + \$5 s/h (foreign + \$12 s/h). Font editor included For IBM compatible with dot-matrix & LaserJet printer Demo \$6 + \$1 s/h. MegaChomp Company 3524 Cottman Avenue Philadelphia, PA 19149-1606 USA 215-331-2748

#### **PC-Write SHAREWRITER VER.2.71**

Fast, powerful word processor/lext editor for IBM/XT/AT/PX Spelling checker, screen clip. mailmerge, split screen ASCII files, macros. Supports 4000 printers, incl Laserjet + and Post Script \$16 for software, futorial & guide on disk \$89 to register for manual, support, newsletter, & updates. 90-day Guarantee. QUICKSOFT, INC

219 First North, #224-PMAC Seattle WA 98109 1-800-888-8088 (206) 282-0452 Visa/MC

#### MISCELLANEOUS **ACCESSORIES**

#### CampuCaver@



#### KeySkin™ Keyboard Covers

Clear to the eye, Soft to the touch. KeySkin™ Covers stay on while you use your computer. Many different models to chose from Call toll free

> USA (800) 874-6391 FLA (800) 342-9008 CompuCover•

2104 Lewis Turner Blvd (Dept P1) Ft Walton Bch , F1 32548

CIRCLE 850 ON READER SERVICE CARD



 100% Cotton Canvas
 Beige w/Grey Trim
 Static-Free For: Computers and Printers

IBM, Epson, AT&T, Leading Edge, Compaq. (800) 826-5761 In CA (415) 759-1466

#### Contemporary ComputerWear

1320 36th Avenue San Francisco, CA 94122 CIRCLE 805 ON READER SERVICE CARD



#### **ACCESSORIES**



#### **Dust Covers** CompuTogs

The ultimate in dust protection. Available in natural canvas/brown trim or new designer gray/black trim (add \$2/cover). Our covers are far superior to vinyl!

COMPARE OUR PRICES! MONITOR KEYBOARD

15.95 PRINTER (specify) 15.96 13.95 MON/CPU 24.95

Computogs® P.O. Box 659, Chester, NJ 07930 • (201) 879-5246 AMC Accepted. Include \$2.50 Shipping CUSTOM EMBRODERLY SHOWN AVAILABLE

septed. Include \$2.50 Shipping CUSTOM EMBF CIRCLE 808 ON READER SERVICE CARD 1-800-227-TOGS

#### PRINTER RIBBONS

C ITOH Prowriter	\$4.95
EPSON MX/FX/RX80	\$5.00
EPSON MX/FX/RX100	\$6.50
OKIDATA 92/93	\$2.45
OKI DATA 182/192/193, +	\$5.00
Call for complete list of products & info.	Dealer
inquines welcomed.	

DATEC DISTRIBUTION P.O. Box 411 Freemont, CA 94537 415-790-6393

#### **BAR CODING**



#### BARCODES & CHARACTERS

Software for PC, XT, AT & comp. Logmars, AIAG, Code 39, etc. for HP Laserjet, Epson, Okidata & printers w/IBM Graph. \$275. Barcode Inventory and comm.progs. \$49. Keyboard, batch file, and serial port input avail. Automatic Barcodes from elec. Scales and Cash Registers. Small Cordless portable 8k Bar Code reader 1" dia x 7". Free info. Guarantee.

C.E. Electronics 3985 Rochester Road, Suite H Rochester, MI 48063 (313) 656-0630

#### BAR CODING



#### BARCODE BARGAINS

**NEW - WANDERWAND.** BARCODE READER

Trink of everything you would ever want in a barcode reader and you'll find it in the new 175 5308 system Programmable — Handheld lightoweght — Simple connection with standard If5 232 plug — Holds up to 8127 characters —

ITS 5306 - PC Wand Barcode Reader. Enulates heyboard o Reads codes URC Codatar 3 of 9 2 of 5 interteaved + Worts with IBM PCs and clones + Lowest cost: versacite; high quality;

PCDOS-MSDOS Printing Software. Generate your own labels on your existing Matrix printer • Call for decals

International Technologies & Systems Corp. 1950 White Star Dr., Diamona Bar, CA 91765 PHONE: 1-(714) 801-7977 • TELEX 0002634734 MCI

OUARANTEED LOWEST PRICES ITS

CIRCLE 810 ON READER SERVICE CAR

#### **BAR CODE READERS**

NO SOFTWARE CHANGES REQUIRED

- IBM PC/XT/AT PS/2 CLONES TANDY 1000\$X/1200/3000/4000 ZENITH 138/148/151/158/248 EPSON EQUITY I & III

#### TERMINALS:

- WYSE 50/60/75
   KIMTRON KT-7/PC
- CONTROL DATA VIKING 721 TANDY DT100


PC/MS DOS BAR CODE PRINTING SOFTWARE

#### RESELLER DISCOUNTS AVAILABLE

#### AMERICAN MICROSYSTEMS

1110 S AIRPORT CIRCLE SUITE 140 EULESS, TX 76040 (817) 571-9015 (800) 648-4452

#### **BAR CODING**



#### WHY PAY MORE

Bar Code Printing Software for PC, XT, AT, & Comp. w/printers w/Epson-IBM graphics emulation. Universal Bar Code Generator (Works with almost any program). Test disk \$7. Small labels. large labels, Logmars, AIAG, dBASE, & subr. for Basic, Compilers, WP, Data Mgmt., etc. \$25-\$95. Par Code readers \$200-\$900 **GORDON COMPANY** 

\$7-\$95

20210 Laceyland Katy, Texas 77449

TEL 713-578-5522, FAX 713-579-2160

#### READ AND PRINT BAR CODES

Model PC-WEDGE reader interfaces with keyboard. Easy to install and use. Works with any program, no software required. Includes wand - \$289. + S/H. dBARCODE prints code 39, 2 of 5, UPC on dot matrix or LaserJet from within dBASE. Easy to use, detailed manual. \$99 + S/H

Timekeeping Systems, Inc. 12434 Cedar Road Cleveland, OH 44106 (216) 229-2579, FAX (216) 229-2573



#### THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

#### BAR CODING

### PrintBar II

BAR CODE PRINTING SOFTWARE

Print Code 39 2 of 5 UPC-A bar codes on IBM Epson HP LaserJet printers with PrintBar II memory resident soft ware Print directly from your own pro-grams in dBASE, Lotus, WordStar, C, BASIC without copying data to special print fles IBM PC XT AT and com patibles Versatile, easy set-up, no pro-gramming required \$295.00

PC Wand Bar Code Reader that acts tike second keyboard no software needed \$395.00



Bear Rock Software Co. 6069 Enterprise Drive Placerville, CA 95667 (916) 622-4640

CIRCLE 809 ON READER SERVICE CARD

#### BAR CODE & MAGNETIC STRIPE READERS for the IBM PC & PS/2

Simple & quick installation No additional software or port Metal wand & case

Also available

Bar code printing software Magnetic stripe encoders for other computers & terminals Units for a GSA pricing available

#### TPS ELECTRONICS **4047 Transport Street** Palo Alto, CA 94303

Telephone: 415-856-6833 Telex (Graphnet) 371-9097 TPS PLA FAX 415-856-3843

#### BAR CODE-LABEL PRINTING

THE LABEL MAKER " prints bar codes. OCR-A like and large characters from data entered at keyboard or from disk files. Create and save unique printing formats and record layouts. Performs record add, change, delete, sort and select on disk files. A.I. LABELMAKER™ prints AIAG shipping/parts identification labels required by Auto Mftrs. Requires IBM PC or work-alike. TJ SOFTWARE INC.

P O. Box 2044 Arlington Heights, IL 60006 (312) 364-1065

#### PC Magazine Classified Marketplace the ultimate target market!

The brand specifiers who read PC Magazine don't have the time to shop around, their only con-getting what they need as quickly as possible

#### They'll DIRECT their attestion to PC

For them PC Magazine Classified Marketplace's Direct Response/Displac Ad formal represents a fast eam and cost effective method of product ac quisition. They know it will have the products they need and the information their want regarding price volume documes, specifications and delivery

If you think that your business can benefit from he 550,000 brand specifiers who read PC Magazine YOURE, RIGHT⁵

So take DIRECT action and call (212) 563-5115

#### **CATALOGUES**

#### PCir **Expansion Products**

Possibly the largest selection of PC_jr products in the country. We don't just sell PCjr products, we design them.

- Speed Up Products
- Pseudo DMA Cartridges
- *Second Floppy Disk Drives
- •31/2 Disk Drives
- PCjr Optical Mice
- Monitor Adapters for PC s Parallel Printer Ports
- •Full Size Keyboards
- *Speech Attachments

*Joysticks, Cables, & Adaptors

Call or write to receive our free 32-page catalog of PC_Jr Add-On products. For even faster results, circle our reader service number.

> **PC Enterprises** "The jrProducts Group" Box 292, Beimar, NJ 07719

(201) 280-0025 (800) 922-PCJR CIRCLE 812 ON READER SERVICE CARD

#### COMPUTER **INSURANCE**



#### SAFEWARE

**INSURES YOUR** COMPUTERS

Full replacement of hardware, media, purchased software As low as \$39 yearly Covers fire, theft, power surges, other accidents. Blanket coverage; no list of equipment needed. Call for information or immediate coverage

1-800-848-3469 Local (614) 262-0559

SAFEWARE. The Insurance Agency Inc. 2929 N. High Street, P.O. Box 02211 Columbus, OH 43202

CIRCLE 813 ON READER SERVICE CARD



#### DATA CONVERSION

## TURN APPLES TO

CALL FOR OUR FREE BROCHURE



#### DATA CONVERSION LABORATORY

America's Largest Data Conversion and Optical Scanning Facility 65-55 Fresh Meadow La Fresh Meadows, NY 1365

E (718) 886-8600 -

CIRCLE 772 ON READER SERVICE CARD

## CONVERSION

DISK TO DISK . TAPE TO DISK

WORD PROCESSORS SPREADSHEETS DATA BASES MAILING LISTS **OVER 1,500 FORMATS** 



IBM PS/2 WORDPERFECT LOTUS DBASE LANIER



(212) 463-7511

NATIONAL DATA CONVERSION INSTITUTE

EAST 16TH STREET NEW YORK NY 1000

FIRST IN DATA CONVERSION

CIRCLE 815 ON READER SERVICE CARD

#### DISK/TAPE/OPTICAL SCANNING

- 33¢ per page typewritten text to disk in ASCII, WP formats available on request.
- Scan Typesel text 6 to 24pt low ra Disk convert from IBM, WANG, XEROX, MAC-
- INTOSH + 1000 other formats (bi-directional) Tape conversions (800, 1600, 3200, 6250 BPI)
- Quick turnaround—Quality Guraranteed.
  1st RUN COMPUTER SERVICES 1261 Broadway Suite 508 New York, NY 10001 (212) 779-0800

#### DISK CONVERSION



#### INCOMPATIBLE COMPUTERS?

Disk Interchange Service Company special izes in transferring files between 1000+

- incompatible computer formats

   9-TAACK TAPE TO DISKETTE

   DEDICATED WORD PROCESSORS

   3.5", 5.25" & 8" FORMATS
- Additional Services Include

  Database & Spreadsheet Conversions

  Custom Programming/Data Reformatting

  Expert Technical Assistance

Disk Interchange Service Co. (DISC) 2 Park Drive: Westford MA-01886-16171 692-0050

CINCLE MS ON READER SERVICE CARD

#### TAPE/DISK CONVERSIONS <



Conversion services to or from over 1000 computer systems:

- Magtapes Mini Computers
- Micro Computers Typesetters

Word Processors

CALL THE INDUSTRY LEADERS

PIVAR COMPUTER SERVICES, inc.

(312) 459-6010

165 Arlington Heights Rd #M Buffalo Grove, IL 60089

TAPE-TO-FLOPPY FLOPPY-TO-TAPE TAPE DUPLICATION FLOPPY-TO-MICROFICHE LASER PRINTING

> 1-800-422-9622 (In OK: 918 254 9622)



TECHNICAL PROGRAMMING SERVICES, INC. BSO6 EAST 61ST STREET TULSA, OK 74133-1361

CIRCLE 819 ON READER SERVICE CARD

#### CHANGING WORD PROCESSORS?

Media transfer to or from: IBM, XEROX, DEC, WANG, LANIER CPT CT MICOM NBI WORDSTAR, WORDPERFECT, MS/WRD, DW3, MULTIMATE, SAMNA, MASII, DCA

*******FREE TEST CONVERSION***** Conversion Specialists 531 Main St., Suite 835 El Segundo, CA 92045 (213) 545-6551 • (213) 322-6319



#### **DISK CONVERSION**

#### Computer Compatibility. All It Takes Is The Missing Link.™

Make all data compatible data with this innovative disk-to-disk conversion system. It's quick. Easy And, economical

- Over 14,000 disk-lo-disk conversion programs available Access 6°, 5° a° and 3° 2° formats Fast—converts a disk in less than 15 minutes Works with any IBMXT, AT or compatible PC
- Systems start as low as \$6,000

all 1-800-248-DISK for a Free Demonstration. 317-842-2077

Indianapolis, Indiana, U.S.A.

The Missing Link is a registered trademark of the Shallstall Corporation

SHAFFSTALL CORPORATION The Leader In Media Conversion

CIRCLE 817 ON READER SERVICE CARD

#### DISKETTE COPY SERVICE

#### We're the Leader in Software Duplication §

Fortune 500 companies and software publishers choose Echo Data for 24 Hour turn-around, high quality, and competitive prices! All IBM formats are quality, and competitive prices: All libit formats are supported. Custom labels, sleeves, full packaging. We have the best state-of-the-art copy protection in the nation! Why even think about anyone else?


Echo Data Services, Inc.

Lionville, PA 19353
800-533-4188 or
215-363-2400 in PA



#### DISKETTE COPY SERVICE

#### "NEW" PRINTED 3.5" SHUTTERS



Permanent Identification of your Company, Information, or Products.



"My Favorite guys are the boys at Portland-based West Coast Telecom." "They'll do just about anything and do it inexpensively."

- John C. Dvorak, PC Magazine

WEST COAST TELECOM CALL: (503) 620-1888

#### SOFTWARE DUPLICATION/PACKAGING

#### SOFTWARE DUPLICATION

- One Stop Shopping **Custom Packaging**
- Copy Protection
- Technical Support
- Drop Shipping
- · Feet Turn-Around
- Competitive Pricing

ATTEFACTION GUARA 800-222-0490 NJ 201-462-7628

P.O. Box 710 Freehold, NJ 07728

#### **NETWORKING**

#### KEYCARD ELIMINATOR.

NOVELL ADVANCED NETWARE 2.0a & 2.1

KEYCARD FAILURE? **NEED TRUE SFT?** SLOTBOUND? FAST CPU?

\$9900

NBS

*HETWORK BUSINESS SYSTEMS* 713: 781-8366 (713) 283-4457

CIRCLE 825 ON READER SERVICE CARE

#### **MAILING LISTS**

#### FREE CATALOG

Over 2 million names on 75 owner/user lists. IBM, Apple, mini sites, resellers, stores, VAR's, chains, mail order dealers, educational, Unix. Pascal, Cobol, Lotus, dBase, modern, investor, publications, clubs. Call/White for free catalog. Note. We do not self hardware or software TARGETED MARKETING INC. - Ity Brechner Box 5125-P

Ridgewood, NJ 07451 In N.J., 201-445-7196

#### **PUBLICATIONS**

#### PCir LOVERS!

A 32 page monthly mini-magazine just for you! Each issue is devoted to "How to's" for increasing Poir compatibility, Q&A, PCjr hardware and software reviews, and much more. Call or write. loday for a FREE SAMPLE \$19 97/yr for 12 exciting issues (Canada \$25.97 (U.S. money order)

The Junior Report PO Box 59067, Dept P Schaumburg, IL 60159-0067 312-310-9033

#### **DUPLICATION FROM 596**

Attordable rates only 59¢ for 5 25" & \$1 59 for 3.50" MS/DOS Duplication Price includes:

- Quality Brown Disc Media
- *Duplication with 100% verification *Label Application

*Quick Turnaround & Guaranteed Products Rates go even lower as you continue to order! DIVERSIFIED SYSTEMS GROUP, INC.

P.O. Box 1114 Issaguah, WA 98027 800/255-3142 206/392-0900

#### 🖰 MARKETPLACE

he ultimate target market!

The brand specifiers who read PC Magazine don't have the time to shop around, their only concern is getting what they need as quickly as possible

#### They'll DIRECT their attention to PC Magazine Classified Marketplace

For them PC Magazine Classified Marketplace's Direct Response/Display Ad formal represents a fast casy and cost effective method of product acquisition t will have the products they need and the information they want regarding pric If you think that your business can benefit from the \$50,000 brand specifiers who read PC Magazine

So take DIRECT action and call (212) 503-5115



THE SHOWCASE FOR PRODUCTS AND SERVICES IN THE MS DOS MARKET . . .

## MRRETPLACE

**SUPPLIES** 

#### SOFTWARE PACKAGING To Meet Your Needs



Glenco Development Systems offers several choices to help you with your software packaging. Our product line includes cloth and vinyl binders/portfolios for your users manual and program diskette. The binders can be screened with your company logo to add that extra personal touch. The final product is an organized, eye-catching presentation that your efforts deserve.

In addition to packaging, **Glenco Development Systems** offers a wide variety of services, including finished product assembly, to help get your software products to market. Typesetting of manuals can be as easy as sending an ASCII file Duplication and label affixing as well as product assembly/shrink wrap are readily available. Please consult us with your specific needs.



721 West Algonquin Rd Arlington Hts., It 60005 (312) 364-SOFT Telex 493-7109, FAX 364-7698

#### RIBBONS


24 Hour Shipping 1-800-331-6841 1-513-252-1247 (Ohio)

#### Over 350 types "Satisfaction Guaranteed "

	BLACK	COLORS
<b>APPLE IMAGEWRITER</b>	2 95	3 45
DIABLO HT II M'S	2 95	
<b>EPSON</b> LX-80.90	3 50	4 30
EPSON MX-FX 80	2 95	
EPSON MX-FX 100	3 95	4 95
IBM PROPRINTER	4 50	
NEC P1 2,6	5 30	
NEC P3. 7	6.40	
OKIDATA 82-92	1 25	1 45
OKIDATA 182-192	4 50	5 75
PANASONIC KXP	4.50	5.75

#### DAYTON COMPUTER SUPPLY

a division of Den-Sys Corp 1220 Wayne Avenue Dayton Ohio 45410 EST 1979 TERMS MC VISA C.O.D. CIRCLE 828 ON READER SERVICE CARD



TO PLACE YOUR
AD IN
PC Magazine
Classified
Marketplace
Call (212) 503-5115



CIRCLE 834 ON READER SERVICE CARD

#### LASER CARTRIDGE RECHARGE

Cut your cost in half with recharged Laser printer cartridges. Exclusive toner with blackest print

Exclusive toner with blackest print and top quality.
Cartridges last 20% longer.
Money back guarantee.
27 different Laser Printer engines to recharge.
Send empty cartridge with \$40 + \$3 s/h.
Monthly discounts. Toner available.

LASER SYSTEMS/ TONER TECHNOLOGIES 23 NO. MAIN / P.O. BOX 407 KAYSVILLE, UT. 84037 (801) 544-3090 CIRCLE 827 ON READER SERVICE CARD



#### TRAINING/ TUTORIALS

## SOFTWARE VIDEO TRAINING

- All popular PC training courses available Lotus WP DBase DOS PC's etc.
- Information packed videos. Using traditional and professional teaching methods.
- Great for repetitive training anytime anywhere
- Beginner and advanced classes each
  2 hrs. in length
  Beta VHS Versions





1-800-628-2828

#### INSTANT REPLAY III

Builds Demos, Tutorials, Prototypes, Music Presentations, Time Keyboard Macros, & Menu Systems, Includes Screen Maker, Keystrole & Time Editor, Program Memorizer, & Animator. Received Great Reviews! Simply The Best! 60day satisfaction money back guarantee. Demo Disks Avail. IBM & Compatibles. \$149.95 Nostradamus Inc. 3191 South Valley St. (Suite 252) Satl Lake City, UT 84109 (801) 487-9662

#### **TYPESETTING**

#### HIGH-TECH TYPESETTING

Transmit your text totl-free, error-free via modem to your fully automated typesetting system: \$2 per thousand characters. \$5 minimum Same-day service. 200-typefaces, sizes up to 72 point. Send \$20ppd. for our 200 page guidebook, or call toll-free & use your MC/ VISA/AmEx

VISA/AMEX Intergraphics

106A South Columbus St. Alexandria, VA 22314

(800) 368-3342 or (703) 683-9414 in DC area

#### PC Magazine Classified Marketplace the ultimate target market!

The brand specifiers who read PC Magazine don't have the time to shop around their only concern is getting what they need as quickly as possible.

#### They'll DIRECT their attention to PC Magazine Classified Marketplace

For them PC Magazine Glassified Market place s Brreet Response/Display Ad format represents a fast easy and cost effective method of product acquisition. They know it will have the products they need and the information they want regarding price, volume discounts, specifications and delivers.

If you think that your business can bene fit from the 550,000 brand specifiers who read PC Magazine YOU'RE RIGHT!

So take DIRECT action and call (212) 503-5115



## EDITORIAL PRODUCT INDEX

READER SERVICE MUMBER	PRODUCT	COMPANY	PAGE	READER SERVICE MUMBER	PRODUCT	COMPANY	PAGE	READER SERVICE NUMBER	PRODUCT	COMPANY	PAG
ADD-	IN BOARDS		_	681	Core ATomizer	Core International	224	TUTO	RIALS		
430		Cumulus Corn	43	680	Dataworld Data 286	Dataworld	226			0-10	
497			98	679	Epson Equity II Plus		224		Dan Bricklin's Demo Il Program	Software Garden Inc.	4
699	Everex EVGA	Everex Systems Inc.	94	437	Everex Step 386/25	Everex Computer	51		Taming MS-DOS,	M&T Books	3
661	IBM 8514/A Display	IBM Corp.	116	678	Manualai Coman 2000	Systems Divsion C Hyundai Electronics	232	440	2nd edition	mar Doons	9
	Adapter	10110		0/8	Hyundai Super-286	America	232				
660		IBM Corp.	116	677	Kaypro 286	Kaypro Corp.	235	UTIL	TIES		
659	IBM 8514 Memory	IBM Corp.	116	441	MicroDirect Complete Portable	MicroDirect Inc.	51	432	SolveIT, Version 3.3	Structured Scientific Software	4
698		Intelligent Data	90		Office			435	The Image Printing	Image Computer	5
		Systems Inc.		676	Mitac Paragon 286F		214		Utilities	Systems	
696	Paradisé VGA	Paradise Systems Inc.	100	436	Mitsubishi MP286L	Mitsubishi Electronics	52	434	Tree86, Version 2.0	The Aldridge Co.	5
	Plus Card			447	Northgate Power 38	America 6 Northgate Computer	54	WOR	PROCESSING	2	
695			107	447	Northgate Fower 30	Systems	34				11
594			111	443	PC Office NT-10	PC Office	52	643	Alexander	Design Enterprises of San Francisco	- 11
692			118	675	Star Industries AT	Star Industries	244	642	ChiWriter	Horstmann Software	7
693			111		286			042	Oleffille)	Design Corp.	,
	Model 580 Card			445	Toshiba T5100	Toshiba Amenca Inc.	33	641	The Egg	The Peregrine Falcon	12
691	VEGA VGA	Video Seven Inc.	120	DATA	BASE MANA	GEMENT			••	Co.	
AFTE	RHOURS			450	Ernerald Bay	Migent Inc.	36	640	EXP	Wadsworth & Brooks/ Cole Advanced Books &	12
649	O CuRAM 80-8 T Designer VGA Des		524	DESK	TOP PUBLIS	HING				Software	×
645		FB Systems Inc.	521	433	Super Cartridge I	IQ Engineering	38	631	Lotus Manuscript	Lotus Development	13
					PHICS	Tel Eliginating				Corp.	
648		EAMware	522	_				639	PCTeX	Personal TeX Inc.	13
647			520	448	Draw Applause,	Ashton-Tate	48	638	PS	Scroll Systems inc.	13
646			520		Version 1.0			637	Spellbinder Scientific	Spellbinder Software	30
COM	MUNICATIONS				INING			632	T3	Products Inc. TCI Software Research	30
690	Ascom IV	Dynamic	128	444	GEM Scan	Digital Research	46	032	13	Inc.	30
000	rigodiii i e		1EG	440	Mitsubishi MH 216	Mitsubishi Electronics	51	636	Tech/Word	Goldstein Software Inc.	31
				420	Paralton	America		635	TachWriter	CMI Software	31
689			132	439	ScanMan	Logitech Inc.	51	634	Total Word	Lifetree Software Inc.	310
680				SOFT	WARE			633	WordMarc Composer		32
679		Associates Inc.		446	IZE	Persoft Inc.	33			International Inc.	
678	_	Associates Inc.	-	2200	MATHEMATI						
688			147		UCTIVITY						
677 687			154	DEPARTM	ENT	PROGRAM NAME/DESCRIPT	ION				PAG
686	MEX-PC	NightOwl Software Inc.	156	PC Lab N	iotes	QFRESH postpones the re	efresh cve	le of DRA	M chips to boost speed		33
675		SoftKione Distributing	158	Utilities		SETMODE helps set up yo	our video	mode and	communications parai	meters.	35
				Environn		BOXES1.C uses the OS/2					57
674	ProComm		160		rogramming	QFN stores incomplete fil				m.	39
877	BroComm Dha		160		heet Clinic heet Clinic	Macro enters a senes of r Instantly editing 1-2-3 an				valao	41
673	Processin Plus		100		heet Clinic	Macro uses a subroutine					41
686	Professional-YAM		167		heet Clinic	Formula calculates grand					41
672		Phoenix Technologies	172	User-to-l	User	INTENSE COM forces CG	A to use i	ts brighter	color palette as the del	fault.	41
		Ltd.		User-to-		Danger of overwriting file					41
685			176	User-to-		Batch files that help you o				orograms.	42
684	Helay Gold	Vm Personal Computing	179	Power U		Speeding up WordPerfect WordPerfect macros creating					42 42
683	684	Vm Personal	179	Power U		WordStar's spell checker					42
	-	Computing		Power U		Finding current drive and	directory	in dBASE.	DBXL, Quicksilver, Fo		42
671	Respond/Async	Software Synergy Inc.	187	Power U		Clipper routines to detern	nine the c	urrent driv	e and subdirectory.		43
682	SideTalk	Lattice Inc.	190	Languag		Making and downloading					43 43 43
681	Smartcom III	Hayes Microcomputer	192	Languag		MERGE.C merges C sour					43
670	Cofterm	Products Inc. Softronics Inc.	196	Languag PC Tutor	tes	Turbo Pascal Coprocesso How sectors are marked:				uispay.	44
670	Softerm	SOLUCINGS ING.	130	PC Tutor		Relation of 80xx parity fla					44
	PUTERS			PC Tutor		Simultaneously displayin	g mono a	nd color o	n two-monitor IBM PC		44
438	ALR FlexCache 25386		51	PC Tutor	•	Patching PC Magazine RI	MOVE.C	OM utility	to eliminate Press ENTI	EŘ prompt.	45
000	A dall (A )	Research Inc.	-		ivity Clinic	Stop print spool in 1-2-3					44 45 45 45
683	Amdek System 286A	Агпаек Согр.	209	Connect	vity Clinic	<b>ENADR.C</b> extracts Ethern	et netwo	k address	for 3Com 3C501 Ether	LINK Card.	45
682	Arche Rival 286	Arche Technologies	216	Connecti	ivity Clinic	Finding a station address	00 00 AF	Court makes	ork minning flounds - 41.	oll Marie	45



## ADVERTISERS PRODUCT INDEX

R\$#	ADVERTISER	PRODUCT PASI
GENE	ALOGY SOFTWARE  GeneaLogic Systems	Lineage Master
ACCO	UNTING SOFTWARE	Lineage Master
185	Antech Inc	Abraxas 2
482	Bedford Software Limited	Accounting Software 3
281 194	Computer Associates Cougar Mt Software	Super Project Plus Accounting Software
220	DAC Software	Accounting Software
200 263	Integrated Information Service Macola Inc	Accounting Software Accounting Software
358	Peachtree Software	Accounting Software 3
170	SBT Corp	Database Accounting 18
	TOP ORGANIZERS	
137	Borland International	Sidelock Plus Metro
4	Lotus Micro Logic Corp	Tomado
384	Qandu Computing, Inc	Rolicall
	BASE MANAGERS	
519 671	Ashton Tate askSam System	Rapid File
377	Borland International	Paradox
194	Buttonware	PC File
327 148	Revelation Technologies, Inc.	Advanced Revetation dbFast
112	Fox Software Inc	Mac Database .
176	Micronm	Rbase
145	Oracle PC Sig	Database Management Software . Shareware
348	Research Development Systems	Letter Master
745	Symantec The Public (Software) Library	Q & A 3 0
529 500	The Public (Software) Library Wordperfect Corporation	S/W By the Public S/W Library  Dataperfect
	YSTEMS & ACCESS MET	
502	Group L Corporation	Memory Lane Multifunction & Pub Domain S/W
302 526	Micro Com Systems MicroVtics	Multifunction & Pub Domain S/W Gofer
145	PC Sig	Shareware
529	The Public (Software) Library	File Systems & Access Methods
	CIAL PLANNING SOFTW	
145	Intuit Software PC Sig	Quicken Shareware
	MATION MANAGERS	GIIN EWEIE
HIFON	Lotus	Agenda119-
302	MicroCom Systems	Multifunction & Pub Domain S/W
•	MicroLogic Corp	Tornado
	RATED SOFTWARE	
130	Computer Ease Software Informox Software Inc.	Word Mover
•	Lotus	Smart Ware
263	Software Group, The	Enable
	UAGE\$	
360	Crescent Software Microsoft	Basic Programming Tools Quick C
•	Microsoft	Onick Basic
331	Microway	Ouick Basic Fortran Compiler
	ATING SYSTEMS/ENVIRO	MMENTS
174 245	Quarterdeck Santa Cruz Operation, Inc	Desquiew
1	Softlogic Solutions	Software Carousel .
	Softlagic Solutions	Double Dos
93	Software Link, Inc	
134	RAM DEVELOPERS/GENII  Clarion Software	Clanon
360	Crescent Software	Basic Programming Tools
PROJE	ECT MANAGEMENT	
249	Symantec Breakthrough	Timeline 2 0
STATI	STICAL SOFTWARE	
154	Math Soft Inc	Math Cad.
_	EDITORS	
88	Command Technology Corp	SPF/PC
UTILIT 137	Borland International	Deletical Phys
137 120/160	Central Point Software	Sidetrick Plus PC Tools Deluxe, Option Board
134	Clarion Software	Clanon Basic Programming Tools
360 148	Crescent Software dBFast	Basic Programming Tools
323	Funk Software	Sideways, Noteworthy, Inword
369 502	Golden Bow Systems Group L Corporation	V-Opt
	Hammerly Computer Services, In	
50U	Micro Com Systems	Multifunction & Pub Domain S/W .
	Micro Logic Corp	Tornado
302		radi mate duliums
302 211	Paul Mace Software	Breakthru
302 211 689	Paul Mace Software Personal Computer Support Personics Corp	Breakthru See More
302 211 489 282	Paul Mace Software Personal Computer Support Personics Corp Personics Corp	Breakthru See More
302 211 489 282	Paul Mace Software Personal Computer Support Personics Corp	Breakthru See More
302 211 489 282 384	Paul Mace Software Personal Computer Support Personics Corp Personics Corp Qandu Computing, Inc. Quaid Software Ltd Rose Electronics	Breakthru See More See More Rollcall Utilibes Passport
302 211 489 282 384	Paul Mace Software Personal Computer Support Personics Corp Personics Corp Qandu Computing, Inc. Quaid Software Ltd Rose Electronics Softlogic Solutions	Breakthru See More
302 211 489 282 384 290	Paul Mace Software Personal Computer Support Personics Corp Personics Corp Quandu Computing, Inc. Quand Software Ltd Rose Electronics Softlogic Solutions Softlogic Solutions	Breakthru See More
302 211 489 202 384 290 334	Paul Mace Software Personal Computer Support Personics Corp Personics Corp Quandu Computing, Inc. Quaid Software Ltd Rose Electronics Softlogic Solutions Softlogic Solutions Softlogic Solutions Softlogic Solutions Softlogic Solutions	Breakthru See More
380 302 211 689 282 384 290 334	Paul Mace Software Personal Computer Support Personics Corp Personics Corp Quandu Computing, Inc. Quaid Software Ltd Rose Electronics Softlogic Solutions Softlogic Solutions Softlogic Solutions	Breakthru See More

RS#	ADVERTISER	PRODUCT PAGE
319	Sterling Castle	Forget Me Not Software
222	Transecsystems, Inc Traveling Software	Unlock Master Key/Game Master
312	White Crane Systems	Eaplink
	PROCESSING SOFTWAR	
218 130	Bitstream Computer Ease Software	Fonts
292 502	Corporate Software	Upgrade Program . 31
302 302	Group L Corporation MicroCorn Systems	Word Mover 319 Upgrade Program 319 Memory Lane 329 Multifunction & Pub Domain S/W 119 Wordstar 358-35
240 179	Micropro International Rightsoft, Inc.	Wordstar358-35 Right Writer3 Professional Write264-26
	Software Publishing	Professional Write
250 518	Symantec Xyquest	Q & A Write
CAD/C	7 7	Word Processing Software . , , 13
175	American Small Business Comp	Cad Software35.
65 06	Autodesk	Autosketch
	Generic Software Inc	Generic Cadd
123	ADSHEET/TEMPLATES Funk Software	Sideways, Noteworthy, Inword82-8.
	Microsoft	Excel C5.
45 183	PC Sig Personal Computer Support Group	Shareware46 Lucid12-1
82	Personics Corp	See More
	Personics Corp Softlogic Solutions	See More
34	Software Spectrum	Lotus
29 <b>NEON</b>	The Public (Software) Library	Spreadsheet/Templates
28 28	TOP PUBLISHING	Page makes
18	Aldus Corp Bitstream	Pagemaker
99	IMSI Softlogic Solutions	Fonts
99	Swite international, Ltd	Glyphix 10
59	The Laser Connection	Jetscript
	ENTRY SOFTWARE	* "
74	Form Work Inc	Form Worx
49	ICAL MARKET SOFTWARE  Bible Research Systems	
	PATIBLE KEYBOARDS	The Word Processor 48
23	Zeos International	Compatible
23 21	Zeos International	Compatible
BACK	UP SOFTWARE	
85	Westlake Data Corp	Backup Software
	BACKUP & TAPE DRIVES	
27 61	Archive Compact Disc Products	Back Up 31
78	lomega Corporation	Removable Hard Disk Drives 36
19 93	Invin Magnetics Kinson Products	CD-ROM 30 Removable Hard Disk Drives 36 Tape Back Up
95	Maynard Electronics	Tape Back Up 43
73	Sysgen Inc	51/4" Bndge-File Floppy Disk
33	Tallgrass Technologies	Disk Back Up
IARD 41	DISKS	Head Dad, Davis
64	Lifetime Memory Products Plus Development	Hard Disk Drives
71 32	Sony Corp	Cd ROM
	Tandon Corp	Datapac
<del>POMP</del> 11	Arche Technologies	Arche Rival 286
96	BSI	PC 42
75 81	Bentley Computers Buildog Computer Products	Compatibles
20	Compu Add Corp	Compatibles 18
83 25	Computer Products United Core International	PC
57	Dataworld	PC 42 Computer Centers 21
16	Entre Computer Centers Everex Systems, Inc	Designo Computers 2/4-2/3
96 10	Five Star Electronics, Inc. GE Computer Service	PC Compatibles 458-45
57	Hewlett Packard-Vectra	Computer
24	Hyundai IBM Corp	PC Compatible
96	Insignia Solutions	Soft PC 407
82 43	Intelligent Microsystems Kaypro	Clone Computers
12	May Computers	PC
10/311	Northgate Computer Systems PC Brand	286 Al Machine
72 36	PC Designs Dell Computer	Compatible
39	Dell Computer	PC Compatibles
98 90	Samsung Spield Computer Systems	AT/XT Compatibles 44
90 54	Sun Microsystems	386 & 286
29	Toshiba Vertex Systems	Laptops
34	WYSE Technology	Modular Systems Architecture
NPUT	DEVICES	
33	Logitech	Mouse 188-18
82	Logitech Mouse Systems	Mouse 215 PC Mouse
50		

## FREE INFORMATION

IT'S AS EASY AS 1, 2, 3



Fill in your name and address and check off your answers to the eight research questions. (One card per person, please.) 2

Circle the numbers on the card that correspond to the ads or articles you'd like more information about. (Numbers for advertised products are repeated in the Advertiser Index as well.)

3

The literature will be mailed to you from the advertiser free of charge.

CIDCLE COO FORE INCODAL	TION		Void after October 11, 1986	ş
151 152 153 154 155 156 157 158 159 201 202 203 204 205 206 207 208 209 251 252 253 254 255 256 257 258 259 301 302 303 304 305 306 307 308 309 351 352 353 354 355 356 357 358 359 401 402 403 404 405 406 407 408 409 451 452 453 454 455 456 457 458 459 501 502 503 504 505 506 507 508 509 551 552 553 554 555 556 557 558 559 601 602 603 604 605 606 607 608 609 651 652 653 654 655 656 657 658 659 701 702 703 704 705 706 707 708 709	110 111 112 113 114 115 116 117 118 1 16 161 162 163 164 165 166 167 168 162 103 114 115 116 117 118 1 160 161 162 163 164 165 166 167 168 162 107 218 2 260 261 262 263 264 265 266 267 268 263 310 311 312 313 314 315 316 317 318 3 360 361 362 363 364 365 366 367 368 34 410 411 412 413 414 415 416 417 418 4 460 461 462 463 464 465 466 467 468 465 105 511 512 515 516 517 518 5 560 561 562 563 564 565 566 567 568 561 610 611 612 613 614 615 616 617 618 6 660 661 662 663 664 665 666 667 668 67 10 711 712 713 714 715 716 717 718 7	59 170 171 172 173 174 175 176 177 171 19 220 221 222 223 224 225 226 227 221 59 270 271 272 273 274 275 276 277 271 19 320 321 322 323 324 325 326 327 321 69 370 371 372 373 374 375 376 377 371 19 420 421 422 423 424 425 426 427 421 59 470 471 472 473 474 475 476 477 471 19 520 521 522 522 524 525 526 527 521 59 570 571 572 573 574 575 576 577 571 19 620 621 622 623 624 625 626 627 621 69 670 671 672 673 674 675 676 677 671 19 720 721 722 723 724 725 726 727 721	Void after October, 31, 1988 8 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 1 8 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 2 8 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 2 8 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 3 8 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 3 8 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 4 8 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 4 8 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 5 8 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 5 8 529 530 531 532 533 534 535 536 637 538 539 540 541 542 543 544 545 546 547 548 549 5 8 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 646 647 648 649 68 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 68 629 630 631 632 633 73 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 78 787 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 8	50 00 50 00 50 00 50 00 50 00 50 00 50
			8 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 8	
851 852 853 854 855 856 857 858 859  1. In which of the following sectors does your organization operate? (Check one.) a.   Private Industry b.  Government	860 861 862 863 864 865 866 867 868 8 3. Is your company a reseller? i. \ Yes j. \ No 4. For how many IBM PC's and	6. Does your company own r.	8 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 696 897 898 899 9  PLEASE PRINT CLEARLY—use only one card per person  Name  Business Phone ( )	
c. Education	compatibles do you specify	t. Now	1	_
2. Your primary jeb function is	brands of products? k. 10 or less	u. In 4 to 6 months v. In 6 to 12 months	Company	_
(check one):	I. 🗆 11-25	w.   No definite plans	AddressApt	_
<ul> <li>d.          MIS/DP, Communications         Systems, Programming</li> </ul>	m. 🗆 26-100	8. Number of employees in	City	
e. Engineering/R&D	n.   100 or more  5. Are any PC's in your	your entire company?	StateZip	
f. Finance/Accounting	office?	x. 25 or less y. 26-99	(Zip code must be included to insure deliver	Y)
g. Marketing/Sales h. Administrative/General	o. Linked to mainframe	z.   100-499	Please send me one year (22 issues) of PC Magazine for \$31.97. I'll save 51% off the annual newsstand price of \$64.90. (Annual basic	
Management	p. Linked to mini	1. 🗆 500-999	subscription price is \$44.97.) Offer valid in U.S. and possessions on	y.
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	q. 🗆 Networked together	2.   1000 or more		
CIRCLE FOR FREE INFORMA			, in the later. The	
			8 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 1	
151 152 153 154 155 156 157 158 159 201 202 203 204 205 206 207 208 209			8 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 2 18 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 2	SO
			8 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 3	100
301 302 303 304 305 306 307 308 309	310 311 312 313 314 315 316 317 318 3	19 320 321 322 323 324 325 326 327 32	8 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 3	50
			8 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 4	
			8 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 4	
			18 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 5 18 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 5	
			8 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 6	
			8 629 630 631 632 633 634 535 636 637 638 639 640 641 642 643 644 645 646 647 648 649 6	50
			8 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 7	-
			18 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 7	-
			8 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 £ 8 629 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 £	
			8 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 9	
1. In which of the following	3. Is your company a reseller?		PC 7/8	
sectors does your organiza-	i. Yes	6. Does your company own r.  Mainframe(s)	PLEASE PRINT CLEARLY—use only one cord per person	10-1
tion operate? (Check one.)	i. 🗆 No	s. Mini(s)	Name	
a. Private Industry	4. For how many IBM PC's and	7. Do you plan to to buy		_
b.  Government			Business Phone ()	
c. [7] Education	compatibles do you specify	. Cl. 4. /		_
c. 🗀 Education  2. Your primary job function is:	compatibles do you specify	u. 🔲 in 4 to 6 months	Company	_
<ol><li>Your primary job function is (check one):</li></ol>		u.  \( \sin \text{ In 4 to 6 months} \) v. \( \sin \text{ In 6 to 12 months} \) w. \( \sin \text{ No definite plans} \)	CompanyAptApt	_ _
2. Your primary job function is (check one): d. MIS/DP, Communications	compatibles do you specify brands of products? k. \( \subseteq 10 \) or less l. \( \subseteq 11-25 \) m. \( \subseteq 26-100 \)	u. In 4 to 6 months v. In 6 to 12 months	AddressApt	<u> </u>
2. Your primary job function is (check one): d.  MIS/DP, Communications Systems, Programming	compatibles do you specify brands of products? k.   10 or less l.   11-25 m.   26-100 n.   100 or more	u.   In 4 to 6 months v.   In 6 to 12 months w.   No definite plans 8. Number of employees in your entire company?	AddressApt	_ _ _
2. Your primary job function is (check one): d. MIS/DP, Communications Systems, Programming e. Engineering/R&D	compatibles do you specify brands of products? k.   10 or less m.   26-100 n.   100 or more  5. Are any PC's in your	u.   In 4 to 6 months v.   In 6 to 12 months w.   No definite plans 8. Number of employees in your entire company? x.   25 or less	AddressApt	\frac{\sqrt{1}}{
2. Your primary job function is (check one): d.	compatibles do you specify brands of products? k.   10 or less m.   26-100 n.   100 or more  5. Are any PC's in your office?	u.   In 4 to 6 months v.   In 6 to 12 months w.   No definite plans 8. Number of employees in your entire company? x.   25 or less y.   26-99	Address Apt.  City Zip	
2. Your primary job function is (check one): d.  MIS/DP, Communications Systems, Programming e.  Engineering/R&D f. Finance/Accounting	compatibles do you specify brands of products? k.   10 or less m.   26-100 n.   100 or more  5. Are any PC's in your	u.   In 4 to 6 months v.   In 6 to 12 months w.   No definite plans 8. Number of employees in your entire company? x.   25 or less	Address         Apt.           City         Zip           State         Zip code must be included to insure delive	

## CES IN THIS ISSUE (SEE OTHER SIDE)



**NECESSARY** IF MAILED IN THE

#### **BUSINESS REPLY MAIL**

FIRST CLASS PERMIT NO. 33854 PHILADELPHIA, PA

POSTAGE WILL BE PAID BY ADDRESSEE



P.O. Box 40049 Philadelphia, PA 19106-9931







NECESSARY IF MAILED IN THE UNITED STATES

FIRST CLASS PERMIT NO. 33854 PHILADELPHIA, PA

POSTAGE WILL BE PAID BY ADDRESSEE



P.O. Box 40049 Philadelphia, PA 19106-9931

RS#		RODUCT	PAGE/
	RAMMERS TOOLS UTILITIES		
116 360	Blaise Computing Crescent Software	Blaise Compiler Basic Programming Tools	39: 44:
148	dBFast	dBFast .	30
180 187	Hammerly Computer Services In Software Masters	Pro Bas The Visible Computer	33: 30-
188	Software Masters	Programming Tools	. 31
ADD-0	N BOARDS		
45	Alloy Computer Products	PC Plus	20
66	AST Research ATI Technologies Inc	VGA Board VGA Board	41: 28
20/160	Central Point Software	Copy II PC Deluxe Option Board	74-7
159 165	Everex Systems, Inc	EGA Boards	18
52	IDE Associates Sigma Designs	PS/2 Boards VGA Boards	136-13
13	Wordperfect Corporation	Add in Board .	348-34
CAN	NERS/DIGITIZERS		
18	Chinon	Scanner	19
47	Data Copy	Scanner	24
PRINT 42	Alps America	Printer	282-28
265	Buffalo Products	SX Penpheral Sharing Device	429
14	Citizen America Printer	Printers	2-3
52 41	Data Technology Corp Diconix	Crystal Print Printer .	255 270-27
39	Hewlett Packard	Deskjet	388
24 35	Mannesman Tally Diodata	Laser Printers Printer	194
29	Output Technology	OTC 850XL	311
19	Panasonic Computer Division	Laser Printers	38
49 59	Ricoh of America The Laser Connection	Laser Printers Jetscript	21
	Toshiba	Printers -	38
RINT	ER RIBBONS		
44	National Computer Ribbons	Computer Ribbons	473
RINT	ER ACCESSORIES		
72	Bay Technical Associates	Print Master II	178
90	Rose Electronics	Porter Masterswitch	308
	ABLE/LAP COMPUTERS		
13	Datavue Mitsubishi Electronics	Spark	399
71	Toshiba	Laptops	364-365 236-237
CFA	x		
89	Quadram Corp	JT Fax	359
	AYS MONITORS TERMINALS		001
01	Magnavox	Monitor	110
31	NEC Home Electronics Inc	Multisync	122-123
15	NEC Home Electronics Inc	Monitor	240-24
71	Princeton Graphics SONY Corp	OTP Monitors Monitors	120 193
37	Zenith Data Systems	Monitors	15
BRAP	HICS SOFTWARE		
124	Ashton Tate	Draw Applause	334-33
74 101	Form Worx Inc Haventree Software	Form Work Flow Charts	101 438
	Lotus	Freelance Plus	22!
	Lotus	Freetance Plus	227
	Lotus Lotus	Graphwriter Graphwriter	157 159
	Micrografix	Graphics S/W-Windows Pres Mgr	100
25	Zenographics	Graphics	
PLOT	TERS/CHARTING DEVICES		
73	Mutoh America Inc	Plotters	285
/IDEC	GRAPHICS/BOARDS		
66	AST Research	VGA Board	415
39 59	Genoa Systems Corp Paradise Systems	VGA Board VGA Boards	38; 12;
50	Truevision Inc	VGA Board	173
27	Video-7	VGA Board	393
13	Wordperfect Corporation	Graphics Video Display .	348-349
	LERATOR BOARDS	386 Motherboard	-
76 89	Hauppauge Personal Computer Support	386 Matherboard . Breakthru	32 10
	IUNICATIONS SOFTWARE		- 11
10	Computer Ease Software	Word Mover	310
04	Data Storm Technologies Inc	Communications Software	139
30	Dynamic Microprocessor Assoc	Chairman	389
70 36	Equinox Systems Inc Hayes Microcomputer Products	Switchlan Communications Software	450 370
26	Mendian Technology	CC Express	13
17 22	Norton-Lambert PCC Systems	Close-up CC Mail	32
90	Rose Électronics	Passport	30
78 22	Softklone	Mirror II Laniok	32
22 56	Traveling Software Relay Communications	Relay Gold	32: 144-14
12	White Crane Systems	Brooklyn Bridge .	. 20
	LAREA NETWORKING		
30	A S P Computer Products	Simplan	. 400
45	Alloy Computer Products	PC Plus UPS	201
40 95	American Power Conversion Corp Axon	UPS LAN	36i 32i
28	Buffalo Products	SX Peripheral Sharing Device	. 42
26	DCA/Crosstalk Communications	MARK IV	152-153
78 32	DCA DCA/FOX	Mark IV 10 NET	262-26
25	Excell Tech	LAN .	. 44
46	Gateway Communications	LAN Gateway	42:
74	Micronet Netkine	Mirronot . Many Link	. 42
47		SFT Netware V2 1	

RS#	ADVERTISER PROD	DUCT	PAGE#
'22 '90	PCC Systems Rose Electronics	CC Mail Masterswitch	. 324 306
91	TOPS	Connectivity	60-61
AICRO	OCAFOX	IRMA Remote	262-263
32 46	DCA/FOX Gateway Communications	10 NET LAN Gateway	286-287 423
HODE		DAN GERENBY	
07	Natural Microsystems	Watson	. 450
31 64	Touchbase Systems Ven-Tel	Modems	310
	ATORS/PROTOCOL CONVERTO		
65	Persoft Persoft	Term Emulator Software  IZE-Term, Emulator Software	243
	TTES		
67 69	3M Data Recording Products Div	Magnetic Media Disks	356-357
_	KAO Corporation	UISKS	288
28	Safeware	Insurance	422
	RPROTECTION		
40 83	American Power Conversion Corp Cuesta Systems Corp	UPS Datasaver	368 323
67 81	Kensington Microware Ltd Para Systems Inc	Master Piece, Master Piece Plus Minuteman	. 203
73	PC Cooling Systems	Power Supplies Power Supply	177 346
39 PC AC	Safe Power Systems CESSORIES	Power Supply	340
94	Avery	PC Accessones	416
16	Computer Accessories Curbs Manufacturing	PC Accessones PC Accessones	88-89 336-338
57 <b>6</b> 9	Entre Computer Centers	Computer Centers Replacement Battery	. 217
72	International Battery Corp Kensington Microware Ltd	PC Accessories	321
73	PC Cooling Systems IING/SEMINARS	Cooling Device	177
05	Bantum Books	lioù	402
	PADER		
06 21	707 Computer Sales American Semiconductor	Mail Order Mail Order	467 464-465
21	Arlington Computer Products	Mail Order	474-475
75	Bay Express Bentley Computers	Mail Order Compatibles	480 410-411
25	Boffin Limited	Mail Order	449 432-433
B1 35	Buildog Computer Products Bus Computer Systems	Computer Accessories Mail Order	472
20 05	Compu Add Corp Compuclassics	Compatibles Mail Order	161 80
09	Computer Discount Warehouse	Mail Order	466
83 29	Computer Mail Order Discount Micro Products	Mail Order Mail Order	408-409 204-205
20 91	Electronic Wholesale House F & W Communications	Mail Order Mail Order	480 469
52	FASTMICRO	Mail Order	53 68
66 82	General Technology Corp Intelligent Microsystems	Mail Order	444-445
43 46	Jade Computer Products Jameco Electronics	Mail Order Mail Order	468 477
08	JDR Micro Devices	Mail Order	470-471
87	MHI Warehouse MICROBEST	Mail Order Mail Order	479 462
44 68	National Computer Ribbons Omega Press	Computer Ribbons Software Mail Order	473 63
75	On Line Store	Mail Order	482
01 10/311	PC Brand PC Brand	Mail Order Clone & Software	26 22-23
35	PC Connection PC Network (Formerly IMT)	Mail Order Mail Order	222-223 476
55	PC Network (Formerly IMT) Pric Computer	Mail Order	482
93 85	Printers Plus S C S	Mail Order Mail Order	315 434
84	Shamrock	Mail Order Mail Order	478 81
23	Selection Specialities Softline	Mail Order	84
06 12	Telemart The Computer Warehouse	Mail Order Mail Order	44-45 479
68 71	Tussey Computer Products	Mail Order Mail Order	66-67 90-91
28	Warehouse Data Products Whole Earth Computer	Mail Order	. 451
	FRONIC MAIL		
84	3X USA	Electronic Mail	78
MISCE 10	Ashr Tate	Developer's Conference	418
49	Bible Rewardh Systems	The World E. ensor	461
DIREC 06	T MARKETING CONNECTION  70 Computer Sales	Mai Order	467
21	American Semiconductor	Ma Urder	464-465
	Arlington Computer Products Bay Express	Ma Order Ma Order	474 475 480
35 09	Bus Computer Systems	Ma Urder Ma Urder	472 466
20	Computer Discount Warehouse Electric Wholesain House	Ma Order	480
91 43	F & W Communications  Jade Computer Products	Ma Order Ma Crder	469 468
46	Jameco Electronics	Ma Order	477
08 87	JDR Micro Devices MHI Warehouse	Mai Order Mai Order	470-471 479
44	MICROBEST National Computer Ribbons	Ma - Order Printe: Ribbons	462 473
75	On Line Store	Ma Order	480
35 45	PC Network PC Sig	Mail Order Shareware	476 463
55	Pine Computer Shamrock	Mai Urder Mai Order	482 478
84			

## Announcing P

PC MagNet is the exciting, new, trouble-free on-line information service that gives you non-stop interaction with PC Magazine. Imagine what that means: no longer is your magazine a one-way street. You can download utilities, get more information, find articles in back issues, and connect with PC Magazine editors and other readers - at your convenience. Best of all. when you call PC MagNet it's a local dial-up.

#### The News Gets Better.

PC MagNet is administered by CompuServe, the world's largest commercial on-line information service. All you need is a modem. If you are currently a member of CompuServe, simply type GO PCMAGNET at the ! prompt.

#### **Powerful Free Utilities**

PC Magazine's utilities have gained worldwide fame for their speed, power, and ease of use because they help you work faster, better, and smarter. You can move and copy information swiftly and efficiently. Sift through directo-

ries easily. Create pop-up help screens. *PC Magazine's* unique programs can help you do all that and much more.

## Enjoy Real-time Interaction With Other Readers

Interact with other readers in your specific area of interest. Share a program modification with your peers; unravel, discover, solve, explain, or unlock questions or problems. Like *PC Magazine*, PC MagNet has these special sections:

- Power Programming
- Languages
- Environments
- Spreadsheet Clinic
- Power User
- PC Lab Notes
- PC Tutor
- and more...

PC MagNet is your ideal platform for discussing what was in User-to-User or sharing your latest 1-2-3 macro. And no matter what language you program in – assembler, BASIC, C, or Pascal – PC MagNet is at your service.

#### **And There Is More!**

"Sit in on" important conferences with industry gurus, *PC Magazine* editors, and




PC product developers with PC MagNet's real-time Focus Group Facility.

Upload submissions to Connectivity Clinic, Spreadsheet Clinic, User-to-User, Power User, Languages, and PC Tutor.

React to anything you've read in *PC Magazine* by sending a letter to the editor.

## C MagNet!



Contribute to the Download libraries.

Send electronic mail to and receive it from other PC Magazine readers.

Download the PC Labs Benchmark Series of hardware tests, as well as some of the most popular shareware.

## Take Advantage Of This Outstanding New Service Today

PC MagNet opens an entire universe of information and advice, and your on-line time is only \$12.50 an hour for round-the-clock access. There are no monthly minimum charges, and you pay only for what you use.

#### One Call Gets You Started!

You don't need to be an expert at communications to take full advantage of PC MagNet's extraordinary benefits.

1. To subscribe, set your modem to: 300 or 1200 bps, 7 data bits, even parity, 1 stop bit and full duplex. Call one of the numbers listed:

Anaheim, CA	(714) 520-9724
Atlanta, GA	(404) 266-7014
Baltimore, MD	(301) 254-7113
Boston MA	(617) 542-1796
Chicago, IL	(312) 693-0330
Cleveland, OH	(216) 771-6860
Dallas, TX	(214) 953-0212
Detroit, MI	(313) 255-9207
Houston, TX	(713) 462-0202
Los Angeles, CA	(213) 739-8906
Miami, FL	(305) 266-0231
Minneapolis, MN	(612) 342-2207
New York, NY	(212) 422-8820
Newark, NJ	(201) 624-6565
Philadelphia, PA	(215) 977-9758
Pittsburgh, PA	(412) 391-7732
San Diego, CA	(619) 283-6091
San Francisco, CA	(415) 956-4191
Seattle, WA	(206) 241-9111
St. Louis, MO	(314) 241-3102
Washington, DC	(202) 388-4280

(Note: After you have become a member, you can locate a local telephone access number, or 2400 bps service, by typing GO PHONES at the! prompt)

- 2. When you receive a Connect or Carrier Detected message, press Ctrl-C.
- 3. At the USER ID prompt, type 177000,5000.
- 4. At the PASSWORD prompt, type PC*MAGNET and press Enter.
- 5. At the Enter agreement number prompt, type Z10D8813 and press Enter.
- Register your name and provide billing information.
- 7. Your personal User ID number and password will be displayed at the end of the subscription process. Please record them in a secure place.
- 8. A new password will arrive in the mail within 10 days to confirm your subscription.

There are no connect charges for PC MagNet during the subscription process.

## AFTER HOURS

#### Genealogy

(continued)

eration chart—complete with birth and death dates and places—on one 8½- by 11-inch page.

The program allows you to design your own number system for continuation charts, a plus any seasoned genealogist will appreciate.

Family Reunion also prints family group sheets on one page and allows names and addresses for two preparers—a nice touch when the preparer uses information for which another actually deserves credit. The female spouse can be put in the top position—the spot usually reserved for the husband. This is very useful for descendants of a single ancestor.

Another nice feature—full address and phone number fields for living relatives—will appeal to family reunion organizers. One of the program modules generates mailing labels straight from the family file.

Last but not least, Family Reunion does a nice job of handling multiple databases—an absolute must for a professional genealogist. One of the program modules allows you to switch to a different database without leaving the program.

Family Reunion enjoys an enthusiastic following despite its problems, thanks largely to its elegant printed output and its ability to handle multiple databases with ease.

FAMware should be shipping a faster version of Family Reunion by the time this issue hits the newsstands. The new version will be compiled with Microsoft's QuickBASIC 4.0, so the speed increase should be substantial.

List Price: Family Reunion, \$195. Requires: 256K RAM, two disk drives, DOS 2.0 or later. Not copy protected. FAMware, 1580 E. Dawn Dr., Salt Lake City, UT 84121; (800) 327-9835.

CIRCLE 648 ON READER SERVICE CARD

#### Family Roots

Family Roots, from Quinsept, suffers from some of the same problems as Family Reunion, but to a lesser degree.

The documentation is bad, but it's sufficient if you're persistent. The program has different modules for each task, but they load much faster than do Family Reunion's. Family Roots also insists on a recordnumber system but, unlike Family Reunion, it provides a way to display names opposite record numbers on-screen.

Family Roots takes an odd but quick approach to entering data. Rather than presenting several screens of fields to fill in, the program prompts you to enter as many names as you wish. You then choose an option to begin setting the relationship hooks and filling in biographical information. You can add more names at any time.

Though unusual, this method of adding records seems more natural than trying to fill in all the blanks as you enter a person's data.

Family Roots also streamlines data entry by automating the hooking process a bit more than does Family Reunion. For instance, record numbers are needed for hooking, but you can use a name in lieu of a record number temporarily. The program will insert the appropriate record number if you later create a record with that name.

Like Family Reunion, Family Roots allocates a hefty amount of storage for each record. But, in an innovative touch, Family Roots lets you take advantage of the unused space for adding miscellaneous notes or footnotes on family members. Family Roots also allows a great deal of flexibility in field entries. You enter as much information as you wish, as long as you don't go beyond the space allocated to that record. Birthplace, for instance, need not be entered in the standard City-County-State format. It could read, "In cab on way to hospital."

You can also print mailing labels from full addresses for living relatives.

Family Roots grudgingly prints standard-format ancestor charts, but it really shines when printing what it calls "free-form" charts. Free-form charts sport the same tree structure as ancestor charts but can show a great deal of information or practically no information for each person. Specifying name only, for instance, generates an extremely compact and convenient version of an ancestor chart.

The program recognizes only one database per installation, a limitation that shouldn't hinder hobbyists but will keep professionals away.

List Price: Family Roots, \$185. Requires: 128K RAM, two disk drives (hard disk recommended), DOS 1.1 or later. Not copy protected. Quinsept Inc., P.O. Box 216, Lexington, MA 02173; (800) 637-7668.

CIRCLE 647 ON READER SERVICE CARD

#### Roots II

Roots II, from Commsoft, deservedly ranks as the top-selling genealogy package. Of the packages that are reviewed

here, *Roots II* is the most elegant as well as the most professionally prepared.

The Roots II program is made up of one well-written executable file and a handful of overlays, so you don't waste time switching among executable modules.

Most important, the program avoids the use of numbers to identify records. Instead, *Roots* combines a nice range of speedy, on-screen searches with the ability to pick records from the screen.

You store up to 40 names at any time into a fetch table, part of which is always displayed at the bottom of the screen. You pick names from the table as you need them—to specify hooks, subjects of ancestor charts, and so on.

Roots II gives up a bit of the flexibility of the other two programs. Whereas the others let you establish parent and child hooks in each record, Roots allows only hooks to parents to be set from any record. And, since hooks are made by choosing from the fetch table, you'll have to leave the parent fields temporarily blank if you haven't entered records for the subject's parents.

#### Genealogy: Tapping the On-line Source

With modems becoming more common among all classes of PC users, genealogists are beginning to turn to several on-line services that are dedicated to putting genealogists in touch with each other.

Two such services—GEnie's Genealogy RoundTable and CompuServe's Roots forum—offer not only areas where users post queries for information on certain family lines, but also online chatting, software free for the downloading, and useful bulletins concerning genealogy and genealogy societies.

Another service, the National Genealogy Conference, comprises an ever-growing number of local bulletin boards joined into a nationwide network, and it carries no usage fee. As in the aforementioned services, users are encouraged to leave queries and also to help other users when able.

At last count, over 100 local bulletin boards had joined in the fun, and the list is growing rapidly.

Commsoft began the NGC after starting its own BBS. To find the number for the local NGC-participating BBS nearest you, call the Commsoft BBS at (415) 967-6730 and download GBBS.TXT. —Mitt Jones

This can lead to substantial frustration if you're entering large lists of names. The program's speed and otherwise thoughtful design more than make up for this frustration, however.

For instance, nine flags attached to each record let you encode information of your own choosing into files. Flags or combinations of flags can be used to indicate information such as fraternal affiliations, hair color, cause of death, and the like.

A slew of error checks also aids in the data entry process. It 'tsk-tsks'' about "preemie" firstborn children-a cute way of telling you to check your marriage and birth dates-and points out ancestors who appear to have lived 147 years. Roots II also reuses names and locations, saving both disk storage and entry time. Once you've entered "Lyme New London CT," for instance, the program will automatically enter the entire line when you type "Ly" on subsequent entries.

Roots II also provides an abundance of on-screen capabilities that make maintaining and using the data much easier.

Searches by name, date, location, or certain flags yield onscreen lists in a flash. You can then add any of the subjects to the fetch table by pointing to the subject and hitting a key combination.

Excellent on-screen ancestor charts let you run up or down family lines, a big help in avoiding generation gaps. You can also run up and down miniature family group sheets on the screen to check connections.

Roots II will even calculate blood relationships between any two subjects, by either canon or civil law.

Roots does a nice job of compressing data files, allowing several thousand records to be stored on one floppy disk. It can also handle multiple databases, though you must exit the program to change your database. The program's printed re-

ports include everything you'd expect and then some. The family group sheet has loads of information on each person. Each group sheet stretches over several pages. Footnotes are available for referencing and documenting information.


Extremely clear ancestral charts detail five generations and include the spouse of the initial entry. The program automatically numbers and references continuation charts. Ahnentafel charts are surprisingly easy to read.

Family genealogists and historians who intend to publish their findings will like this program. It has the capability to produce camera-ready copy, including text produced on a word processor and linked to appropriate charts. Page numbers can be alternated for back-to-back printing, and you can index the entire print job.

Roots II wins hands down for ease of use and intelligent design. By the time this issue goes to press, Roots III should be available. Commsoft was unable to ship the newest version to us in time for inclusion in this review. But if Roots II is any indication, Roots III should be a winner.

List Price: Roots II, \$195. Requires: 64K RAM (320K recommended), DOS 1.1 or later. Not copy protected. Commsoft, 2257 Old Middlefield Way, Mountain View, CA 94043; (800) 327-6687.

CIRCLE 646 ON READER SERVICE CARD



#### Stretch Away Your Stress with Pop-up Exercise

#### BY JENNIFER ZAINO

Your eyes fastened on the screen, you heed the commands to stretch out those hip, back,

The on-screen test instructions in Computer Stretches tell you how to move your bods into stretching position. The dots in the drawing designate the average where the stretch should be felt.



and neck muscles. Though this may sound like a scene from your favorite video workout, there's no Jane Fonda, Richard Simmons, or VCR in sight.

Instead, you're stretching to the beat of Bob and Jean Anderson's Computer Stretches, a memory-resident pop-up program from FB Systems that graphically depicts 14 stretching routines. The exercises are designed to relieve the stress, muscular tension, and pain that can result from sitting for many hours in front of your computer terminal. The \$49.95 program is based on Bob Anderson's Stretching book (\$9.95 from Shelter Publications, Bolinas, California).

You can keep to a daily stretching regimen by defining up to four timers that start Computer Stretches automatically throughout the day. If it pops up at an inconvenient time, you can select the Quit option and you'll be bounced right back to your application.

You have the option of choosing A-, B-, or C-level stretches. As you move to the more-advanced levels, more stretches are added, and the amount of time allocated for some of the stretches increases. A beep, which you can turn off, signals when the stretches will begin and end.

Even in EGA mode, Computer Stretches' graphics are static and bland. A program of this type could really benefit from even minimal animation to illustrate how to move your body into stretching position. Instead, you have to rely on the manual or the on-screen text instructions to learn how to maneuver your body into the proper position. The parts of the body where the stretch should be felt are marked off with dots in the drawings.

Though Computer Stretches did not have any conflicts with memory-resident programs like SideKick and Tornado Notes, we found that it did cause Xy-Write to malfunction on three different machines. The company was unable to provide a solution to this problem.

Stretching at regular intervals undoubtedly relieves the strains and pains associated with computer work. And Computer Stretches' handy user-definable timers make it a valuable program for those who need to be prompted to keep to a daily stretching routine. However, the program's amateur graphics show that FB Systems settled for something less than a high-energy, high-impact stretching session.

List Price: Bob and Jean
Anderson's Computer Stretches,
\$49.95. Requires: 256K RAM,
hard disk, graphics adapter, DOS
2.0 or later. Not copy protected. FB
Systems Inc., 23524 St. Andrews
Ct., Auburn, CA 95603; (916) 268-

CIRCLE 645 ON READER SERVICE CARD

## AFTER HOURS



#### **Exploring Your Roots** With PC-Based **Genealogy Software Programs**

#### BY DIANA ISENRING AND MITT JONES

Whether you're looking for a sense of place in the world or a legacy of fame, chances are you've at least thought about taking the plunge into genealogy. It's unlikely your search will turn up a claim to the Hughes estate, but a well-done search will undoubtedly turn up enough interesting ancestors to make the effort worthwhile.

Genealogy programs are essentially highly specialized database management programs. Unlike your typical database, however, each record in a genealogical database is "hooked" to at least one other record and often many. For instance, a record for a mother of seven children requires hooks not only to the records of her seven children but also to those of her husband and parents.

This highly specialized and intricate structure makes genealogy packages somewhat more complex than a typical database program. It also creates concerns for users of these programs. Setting the hooks, or relationships, among family members can become somewhat of a chore. How each program handles data entry, record searches, and hooks becomes extremely important.

The other major area of concern when shopping for a genealogy package should be the range and quality of the reports the package generates, since good-looking output is probably what you're after in the first place.

Genealogists typically depend on three forms of charts. The ancestor or pedigree chart is what laymen call a family tree. An ahnentafel chart compresses the information in an ancestor chart by removing the branches, making it tough to read but mercifully compact. Finally, a family group sheet shows only the members of one nuclear family-mother, father, and their offspring.

With these features in mind. we rounded up three of the more-powerful and commonly used genealogy packages for the PC. Each package takes a different approach to entering and maintaining the data. Each also offers a feature or two that the other programs don't.

Family Reunion, from FAMware, offers a handful of useful features, but the program is dif-

Family Reunion

Up to 40 names at a time can be stored in the Roots II fetch table, which is always displayed at the bottom of the screen. You can easily pick names from the table as you need them.

#### PAF Puts You in Touch with Your Roots

No roundup of genealogy packages would be complete without at least a mention of Personal Ancestry File (see After Hours. PC Magazine, December 8, 1987), PAF, as the program is known in genealogy circles, is a basic but excellent genealogy program designed and sold by the Church of Jesus Christ of Latter-day Saints.

With an estimated 40,000 users, the program boasts the largest user base of any genealogy package for the PC. That's partly because of its price—only \$35—but also because of its compe-

PAF won't wow you with a mélange of eye-popping features or fancy output, but it handles basic text entry and output quite nicely

Should you outgrow its capabilities somewhere down the road, you'll be able to export your data to Roots II or Family Roots with little trouble. Each offers, at little or no charge, a utility that translates PAF files into its own format.

To obtain a copy of PAF, call or write: Distribution Center. 1999 W. 1700, South Salt Lake City, UT 84104; (800) 247-3892, ext. 5274; (801) 531-2584. -Mitt Jones

ficult to install and even more difficult to learn, owing in part to the poor quality of its documentation.

The program's slowness ranks among its biggest problems. Written in BASICA and compiled with IBM's BASIC Compiler, it comprises some 24 separate routines you access via a central menu. Count patience among your virtues if you're not beating your keyboard by the time the program moves from one module to another.

For instance, exiting from the Data Entry module to the main menu took about 15 seconds on my XT compatible. Moving into the Pedigree Print module from there took another 15 seconds.

The program's number-oriented record scheme also contributes to the frustration. All modules make you specify record ID numbers for the records you wish to access or search.

To add insult to injury, you can't even browse through the records that are on the screen to find the ID number for the record you're hunting. Instead, Family Reunion allows you to print only an alphabetized index that matches ID number to name. It's a workable but nonetheless irksome solution.

You set relationship hooks when adding or editing an entry by inserting record numbers in the appropriate field. The data entry screen lists several offspring fields for each person. for instance. You enter the record ID for each child into one of the fields. Again, this requires that you know the record number instead of the name.

Mercifully, once you put a child in a parent's record, the program will automatically put the parent's record in the child's.

When you add a record, the program takes you through several screens packed with a variety of fields.

This seems at first to be an advantage, since you're likely to find all the fields you need. Whether used or not, however, these fields occupy precious space on your disk. For large databases, the program's spacehogging nature could definitely be a problem.

On the upside, Family Reunion produces one of the most elegant computerized six-generation ancestor charts you'll find anywhere. We were able to print a fairly complete six-gen-

(continues)





### INDEX TO ADVERTISERS

RS#	ADVERTISERS	PAGE	RS#	ADVERTISERS	PAGE	RS#	ADVERTISERS	PAGE	RS#	ADVERTISERS	PAGE
267	3M	356-357	504	Datastorm Tech		101	Magnavox	110	474	Quarter Deck	99
484	3X USA		152	Data Technology	355	224 154	Mannesmann Tally	194	256	Relay Communications	144-146
106	707 Sales	467	313	Datavue	399		Mathsoft Inc.	305	348	Research Development	350
128	Aldus Corp.			Data World	425	102	May Computer	197	327	Revelation Technologies	412
345 242	Alloy Computer	202	148	dBFast	307	495	Maynard Electronics	430	749	Ricoh	
148	American Power Conversion	282-283	532 531	DCA/Fox	286-287	228	Meridan Technology		479 290	Rightsoft	
521	American Semi Conductor	464-465	536	DCA/Fox Dell Computer	202-203 #14.#15	387	MHIMICROBEST	462	739	Safepower Systems	345
475	American Small Business		539	Dell Computer	112-113	302	MicroCom Systems		728	Safeware	422
185	Aptech		241	Diennix	270-271	302	Micrografx	92	298	Samsung Corp.	445
111	Arche Technologies	206	229	Discount Micro Products	204-205		MicroLogic Corp	347	245	Santa Cruz Operation Inc	366
527	Archive		330	Dynamic Microprocessor	389	526	Microlytics	185	470	SBT	18-19
*	Arlington Computer		520	Electronic Wholesale	480	374	Micronet	422	385	S.C.S	434
	Products	474-475	257	Entre Computer	217	240	MicroPro	258-259	184	Shamrock	
324 210	Ashton-Tate	344-345	170	Equinox Systems Everex Systems	456	176	Microrim	424-425	252	Sigma Designs	441
519	Ashton-Tate Ashton-Tate	275 277	216 159	Everex Systems	214-275		Microsoft		123	Silicon Specialties	51
471	askSam Systems	3/0-3//	525	Everex systems	440		Microsoft		478	Softline	84
230	ASP Computer Products	406	352	FASTMICRO	53	331	Microway		334	Softlogic Solutions	39
166	AST Research	415	386	FiveStar Computer	458-459	371	Mitsubishi	364-365	934	Softlogic Solutions	16.8
540	ATI Technologies		174	Form Worx Inc.	101	350	Mouse Systems	297	726	Software Excitement	318
165	Autodesk		112	Fox Software		373	Mutoh America	285	487	Software Masters	304
204	Avery		323	Funk Software	82-83	344	National Computer	473	488	Software Masters	317
395	Axon	329	391	F & W Communications	469	507	Natural Microsystem	450		Software Publishing	264-265
505	Banturn Books		146	Gateway Communications	423	131	NEC Home Electronics	122-123	234	Software Spectrum	391
	Bay Express	480	740	GE Computer Service		115	NEC Home Electronics	240-241	271	Sony Corp.	193
172	Bay Technical Associates	178	522	GeneLogic Systems	481	147	Netline	455	390	Spield Computer	
482	Bedford Software		266	General Technology			Northgate Computer	404-405	319	Sterling Castle	341
275	Bently Computer	410-411	506	Generic Software			Northgate Computer	452	254	Sun Microsystems	
149 218	Bible Research		239 369	Genoa Systems	382	217	Norton-Lambert		299	Sun Microsystems	1/0-1/1
116	Blaise Computer		502	Golden Bow Systems	226	103	Novell Inc	290-299	745	Swfte International Symantec	109
125	Boffin Limited		380	Group L Hammerly Computer	325	368	Ornega Press	63	250	Symantec	
377	Borland	57	276	Hauppauge Computer	32	175	On-Line	482	249	Symantec/Breakthrough	42
137	Borland	55	201	Haventree S.W	438	1.0	Oracle		173	Sysgen Inc.	218
138	Borland	C2-4	136	Haves Microcomputer	372	129	Output Technology	322	233	Tallgrass Technologies	306
	Borland	1	357	Hewlett-Packard	104-105	119	Panasonic	387	232	Tandon	362-363
296	BSI		339	Hewlett-Packard	388	381	Para System	72	206	Telemart	44-45
328	Buffalo Products	429	124	Hyundai		359	Paradise Systems	125	512	The Computer Warehouse	479
481	Bulldog Computer	432-433		IBM Corp.	396	211	Paul Mace Software	309	259	The Laser Connection	5
135	Bus Computer	472	265	IDE Associates	136-137	310	PC Brand		363	The Software Group	186
494 160	ButtonWare Inc.	439	499	IMSI	29	311	PC Brand	23	393 191	The Software Link	21Z-213
120	Central Point		496	Informix Software	180-183	308 309	PC Brand	25	191	TOPS Toshiba	
318	Chinon	101	200	Intergrated Information Systems	91	301	PC Brand	26		Toshiba	385
114	Citizen America		382	Intelligent Micro Systems	444.445	303	PC Brand	30	231	Touchbase Systems	310
134	Clarion Software		269	International Battery	390	304	PC Brand	31		Transec Systems	437
188	Command Technology		100	Intuit Software	231	***	PC Connection	220-223	222	Traveling Software	325
261	Compact Disc Products	308	378	lomega		473	PC Cooking		150	Truevision Inc	
279	CompuAdd Corp	166	219	Irwin Magnetics	248-249	372	PC Designs	421	268	Tussey Computer	66-67
320	CompuAdd Corp	161	243	Jade Computer	468	535	PC Network	476	364	Ven-Tel	14
294	CompuAdd Corp	162-165	346	Jameco	477	145	PC Sig	463	329	Vertex Systems	233
	CompuAdd Corp	163-164	108	JDR		722	PCC Systems	324	127	Video-7 Inc.	
205	Computer Accessories	80	169	KAO		358 366	Peachtree Software	330	171	Warehouse Data	90-91
516 281	Computer Accessories	86-89	343 167	KayPro		366	Persoft		485	Westlake Data	312
109	Computer Associates Computer Discount Warehouse	401	272	Kensington Microware	203	365 489	Persoft	64	312 528	White Crane Systems Whole Earth Computer	28
130	Computer Ease Software	316	193	Kinson Products	194	409	Personal Computer Support Group	10	513	Wordperfect Corp	348.340
183	Computer Mail Order	408-400	341	Lifetime Memory	457	483	Personal Computer Support		508	Wordperfect Corp	305
163	Computer Products United	174, 175	133	Logitech		403	Group	11.13	734	WYSE Technology	228
225	Core International	261	182	Logitech		282	Personics		518	Xyquest	
292	Corporate Software	319		Lotus		****	Personics	406	337	Zenith Data Systems	155
194	Cougar Mountain	371		Lotus		255	Pine Computer	482	325	Zenographics	9
360	Crescent Software	443		Lotus		164	Plus Development	294-295	723	Zeos International	79
326	Crosstalk	152-153		Lotus	157	209	Princeton	126	721	Zeos International	234
278	Crosstalk	76	1:	Lotus	159	293	Printers Plus	315	316	ZyLAB Corp	431
383	Cuesta Systems	323	1:	Lotus		529	Public Software Library, The	392			
•	Curtis			Lotus		384	Qandu Computing	250			
220	DAC Software	69	200	Lotus	247	189	Quadram	359	-No R	eader Service #. Please call adve	rtiser for
247	Data Copy	Z45	263	Macola Inc.	442		Quaid Software	304	informat	ion.	

#### PC MAGAZINE ADVERTISING SALES STAFF

Sr. Advertising Coordinator . . . Jane L. Gottlieb Advertising Coordinator . . . Ursula D. Eckel 1 Park Avenue, New York, NY 10016 (212) 503-5100

Jonathan Lane - Director of Sales
(212) 503-5347
Al Di Guido - Eastern Advertising Director
(212) 503-5100
MA, NH, VT, ME, RI, CT
Rod Conklin - District Manager
Sloan Seymour - District Sales Representative
The Prudential Center
800 Boylston St., Ste. 1390
Boston, MA 02199
(617) 375-4690
Vickie Pinsky - Account Representative
(212) 503-5132
DE, MD, DC, W, WV, NC, SC, AL, MS, TN,
AR, KY, PA, GA, FL.
Rex Walker - District Manager
Mary Artotto - District Sales Representative
3405 Piedmont Road
Atlanta, GA 30305 (404) 239-9780
JoAnn C. Ross - Account Representative
(212) 503-5130

NY, NJ, PA
Scott Seltz-District Sales Representative
(212) 503-5307
Pat Toohey - District Sales Representative
(212) 503-5149
One Park Avenue
New York, NY 10016
MaryJo Neilson - Account Representative
(212) 503-5128
NE, WI, IL, IN, MN, MO, OH, MI, IA, ND, SD,
Canada
Jim Stafford - District Manager
Pete Foster - District Sales Representative
180 N. Michigan Avenue Suite 1400
Chicago, IL 50601
(312) 346-2600
Valerie Lynch - Account Representative
(212) 503-5126

CA (San Francisco & North), ID, OR, WA, ID
Jay Whitehead - District Manager
Debra Silver-District Sales Representative
110 Marsh Drive, Suite 103
Foster City, CA 94404
(415) 378-5520
Mark Crafts - Account Representative
(212)503-5129
CA (Santa Barbara to So. San Francisco), WY,
MT, AK
Gini Talmadge - District Manager
(415) 378-5521
Steve Moorman - District Sales Representative
Kathryn Mandahl - District Sales
Representative
(415) 378-5528
Jennifer Long - Account Representative
(212) 503-5127

CA (LA, San Diego & Orange County), AZ, NV, NI
Debra Huisken - District Manager
Robin Kofsky - District Sales Representative
18500 Von Karman Ave. Suite 510
Irvine, Ca. 92715
(714) 852-8001
Paul Klein - Account Representative
(212)503-5113
7X, OK, LA, KS, UT, NM, CO
Stephen Shore - District Manager
Sandy Schackman - District Sales
Representative
5956 Sherry Lane Suite 1330
Dallas, TX 75225 (214) 691-6934
Ilene Morris - Account Representative
(212) 503-5104



## AFTER HOURS



**GAMES** 

#### Hit the Hustings, Shake Some Hands, And You Could Be President

#### BY STEPHANIE IZAREK

If you think Gary Hart had a scandalous campaign, wait until you enter your bid for the presidency in Front Runner Software's new presidential election game, Campaign Promises. Tangled affairs, widespread rumors, bribery, sex scandals. and so-called mishaps run rampant in this game, just as they do in a real presidential election.

Test your political prowess and strategic planning against your friends in an exciting race for the ultimate title, the height of bosshood—the presidency. By winning the most electoral votes in each state and by showing no mercy, you will be well on your way to the White House.

There are a total of 538 electoral votes in 51 possible elections. Each of the 51 elections is called separately, and the electoral votes per state equal the number of congressional representatives plus the number of senators. Like a real presidential election, a simple majority is all that is required to win.

The individual elections are won by the Popular vote, which is the summation of the results of the following Vote categories: Campaign Promise Votes. Campaign Organization Votes, Advertising Votes, and Just Plain Luck Votes.

By using the colorful main menu, you strategically select your priority areas. Because Promise Votes often win elections, it is important to have an abundance. You begin the game with three initial promises, chosen from a list of 20, that represent your main concerns and, hopefully, those of the voters. During each election, three promises are randomly chosen by the computer to represent the voters' concerns and are then compared with yours. The matches increase the potential Promise Votes you can earn.

By using the Buy Promises option or by landing on the Promise location during your campaign turn, promises can be purchased at a price randomly selected by the computer, ranging from \$5,000 to \$50,000.

Don't get sidetracked and spend all of your funds on promises. You'll need your funds to gain votes in the other important categories. You need to set up Organizations in each state to generate more funds. The earlier you establish them, the longer they exist and, therefore, accumulate more money and

Similarly, your Advertising Campaign requires money. Unfortunately, the general rule here is that whoever spends the most money in advertising wins the most Advertising Votes. (Sounds true to life, doesn't it?)


It's important to be frugal with your funds, because if you end up with a negative balance, you will be ineligible to hold an election in the state of your choice

Basically, the name of the game is to have a well-thoughtout strategy, use your wit, and always pay attention to the campaign moves the other candidates are making. In political warfare no one can be trusted—especially since Campaign Promises includes a nasty option called Dirty Tricks. For a cost, randomly determined, of between \$5,000 and \$25,000.

are also provided with an onscreen tutorial and a well-organized manual.

The screen constantly displays flashing words and prompts that can be distracting and annoying. Front Runner also claims that Campaign Promises will work effectively on monochrome monitors. This is only partially true. The game will run on a monochrome monitor, but the states and the location board are all color coded. Unless you sit down and memorize the coding system or constantly refer to the manual, the game will become confusing.

Overall, Front Runner incorporates the major concepts of a presidential election and the opportunity to see how deceitful you can be in a creative and



Ralph Kramden for President? As long as he's got enough money to launch successful advertising campaigns, he could win the election in Campaign Promises.

you can sabotage an opponent's campaign. You can inform the press of unethical contributions, gift improprieties, or marital problems. Or how about having your opponent lose his hairpiece during a key speech? The dirty tricks are handled covertly by your campaign staff and can pop up at any time during the candidate's turn.

Campaign Promises is an exciting and competitive game that displays colorful screens and an easy-to-use menu. You challenging game. So, if you think that your campaigning skills are first-rate and that you can do it better than Ronnie. Campaign Promises gives you the chance to prove it.

List Price: Campaign Promises. \$32.95. Requires: 256K RAM, CGA or EGA, DOS 2.0 or later. Not copy protected. Front Runner Software, P.O. Box 435, Collinsville, CT 06022; (203) 233-3144.

CIRCLE 649 ON READER SERVICE CARD

#### **AFTER HOURS** INDEX

#### Family Reunion, Family Roots, Roots II

Three programs to track your ancestry and create printed family trees. Plus: on-line genealogy bulletin boards help you swap family info **Computer Stretches** 

Stretch those muscles with a memory-resident exercise program

"For students, Microsoft" QuickC™ is the ultimate programming environment."

"For my research work it gives me an all-in-one product for development, while providing interlanguage calling as well as compatibility with Microsoft C5.0."

Dr. Kent Chamberlin, University of New Hampshire, Department of Electrical and Computer Engineering. "With on-line k the clear

compiler joi our courses.

Greg Tinfow, R & D Engineer, Smart Product Design Laboratory, Stanford University.

"QuickC's built-in graphics, debugger and superb on-line help are formidable features to overcome."

PC AI Magazine (comparing QuickC to Turbo C), Fall 1987, by Brian Flamig, reprinted with permission.

## It seems our C'got an A.

"If you are new to C, Microsoft QuickC can make the difference between learning C and giving up in frustration."

Jim Nech, President, Houston Area League of PC Users (HAL PC).

"QuickC is better than Turbo C.". It does everything that Turbo C does, and then some, incorporating very good debugging support that is totally absent from Turbo C."

Alan Holub, Columnist, Dr. Dobb's Journal, October 1987. Not bad, for a \$99 compiler. Call (800) 541-1261, Dept. E66 and we'll send you a free information packet, including details of how to obtain a TurboPascal* to Microsoft QuickC translator program.

And to make QuickC even more irresistible, how does a 30 day money-

back guarantee grab you?



Microsoft is a registered trademark and Quick C is a trademark of Microsoft Corporation. Turbo C and TurboPascal are registered trademarks of Borland International, Inc. Offer valid in the 50 United States only.

# The difference between having power...

